

Nicola Morant

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9107037/nicola-morant-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

74
papers

1,430
citations

19
h-index

35
g-index

84
ext. papers

1,843
ext. citations

4.3
avg, IF

4.57
L-index

#	Paper	IF	Citations
74	An analysis of views about supported reduction or discontinuation of antipsychotic treatment among people with schizophrenia and other psychotic disorders.. <i>BMC Psychiatry</i> , 2022 , 22, 185	4.2	2
73	A qualitative exploration of family members' perspectives on reducing and discontinuing antipsychotic medication.. <i>Journal of Mental Health</i> , 2022 , 1-8	2.7	1
72	Harm minimisation for self-harm: a cross-sectional survey of British clinicians' perspectives and practises. <i>BMJ Open</i> , 2022 , 12, e056199	3	
71	Mental Health Support in the Perinatal Period for Women With a Personality Disorder Diagnosis: A Qualitative Study of Women's Experiences. <i>Journal of Personality Disorders</i> , 2021 , 35, 589-604	2.6	6
70	A qualitative investigation of models of community mental health care for women with perinatal mental health problems. <i>Journal of Mental Health</i> , 2021 , 30, 594-600	2.7	6
69	Talking to Others About Sexual Assault: A Narrative Analysis of Survivors' Journeys. <i>Journal of Interpersonal Violence</i> , 2021 , 36, NP9714-NP9737	2.2	0
68	Vocational rehabilitation via social firms: a qualitative investigation of the views and experiences of employees with mental health problems, social firm managers and clinicians. <i>BMC Psychiatry</i> , 2021 , 21, 566	4.2	1
67	Acute day units in non-residential settings for people in mental health crisis: the AD-CARE mixed-methods study. <i>Health Services and Delivery Research</i> , 2021 , 9, 1-122	1.5	0
66	A comparison of clinical outcomes, service satisfaction and well-being in people using acute day units and crisis resolution teams: cohort study in England. <i>BJPsych Open</i> , 2021 , 7, e68	5	4
65	Acute day units for mental health crises: a qualitative study of service user and staff views and experiences. <i>BMC Psychiatry</i> , 2021 , 21, 146	4.2	5
64	Clinical and cost evaluation of intensive support team (IST) models for adults with intellectual disabilities who display challenging behaviour: a comparative cohort study protocol. <i>BMJ Open</i> , 2021 , 11, e043358	3	1
63	Loneliness in early psychosis: a qualitative study exploring the views of mental health practitioners in early intervention services. <i>BMC Psychiatry</i> , 2021 , 21, 134	4.2	2
62	Twitter Users' Views on Mental Health Crisis Resolution Team Care Compared With Stakeholder Interviews and Focus Groups: Qualitative Analysis. <i>JMIR Mental Health</i> , 2021 , 8, e25742	6	5
61	Experiences of intensive home treatment for a mental health crisis during the perinatal period: A UK qualitative study. <i>International Journal of Mental Health Nursing</i> , 2021 , 30, 208-218	3.8	1
60	Early impacts of the COVID-19 pandemic on mental health care and on people with mental health conditions: framework synthesis of international experiences and responses. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021 , 56, 13-24	4.5	72
59	DECRYPT trial: study protocol for a phase II randomised controlled trial of cognitive therapy for post-traumatic stress disorder (PTSD) in youth exposed to multiple traumatic stressors. <i>BMJ Open</i> , 2021 , 11, e047600	3	0
58	Acceptability of Using Social Media Content in Mental Health Research: A Reflection. Comment on "Twitter Users' Views on Mental Health Crisis Resolution Team Care Compared With Stakeholder Interviews and Focus Groups: Qualitative Analysis". <i>JMIR Mental Health</i> , 2021 , 8, e32475	6	1

57	Service user experiences and views regarding telemental health during the COVID-19 pandemic: A co-produced framework analysis. <i>PLoS ONE</i> , 2021 , 16, e0257270	3.7	4
56	Experiences of parent-infant teams among mothers diagnosed with perinatal mental health difficulties. <i>Journal of Reproductive and Infant Psychology</i> , 2021 , 1-12	2.9	
55	Intensive support for adults with intellectual disability and behaviours that challenge: a survey of provision and service typologies in England. <i>BJPsych Open</i> , 2020 , 6, e20	5	2
54	Assessing Digital Risk in Psychiatric Patients: Mixed Methods Study of Psychiatry Trainees' Experiences, Views, and Understanding. <i>JMIR Mental Health</i> , 2020 , 7, e19008	6	5
53	Recovery from recurrent depression with mindfulness-based cognitive therapy and antidepressants: a qualitative study with illustrative case studies. <i>BMJ Open</i> , 2020 , 10, e033892	3	3
52	Experiences of taking neuroleptic medication and impacts on symptoms, sense of self and agency: a systematic review and thematic synthesis of qualitative data. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020 , 55, 151-164	4.5	15
51	Refugees Who Have Experienced Extreme Cruelty: A Qualitative Study of Mental Health and Wellbeing after Being Granted Leave to Remain in the UK. <i>Journal of Immigrant and Refugee Studies</i> , 2020 , 18, 357-374	1.4	6
50	The CORE service improvement programme for mental health crisis resolution teams: results from a cluster-randomised trial. <i>British Journal of Psychiatry</i> , 2020 , 216, 314-322	5.4	16
49	The Perceived Impact of Suicide Bereavement on Specific Interpersonal Relationships: A Qualitative Study of Survey Data. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	11
48	Mental health professionals' views and experiences of antipsychotic reduction and discontinuation. <i>PLoS ONE</i> , 2019 , 14, e0218711	3.7	11
47	Randomised controlled trial of gradual antipsychotic reduction and discontinuation in people with schizophrenia and related disorders: the RADAR trial (Research into Antipsychotic Discontinuation and Reduction). <i>BMJ Open</i> , 2019 , 9, e030912	3	15
46	Crisis resolution teams for people experiencing mental health crises: the CORE mixed-methods research programme including two RCTs. <i>Programme Grants for Applied Research</i> , 2019 , 7, 1-102	1.5	5
45	Experiences of how services supporting women with perinatal mental health difficulties work with their families: a qualitative study in England. <i>BMJ Open</i> , 2019 , 9, e030208	3	10
44	Experiences of psychotropic medication use and decision-making for adults with intellectual disability: a multistakeholder qualitative study in the UK. <i>BMJ Open</i> , 2019 , 9, e032861	3	5
43	A structured medication review tool to promote psychotropic medication optimisation for adults with intellectual disability: feasibility study. <i>BMJ Open</i> , 2019 , 9, e033827	3	2
42	Adult mental health provision in England: a national survey of acute day units. <i>BMC Health Services Research</i> , 2019 , 19, 866	2.9	6
41	A qualitative comparison of experiences of specialist mother and baby units versus general psychiatric wards. <i>BMC Psychiatry</i> , 2019 , 19, 401	4.2	9
40	Exploring the feasibility and acceptability of a school-based self-referral intervention for emotional difficulties in older adolescents: qualitative perspectives from students and school staff. <i>Child and Adolescent Mental Health</i> , 2018 , 23, 198-205	2.2	1

39	The least worst option: user experiences of antipsychotic medication and lack of involvement in medication decisions in a UK community sample. <i>Journal of Mental Health</i> , 2018 , 27, 322-328	2.7	27
38	How do women's partners view perinatal mental health services? A qualitative meta-synthesis. <i>Clinical Psychology and Psychotherapy</i> , 2018 , 25, 112-129	2.9	13
37	The Impact of Suicide Bereavement on Educational and Occupational Functioning: A Qualitative Study of 460 Bereaved Adults. <i>International Journal of Environmental Research and Public Health</i> , 2018 , 15,	4.6	11
36	Support Needs and Experiences of People Bereaved by Suicide: Qualitative Findings from a Cross-Sectional British Study of Bereaved Young Adults. <i>International Journal of Environmental Research and Public Health</i> , 2018 , 15,	4.6	19
35	Peer-supported self-management for people discharged from a mental health crisis team: a randomised controlled trial. <i>Lancet, The</i> , 2018 , 392, 409-418	4.0	62
34	'Attending to the wound and the person' - patients' experiences and expectations of a newly established traumatic brain injury clinic. <i>Brain Injury</i> , 2017 , 31, 1863-1870	2.1	5
33	Development of a peer-supported, self-management intervention for people following mental health crisis. <i>BMC Research Notes</i> , 2017 , 10, 588	2.3	13
32	Crisis resolution and home treatment: stakeholders' views on critical ingredients and implementation in England. <i>BMC Psychiatry</i> , 2017 , 17, 254	4.2	33
31	Attitudes to suicide following the suicide of a friend or relative: a qualitative study of the views of 429 young bereaved adults in the UK. <i>BMC Psychiatry</i> , 2017 , 17, 400	4.2	21
30	Shared decision-making in medication management: development of a training intervention. <i>BJPsych Bulletin</i> , 2017 , 41, 221-227	1.2	13
29	Shared decision-making for psychiatric medication: A mixed-methods evaluation of a UK training programme for service users and clinicians. <i>International Journal of Social Psychiatry</i> , 2017 , 63, 763-772	8.5	12
28	Randomised controlled trial of the clinical and cost-effectiveness of a peer-delivered self-management intervention to prevent relapse in crisis resolution team users: study protocol. <i>BMJ Open</i> , 2017 , 7, e015665	3	6
27	A qualitative study of online mental health information seeking behaviour by those with psychosis. <i>BMC Psychiatry</i> , 2016 , 16, 232	4.2	40
26	Development of a measure of model fidelity for mental health Crisis Resolution Teams. <i>BMC Psychiatry</i> , 2016 , 16, 427	4.2	40
25	Early intervention for depression and anxiety in 16-18-year-olds: Protocol for a feasibility cluster randomised controlled trial of open-access psychological workshops in schools (DISCOVER). <i>Contemporary Clinical Trials</i> , 2016 , 48, 52-8	2.3	4
24	Results of a pilot cluster randomised trial of the use of a Medication Review Tool for people taking antipsychotic medication. <i>BMC Psychiatry</i> , 2016 , 16, 205	4.2	19
23	Shared decision making for psychiatric medication management: beyond the micro-social. <i>Health Expectations</i> , 2016 , 19, 1002-14	3.7	69
22	Effectiveness and cost-effectiveness of mindfulness-based cognitive therapy compared with maintenance antidepressant treatment in the prevention of depressive relapse or recurrence (PREVENT): a randomised controlled trial. <i>Lancet, The</i> , 2015 , 386, 63-73	4.0	278

21	Trauma-focused cognitive behaviour therapy versus treatment as usual for post traumatic stress disorder (PTSD) in young children aged 3 to 8 years: study protocol for a randomised controlled trial. <i>Trials</i> , 2015 , 16, 116	2.8	14
20	The clinical profile of employees with mental health problems working in social firms in the UK. <i>Journal of Mental Health</i> , 2015 , 24, 242-8	2.7	13
19	Evaluation of a community awareness programme to reduce delays in referrals to early intervention services and enhance early detection of psychosis. <i>BMC Psychiatry</i> , 2015 , 15, 98	4.2	17
18	Exploring the Meaning of Recovery for Carers: Implications for Social Work Practice: Table 1. <i>British Journal of Social Work</i> , 2015 , 45, i117-i134	1.2	14
17	The effectiveness and cost-effectiveness of mindfulness-based cognitive therapy compared with maintenance antidepressant treatment in the prevention of depressive relapse/recurrence: results of a randomised controlled trial (the PREVENT study). <i>Health Technology Assessment</i> , 2015 , 19, 1-124	4.4	36
16	Update to the study protocol for a randomized controlled trial comparing mindfulness-based cognitive therapy with maintenance anti-depressant treatment depressive relapse/recurrence: the PREVENT trial. <i>Trials</i> , 2014 , 15, 217	2.8	10
15	The relationship between therapeutic alliance and service user satisfaction in mental health inpatient wards and crisis house alternatives: a cross-sectional study. <i>PLoS ONE</i> , 2014 , 9, e100153	3.7	48
14	A mixed-methods study exploring therapeutic relationships and their association with service user satisfaction in acute psychiatric wards and crisis residential alternatives. <i>Health Services and Delivery Research</i> , 2014 , 2, 1-106	1.5	4
13	Social Firms as a means of vocational recovery for people with mental illness: a UK survey. <i>BMC Health Services Research</i> , 2013 , 13, 270	2.9	31
12	A recovery journey for people with personality disorder. <i>International Journal of Social Psychiatry</i> , 2013 , 59, 264-73	8.5	24
11	Service user and carer experiences of seeking help for a first episode of psychosis: a UK qualitative study. <i>BMC Psychiatry</i> , 2011 , 11, 157	4.2	71
10	Police responses to diversity: A social representational study of rural British policing in a changing representational context. <i>Journal of Community and Applied Social Psychology</i> , 2011 , 21, 281-296	2.8	8
9	The structure of past and future lives in depression. <i>Journal of Abnormal Psychology</i> , 2011 , 120, 1-15	7	39
8	Study protocol for a randomized controlled trial comparing mindfulness-based cognitive therapy with maintenance anti-depressant treatment in the prevention of depressive relapse/recurrence: the PREVENT trial. <i>Trials</i> , 2010 , 11, 99	2.8	29
7	Social representations and professional knowledge: the representation of mental illness among mental health practitioners. <i>British Journal of Social Psychology</i> , 2006 , 45, 817-38	6.8	40
6	Women's experiences of admission to a crisis house and to acute hospital wards: A qualitative study. <i>Journal of Mental Health</i> , 2004 , 13, 247-262	2.7	32
5	A multi-perspective evaluation of a specialist outpatient service for people with personality disorders. <i>Journal of Forensic Psychiatry and Psychology</i> , 2003 , 14, 44-66	0.9	6
4	Experiencing personality disorder: a participative research. <i>International Journal of Social Psychiatry</i> , 2001 , 47, 1-15	8.5	27

3	Making Sense of Absence—Towards a Typology of Absence in Social Representations Theory and Research. <i>Journal for the Theory of Social Behaviour</i> , 1999 , 29, 419-444	1.2	17
2	Early impacts of the COVID-19 pandemic on mental health care and on people with mental health conditions: framework synthesis of international experiences and responses		8
1	Service user experiences and views regarding telemental health during the COVID-19 pandemic: a co-produced framework analysis		3