

# Vincenzo Venditto

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9108396/publications.pdf>

Version: 2024-02-01

115  
papers

3,778  
citations

109264

35  
h-index

149623

56  
g-index

116  
all docs

116  
docs citations

116  
times ranked

1639  
citing authors

#	ARTICLE	IF	CITATIONS
1	Photocatalytic degradation of atrazine under visible light using Gd-doped ZnO prepared by supercritical antisolvent precipitation route. <i>Catalysis Today</i> , 2022, 397-399, 240-248.	2.2	16
2	Polydopamine-Coated Poly-Lactic Acid Aerogels as Scaffolds for Tissue Engineering Applications. <i>Molecules</i> , 2022, 27, 2137.	1.7	7
3	Nanoporous "Crystalline Poly(2,6-dimethyl-1,4-phenylene)oxide Aerogels with Selectively Sulfonated Amorphous Phase for Fast VOC Sorption from Water. <i>Materials</i> , 2022, 15, 1947.	1.3	3
4	New fluorescence labeling isotactic polypropylenes as a tracer: a proof of concept. <i>Polymer Chemistry</i> , 2022, 13, 2685-2693.	1.9	5
5	Density Functional Theory Study and Photocatalytic Activity of ZnO/N-Doped TiO <sub>2</sub> Heterojunctions. <i>Journal of Physical Chemistry C</i> , 2022, 126, 7000-7011.	1.5	31
6	Photocatalytic degradation of atrazine by an N-doped TiO <sub>2</sub> /polymer composite: catalytic efficiency and toxicity evaluation. <i>Journal of Environmental Chemical Engineering</i> , 2022, 10, 108167.	3.3	12
7	Tailoring novel polymer/UTSA-16 hybrid aerogels for efficient CH <sub>4</sub> /CO <sub>2</sub> separation. <i>Microporous and Mesoporous Materials</i> , 2022, 341, 112106.	2.2	5
8	Stereogradient Poly(Lactic Acid) from <i>meso</i> -Lactide/L-Lactide Mixtures. <i>Angewandte Chemie - International Edition</i> , 2022, 61, .	7.2	4
9	Hirudo verbana as a freshwater invertebrate model to assess the effects of polypropylene micro and nanoplastics dispersion in freshwater. <i>Fish and Shellfish Immunology</i> , 2022, 127, 492-507.	1.6	5
10	Photocatalytic Degradation of Thiachloprid Using Tri-Doped TiO <sub>2</sub> Photocatalysts: A Preliminary Comparative Study. <i>Catalysts</i> , 2021, 11, 927.	1.6	10
11	Copolymerization of L-Lactide and $\mu$ -Caprolactone promoted by zinc complexes with phosphorus based ligands. <i>Heliyon</i> , 2021, 7, e07630.	1.4	7
12	Catalytic system based on recyclable FeO and ZnS semiconductor for UV-promoted degradation of chlorinated organic compounds. <i>Separation and Purification Technology</i> , 2021, 270, 118830.	3.9	9
13	Visible light active Fe-Pr co-doped TiO <sub>2</sub> for water pollutants degradation. <i>Catalysis Today</i> , 2021, 380, 93-104.	2.2	42
14	Catalytic Composite Systems Based on N-Doped TiO <sub>2</sub> /Polymeric Materials for Visible-Light-Driven Pollutant Degradation: A Mini Review. <i>Photochem</i> , 2021, 1, 330-344.	1.3	4
15	Nanoporous polymeric aerogels-based structured photocatalysts for the removal of organic pollutant from water under visible or solar light. , 2020, , 99-120.		3
16	Aluminium complexes of salanol ligands: coordination chemistry and stereoselective lactide polymerization. <i>Chemical Communications</i> , 2020, 56, 13528-13531.	2.2	12
17	Isospecific Polymerization of <i>rac</i> -Lactide by Highly Active Sequential {ONNN} Magnesium Complexes. <i>Chemistry - A European Journal</i> , 2020, 26, 17183-17189.	1.7	23
18	One-Step Catalytic or Photocatalytic Oxidation of Benzene to Phenol: Possible Alternative Routes for Phenol Synthesis?. <i>Catalysts</i> , 2020, 10, 1424.	1.6	33

#	ARTICLE	IF	CITATIONS
19	The Dual $\epsilon$ Stereocontrol Mechanism: Heteroselective Polymerization of rac $\epsilon$ -Lactide and Syndioselective Polymerization of meso $\epsilon$ -Lactide by Chiral Aluminum Salan Catalysts. <i>Angewandte Chemie</i> , 2019, 131, 14821-14827.	1.6	9
20	The Dual $\epsilon$ Stereocontrol Mechanism: Heteroselective Polymerization of rac $\epsilon$ -Lactide and Syndioselective Polymerization of meso $\epsilon$ -Lactide by Chiral Aluminum Salan Catalysts. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 14679-14685.	7.2	47
21	Stereoselective Ring-Opening (Co)polymerization of $\gamma$ -Butyrolactone and $\delta$ -Decalactone Using an Yttrium Bis(phenolate) Catalytic System. <i>Frontiers in Chemistry</i> , 2019, 7, 301.	1.8	10
22	Polymerization of rac $\epsilon$ -Lactide Using Achiral Iron Complexes: Access to Thermally Stable Stereocomplexes. <i>Angewandte Chemie</i> , 2019, 131, 12715-12719.	1.6	7
23	Polymerization of rac $\epsilon$ -Lactide Using Achiral Iron Complexes: Access to Thermally Stable Stereocomplexes. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 12585-12589.	7.2	47
24	Experimental and theoretical assignments of stereoregular poly(N-pentenylcarbazole) FT-IR spectra. <i>Vibrational Spectroscopy</i> , 2019, 101, 64-70.	1.2	2
25	Highly Robust and Selective System for Water Pollutants Removal: How to Transform a Traditional Photocatalyst into a Highly Robust and Selective System for Water Pollutants Removal. <i>Nanomaterials</i> , 2019, 9, 1509.	1.9	22
26	Removal of phenol in aqueous media by N-doped TiO <sub>2</sub> based photocatalytic aerogels. <i>Materials Science in Semiconductor Processing</i> , 2018, 80, 104-110.	1.9	40
27	Block $\epsilon$ Stereoblock Copolymers of Poly( $\epsilon$ -Caprolactone) and Poly(Lactic Acid). <i>Angewandte Chemie - International Edition</i> , 2018, 57, 7191-7195.	7.2	46
28	Packaging technology for improving shelf-life of fruits based on a nanoporous $\epsilon$ crystalline polymer. <i>Journal of Applied Polymer Science</i> , 2018, 135, 46256.	1.3	12
29	Block $\epsilon$ Stereoblock Copolymers of Poly( $\epsilon$ -Caprolactone) and Poly(Lactic Acid). <i>Angewandte Chemie</i> , 2018, 130, 7309-7313.	1.6	25
30	Optoelectronic properties of poly(N-alkenyl $\epsilon$ -carbazole)s driven by polymer stereoregularity. <i>Journal of Polymer Science Part A</i> , 2018, 56, 242-251.	2.5	20
31	Stereoregular polymers with pendant carbazolyl groups: Synthesis, properties and optoelectronic applications. <i>Synthetic Metals</i> , 2018, 246, 185-194.	2.1	12
32	Copolymerization of cyclic esters, epoxides and anhydrides: evidence of the dual role of the monomers in the reaction mixture. <i>Catalysis Science and Technology</i> , 2018, 8, 5034-5043.	2.1	39
33	Influence of aggregate size on photoactivity of N-doped TiO <sub>2</sub> particles in aqueous suspensions under visible light irradiation. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2017, 336, 191-197.	2.0	22
34	Synthesis of poly(4-(N-carbazolyl)methyl styrene)s: Tailoring optical properties through stereoregularity. <i>European Polymer Journal</i> , 2017, 88, 246-256.	2.6	22
35	Group $\epsilon$ ..4 Metal Complexes of Phenylene $\epsilon$ Salalen Ligands in $\epsilon$ -Lactide Polymerization Giving High Molecular Weight Stereoblock Poly(lactic acid). <i>Chemistry - A European Journal</i> , 2017, 23, 11540-11548.	1.7	33
36	Study of the electroluminescence of highly stereoregular poly(N-pentenyl-carbazole) for blue and white OLEDs. <i>Semiconductor Science and Technology</i> , 2017, 32, 065006.	1.0	23

#	ARTICLE	IF	CITATIONS
37	Divergent [ONNN]MgCl complexes in highly active and living lactide polymerization. <i>Chemical Science</i> , 2017, 8, 5476-5481.	3.7	31
38	Potential contact and intraocular lenses based on hydrophilic/hydrophobic sulfonated syndiotactic polystyrene membranes. <i>Journal of King Saud University - Science</i> , 2017, 29, 487-493.	1.6	4
39	Group 4 Metal Complexes of Phenylene-Salalen Ligands in rac-Lactide Polymerization Giving High Molecular Weight Stereoblock Poly(lactic acid). <i>Chemistry - A European Journal</i> , 2017, 23, 11454-11454.	1.7	1
40	Highly Isotactic Poly(N-butenyl-carbazole): Synthesis, Characterization, and Optical Properties. <i>Journal of Chemistry</i> , 2016, 2016, 1-8.	0.9	13
41	Tailor-Made Stereoblock Copolymers of Poly(lactic acid) by a Truly Living Polymerization Catalyst. <i>Journal of the American Chemical Society</i> , 2016, 138, 12041-12044.	6.6	71
42	Nanoporous Semicrystalline Syndiotactic Polystyrene with Sulfonated Amorphous Phase, for a Fast and Efficient Removal of VOC Pollutant Traces From Water. <i>Macromolecular Symposia</i> , 2016, 359, 16-23.	0.4	1
43	Nanoporous-crystalline poly(2,6-dimethyl-1,4-phenylene)oxide (PPO) aerogels. <i>Polymer</i> , 2016, 105, 96-103.	1.8	36
44	Synthesis, characterization, and use as emissive layer of white organic light emitting diodes of the highly isotactic poly(N-pentenyl-carbazole). <i>Polymer Composites</i> , 2015, 36, 1110-1117.	2.3	22
45	Monolithic Polymeric Aerogels with VOCs Sorbent Nanoporous Crystalline and Water Sorbent Amorphous Phases. <i>ACS Applied Materials &amp; Interfaces</i> , 2015, 7, 1318-1326.	4.0	28
46	Ring-opening polymerization of $\epsilon$ -6-hexadecenlactone by a salicylaldiminato aluminum complex: a route to semicrystalline and functional poly(ester)s. <i>Polymer Chemistry</i> , 2015, 6, 1727-1740.	1.9	32
47	Poly(l-lactic acid): Uniplanar Orientation in Cocrystalline Films and Structure of the Cocrystalline Form with Cyclopentanone. <i>Macromolecules</i> , 2015, 48, 7513-7520.	2.2	26
48	Ring-opening homo- and co-polymerization of lactides and $\epsilon$ -caprolactone by salalen aluminum complexes. <i>Dalton Transactions</i> , 2015, 44, 2157-2165.	1.6	75
49	Ethylene/1,3-butadiene cyclocopolymerization catalyzed by zirconocene systems. <i>European Polymer Journal</i> , 2014, 58, 157-163.	2.6	17
50	Highly isotactic poly(N-pentenyl-carbazole): A challenging polymer for optoelectronic applications. , 2014, , .		7
51	N-doped TiO <sub>2</sub> /PS aerogels for photocatalytic degradation of organic dyes in wastewater under visible light irradiation. <i>Journal of Chemical Technology and Biotechnology</i> , 2014, 89, 1175-1181.	1.6	89
52	Random l-lactide/ $\epsilon$ -caprolactone copolymers as drug delivery materials. <i>Journal of Materials Science</i> , 2014, 49, 5986-5996.	1.7	14
53	Toward a Compact Instrument for Detecting Drug Precursors in Different Environments. <i>Lecture Notes in Electrical Engineering</i> , 2014, , 89-93.	0.3	0
54	Sulfonated syndiotactic polystyrene: sorption of ionic liquid in the amorphous phase and of organic guests in the crystalline phase. <i>Polymers for Advanced Technologies</i> , 2013, 24, 56-61.	1.6	5

#	ARTICLE	IF	CITATIONS
55	Ethylene-1,2-cyclopentane random copolymers from cyclocopolymerization of ethylene/1,3-butadiene. <i>Polymer</i> , 2013, 54, 3767-3773.	1.8	12
56	Zirconium and hafnium Salalen complexes in isospecific polymerisation of propylene. <i>Dalton Transactions</i> , 2013, 42, 9096.	1.6	27
57	The 60th Birthday of Prof. Gaetano Guerra. <i>Macromolecular Chemistry and Physics</i> , 2013, 214, 1883-1884.	1.1	0
58	Drugs and precursor sensing by complementing low cost multiple techniques: overview of the European FP7 project CUSTOM. , 2012, , .		1
59	Infrared linear dichroism as a tool to evaluate volatile guest partition between amorphous and nanoporous crystalline polymer phases. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2012, 50, 1474-1479.	2.4	7
60	Oscillating Non-Metallocenes from Stereoblock-Isotactic Polypropylene to Isotactic Polypropylene via Zirconium and Hafnium Dithiodiphenolate Catalysts. <i>European Journal of Inorganic Chemistry</i> , 2011, 2011, 5219-5223.	1.0	18
61	Salalen Titanium Complexes in the Highly Isospecific Polymerization of 1-Hexene and Propylene. <i>Angewandte Chemie - International Edition</i> , 2011, 50, 3529-3532.	7.2	107
62	Back Cover: Salalen Titanium Complexes in the Highly Isospecific Polymerization of 1-Hexene and Propylene ( <i>Angew. Chem. Int. Ed.</i> 15/2011). <i>Angewandte Chemie - International Edition</i> , 2011, 50, 3574-3574.	7.2	0
63	Semicrystalline proton-conductive membranes with sulfonated amorphous phases. <i>International Journal of Hydrogen Energy</i> , 2011, 36, 8038-8044.	3.8	11
64	Same Ligand, Different Metals: Diido-Salalen Complexes of the Group 4 Triad in Isospecific Polymerization of 1-Hexene and Propylene. <i>Macromolecules</i> , 2010, 43, 1689-1691.	2.2	49
65	Molecular Sensing by Nanoporous Crystalline Polymers. <i>Sensors</i> , 2009, 9, 9816-9857.	2.1	75
66	Syndiotactic Polystyrene Films with Sulfonated Amorphous Phase and Nanoporous Crystalline Phase. <i>Chemistry of Materials</i> , 2009, 21, 3191-3196.	3.2	38
67	Chloroform sorption in nanoporous crystalline and amorphous phases of syndiotactic polystyrene. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2008, 46, 8-15.	2.4	31
68	Guest Orientation in Uniplanar-Axial Polymer Host Films and in Co-Crystal Unit-Cell, Determined by Angular Distributions of Polarized Guest Fluorescence. <i>Macromolecules</i> , 2008, 41, 9156-9164.	2.2	62
69	Photoisomerization patterns based on molecular complex phases of syndiotactic polystyrene. <i>Journal of Materials Chemistry</i> , 2007, 17, 531-535.	6.7	59
70	Fluorescence of Syndiotactic Polystyrene/Trimethylbenzene Clathrate and Intercalate Co-Crystals. <i>Chemistry of Materials</i> , 2007, 19, 6041-6046.	3.2	78
71	Polymer/Gas Clathrates for Gas Storage and Controlled Release. <i>Macromolecules</i> , 2006, 39, 9166-9170.	2.2	48
72	Anisotropic Guest Diffusion in the Crystalline Host Phase of Syndiotactic Polystyrene: Transport Kinetics in Films with Three Different Uniplanar Orientations of the Host Phase. <i>Chemistry of Materials</i> , 2006, 18, 2205-2210.	3.2	66

#	ARTICLE	IF	CITATIONS
73	Oriented Nanoporous Host <sup>†</sup> Phases of Syndiotactic Polystyrene as a Tool for Spectroscopic Investigation of Guest Molecules. <i>Macromolecular Symposia</i> , 2006, 234, 102-110.	0.4	5
74	Infrared spectra and thermal reactivity of ethene copolymers containing 1,2-cyclopropane units. <i>Polymer</i> , 2006, 47, 2274-2279.	1.8	3
75	Crystalline structures of intercalate molecular complexes of syndiotactic polystyrene with two fluorescent guests: 1,3,5-Trimethyl-benzene and 1,4-dimethyl-naphthalene. <i>Polymer</i> , 2006, 47, 2402-2410.	1.8	112
76	Thermal crosslinking of ethene copolymers containing 1,2-cyclopropane units. <i>Polymer</i> , 2005, 46, 2847-2853.	1.8	7
77	Optical Recording Materials Based on Photoisomerization of Guest Molecules of a Polymeric Crystalline Host Phase. <i>Advanced Materials</i> , 2005, 17, 1166-1168.	11.1	84
78	Aerogels with a Microporous Crystalline Host Phase. <i>Advanced Materials</i> , 2005, 17, 1515-1518.	11.1	182
79	A Clear-Cut Experimental Method to Discriminate between In-Plane and Out-of-Plane Molecular Transition Moments. <i>Journal of the American Chemical Society</i> , 2005, 127, 13114-13115.	6.6	52
80	Orientation and Microenvironment of Naphthalene Guest in the Host Nanoporous Phase of Syndiotactic Polystyrene. <i>Macromolecules</i> , 2005, 38, 3696-3702.	2.2	66
81	An Intercalate Molecular Complex of Syndiotactic Polystyrene. <i>Macromolecules</i> , 2005, 38, 6965-6971.	2.2	121
82	Thermoplastic Molecular Sieves: New Polymeric Materials for Molecular Packaging. <i>ACS Symposium Series</i> , 2005, , 171-186.	0.5	0
83	Gas sorption and transport in syndiotactic polystyrene with nanoporous crystalline phase. <i>Polymer</i> , 2004, 45, 429-436.	1.8	80
84	Clathrate Phases of Styrene/p-Methylstyrene co-Syndiotactic Copolymers. <i>Macromolecular Chemistry and Physics</i> , 2003, 204, 859-867.	1.1	22
85	Polymeric sensing films absorbing organic guests into a nanoporous host crystalline phase. <i>Sensors and Actuators B: Chemical</i> , 2003, 92, 255-261.	4.0	103
86	Synthesis of Isotactic Poly-1,2-(4-methyl-1,3-pentadiene) by a Homogeneous Titanium Catalyst. <i>Macromolecules</i> , 2003, 36, 9249-9251.	2.2	42
87	Polymorphic Behavior of Syndiotactic Poly(p-chlorostyrene) and Styrene/p-Chlorostyrene Cosyndiotactic Random Copolymers. <i>Macromolecules</i> , 2003, 36, 7577-7584.	2.2	25
88	Probing by Time-Resolved FTIR Spectroscopy Mass Transport, Molecular Interactions, and Conformational Ordering in the System Chloroform <sup>†</sup> Syndiotactic Polystyrene. <i>Macromolecules</i> , 2002, 35, 2296-2304.	2.2	88
89	Crystalline phase orientation in biaxially stretched isotactic polypropylene films. <i>Macromolecular Symposia</i> , 2002, 185, 53-63.	0.4	17
90	Shape and Volume of Cavities in Thermoplastic Molecular Sieves Based on Syndiotactic Polystyrene. <i>Chemistry of Materials</i> , 2001, 13, 1506-1511.	3.2	174

#	ARTICLE	IF	CITATIONS
91	Clathrates with tetrahydrofuran of styrene-p-methyl styrene co-syndiotactic copolymers. <i>Macromolecular Symposia</i> , 2001, 166, 165-172.	0.4	3
92	Pseudo-Hexagonal Crystallinity in Ethene-Styrene Random Copolymers. <i>Macromolecular Chemistry and Physics</i> , 2001, 202, 382-387.	1.1	7
93	C2-Symmetric Zirconocenes for High Molecular Weight Amorphous Poly(propylene). <i>Macromolecular Chemistry and Physics</i> , 2001, 202, 2010-2028.	1.1	30
94	Crystalline Structure of Isotactic Poly(vinylcyclobutane) from Fiber Diffraction Spectra. <i>Macromolecules</i> , 2000, 33, 125-129.	2.2	5
95	Thermoplastic Molecular Sieves. <i>Chemistry of Materials</i> , 2000, 12, 363-368.	3.2	116
96	Regeneration of nanoporous crystalline syndiotactic polystyrene by supercritical CO <sub>2</sub> . <i>Journal of Applied Polymer Science</i> , 1999, 74, 2077-2082.	1.3	101
97	Pseudohexagonal crystallinity and thermal and tensile properties of ethene-propene copolymers. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 1999, 37, 1095-1103.	2.4	21
98	Crystal Structure of the Stereoregular Ethylene-alt-styrene Copolymer Synthesized with a Zirconocene-Based Catalyst. <i>Macromolecules</i> , 1999, 32, 2675-2678.	2.2	26
99	Chemical separations by nanoporous crystalline samples of syndiotactic polystyrene. <i>Macromolecular Symposia</i> , 1999, 138, 131-137.	0.4	9
100	Structural variations in random copolymers of tetrafluoroethylene with kind and content of comonomer units. <i>Polymer</i> , 1998, 39, 3205-3209.	1.8	17
101	Ethylene- <i>rac</i> -Styrene Copolymers by ansa-Zirconocene- and half-Titanocene-Based Catalysts: $\alpha$ Composition, Stereoregularity, and Crystallinity. <i>Macromolecules</i> , 1998, 31, 4027-4029.	2.2	29
102	Crystal structure of syndiotactic poly(4-methyl-1-pentene). <i>Polymer</i> , 1995, 36, 3619-3624.	1.8	21
103	Thermal and Structural Characterization of Poly(methylene-1,3-cyclopentane) Samples of Different Microstructures. <i>Macromolecules</i> , 1995, 28, 2383-2388.	2.2	48
104	Allyltrimethylsilane polymers from metallocene catalysts: tacticity and structural characterization. <i>Polymer</i> , 1994, 35, 4648-4655.	1.8	21
105	Crystal Structure of Form III and the Polymorphism of Isotactic Poly(4-methylpentene-1). <i>Macromolecules</i> , 1994, 27, 3864-3868.	2.2	34
106	Sul polimorfismo del poli(4-metil-1-pentene) isotattico. <i>Rendiconti Lincei</i> , 1993, 4, 99-106.	1.0	1
107	Molecular mechanics and the polymerization mechanism of homogeneous and heterogeneous Ziegler-Natta catalysts. <i>Makromolekulare Chemie Macromolecular Symposia</i> , 1993, 69, 237-246.	0.6	10
108	Chain conformation and unit cell in the crystalline phase of syndiotactic poly(4-methyl-1-pentene). <i>Macromolecules</i> , 1992, 25, 6938-6942.	2.2	20

#	ARTICLE	IF	CITATIONS
109	X-ray diffraction, conformational analysis and stereoregularity of a crystalline poly(3-methyl-1, Tj ETQq1 1 0.784314.rgBT /Oygrlock 10	1.8	12
110	Structural analogies between homogeneous and heterogeneous catalysts for the stereospecific polymerization of 1-alkenes. Journal of Molecular Catalysis, 1992, 74, 433-442.	1.2	40
111	Crystal structure of the form I of syndiotactic poly(1-butene). Die Makromolekulare Chemie, 1992, 193, 1351-1358.	1.1	30
112	Polymorphism and chain conformations in the crystalline forms of syndiotactic poly(1-butene). Macromolecules, 1991, 24, 5645-5650.	2.2	43
113	Mechanism of monomer insertion for heterogeneous isospecific Ziegler-Natta catalytic models. European Polymer Journal, 1991, 27, 45-54.	2.6	32
114	Possible model for chain end control of stereoregularity in the isospecific homogeneous Ziegler-Natta polymerization. Polymer, 1990, 31, 530-537.	1.8	59
115	Polymer co-crystalline films for photonics. Journal of the European Optical Society-Rapid Publications, 0, 4, .	0.9	8