

# Francesca L Crowe

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/9108668/francesca-l-crowe-publications-by-year.pdf>

**Version:** 2024-04-18

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

127  
papers

9,765  
citations

59  
h-index

97  
g-index

129  
ext. papers

11,158  
ext. citations

6.4  
avg, IF

5.1  
L-index

#	Paper	IF	Citations
127	Epidemiology of pre-existing multimorbidity in pregnant women in the UK in 2018: a population-based cross-sectional study.. <i>BMC Pregnancy and Childbirth</i> , <b>2022</b> , 22, 120	3.2	2
126	Vitamin D for Growth and Rickets in Stunted Children: A Randomized Trial. <i>Pediatrics</i> , <b>2021</b> , 147,	7.4	5
125	Plant foods, dietary fibre and risk of ischaemic heart disease in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>International Journal of Epidemiology</i> , <b>2021</b> , 50, 212-222	7.8	5
124	Effects on childhood infections of promoting safe and hygienic complementary-food handling practices through a community-based programme: A cluster randomised controlled trial in a rural area of The Gambia. <i>PLoS Medicine</i> , <b>2021</b> , 18, e1003260	11.6	2
123	Comorbidity phenotypes and risk of mortality in patients with ischaemic heart disease in the UK. <i>Heart</i> , <b>2020</b> , 106, 810-816	5.1	4
122	Intake of individual fatty acids and risk of prostate cancer in the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , <b>2020</b> , 146, 44-57	7.5	7
121	Non-linear associations of 25-hydroxyvitamin D concentrations with risk of cardiovascular disease and all-cause mortality: Results from The Health Improvement Network (THIN) database. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , <b>2019</b> , 195, 105480	5.1	9
120	Trends in the incidence of testing for vitamin D deficiency in primary care in the UK: a retrospective analysis of The Health Improvement Network (THIN), 2005-2015. <i>BMJ Open</i> , <b>2019</b> , 9, e028355	3	27
119	Circulating Folate Concentrations and Risk of Peripheral Neuropathy and Mortality: A Retrospective Cohort Study in the U.K. <i>Nutrients</i> , <b>2019</b> , 11,	6.7	1
118	Effect of supplementation with flaxseed oil and different doses of fish oil for 2 weeks on plasma phosphatidylcholine fatty acids in young women. <i>European Journal of Clinical Nutrition</i> , <b>2018</b> , 72, 832-840	5.2	9
117	Dairy Products, Dietary Calcium, and Risk of Inflammatory Bowel Disease: Results From a European Prospective Cohort Investigation. <i>Inflammatory Bowel Diseases</i> , <b>2016</b> , 22, 1403-11	4.5	55
116	Mortality in vegetarians and comparable nonvegetarians in the United Kingdom. <i>American Journal of Clinical Nutrition</i> , <b>2016</b> , 103, 218-30	7	136
115	Fish consumption and mortality in the European Prospective Investigation into Cancer and Nutrition cohort. <i>European Journal of Epidemiology</i> , <b>2015</b> , 30, 57-70	12.1	33
114	Plasma carotenoids, vitamin C, retinol and tocopherols levels and pancreatic cancer risk within the European Prospective Investigation into Cancer and Nutrition: a nested case-control study: plasma micronutrients and pancreatic cancer risk. <i>International Journal of Cancer</i> , <b>2015</b> , 136, E665-76	7.5	33
113	Fruit and vegetable consumption is associated with reduced all-cause and cardiovascular mortality. <i>Evidence-Based Medicine</i> , <b>2015</b> , 20, 14		5
112	The association of plasma IGF-I with dietary, lifestyle, anthropometric, and early life factors in postmenopausal women. <i>Growth Hormone and IGF Research</i> , <b>2015</b> , 25, 90-5	2	10
111	Tea and coffee and risk of endometrial cancer: cohort study and meta-analysis. <i>American Journal of Clinical Nutrition</i> , <b>2015</b> , 101, 570-8	7	32

110	Association of dietary, circulating, and supplement fatty acids with coronary risk: a systematic review and meta-analysis. <i>Annals of Internal Medicine</i> , <b>2014</b> , 160, 398-406	8	763
109	Organic food consumption and the incidence of cancer in a large prospective study of women in the United Kingdom. <i>British Journal of Cancer</i> , <b>2014</b> , 110, 2321-6	8.7	53
108	Adiposity, mediating biomarkers and risk of colon cancer in the European prospective investigation into cancer and nutrition study. <i>International Journal of Cancer</i> , <b>2014</b> , 134, 612-21	7.5	31
107	Serum concentrations of cholesterol, apolipoprotein A-I and apolipoprotein B in a total of 1694 meat-eaters, fish-eaters, vegetarians and vegans. <i>European Journal of Clinical Nutrition</i> , <b>2014</b> , 68, 178-83 <sup>5.2</sup>		52
106	Differences in the prospective association between individual plasma phospholipid saturated fatty acids and incident type 2 diabetes: the EPIC-InterAct case-cohort study. <i>Lancet Diabetes and Endocrinology</i> , <b>2014</b> , 2, 810-8	18.1	330
105	Vitamin D and risk of cause specific death: systematic review and meta-analysis of observational cohort and randomised intervention studies. <i>BMJ, The</i> , <b>2014</b> , 348, g1903	5.9	389
104	Common genetic variants highlight the role of insulin resistance and body fat distribution in type 2 diabetes, independent of obesity. <i>Diabetes</i> , <b>2014</b> , 63, 4378-4387	0.9	127
103	Circulating fatty acids and prostate cancer risk: individual participant meta-analysis of prospective studies. <i>Journal of the National Cancer Institute</i> , <b>2014</b> , 106,	9.7	41
102	Birth weight and adult cancer incidence: large prospective study and meta-analysis. <i>Annals of Oncology</i> , <b>2014</b> , 25, 1836-1843	10.3	32
101	AuthorsTreply to Grant and Garland and to Bolland and colleagues. <i>BMJ, The</i> , <b>2014</b> , 348, g2931	5.9	
100	Source of dietary fibre and diverticular disease incidence: a prospective study of UK women. <i>Gut</i> , <b>2014</b> , 63, 1450-6	19.2	82
99	Cancer in British vegetarians: updated analyses of 4998 incident cancers in a cohort of 32,491 meat eaters, 8612 fish eaters, 18,298 vegetarians, and 2246 vegans. <i>American Journal of Clinical Nutrition</i> , <b>2014</b> , 100 Suppl 1, 378S-85S	7	66
98	Carbohydrate intake in the etiology of Crohn's disease and ulcerative colitis. <i>Inflammatory Bowel Diseases</i> , <b>2014</b> , 20, 2013-21	4.5	58
97	Meat and fish consumption and risk of pancreatic cancer: results from the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , <b>2013</b> , 132, 617-24	7.5	46
96	Meat consumption and mortality--results from the European Prospective Investigation into Cancer and Nutrition. <i>BMC Medicine</i> , <b>2013</b> , 11, 63	11.4	257
95	Association between dietary meat consumption and incident type 2 diabetes: the EPIC-InterAct study. <i>Diabetologia</i> , <b>2013</b> , 56, 47-59	10.3	101
94	Challenges in estimating the validity of dietary acrylamide measurements. <i>European Journal of Nutrition</i> , <b>2013</b> , 52, 1503-12	5.2	22
93	Dietary acrylamide intake of adults in the European Prospective Investigation into Cancer and Nutrition differs greatly according to geographical region. <i>European Journal of Nutrition</i> , <b>2013</b> , 52, 1369-80 <sup>5.2</sup>		38

92	The association of pattern of lifetime alcohol use and cause of death in the European prospective investigation into cancer and nutrition (EPIC) study. <i>International Journal of Epidemiology</i> , <b>2013</b> , 42, 1772-80	7.8	96
91	Body mass index and the risk for Crohn's disease and ulcerative colitis: data from a European Prospective Cohort Study (The IBD in EPIC Study). <i>American Journal of Gastroenterology</i> , <b>2013</b> , 108, 575-82	6.7	113
90	Fruit and vegetable consumption and mortality: European prospective investigation into cancer and nutrition. <i>American Journal of Epidemiology</i> , <b>2013</b> , 178, 590-602	3.8	108
89	A structural equation modelling approach to explore the role of B vitamins and immune markers in lung cancer risk. <i>European Journal of Epidemiology</i> , <b>2013</b> , 28, 677-88	12.1	13
88	Dietary intakes and food sources of phenolic acids in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>British Journal of Nutrition</i> , <b>2013</b> , 110, 1500-11	3.6	74
87	Risk of hospitalization or death from ischemic heart disease among British vegetarians and nonvegetarians: results from the EPIC-Oxford cohort study. <i>American Journal of Clinical Nutrition</i> , <b>2013</b> , 97, 597-603	7	147
86	Adherence to the World Cancer Research Fund/American Institute for Cancer Research guidelines and risk of death in Europe: results from the European Prospective Investigation into Nutrition and Cancer cohort study <sup>1,4</sup> . <i>American Journal of Clinical Nutrition</i> , <b>2013</b> , 97, 1107-20	7	123
85	Dietary flavonoid intake and esophageal cancer risk in the European prospective investigation into cancer and nutrition cohort. <i>American Journal of Epidemiology</i> , <b>2013</b> , 178, 570-81	3.8	29
84	Age at menopause, reproductive life span, and type 2 diabetes risk: results from the EPIC-InterAct study. <i>Diabetes Care</i> , <b>2013</b> , 36, 1012-9	14.6	141
83	Serological markers predict inflammatory bowel disease years before the diagnosis. <i>Gut</i> , <b>2013</b> , 62, 683-8	19.2	81
82	Glycemic index, glycemic load, dietary carbohydrate, and dietary fiber intake and risk of liver and biliary tract cancers in Western Europeans. <i>Annals of Oncology</i> , <b>2013</b> , 24, 543-553	10.3	79
81	Dietary flavonoid, lignan and antioxidant capacity and risk of hepatocellular carcinoma in the European prospective investigation into cancer and nutrition study. <i>International Journal of Cancer</i> , <b>2013</b> , 133, 2429-43	7.5	54
80	Impact of thearubigins on the estimation of total dietary flavonoids in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>European Journal of Clinical Nutrition</i> , <b>2013</b> , 67, 779-82	5.2	27
79	Serum uric acid concentrations in meat eaters, fish eaters, vegetarians and vegans: a cross-sectional analysis in the EPIC-Oxford cohort. <i>PLoS ONE</i> , <b>2013</b> , 8, e56339	3.7	37
78	The association between dietary energy density and type 2 diabetes in Europe: results from the EPIC-InterAct Study. <i>PLoS ONE</i> , <b>2013</b> , 8, e59947	3.7	12
77	Development and validation of a risk score predicting substantial weight gain over 5 years in middle-aged European men and women. <i>PLoS ONE</i> , <b>2013</b> , 8, e67429	3.7	14
76	Consumption of dairy products and colorectal cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>PLoS ONE</i> , <b>2013</b> , 8, e72715	3.7	64
75	Macronutrient composition of the diet and prospective weight change in participants of the EPIC-PANACEA study. <i>PLoS ONE</i> , <b>2013</b> , 8, e57300	3.7	54

74	Association between fish consumption, long chain omega 3 fatty acids, and risk of cerebrovascular disease: systematic review and meta-analysis. <i>BMJ, The</i> , <b>2012</b> , 345, e6698	5.9	246
73	Dietary fibre intake and ischaemic heart disease mortality: the European Prospective Investigation into Cancer and Nutrition-Heart study. <i>European Journal of Clinical Nutrition</i> , <b>2012</b> , 66, 950-6	5.2	24
72	Bias in protein and potassium intake collected with 24-h recalls (EPIC-Soft) is rather comparable across European populations. <i>European Journal of Nutrition</i> , <b>2012</b> , 51, 997-1010	5.2	20
71	Cancer outcomes and all-cause mortality in adults allocated to metformin: systematic review and collaborative meta-analysis of randomised clinical trials. <i>Diabetologia</i> , <b>2012</b> , 55, 2593-2603	10.3	138
70	Tea consumption and incidence of type 2 diabetes in Europe: the EPIC-InterAct case-cohort study. <i>PLoS ONE</i> , <b>2012</b> , 7, e36910	3.7	44
69	Dietary fibre intake and risks of cancers of the colon and rectum in the European prospective investigation into cancer and nutrition (EPIC). <i>PLoS ONE</i> , <b>2012</b> , 7, e39361	3.7	179
68	Combined impact of lifestyle factors on prospective change in body weight and waist circumference in participants of the EPIC-PANACEA study. <i>PLoS ONE</i> , <b>2012</b> , 7, e50712	3.7	22
67	The association of circulating adiponectin levels with pancreatic cancer risk: a study within the prospective EPIC cohort. <i>International Journal of Cancer</i> , <b>2012</b> , 130, 2428-37	7.5	29
66	Plasma cotinine levels and pancreatic cancer in the EPIC cohort study. <i>International Journal of Cancer</i> , <b>2012</b> , 131, 997-1002	7.5	7
65	Dietary intake of iron, heme-iron and magnesium and pancreatic cancer risk in the European prospective investigation into cancer and nutrition cohort. <i>International Journal of Cancer</i> , <b>2012</b> , 131, E1134-47	7.5	24
64	Fruit and vegetable intake and the risk of gastric adenocarcinoma: a reanalysis of the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST) study after a longer follow-up. <i>International Journal of Cancer</i> , <b>2012</b> , 131, 2910-9	7.5	93
63	Biomarkers of oxidative stress and risk of developing colorectal cancer: a cohort-nested case-control study in the European Prospective Investigation Into Cancer and Nutrition. <i>American Journal of Epidemiology</i> , <b>2012</b> , 175, 653-63	3.8	64
62	Physical activity reduces the risk of incident type 2 diabetes in general and in abdominally lean and obese men and women: the EPIC-InterAct Study. <i>Diabetologia</i> , <b>2012</b> , 55, 1944-52	10.3	61
61	Long-term risk of incident type 2 diabetes and measures of overall and regional obesity: the EPIC-InterAct case-cohort study. <i>PLoS Medicine</i> , <b>2012</b> , 9, e1001230	11.6	118
60	Fiber intake and total and cause-specific mortality in the European Prospective Investigation into Cancer and Nutrition cohort. <i>American Journal of Clinical Nutrition</i> , <b>2012</b> , 96, 164-74	7	87
59	Fruit and vegetable consumption and prospective weight change in participants of the European Prospective Investigation into Cancer and Nutrition-Physical Activity, Nutrition, Alcohol, Cessation of Smoking, Eating Out of Home, and Obesity study. <i>American Journal of Clinical Nutrition</i> , <b>2012</b> , 95, 184-93	7	69
58	Fatty acid patterns and risk of prostate cancer in a case-control study nested within the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , <b>2012</b> , 96, 1354-61	7.61	27
57	Prediagnostic 25-hydroxyvitamin D, VDR and CASR polymorphisms, and survival in patients with colorectal cancer in western European populations. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2012</b> , 21, 582-93	4	105

56	Lower educational level is a predictor of incident type 2 diabetes in European countries: the EPIC-InterAct study. <i>International Journal of Epidemiology</i> , <b>2012</b> , 41, 1162-73	7.8	103
55	The prospective association between total and type of fish intake and type 2 diabetes in 8 European countries: EPIC-InterAct Study. <i>American Journal of Clinical Nutrition</i> , <b>2012</b> , 95, 1445-53	7	65
54	Comparison of standardised dietary folate intake across ten countries participating in the European Prospective Investigation into Cancer and Nutrition. <i>British Journal of Nutrition</i> , <b>2012</b> , 108, 552-69	3.6	39
53	n-3 Fatty acids and prostate cancer risk. <i>British Journal of Nutrition</i> , <b>2012</b> , 108, 1721	3.6	2
52	The amount and type of dairy product intake and incident type 2 diabetes: results from the EPIC-InterAct Study. <i>American Journal of Clinical Nutrition</i> , <b>2012</b> , 96, 382-90	7	156
51	Insulin-like growth factor-I concentration and risk of prostate cancer: results from the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2012</b> , 21, 1531-41	4	56
50	Total and high-molecular weight adiponectin and risk of colorectal cancer: the European Prospective Investigation into Cancer and Nutrition Study. <i>Carcinogenesis</i> , <b>2012</b> , 33, 1211-8	4.6	65
49	The association of education with long-term weight change in the EPIC-PANACEA cohort. <i>European Journal of Clinical Nutrition</i> , <b>2012</b> , 66, 957-63	5.2	13
48	Concentrations of IGF-I and IGFBP-3 and pancreatic cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>British Journal of Cancer</i> , <b>2012</b> , 106, 1004-10	8.7	40
47	The associations of advanced glycation end products and its soluble receptor with pancreatic cancer risk: a case-control study within the prospective EPIC Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2012</b> , 21, 619-28	4	32
46	Intake estimation of total and individual flavan-3-ols, proanthocyanidins and theaflavins, their food sources and determinants in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>British Journal of Nutrition</i> , <b>2012</b> , 108, 1095-108	3.6	81
45	Dietary reporting errors on 24 h recalls and dietary questionnaires are associated with BMI across six European countries as evaluated with recovery biomarkers for protein and potassium intake. <i>British Journal of Nutrition</i> , <b>2012</b> , 107, 910-20	3.6	54
44	Leptin and soluble leptin receptor in risk of colorectal cancer in the European Prospective Investigation into Cancer and Nutrition cohort. <i>Cancer Research</i> , <b>2012</b> , 72, 5328-37	10.1	53
43	Is concordance with World Cancer Research Fund/American Institute for Cancer Research guidelines for cancer prevention related to subsequent risk of cancer? Results from the EPIC study. <i>American Journal of Clinical Nutrition</i> , <b>2012</b> , 96, 150-63	7	231
42	Meat and heme iron intake and risk of squamous cell carcinoma of the upper aero-digestive tract in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2012</b> , 21, 2138-48	4	15
41	Dietary fiber, carbohydrate quality and quantity, and mortality risk of individuals with diabetes mellitus. <i>PLoS ONE</i> , <b>2012</b> , 7, e43127	3.7	65
40	A U-shaped relationship between plasma folate and pancreatic cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>European Journal of Cancer</i> , <b>2011</b> , 47, 1808-16	7.5	39
39	Estimated dietary intakes of flavonols, flavanones and flavones in the European Prospective Investigation into Cancer and Nutrition (EPIC) 24 hour dietary recall cohort. <i>British Journal of Nutrition</i> , <b>2011</b> , 106, 1915-25	3.6	71

38	Serum fatty acid reference ranges: percentiles from a New Zealand national nutrition survey. <i>Nutrients</i> , <b>2011</b> , 3, 152-63	6.7	11
37	Mediterranean dietary pattern and cancer risk in the EPIC cohort. <i>British Journal of Cancer</i> , <b>2011</b> , 104, 1493-9	8.7	208
36	Design and cohort description of the InterAct Project: an examination of the interaction of genetic and lifestyle factors on the incidence of type 2 diabetes in the EPIC Study. <i>Diabetologia</i> , <b>2011</b> , 54, 2272-82	10.3	155
35	Diabetes mellitus, glycated haemoglobin and C-peptide levels in relation to pancreatic cancer risk: a study within the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>Diabetologia</i> , <b>2011</b> , 54, 3037-46	10.3	66
34	The association of education with body mass index and waist circumference in the EPIC-PANACEA study. <i>BMC Public Health</i> , <b>2011</b> , 11, 169	4.1	56
33	A cross-sectional analysis of the associations between adult height, BMI and serum concentrations of IGF-I and IGFBP-1 -2 and -3 in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Annals of Human Biology</i> , <b>2011</b> , 38, 194-202	1.7	59
32	Diet and risk of diverticular disease in Oxford cohort of European Prospective Investigation into Cancer and Nutrition (EPIC): prospective study of British vegetarians and non-vegetarians. <i>BMJ, The</i> , <b>2011</b> , 343, d4131	5.9	222
31	Blood lipid and lipoprotein concentrations and colorectal cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>Gut</i> , <b>2011</b> , 60, 1094-102	19.2	151
30	Smoking, secondhand smoke, and cotinine levels in a subset of EPIC cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2011</b> , 20, 869-75	4	26
29	Plasma phospholipid fatty acid concentrations and risk of gastric adenocarcinomas in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST). <i>American Journal of Clinical Nutrition</i> , <b>2011</b> , 94, 1304-13	7	34
28	Development and evaluation of the Oxford WebQ, a low-cost, web-based method for assessment of previous 24 h dietary intakes in large-scale prospective studies. <i>Public Health Nutrition</i> , <b>2011</b> , 14, 1998-2005	3.3	138
27	Plasma concentrations of 25-hydroxyvitamin D in meat eaters, fish eaters, vegetarians and vegans: results from the EPIC-Oxford study. <i>Public Health Nutrition</i> , <b>2011</b> , 14, 340-6	3.3	149
26	Plasma phospholipid long-chain n-3 polyunsaturated fatty acids and body weight change. <i>Obesity Facts</i> , <b>2011</b> , 4, 312-8	5.1	5
25	Fruit and vegetable intake and mortality from ischaemic heart disease: results from the European Prospective Investigation into Cancer and Nutrition (EPIC)-Heart study. <i>European Heart Journal</i> , <b>2011</b> , 32, 1235-43	9.5	195
24	Estimation of the intake of anthocyanidins and their food sources in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>British Journal of Nutrition</i> , <b>2011</b> , 106, 1090-9	3.6	85
23	Ecological-level associations between highly processed food intakes and plasma phospholipid elaidic acid concentrations: results from a cross-sectional study within the European prospective investigation into cancer and nutrition (EPIC). <i>Nutrition and Cancer</i> , <b>2011</b> , 63, 1235-50	2.8	28
22	Serum concentrations of vitamin B12 and folate in British male omnivores, vegetarians and vegans: results from a cross-sectional analysis of the EPIC-Oxford cohort study. <i>European Journal of Clinical Nutrition</i> , <b>2010</b> , 64, 933-9	5.2	104
21	Polymorphisms in fatty-acid-metabolism-related genes are associated with colorectal cancer risk. <i>Carcinogenesis</i> , <b>2010</b> , 31, 466-72	4.6	48

20	The serum fatty acids myristic acid and linoleic acid are better predictors of serum cholesterol concentrations when measured as molecular percentages rather than as absolute concentrations. <i>American Journal of Clinical Nutrition</i> , <b>2010</b> , 91, 398-405	7	17
19	Plasma phytanic acid concentration and risk of prostate cancer: results from the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , <b>2010</b> , 91, 1769-76	7	22
18	Region-specific nutrient intake patterns exhibit a geographical gradient within and between European countries. <i>Journal of Nutrition</i> , <b>2010</b> , 140, 1280-6	4.1	86
17	Serum B vitamin levels and risk of lung cancer. <i>JAMA - Journal of the American Medical Association</i> , <b>2010</b> , 303, 2377-85	27.4	122
16	Prospective study of physical activity and risk of primary adenocarcinomas of the oesophagus and stomach in the EPIC (European Prospective Investigation into Cancer and nutrition) cohort. <i>Cancer Causes and Control</i> , <b>2010</b> , 21, 657-69	2.8	48
15	Methodological challenges in the application of the glycemic index in epidemiological studies using data from the European Prospective Investigation into Cancer and Nutrition. <i>Journal of Nutrition</i> , <b>2009</b> , 139, 568-75	4.1	51
14	Plasma phospholipid fatty acid profiles and their association with food intakes: results from a cross-sectional study within the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , <b>2009</b> , 89, 331-46	7	168
13	Serum vitamin D and risk of prostate cancer in a case-control analysis nested within the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>American Journal of Epidemiology</i> , <b>2009</b> , 169, 1223-32	3.8	70
12	Reply to CK Chow. <i>American Journal of Clinical Nutrition</i> , <b>2009</b> , 89, 1946-1947	7	8
11	The association between diet and serum concentrations of IGF-I, IGFBP-1, IGFBP-2, and IGFBP-3 in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2009</b> , 18, 1333-40	4	103
10	Glycosylated hemoglobin and risk of colorectal cancer in men and women, the European prospective investigation into cancer and nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2008</b> , 17, 3108-15	4	59
9	Cross-sectional study on acrylamide hemoglobin adducts in subpopulations from the European Prospective Investigation into Cancer and Nutrition (EPIC) Study. <i>Journal of Agricultural and Food Chemistry</i> , <b>2008</b> , 56, 6046-53	5.7	56
8	Fatty acid composition of plasma phospholipids and risk of prostate cancer in a case-control analysis nested within the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , <b>2008</b> , 88, 1353-63	7	109
7	Serum n-3 long-chain PUFA differ by sex and age in a population-based survey of New Zealand adolescents and adults. <i>British Journal of Nutrition</i> , <b>2008</b> , 99, 168-74	3.6	99
6	Dietary fat intake and risk of prostate cancer in the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , <b>2008</b> , 87, 1405-13	7	91
5	Lowering plasma homocysteine concentrations of older men and women with folate, vitamin B-12, and vitamin B-6 does not affect the proportion of (n-3) long chain polyunsaturated fatty acids in plasma phosphatidylcholine. <i>Journal of Nutrition</i> , <b>2008</b> , 138, 551-5	4.1	13
4	Dietary fat and breast cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , <b>2008</b> , 88, 1304-12	7	111
3	Homocysteine lowering with folate, vitamin B12 and vitamin B6 does not alter the proportion of n-3 long chain polyunsaturated fatty acids (LCPUFA) in plasma phosphatidylcholine.. <i>FASEB Journal</i> , <b>2008</b> , 22, 449.3	0.9	



2	Serum phospholipid n 3 long-chain polyunsaturated fatty acids and physical and mental health in a population-based survey of New Zealand adolescents and adults. <i>American Journal of Clinical Nutrition</i> , <b>2007</b> , 86, 1278-85	7	23
1	Serum fatty acids as biomarkers of fat intake predict serum cholesterol concentrations in a population-based survey of New Zealand adolescents and adults. <i>American Journal of Clinical Nutrition</i> , <b>2006</b> , 83, 887-94	7	25