
Vincent Cattoir

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9109078/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Neutrophil function and bactericidal activity against <i>Staphylococcus aureus</i> after cardiac surgery with cardiopulmonary bypass. Journal of Leukocyte Biology, 2022, 111, 867-876. | 1.5 | 2 |
| 2 | The multifaceted lifestyle of enterococci: genetic diversity, ecology and risks for public health. Current Opinion in Microbiology, 2022, 65, 73-80. | 2.3 | 32 |
| 3 | High-level carbapenem tolerance requires antibiotic-induced outer membrane modifications. PLoS Pathogens, 2022, 18, e1010307. | 2.1 | 18 |
| 4 | Optimization of the rapid carbapenem inactivation method for use with AmpC hyperproducers—authors' response. Journal of Antimicrobial Chemotherapy, 2022, 77, 1210-1211. | 1.3 | 0 |
| 5 | Evaluation of CHROMagarâ,,¢ LIN-R for the Screening of Linezolid Resistant Staphylococci from Positive Blood Cultures and Nasal Swab Screening Samples. Antibiotics, 2022, 11, 313. | 1.5 | 1 |
| 6 | Beneficial effects of citrulline enteral administration on sepsis-induced T cell mitochondrial dysfunction. Proceedings of the National Academy of Sciences of the United States of America, 2022, 119, . | 3.3 | 13 |
| 7 | High Prevalence of OXA-23 Carbapenemase-Producing <i>Proteus mirabilis</i> among Amoxicillin-Clavulanate-Resistant Isolates in France. Antimicrobial Agents and Chemotherapy, 2022, 66, AAC0198321. | 1.4 | 8 |
| 8 | Antimicrobial Resistance in Enterobacterales Recovered from Urinary Tract Infections in France. Pathogens, 2022, 11, 356. | 1.2 | 11 |
| 9 | Efficient and Quality-Optimized Metagenomic Pipeline Designed for Taxonomic Classification in Routine Microbiological Clinical Tests. Microorganisms, 2022, 10, 711. | 1.6 | 9 |
| 10 | The Association Between Antibiotic Use and Outcome Among Metastatic Melanoma Patients Receiving Immunotherapy. Journal of the National Cancer Institute, 2022, , . | 3.0 | 10 |
| 11 | Small RNA-mediated regulation of the tet(M) resistance gene expression in Enterococcus faecium. Research in Microbiology, 2022, 173, 103941. | 1.0 | 3 |
| 12 | Development and validation of a lateral flow immunoassay for rapid detection of VanA-producing enterococci. Journal of Antimicrobial Chemotherapy, 2021, 76, 146-151. | 1.3 | 9 |
| 13 | Streptogramins for the treatment of infections caused by Gram-positive pathogens. Expert Review of Anti-Infective Therapy, 2021, 19, 587-599. | 2.0 | 10 |
| 14 | Clinical relevance and antimicrobial susceptibility profile of the unknown human pathogen Corynebacterium aurimucosum. Journal of Medical Microbiology, 2021, 70, . | 0.7 | 3 |
| 15 | Distinct expression profiles of regulatory RNAs in the response to biocides in Staphylococcus aureus and Enterococcus faecium. Scientific Reports, 2021, 11, 6892. | 1.6 | 8 |
| 16 | Genetic features of the <i>poxtA</i> linezolid resistance gene in human enterococci from France. Journal of Antimicrobial Chemotherapy, 2021, 76, 1978-1985. | 1.3 | 14 |
| 17 | Optimization of the rapid carbapenem inactivation method for use with AmpC hyperproducers. Journal of Antimicrobial Chemotherapy, 2021, 76, 2294-2301. | 1.3 | 9 |
| 18 | Temocillin susceptibility among Enterobacterales strains recovered from blood culture in France. Diagnostic Microbiology and Infectious Disease, 2021, 100, 115368. | 0.8 | 7 |

VINCENT CATTOIR

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | In Vitro Antimicrobial Susceptibility Profiles of Gram-Positive Anaerobic Cocci Responsible for Human Invasive Infections. Microorganisms, 2021, 9, 1665. | 1.6 | 11 |
| 20 | Rapid Detection of VanA/B-Producing Vancomycin-Resistant Enterococci Using Lateral Flow Immunoassay. Diagnostics, 2021, 11, 1805. | 1.3 | 5 |
| 21 | Multicentric evaluation of BioFire FilmArray Pneumonia Panel for rapid bacteriological documentation of pneumonia. Clinical Microbiology and Infection, 2021, 27, 1308-1314. | 2.8 | 41 |
| 22 | Activity of the combination of colistin and fosfomycin against NDM-1-producing <i>Escherichia coli</i> with variable levels of susceptibility to colistin and fosfomycin in a murine model of peritonitis. Journal of Antimicrobial Chemotherapy, 2021, 77, 155-163. | 1.3 | 3 |
| 23 | The Regulatory RNA ern0160 Confers a Potential Selective Advantage to Enterococcus faecium for Intestinal Colonization. Frontiers in Microbiology, 2021, 12, 757227. | 1.5 | 1 |
| 24 | Novel Chromosomal Mutations Responsible for Fosfomycin Resistance in Escherichia coli. Frontiers in Microbiology, 2020, 11, 575031. | 1.5 | 10 |
| 25 | Landscape of in vivo Fitness-Associated Genes of Enterobacter cloacae Complex. Frontiers in Microbiology, 2020, 11, 1609. | 1.5 | 8 |
| 26 | Avrilella dinanensis gen. nov., sp. nov., a novel bacterium of the family Flavobacteriaceae isolated from human blood. Systematic and Applied Microbiology, 2020, 43, 126124. | 1.2 | 2 |
| 27 | Unexpected Cell Wall Alteration-Mediated Bactericidal Activity of the Antifungal Caspofungin against Vancomycin-Resistant Enterococcus faecium. Antimicrobial Agents and Chemotherapy, 2020, 64, . | 1.4 | 6 |
| 28 | <i>ramR</i> Deletion in an Enterobacter hormaechei Isolate as a Consequence of Therapeutic Failure of Key Antibiotics in a Long-Term Hospitalized Patient. Antimicrobial Agents and Chemotherapy, 2020, 64, . | 1.4 | 13 |
| 29 | In vitro activity of eravacycline and mechanisms of resistance in enterococci. International Journal of Antimicrobial Agents, 2020, 56, 106215. | 1.1 | 6 |
| 30 | ResFinder 4.0 for predictions of phenotypes from genotypes. Journal of Antimicrobial Chemotherapy, 2020, 75, 3491-3500. | 1.3 | 1,523 |
| 31 | Cross-reactivity between tumor MHC class l–restricted antigens and an enterococcal bacteriophage. Science, 2020, 369, 936-942. | 6.0 | 217 |
| 32 | Analysis of Paradoxical Efficacy of Carbapenems against Carbapenemase-Producing Escherichia coli in a Murine Model of Lethal Peritonitis. Antimicrobial Agents and Chemotherapy, 2020, 64, . | 1.4 | 7 |
| 33 | Molecular basis of macrolide-lincosamide-streptogramin (MLS) resistance in Finegoldia magna clinical isolates. Anaerobe, 2020, 64, 102220. | 1.0 | 6 |
| 34 | Molecular and functional analysis of the novel cfr(D) linezolid resistance gene identified in Enterococcus faecium. Journal of Antimicrobial Chemotherapy, 2020, 75, 1699-1703. | 1.3 | 33 |
| 35 | Performance of commercial methods for linezolid susceptibility testing of Enterococcus faecium and Enterococcus faecalis. Journal of Antimicrobial Chemotherapy, 2020, 75, 2587-2593. | 1.3 | 8 |
| 36 | Helcococcus kunzii methyltransferase Erm(47) responsible for MLSB resistance is induced by diverse ribosome-targeting antibiotics. Journal of Antimicrobial Chemotherapy, 2019, 75, 371-378. | 1.3 | 0 |

VINCENT CATTOIR

| # | Article | IF | CITATIONS |
|----|---|-------------------|-----------|
| 37 | In vitro bactericidal activity of amoxicillin combined with different cephalosporins against endocarditis-associated Enterococcus faecalis clinical isolates. Journal of Antimicrobial Chemotherapy, 2019, 74, 3511-3514. | 1.3 | 11 |
| 38 | Unexpected Activity of Oral Fosfomycin against Resistant Strains of Escherichia coli in Murine Pyelonephritis. Antimicrobial Agents and Chemotherapy, 2019, 63, . | 1.4 | 7 |
| 39 | Future Antibacterial Strategies: From Basic Concepts to Clinical Challenges. Journal of Infectious Diseases, 2019, 220, 350-360. | 1.9 | 87 |
| 40 | Emergence of optrA-mediated linezolid resistance in enterococci from France, 2006–16. Journal of Antimicrobial Chemotherapy, 2019, 74, 1469-1472. | 1.3 | 52 |
| 41 | Colistin heteroresistance in <i>Enterobacter cloacae</i> is regulated by PhoPQâ€dependent 4â€aminoâ€4â€deoxyâ€ <scp>l</scp> â€arabinose addition to lipid A. Molecular Microbiology, 2019, 111, 1604-1 | 6 16 . | 52 |
| 42 | The Transcriptional Repressor SmvR Is Important for Decreased Chlorhexidine Susceptibility in Enterobacter cloacae Complex. Antimicrobial Agents and Chemotherapy, 2019, 64, . | 1.4 | 7 |
| 43 | In vitro activity of novel anti-MRSA cephalosporins and comparator antimicrobial agents against staphylococci involved in prosthetic joint infections. Journal of Global Antimicrobial Resistance, 2018, 13, 221-225. | 0.9 | 13 |
| 44 | Genetic characterization of a VanG-type vancomycin-resistant Enterococcus faecium clinical isolate. Journal of Antimicrobial Chemotherapy, 2018, 73, 852-855. | 1.3 | 14 |
| 45 | Ceftriaxone promotes the emergence of AmpC-overproducing Enterobacteriaceae in gut microbiota from hospitalized patients. European Journal of Clinical Microbiology and Infectious Diseases, 2018, 37, 417-421. | 1.3 | 23 |
| 46 | Bacterial Adaptation to Antibiotics through Regulatory RNAs. Antimicrobial Agents and Chemotherapy, 2018, 62, . | 1.4 | 61 |
| 47 | Update on prevalence and mechanisms of resistance to linezolid, tigecycline and daptomycin in enterococci in Europe: Towards a common nomenclature. Drug Resistance Updates, 2018, 40, 25-39. | 6.5 | 165 |
| 48 | How is fosfomycin resistance developed in <i>Escherichia coli</i> ?. Future Microbiology, 2018, 13, 1693-1696. | 1.0 | 23 |
| 49 | Phage Morons Play an Important Role in Pseudomonas aeruginosa Phenotypes. Journal of Bacteriology, 2018, 200, . | 1.0 | 53 |
| 50 | <i>In Vitro</i> Activity of Ceftolozane-Tazobactam against Enterobacter cloacae Complex Clinical Isolates with Different β-Lactam Resistance Phenotypes. Antimicrobial Agents and Chemotherapy, 2018, 62, . | 1.4 | 15 |
| 51 | Subinhibitory Concentrations of Ciprofloxacin Enhance Antimicrobial Resistance and Pathogenicity of Enterococcus faecium. Antimicrobial Agents and Chemotherapy, 2017, 61, . | 1.4 | 42 |
| 52 | Small RNAs in vancomycin-resistant Enterococcus faecium involved in daptomycin response and resistance. Scientific Reports, 2017, 7, 11067. | 1.6 | 35 |
| 53 | Sequential steps of daptomycin resistance in <i>Enterococcus faecium</i> and reversion to hypersusceptibility through IS-mediated inactivation of the <i>liaFSR</i> operon. Journal of Antimicrobial Chemotherapy, 2016, 71, 2793-2797. | 1.3 | 14 |
| 54 | Landscape of Resistance-Nodulation-Cell Division (RND)-Type Efflux Pumps in Enterobacter cloacae Complex. Antimicrobial Agents and Chemotherapy, 2016, 60, 2373-2382. | 1.4 | 45 |

VINCENT CATTOIR

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | A penicillin-binding protein inhibits selection of colistin-resistant, lipooligosaccharide-deficient <i>Acinetobacter baumannii</i> . Proceedings of the National Academy of Sciences of the United States of America, 2016, 113, E6228-E6237. | 3.3 | 114 |
| 56 | Enterococcus hirae and Barnesiella intestinihominis Facilitate Cyclophosphamide-Induced Therapeutic Immunomodulatory Effects. Immunity, 2016, 45, 931-943. | 6.6 | 645 |
| 57 | Cluster-dependent colistin hetero-resistance in <i>Enterobacter cloacae</i> complex. Journal of Antimicrobial Chemotherapy, 2016, 71, 3058-3061. | 1.3 | 69 |
| 58 | Novel chromosome-encoded <i>erm</i> (47) determinant responsible for constitutive MLS _B resistance in <i>Helcococcus kunzii</i> . Journal of Antimicrobial Chemotherapy, 2016, 71, 3046-3049. | 1.3 | 3 |
| 59 | Identification and Clinical Significance of Helcococcus kunzii in Human Samples. Journal of Clinical Microbiology, 2015, 53, 2703-2705. | 1.8 | 12 |
| 60 | Fitness cost of antibiotic susceptibility during bacterial infection. Science Translational Medicine, 2015, 7, 297ra114. | 5.8 | 122 |
| 61 | Complex Regulation Pathways of AmpC-Mediated β-Lactam Resistance in Enterobacter cloacae Complex. Antimicrobial Agents and Chemotherapy, 2015, 59, 7753-7761. | 1.4 | 88 |
| 62 | Genomic Analysis of Reduced Susceptibility to Tigecycline in Enterococcus faecium. Antimicrobial Agents and Chemotherapy, 2015, 59, 239-244. | 1.4 | 52 |
| 63 | Antibiotic resistance in <i>Enterococcus faecium</i> clinical isolates. Expert Review of Anti-Infective Therapy, 2014, 12, 239-248. | 2.0 | 81 |
| 64 | Erm(X)-mediated resistance to macrolides, lincosamides and streptogramins in Actinobaculum schaalii. Journal of Antimicrobial Chemotherapy, 2014, 69, 2056-2060. | 1.3 | 21 |
| 65 | Twenty-five years of shared life with vancomycin-resistant enterococci: is it time to divorce?. Journal of Antimicrobial Chemotherapy, 2013, 68, 731-742. | 1.3 | 190 |
| 66 | Genetic Basis for <i>In Vitro</i> and <i>In Vivo</i> Resistance to Lincosamides, Streptogramins A, and Pleuromutilins (LS _A P Phenotype) in Enterococcus faecium. Antimicrobial Agents and Chemotherapy, 2013, 57, 4463-4469. | 1.4 | 47 |
| 67 | AsrR Is an Oxidative Stress Sensing Regulator Modulating Enterococcus faecium Opportunistic Traits, Antimicrobial Resistance, and Pathogenicity. PLoS Pathogens, 2012, 8, e1002834. | 2.1 | 70 |
| 68 | Microbiological investigation and clinical significance of Corynebacterium spp. in respiratory specimens. Diagnostic Microbiology and Infectious Disease, 2012, 74, 236-241. | 0.8 | 35 |
| 69 | Comparison of four methods, including semi-automated rep-PCR, for the typing of vancomycin-resistant Enterococcus faecium. Journal of Microbiological Methods, 2011, 84, 74-80. | 0.7 | 25 |
| 70 | <scp>d</scp> -Ala- <scp>d</scp> -Ser VanN-Type Transferable Vancomycin Resistance in Enterococcus faecium. Antimicrobial Agents and Chemotherapy, 2011, 55, 4606-4612. | 1.4 | 144 |
| 71 | Emergence of a Streptococcus pneumoniae isolate resistant to streptogramins by mutation in ribosomal protein L22 during pristinamycin therapy of pneumococcal pneumonia. Journal of Antimicrobial Chemotherapy, 2007, 59, 1010-1012. | 1.3 | 11 |
| 72 | Bacterial Identification, Clinical Significance, and Antimicrobial Susceptibilities of Acinetobacter ursingii and Acinetobacter schindleri , Two Frequently Misidentified Opportunistic Pathogens. Journal of Clinical Microbiology, 2006, 44, 4471-4478. | 1.8 | 113 |