

Per-Anders Jansson

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9111732/publications.pdf>

Version: 2024-02-01

33
papers

1,710
citations

586496

16
h-index

466096

32
g-index

34
all docs

34
docs citations

34
times ranked

3639
citing authors

#	ARTICLE	IF	CITATIONS
1	The role of circulating galectin-1 in type 2 diabetes and chronic kidney disease: evidence from cross-sectional, longitudinal and Mendelian randomisation analyses. <i>Diabetologia</i> , 2022, 65, 128-139.	2.9	7
2	Longitudinal plasma protein profiling of newly diagnosed type 2 diabetes. <i>EBioMedicine</i> , 2021, 63, 103147.	2.7	15
3	Report from an effort to prevent type 2 diabetes development in primary care. <i>Primary Care Diabetes</i> , 2021, 15, 240-244.	0.9	2
4	Hyperinsulinemia and insulin resistance in the obese may develop as part of a homeostatic response to elevated free fatty acids: A mechanistic case-control and a population-based cohort study. <i>EBioMedicine</i> , 2021, 65, 103264.	2.7	51
5	Literature review: Evidence-based health outcomes and perceptions of the built environment in pediatric hospital facilities. <i>Journal of Pediatric Nursing</i> , 2021, 61, e42-e50.	0.7	4
6	Identification of human glucocorticoid response markers using integrated multi-omic analysis from a randomized crossover trial. <i>ELife</i> , 2021, 10, .	2.8	22
7	MiR-122-5p: A Novel Biomarker of Glucocorticoid Action. <i>Journal of the Endocrine Society</i> , 2021, 5, A89-A89.	0.1	0
8	Differential DNA Methylation and Expression of miRNAs in Adipose Tissue From Twin Pairs Discordant for Type 2 Diabetes. <i>Diabetes</i> , 2021, 70, 2402-2418.	0.3	5
9	Circulating endothelin-1 levels are positively associated with chronic kidney disease in women but not in men: a longitudinal study in the Vara-SkÅrvede cohort. <i>BMC Nephrology</i> , 2021, 22, 327.	0.8	1
10	Integration of molecular profiles in a longitudinal wellness profiling cohort. <i>Nature Communications</i> , 2020, 11, 4487.	5.8	66
11	Increased weight loading reduces body weight and body fat in obese subjects â€œ A proof of concept randomized clinical trial. <i>EClinicalMedicine</i> , 2020, 22, 100338.	3.2	20
12	Wide QRSâ€” angles are associated with markers of increased inflammatory activity independently of hypertension and diabetes. <i>Annals of Noninvasive Electrocardiology</i> , 2020, 25, e12781.	0.5	6
13	Plasma metabolomic patterns in patients with exhaustion disorder. <i>Stress</i> , 2019, 22, 17-26.	0.8	8
14	Galectin-1 is inversely associated with type 2 diabetes independently of obesity â€œ A SCAPIS pilot study. <i>Metabolism Open</i> , 2019, 4, 100017.	1.4	9
15	Effects of free omega-3 carboxylic acids and fenofibrate on liver fat content in patients with hypertriglyceridemia and non-alcoholic fatty liver disease: A double-blind, randomized, placebo-controlled study. <i>Journal of Clinical Lipidology</i> , 2018, 12, 1390-1403.e4.	0.6	79
16	Effects of dapagliflozin and n-3 carboxylic acids on non-alcoholic fatty liver disease in people with type 2 diabetes: a double-blind randomised placebo-controlled study. <i>Diabetologia</i> , 2018, 61, 1923-1934.	2.9	256
17	Metabolic effects of <i>actobacillus reuteri</i> DSM 17938 in people with type 2 diabetes: A randomized controlled trial. <i>Diabetes, Obesity and Metabolism</i> , 2017, 19, 579-589.	2.2	199
18	Microdialysis and proteomics of subcutaneous interstitial fluid reveals increased galectin-1 in type 2 diabetes patients. <i>Metabolism: Clinical and Experimental</i> , 2016, 65, 998-1006.	1.5	23

#	ARTICLE	IF	CITATIONS
19	DNA methylation of loci within <i>ABCG1</i> and <i>PHOSPHO1</i> in blood DNA is associated with future type 2 diabetes risk. <i>Epigenetics</i> , 2016, 11, 482-488.	1.3	152
20	A lifestyle intervention in primary care prevents deterioration of insulin resistance in patients with impaired glucose tolerance: A randomised controlled trial. <i>Scandinavian Journal of Public Health</i> , 2016, 44, 718-725.	1.2	15
21	Endothelin-1 as a predictor of impaired glucose tolerance and type 2 diabetes – A longitudinal study in the Vara-Skårvde Cohort. <i>Diabetes Research and Clinical Practice</i> , 2016, 113, 33-37.	1.1	11
22	A Genome-Wide mQTL Analysis in Human Adipose Tissue Identifies Genetic Variants Associated with DNA Methylation, Gene Expression and Metabolic Traits. <i>PLoS ONE</i> , 2016, 11, e0157776.	1.1	88
23	Circulating concentrations of endothelin-1 predict coronary heart disease in women but not in men: a longitudinal observational study in the Vara-Skårvde Cohort. <i>BMC Cardiovascular Disorders</i> , 2015, 15, 146.	0.7	17
24	Primary care screening for individuals with impaired glucose metabolism with focus on impaired glucose tolerance. <i>Primary Care Diabetes</i> , 2015, 9, 261-266.	0.9	3
25	Impact of age, BMI and HbA1c levels on the genome-wide DNA methylation and mRNA expression patterns in human adipose tissue and identification of epigenetic biomarkers in blood. <i>Human Molecular Genetics</i> , 2015, 24, 3792-813.	1.4	223
26	Insulin resistance predicts early cardiovascular morbidity in men without diabetes mellitus, with effect modification by physical activity. <i>European Journal of Preventive Cardiology</i> , 2015, 22, 940-949.	0.8	18
27	Feasibility of a randomized controlled intervention with physical activity in participants with impaired glucose tolerance recruited by FINDRISC: A pilot study. <i>Scandinavian Journal of Public Health</i> , 2014, 42, 463-470.	1.2	5
28	Insulin resistance with low cellular IRS-1 expression is also associated with low GLUT4 expression and impaired insulin-stimulated glucose transport ¹ . <i>FASEB Journal</i> , 2001, 15, 1101-1103.	0.2	116
29	Determination of LewisFUT3 gene mutations by PCR using sequence-specific primers enables efficient genotyping of clinical samples. <i>Human Mutation</i> , 2001, 18, 358-359.	1.1	24
30	insulin resistance with low cellular IRS-1 expression is also associated with low GLUT4 expression and impaired insulin-stimulated glucose transport 1. <i>FASEB Journal</i> , 2001, 15, 1101-1103.	0.2	21
31	Low cellular IRS 1 gene and protein expression predict insulin resistance and NIDDM. <i>FASEB Journal</i> , 1999, 13, 2173-2178.	0.2	143
32	Lactate and Glycerol Release from Subcutaneous Adipose Tissue in Black and White Lean Men1. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1999, 84, 2888-2895.	1.8	9
33	Insulin Signaling and Action in Fat Cells: Associations with Insulin Resistance and Type 2 Diabetes. <i>Annals of the New York Academy of Sciences</i> , 1999, 892, 119-126.	1.8	92