Richard A Manderville

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/9113432/richard-a-manderville-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

28 3,123 95 53 g-index h-index citations papers 3,403 97 5.4 5.59 L-index avg, IF ext. papers ext. citations

#	Paper	IF	Citations
95	Screening Internal Donor-Acceptor Biaryl Nucleobase Surrogates for Turn-On Fluorescence Affords an Aniline-Carboxythiophene Probe for Protein Detection by G-Quadruplex DNA. <i>Bioconjugate Chemistry</i> , 2021 , 32, 1791-1801	6.3	2
94	Temperature Sensing of Thiolate Addition by Phenolate Merocyanine Dyes: Importance of the Quinone Methide Resonance Structure. <i>Journal of Organic Chemistry</i> , 2021 , 86, 1583-1590	4.2	3
93	Visible Fluorescent Light-up Probe for DNA Three-Way Junctions Provides Host-Guest Biosensing Applications <i>ACS Applied Bio Materials</i> , 2021 , 4, 6732-6741	4.1	2
92	On-Strand Knoevenagel Insertion of a Hemicyanine Molecular Rotor Loop Residue for Turn-On Fluorescence Detection of Pb-Induced G-Quadruplex Rigidity. <i>Bioconjugate Chemistry</i> , 2021 , 32, 2224-2	293	0
91	Structure of an Unusual Tetracyclic Deoxyguanosine Adduct: Implications for Frameshift Mutagenicity of -Cyano Nitroanilines. <i>Chemical Research in Toxicology</i> , 2020 , 33, 584-593	4	1
90	Ratiometric fluorescent sensing of the parallel G-quadruplex produced by PS2.M: implications for K detection. <i>Analyst, The</i> , 2020 , 145, 1288-1293	5	8
89	Intrinsic "Turn-On" Aptasensor Detection of Ochratoxin A Using Energy-Transfer Fluorescence. Journal of Agricultural and Food Chemistry, 2020 , 68, 2249-2255	5.7	17
88	Lighting Up the Thrombin-Binding Aptamer G-Quadruplex with an Internal Cyanine-Indole-Quinolinium Nucleobase Surrogate. Direct Fluorescent Intensity Readout for Thrombin Binding without Topology Switching. <i>Bioconjugate Chemistry</i> , 2020 , 31, 2596-2606	6.3	5
87	Acceptor Influence on Thiolate Sensing by Hemicyanine Dyes. <i>Journal of Organic Chemistry</i> , 2019 , 84, 2261-2268	4.2	8
86	Adduct Fluorescence as a Tool to Decipher Sequence Impact on Frameshift Mutations Mediated by a C-Linked C8-Biphenyl-Guanine Lesion. <i>Chemical Research in Toxicology</i> , 2019 , 32, 784-791	4	
85	Aptamer-induced thermofluorimetric protein stabilization and G-quadruplex nucleic acid staining by SYPRO orange dye. <i>New Journal of Chemistry</i> , 2019 , 43, 4994-4997	3.6	4
84	Impact of the Position of the Chemically Modified 5-Furyl-2RDeoxyuridine Nucleoside on the Thrombin DNA Aptamer-Protein Complex: Structural Insights into Aptamer Response from MD Simulations. <i>Molecules</i> , 2019 , 24,	4.8	6
83	Ligand-Induced G-Quadruplex Polymorphism: A DNA Nanodevice for Label-Free Aptasensor Platforms. <i>Journal of the American Chemical Society</i> , 2019 , 141, 14288-14297	16.4	21
82	Molecular Dynamics Study of One-Base Deletion Duplexes Containing the Major DNA Adduct Formed by Ochratoxin A: Effects of Sequence Context and Adduct Ionization State on Lesion Site Structure and Mutagenicity. <i>Journal of Physical Chemistry B</i> , 2019 , 123, 6980-6989	3.4	3
81	A coumarin-hemicyanine hybrid as a ratiometric fluorescent sensor of microenvironment proticity. <i>Chemical Communications</i> , 2019 , 55, 3540-3543	5.8	9
80	Manipulation of a DNA aptamer-protein binding site through arylation of internal guanine residues. <i>Organic and Biomolecular Chemistry</i> , 2018 , 16, 3831-3840	3.9	11
79	Molecular Dynamics Simulations of Mismatched DNA Duplexes Associated with the Major C-Linked 2RDeoxyguanosine Adduct of the Food Mutagen Ochratoxin A: Influence of Opposing Base, Adduct Ionization State, and Sequence on the Structure of Damaged DNA. <i>Chemical Research in Toxicology</i> ,	4	5

(2015-2018)

78	in the Narl Mutational Hotspot: Evidence for Enhanced Syn Adduct Formation. <i>Chemical Research in Toxicology</i> , 2018 , 31, 37-47	4	5
77	A 5RBODIPY End-label for Monitoring DNA Duplex-Quadruplex Exchange. <i>Scientific Reports</i> , 2018 , 8, 16874	4.9	8
76	Hemicyanine-linked pyrimidine mimics as solvatochromic fluorophores with visible excitation wavelengths. <i>Tetrahedron Letters</i> , 2018 , 59, 3699-3702	2	4
75	Toxic mechanisms of microcystins in mammals. <i>Toxicology Research</i> , 2017 , 6, 391-405	2.6	84
74	Mutagenicity of Ochratoxin A: Role for a Carbon-Linked C8-Deoxyguanosine Adduct?. <i>Journal of Agricultural and Food Chemistry</i> , 2017 , 65, 7097-7105	5.7	13
73	Molecular Modeling of the Major DNA Adduct Formed from Food Mutagen Ochratoxin A in Narl Two-Base Deletion Duplexes: Impact of Sequence Context and Adduct Ionization on Conformational Preference and Mutagenicity. <i>Chemical Research in Toxicology</i> , 2017 , 30, 1582-1591	4	6
72	Understanding the Mutagenicity of O-Linked and C-Linked Guanine DNA Adducts: A Combined Experimental and Computational Approach. <i>Chemical Research in Toxicology</i> , 2017 , 30, 177-188	4	6
71	DNA Aptamer-Target Binding Motif Revealed Using a Fluorescent Guanine Probe: Implications for Food Toxin Detection. <i>ACS Omega</i> , 2017 , 2, 4955-4963	3.9	24
70	A Simple Molecular Rotor for Defining Nucleoside Environment within a DNA Aptamer-Protein Complex. <i>ACS Chemical Biology</i> , 2016 , 11, 2576-82	4.9	31
69	Photophysical properties of pushpull 8-aryl-deoxyguanosine probes within duplex and G-quadruplex structures. <i>Journal of Materials Chemistry C</i> , 2016 , 4, 2915-2924	7.1	16
68	An internal charge transfer-DNA platform for fluorescence sensing of divalent metal ions. <i>Chemical Communications</i> , 2016 , 52, 9586-8	5.8	8
67	Optimization of fluorescent 8-heteroaryl-guanine probes for monitoring protein-mediated duplex -q G-quadruplex exchange. <i>Organic and Biomolecular Chemistry</i> , 2016 , 14, 4409-19	3.9	14
66	C-Linked 8-aryl guanine nucleobase adducts: biological outcomes and utility as fluorescent probes. <i>Chemical Science</i> , 2016 , 7, 3482-3493	9.4	25
65	Chlorine functionalization of a model phenolic C8-guanine adduct increases conformational rigidity and blocks extension by a Y-family DNA polymerase. <i>Chemical Research in Toxicology</i> , 2015 , 28, 1346-56	4	12
64	Dual fluorescent deoxyguanosine mimics for FRET detection of G-quadruplex folding. <i>Chemical Communications</i> , 2015 , 51, 16829-31	5.8	22
63	Enhancing Bulge Stabilization through Linear Extension of C8-Aryl-Guanine Adducts to Promote Polymerase Blockage or Strand Realignment to Produce a C:C Mismatch. <i>Chemical Research in Toxicology</i> , 2015 , 28, 1647-58	4	17
62	Chlorine substitution promotes phenyl radical loss from C8-phenoxy-2Rdeoxyguanosine adducts: implications for biomarker identification from chlorophenol exposure. <i>Journal of Mass Spectrometry</i> , 2015 , 50, 81-7	2.2	2
61	Positional impact of fluorescently modified G-tetrads within polymorphic human telomeric G-quadruplex structures. <i>ACS Chemical Biology</i> , 2015 , 10, 1311-8	4.9	21

60	Influence of the linkage type and functional groups in the carcinogenic moiety on the conformational preferences of damaged DNA: structural and energetic characterization of carbonand oxygen-linked C(8)-phenolic-guanine adducts. <i>Chemical Research in Toxicology</i> , 2015 , 28, 782-96	4	10
59	Harnessing G-tetrad scaffolds within G-quadruplex forming aptamers for fluorescence detection strategies. <i>Chemical Communications</i> , 2014 , 50, 3097-9	5.8	20
58	Electronic tuning of fluorescent 8-aryl-guanine probes for monitoring DNA duplexquadruplex exchange. <i>Chemical Science</i> , 2014 , 5, 788-796	9.4	27
57	Utility of 5RO-2,7-dimethylpixyl for solid-phase synthesis of oligonucleotides containing acid-sensitive 8-aryl-guanine adducts. <i>Journal of Organic Chemistry</i> , 2014 , 79, 692-9	4.2	7
56	Structural and energetic characterization of the major DNA adduct formed from the food mutagen ochratoxin A in the Narl hotspot sequence: influence of adduct ionization on the conformational preferences and implications for the NER propensity. <i>Nucleic Acids Research</i> , 2014 , 42, 11831-45	20.1	24
55	Structural and biochemical impact of C8-aryl-guanine adducts within the Narl recognition DNA sequence: influence of aryl ring size on targeted and semi-targeted mutagenicity. <i>Nucleic Acids Research</i> , 2014 , 42, 13405-21	20.1	33
54	Influence of chlorine substitution on the hydrolytic stability of biaryl ether nucleoside adducts produced by phenolic toxins. <i>Journal of Organic Chemistry</i> , 2013 , 78, 7176-85	4.2	9
53	Structural influence of C8-phenoxy-guanine in the Narl recognition DNA sequence. <i>Chemical Research in Toxicology</i> , 2013 , 26, 1397-408	4	18
52	Modeling the conformational preference of the carbon-bonded covalent adduct formed upon exposure of 2Rdeoxyguanosine to ochratoxin A. <i>Chemical Research in Toxicology</i> , 2013 , 26, 803-16	4	21
51	Structure-activity relationships imply different mechanisms of action for ochratoxin A-mediated cytotoxicity and genotoxicity. <i>Chemical Research in Toxicology</i> , 2012 , 25, 181-90	4	38
50	Hydroxyl radical-induced oxidation of a phenolic C-linked 2Rdeoxyguanosine adduct yields a reactive catechol. <i>Chemical Research in Toxicology</i> , 2012 , 25, 315-25	4	2
49	C8-heteroaryl-2Rdeoxyguanosine adducts as conformational fluorescent probes in the Narl recognition sequence. <i>Journal of Organic Chemistry</i> , 2012 , 77, 10498-508	4.2	32
48	Application of a fluorescent C-linked phenolic purine adduct for selective N7-metalation of DNA. <i>Journal of Physical Chemistry B</i> , 2012 , 116, 6158-65	3.4	9
47	Fluorescent C-linked C8-aryl-guanine probe for distinguishing syn from anti structures in duplex DNA. <i>Chemical Research in Toxicology</i> , 2012 , 25, 1271-82	4	11
46	An update on direct genotoxicity as a molecular mechanism of ochratoxin a carcinogenicity. <i>Chemical Research in Toxicology</i> , 2012 , 25, 252-62	4	163
45	Glutathione conjugates of ochratoxin A as biomarkers of exposure. <i>Arhiv Za Higijenu Rada I Toksikologiju</i> , 2012 , 63, 417-27	1.7	30
44	Mutagenicity of ochratoxin A and its hydroquinone metabolite in the SupF gene of the mutation reporter plasmid Ps189. <i>Toxins</i> , 2012 , 4, 267-80	4.9	17
43	Fluorescent properties and conformational preferences of C-linked phenolic-DNA adducts. Chemical Research in Toxicology, 2011 , 24, 1694-709	4	17

(2006-2011)

42	Tautomerization in gas-phase ion chemistry of isomeric C-8 deoxyguanosine adducts from phenol-induced DNA damage. <i>Journal of Mass Spectrometry</i> , 2011 , 46, 41-9	2.2	9
41	An indole-linked C8-deoxyguanosine nucleoside acts as a fluorescent reporter of Watson-Crick versus Hoogsteen base pairing. <i>Organic and Biomolecular Chemistry</i> , 2011 , 9, 1565-71	3.9	13
40	Postsynthetic guanine arylation of DNA by Suzuki-Miyaura cross-coupling. <i>Journal of the American Chemical Society</i> , 2011 , 133, 42-50	16.4	89
39	Response to Comments of Peter G. Mantle. <i>Toxins</i> , 2010 , 2, 2337-2339	4.9	7
38	Effect of Watson-Crick and Hoogsteen base pairing on the conformational stability of C8-phenoxyl-2Rdeoxyguanosine adducts. <i>Journal of Physical Chemistry B</i> , 2010 , 114, 12995-3004	3.4	16
37	Conformational flexibility of c8-phenoxyl-2Rdeoxyguanosine nucleotide adducts. <i>Journal of Physical Chemistry B</i> , 2010 , 114, 4373-82	3.4	34
36	Structures of covalent adducts between DNA and ochratoxin a: a new factor in debate about genotoxicity and human risk assessment. <i>Chemical Research in Toxicology</i> , 2010 , 23, 89-98	4	111
35	Structural and biological impact of radical addition reactions with DNA nucleobases. <i>Advances in Physical Organic Chemistry</i> , 2009 , 43, 177-218	0.3	3
34	Formation of 2Rdeoxyguanosine-carbon 8-bound ochratoxin A adduct in rat kidney DNA. <i>Molecular Nutrition and Food Research</i> , 2009 , 53, 154-5; author reply 156-7	5.9	15
33	Concerning the hydrolytic stability of 8-aryl-2Rdeoxyguanosine nucleoside adducts: implications for abasic site formation at physiological pH. <i>Journal of Organic Chemistry</i> , 2009 , 74, 5793-802	4.2	28
32	Approaches to the compositional analysis of DNA. Methods in Molecular Biology, 2009, 502, 11-7	1.4	1
31	Oxidation of a biomarker for phenol carcinogen exposure: expanding the redox chemistry of 2Rdeoxyguanosine. <i>Organic Letters</i> , 2008 , 10, 1839-42	6.2	18
30	Computational and experimental evidence for the structural preference of phenolic C-8 purine adducts. <i>Journal of Physical Chemistry A</i> , 2008 , 112, 3742-53	2.8	37
29	Structure-activity relationships for the fluorescence of ochratoxin A: insight for detection of ochratoxin A metabolites. <i>Analytica Chimica Acta</i> , 2008 , 617, 153-61	6.6	31
28	Biomarkers for phenol carcinogen exposure act as pH-sensing fluorescent probes. <i>Journal of the American Chemical Society</i> , 2007 , 129, 1894-5	16.4	82
27	Ochratoxin A: An overview on toxicity and carcinogenicity in animals and humans. <i>Molecular Nutrition and Food Research</i> , 2007 , 51, 61-99	5.9	715
26	Photochemically Catalyzed Reaction of Ochratoxin A with d- and l-cysteine¶. <i>Photochemistry and Photobiology</i> , 2007 , 76, 649-656	3.6	
25	Conformational properties of a phototautomerizable nucleoside biomarker for phenolic carcinogen exposure. <i>Journal of Physical Chemistry A</i> , 2006 , 110, 6224-30	2.8	26

24	Chapter 4 Genotoxicity of Chlorophenols and Ochratoxin A. <i>Advances in Molecular Toxicology</i> , 2006 , 1, 85-138	0.4	11
23	Genotoxicity of the hydroquinone metabolite of ochratoxin A: structure-activity relationships for covalent DNA adduction. <i>Chemical Research in Toxicology</i> , 2006 , 19, 1241-7	4	64
22	Ambident reactivity of phenoxyl radicals in DNA adduction. <i>Canadian Journal of Chemistry</i> , 2005 , 83, 12	6 1. 926	5733
21	Role of phenoxyl radicals in DNA adduction by chlorophenol xenobiotics following peroxidase activation. <i>Chemical Research in Toxicology</i> , 2005 , 18, 771-9	4	64
20	A case for the genotoxicity of ochratoxin A by bioactivation and covalent DNA adduction. <i>Chemical Research in Toxicology</i> , 2005 , 18, 1091-7	4	57
19	Molecular aspects of the transport and toxicity of ochratoxin a. <i>Accounts of Chemical Research</i> , 2004 , 37, 874-81	24.3	36
18	Evidence for covalent DNA adduction by ochratoxin A following chronic exposure to rat and subacute exposure to pig. <i>Chemical Research in Toxicology</i> , 2004 , 17, 1289-96	4	107
17	Stoichiometric preference in copper-promoted oxidative DNA damage by ochratoxin A. <i>Journal of Inorganic Biochemistry</i> , 2003 , 95, 87-96	4.2	8
16	Ochratoxin a forms a carbon-bonded c8-deoxyguanosine nucleoside adduct: implications for c8 reactivity by a phenolic radical. <i>Journal of the American Chemical Society</i> , 2003 , 125, 3716-7	16.4	88
15	An oxygen-bonded c8-deoxyguanosine nucleoside adduct of pentachlorophenol by peroxidase activation: evidence for ambident c8 reactivity by phenoxyl radicals. <i>Chemical Research in Toxicology</i> , 2003 , 16, 817-21	4	62
14	Binding of Ochratoxin A Derivatives to Human Serum Albumin. <i>Journal of Physical Chemistry B</i> , 2003 , 107, 6644-6647	3.4	30
13	Photochemically catalyzed reaction of ochratoxin A with D- and L-cysteine. <i>Photochemistry and Photobiology</i> , 2002 , 76, 649-56	3.6	10
12	Detection and characterization of a glutathione conjugate of ochratoxin A. <i>Chemical Research in Toxicology</i> , 2002 , 15, 1581-8	4	67
11	The pH-Dependent Primary Photoreactions of Ochratoxin A. <i>Journal of Physical Chemistry B</i> , 2001 , 105, 11369-11376	3.4	34
10	Electrochemical oxidation of ochratoxin A: correlation with 4-chlorophenol. <i>Chemical Research in Toxicology</i> , 2001 , 14, 1266-72	4	44
9	Oxidation of ochratoxin A by an Fe-porphyrin system: model for enzymatic activation and DNA cleavage. <i>Chemical Research in Toxicology</i> , 1999 , 12, 1066-76	4	84
8	DNA Binding by 4-Methoxypyrrolic Natural Products. Preference for Intercalation at AT Sites by Tambjamine E and Prodigiosin. <i>Journal of Organic Chemistry</i> , 1999 , 64, 6861-6869	4.2	76
7	Ochratoxin A acts as a photoactivatable DNA cleaving agent. <i>Chemical Communications</i> , 1998 , 647-648	5.8	16

LIST OF PUBLICATIONS

6	On the role of copper and iron in DNA cleavage by ochratoxin A. Structure-activity relationships in metal binding and copper-mediated DNA cleavage. <i>Canadian Journal of Chemistry</i> , 1998 , 76, 907-918	0.9	16
5	Stepwise Formation of a Nonsymmetric Dinuclear Copper Complex of Ochratoxin A. <i>Inorganic Chemistry</i> , 1998 , 37, 6385-6388	5.1	4
4	Reaction pathways for ambident aryloxide O- and C-nucleophiles in SNAr displacement versus Meisenheimer complex formation with picryl halides. Stereoelectronic effects on regioselectivity. <i>Journal of Physical Organic Chemistry</i> , 1996 , 9, 515-528	2.1	12
3	Inversion of kinetic and thermodynamic preferences in Meisenheimer complex formation: regioselectivity in the reaction of 2,4,6-trimethylphenoxide ion with 2,4,6-trinitroanisole and the importance of stereoelectronic factors. <i>Journal of the American Chemical Society</i> , 1993 , 115, 8985-8989	16.4	11
2	Ambident nucleophilic reactivity. 9. Regioselectivity in the reaction of ambident phenoxide ion and methoxide and hydroxide ions with 2,4,6-trinitroanisole. Kinetic and thermodynamic control. <i>Journal of the American Chemical Society</i> , 1992 , 114, 5610-5619	16.4	16
1	DNA Damage by Phenoxyl Radicals421-443		8