## Nicolas Terzi

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9113812/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Epidemiology, Patterns of Care, and Mortality for Patients With Acute Respiratory Distress Syndrome in Intensive Care Units in 50 Countries. JAMA - Journal of the American Medical Association, 2016, 315, 788.	7.4	3,568
2	Intravascular Complications of Central Venous Catheterization by Insertion Site. New England Journal of Medicine, 2015, 373, 1220-1229.	27.0	532
3	Noninvasive Ventilation of Patients with Acute Respiratory Distress Syndrome. Insights from the LUNG SAFE Study. American Journal of Respiratory and Critical Care Medicine, 2017, 195, 67-77.	5.6	456
4	Timing of Renal-Replacement Therapy in Patients with Acute Kidney Injury and Sepsis. New England Journal of Medicine, 2018, 379, 1431-1442.	27.0	417
5	Epidemiology of Weaning Outcome according to a New Definition. The WIND Study. American Journal of Respiratory and Critical Care Medicine, 2017, 195, 772-783.	5.6	291
6	Early Identification of Patients at Risk for Difficult Intubation in the Intensive Care Unit. American Journal of Respiratory and Critical Care Medicine, 2013, 187, 832-839.	5.6	270
7	Zygomycosis in Solid Organ Transplant Recipients: A Prospective, Matched Case ontrol Study to Assess Risks for Disease and Outcome. Journal of Infectious Diseases, 2009, 200, 1002-1011.	4.0	212
8	Effect of High-Flow Nasal Oxygen vs Standard Oxygen on 28-Day Mortality in Immunocompromised Patients With Acute Respiratory Failure. JAMA - Journal of the American Medical Association, 2018, 320, 2099.	7.4	202
9	Effect of Postextubation High-Flow Nasal Oxygen With Noninvasive Ventilation vs High-Flow Nasal Oxygen Alone on Reintubation Among Patients at High Risk of Extubation Failure. JAMA - Journal of the American Medical Association, 2019, 322, 1465.	7.4	188
10	Acute hypoxemic respiratory failure in immunocompromised patients: the Efraim multinational prospective cohort study. Intensive Care Medicine, 2017, 43, 1808-1819.	8.2	176
11	COVID-19 increased the risk of ICU-acquired bloodstream infections: a case–cohort study from the multicentric OUTCOMEREA network. Intensive Care Medicine, 2021, 47, 180-187.	8.2	121
12	Neurally adjusted ventilatory assist in patients recovering spontaneous breathing after acute respiratory distress syndrome: Physiological evaluation*. Critical Care Medicine, 2010, 38, 1830-1837.	0.9	113
13	Geo-economic variations in epidemiology, patterns of care, and outcomes in patients with acute respiratory distress syndrome: insights from the LUNG SAFE prospective cohort study. Lancet Respiratory Medicine,the, 2017, 5, 627-638.	10.7	93
14	Serum neuron-specific enolase as predictor of outcome in comatose cardiac-arrest survivors: a prospective cohort study. BMC Cardiovascular Disorders, 2011, 11, 48.	1.7	92
15	Epidemiology and patterns of tracheostomy practice in patients with acute respiratory distress syndrome in ICUs across 50 countries. Critical Care, 2018, 22, 195.	5.8	91
16	Immunocompromised patients with acute respiratory distress syndrome: secondary analysis of the LUNG SAFE database. Critical Care, 2018, 22, 157.	5.8	84
17	Experts' guidelines of intubation and extubation of the ICU patient of French Society of Anaesthesia and Intensive Care Medicine (SFAR) and French-speaking Intensive Care Society (SRLF). Annals of Intensive Care, 2019, 9, 13.	4.6	83
18	Breathing–Swallowing Interaction in Neuromuscular Patients. American Journal of Respiratory and Critical Care Medicine, 2007, 175, 269-276.	5.6	76

#	Article	IF	CITATIONS
19	Neurally adjusted ventilatory assist as an alternative to pressure support ventilation in adults: a French multicentre randomized trial. Intensive Care Medicine, 2016, 42, 1723-1732.	8.2	74
20	Spontaneous Breathing in Early Acute Respiratory Distress Syndrome: Insights From the Large Observational Study to UNderstand the Global Impact of Severe Acute Respiratory FailurE Study*. Critical Care Medicine, 2019, 47, 229-238.	0.9	68
21	Nicotine withdrawal and agitation in ventilated critically ill patients. Critical Care, 2010, 14, R58.	5.8	67
22	Clinical review: Update on neurally adjusted ventilatory assist - report of a round-table conference. Critical Care, 2012, 16, 225.	5.8	66
23	Procalcitonin algorithm to guide initial antibiotic therapy in acute exacerbations of COPD admitted to the ICU: a randomized multicenter study. Intensive Care Medicine, 2018, 44, 428-437.	8.2	66
24	A Comparison of the Mortality Risk Associated With Ventilator-Acquired Bacterial Pneumonia and Nonventilator ICU-Acquired Bacterial Pneumonia*. Critical Care Medicine, 2019, 47, 345-352.	0.9	65
25	Intubation and extubation of the ICU patient. Anaesthesia, Critical Care & Pain Medicine, 2017, 36, 327-341.	1.4	63
26	Prevalence and risk factors related to haloperidol use for delirium in adult intensive care patients: the multinational AID-ICU inception cohort study. Intensive Care Medicine, 2018, 44, 1081-1089.	8.2	63
27	Clinical features and outcome of patients with acute respiratory failure revealing anti-synthetase or anti-MDA-5 dermato-pulmonary syndrome: a French multicenter retrospective study. Annals of Intensive Care, 2018, 8, 87.	4.6	60
28	Admission of advanced lung cancer patients to intensive care unit: A retrospective study of 76 patients. BMC Cancer, 2011, 11, 159.	2.6	58
29	The Clinical Picture of Severe Systemic Capillary-Leak Syndrome Episodes Requiring ICU Admission. Critical Care Medicine, 2017, 45, 1216-1223.	0.9	56
30	Intravenous Immunoglobulins Improve Survival in Monoclonal Gammopathy-Associated Systemic Capillary-Leak Syndrome. American Journal of Medicine, 2017, 130, 1219.e19-1219.e27.	1.5	53
31	Resolved versus confirmed ARDS after 24Âh: insights from the LUNG SAFE study. Intensive Care Medicine, 2018, 44, 564-577.	8.2	48
32	Angiotensin converting enzyme insertion/deletion genetic polymorphism: Its impact on renal function in critically ill patients*. Critical Care Medicine, 2008, 36, 3178-3183.	0.9	46
33	Initial nutritional management during noninvasive ventilation and outcomes: a retrospective cohort study. Critical Care, 2017, 21, 293.	5.8	45
34	Vascular Access Sites for Acute Renal Replacement in Intensive Care Units. Clinical Journal of the American Society of Nephrology: CJASN, 2012, 7, 70-77.	4.5	43
35	Prone Position in COVID-19 and -COVID-19 Acute Respiratory Distress Syndrome: An International Multicenter Observational Comparative Study*. Critical Care Medicine, 2022, 50, 633-643.	0.9	42
36	Procalcitonin levels in acute exacerbation of COPD admitted in ICU: a prospective cohort study. BMC Infectious Diseases, 2008, 8, 145.	2.9	41

#	Article	IF	CITATIONS
37	A three-step support strategy for relatives of patients dying in the intensive care unit: a cluster randomised trial. Lancet, The, 2022, 399, 656-664.	13.7	41
38	Accuracy of plasma neutrophil gelatinase-associated lipocalin in the early diagnosis of contrast-induced acute kidney injury in critical illness. Intensive Care Medicine, 2013, 39, 857-865.	8.2	40
39	Thyroid Storm in the ICU: A Retrospective Multicenter Study. Critical Care Medicine, 2020, 48, 83-90.	0.9	40
40	Effect of a tracheostomy speaking valve on breathing–swallowing interaction. Intensive Care Medicine, 2012, 38, 85-90.	8.2	39
41	Superiority of transcutaneous CO2 over end-tidal CO2 measurement for monitoring respiratory failure in nonintubated patients: A pilot study. Journal of Critical Care, 2016, 31, 150-156.	2.2	39
42	Accuracy of a transcutaneous carbon dioxide pressure monitoring device in emergency room patients with acute respiratory failure. Intensive Care Medicine, 2011, 37, 348-351.	8.2	37
43	Pheochromocytoma Crisis in the ICU: A French Multicenter Cohort Study With Emphasis on Rescue Extracorporeal Membrane Oxygenation. Critical Care Medicine, 2017, 45, e657-e665.	0.9	37
44	Mouth and Nasal Inspiratory Pressure: Learning Effect and Reproducibility in Healthy Adults. Respiration, 2010, 80, 379-386.	2.6	36
45	Prevalence and Prognosis Impact of Patient–Ventilator Asynchrony in Early Phase of Weaning according to Two Detection Methods. Anesthesiology, 2017, 127, 989-997.	2.5	36
46	Diagnosis and management of metabolic acidosis: guidelines from a French expert panel. Annals of Intensive Care, 2019, 9, 92.	4.6	36
47	Impact of Early Acute Kidney Injury on Management and Outcome in Patients With Acute Respiratory Distress Syndrome: A Secondary Analysis of a Multicenter Observational Study*. Critical Care Medicine, 2019, 47, 1216-1225.	0.9	36
48	Unique blood culture for diagnosis of bloodstream infections in emergency departments: a prospective multicentre study. Clinical Microbiology and Infection, 2014, 20, O920-O927.	6.0	34
49	Continuous Renal Replacement Therapy May Increase the Risk of Catheter Infection. Clinical Journal of the American Society of Nephrology: CJASN, 2010, 5, 1489-1496.	4.5	33
50	Beneficial Effects of Noninvasive Ventilation after Extubation in Obese or Overweight Patients: A <i>Post Hoc</i> Analysis of a Randomized Clinical Trial. American Journal of Respiratory and Critical Care Medicine, 2022, 205, 440-449.	5.6	33
51	Predictors of mortality and short-term physical and cognitive dependence in critically ill persons 75 years and older: a prospective cohort study. Health and Quality of Life Outcomes, 2011, 9, 35.	2.4	32
52	Noninvasive Ventilation and Breathing-Swallowing Interplay in Chronic Obstructive Pulmonary Disease*. Critical Care Medicine, 2014, 42, 565-573.	0.9	32
53	Predicting Survival After Extracorporeal Membrane Oxygenation for ARDS: An External Validation of RESP and PRESERVE Scores. Respiratory Care, 2017, 62, 912-919.	1.6	31
54	Clinical spectrum and short-term outcome of adult patients with purpura fulminans: a French multicenter retrospective cohort study. Intensive Care Medicine, 2018, 44, 1502-1511.	8.2	30

#	Article	IF	CITATIONS
55	Mental health and stress among ICU healthcare professionals in France according to intensity of the COVID-19 epidemic. Annals of Intensive Care, 2021, 11, 90.	4.6	29
56	High-flow nasal oxygen alone or alternating with non-invasive ventilation in critically ill immunocompromised patients with acute respiratory failure: a randomised controlled trial. Lancet Respiratory Medicine,the, 2022, 10, 641-649.	10.7	29
57	Impact of tracheostomy on swallowing performance in Duchenne muscular dystrophy. Neuromuscular Disorders, 2010, 20, 493-498.	0.6	28
58	Outcomes of patients admitted to intensive care units for acute manifestation of small-vessel vasculitis: a multicenter, retrospective study. Critical Care, 2015, 20, 27.	5.8	28
59	Identifying associations between diabetes and acute respiratory distress syndrome in patients with acute hypoxemic respiratory failure: an analysis of the LUNG SAFE database. Critical Care, 2018, 22, 268.	5.8	28
60	Outcomes of Patients Presenting with Mild Acute Respiratory Distress Syndrome. Anesthesiology, 2019, 130, 263-283.	2.5	28
61	Mucormycosis in intensive care unit: surgery is a major prognostic factor in patients with hematological malignancy. Annals of Intensive Care, 2020, 10, 74.	4.6	28
62	Automated detection and quantification of reverse triggering effort under mechanical ventilation. Critical Care, 2021, 25, 60.	5.8	27
63	Effect of the use of an endotracheal tube and stylet versus an endotracheal tube alone on first-attempt intubation success: a multicentre, randomised clinical trial in 999 patients. Intensive Care Medicine, 2021, 47, 653-664.	8.2	27
64	Performance of the ROX index to predict intubation in immunocompromised patients receiving high-flow nasal cannula for acute respiratory failure. Annals of Intensive Care, 2021, 11, 17.	4.6	26
65	Association between hydroxocobalamin administration and acute kidney injury after smoke inhalation: a multicenter retrospective study. Critical Care, 2019, 23, 421.	5.8	24
66	Use of online blood volume and blood temperature monitoring during haemodialysis in critically ill patients with acute kidney injury: a single-centre randomized controlled trial. Nephrology Dialysis Transplantation, 2013, 28, 430-437.	0.7	23
67	Extracorporeal Life Support for Refractory Cardiac Arrest or Shock. ASAIO Journal, 2015, 61, 676-681.	1.6	23
68	Physiological predictors of respiratory and cough assistance needs after extubation. Annals of Intensive Care, 2018, 8, 18.	4.6	23
69	Management of severe asthma exacerbation: guidelines from the Société Française de Médecine d'Urgence, the Société de Réanimation de Langue Française and the French Group for Pediatric Intensive Care and Emergencies. Annals of Intensive Care, 2019, 9, 115.	4.6	23
70	One-year survival in acute stroke patients requiring mechanical ventilation: a multicenter cohort study. Annals of Intensive Care, 2020, 10, 53.	4.6	22
71	Procalcitonin levels and bacterial aetiology among COPD patients admitted to the ICU with severe pneumonia: a prospective cohort study. BMC Infectious Diseases, 2009, 9, 157.	2.9	21
72	Influenza and associated co-infections in critically ill immunosuppressed patients. Critical Care, 2019, 23, 152.	5.8	21

#	Article	IF	CITATIONS
73	Endovascular cooling versus standard femoral catheters and intravascular complications: A propensity-matched cohort study. Resuscitation, 2018, 124, 1-6.	3.0	20
74	Differential Perceptions of Noninvasive Ventilation in Intensive Care among Medical Caregivers, Patients, and Their Relatives. Anesthesiology, 2016, 124, 1347-1359.	2.5	19
75	Long-term Quality of Life in Adult Patients Surviving Purpura Fulminans: An Exposed-Unexposed Multicenter Cohort Study. Clinical Infectious Diseases, 2019, 69, 332-340.	5.8	19
76	Severe leptospirosis in non-tropical areas: a nationwide, multicentre, retrospective study in French ICUs. Intensive Care Medicine, 2019, 45, 1763-1773.	8.2	18
77	Diaphragmatic dysfunction at admission in intensive care unit: the value of diaphragmatic ultrasonography. Intensive Care Medicine, 2015, 41, 557-559.	8.2	17
78	<p>Interprofessional safety reporting and review of adverse events and medication errors in critical care</p> . Therapeutics and Clinical Risk Management, 2019, Volume 15, 549-556.	2.0	17
79	Pressure-Support Ventilation vsÂT-Piece During Spontaneous Breathing Trials Before Extubation Among Patients at High Risk of Extubation Failure. Chest, 2020, 158, 1446-1455.	0.8	17
80	Impact of species and antibiotic therapy of enterococcal peritonitis on 30-day mortality in critical care—an analysis of the OUTCOMEREA database. Critical Care, 2019, 23, 307.	5.8	16
81	Multi-organ failure induced by Nivolumab in the context of allo-stem cell transplantation. Experimental Hematology and Oncology, 2019, 8, 8.	5.0	16
82	What's new in management and clearing of airway secretions in ICU patients? It is time to focus on cough augmentation. Intensive Care Medicine, 2019, 45, 865-868.	8.2	16
83	Impact of obstructive sleep apnea on the obesity paradox in critically ill patients. Journal of Critical Care, 2020, 56, 120-124.	2.2	15
84	Positive end-expiratory pressure-induced recruited lung volume measured by volume-pressure curves in acute respiratory distress syndrome: a physiologic systematic review and meta-analysis. Intensive Care Medicine, 2020, 46, 2212-2225.	8.2	14
85	Lung and chest wall mechanics in patients with acute respiratory distress syndrome, expiratory flow limitation, and airway closure. Journal of Applied Physiology, 2020, 128, 1594-1603.	2.5	14
86	Factors associated with survival of patients with solid Cancer alive after intensive care unit discharge between 2005 and 2013. BMC Cancer, 2021, 21, 9.	2.6	14
87	Low-pressure support vs automatic tube compensation during spontaneous breathing trial for weaning. Annals of Intensive Care, 2019, 9, 137.	4.6	14
88	Early prone positioning in acute respiratory distress syndrome related to COVID-19: a propensity score analysis from the multicentric cohort COVID-ICU network—the ProneCOVID study. Critical Care, 2022, 26, 71.	5.8	14
89	Immature/total granulocyte ratio: A promising tool to assess the severity and the outcome of post-cardiac arrest syndrome. Resuscitation, 2014, 85, 1115-1119.	3.0	13
90	Retrospective evaluation of prognostic score performances in cirrhotic patients admitted to an intermediate care unit. Digestive and Liver Disease, 2015, 47, 675-681.	0.9	13

#	Article	IF	CITATIONS
91	High-flow nasal cannula oxygen therapy alone or with non-invasive ventilation during the weaning period after extubation in ICU: the prospective randomised controlled HIGH-WEAN protocol. BMJ Open, 2018, 8, e023772.	1.9	13
92	Noninvasive Mechanical Ventilation Improves Breathing-Swallowing Interaction of Ventilator Dependent Neuromuscular Patients: A Prospective Crossover Study. PLoS ONE, 2016, 11, e0148673.	2.5	13
93	Respiratory Mechanics and Outcomes in Immunocompromised Patients With ARDS. Chest, 2020, 158, 1947-1957.	0.8	12
94	Blood Volume- and Blood Temperature-Controlled Hemodialysis in Critically Ill Patients: A 6-Month, Case-Matched, Open-Label Study. Blood Purification, 2010, 29, 245-251.	1.8	11
95	Non-invasive positive-pressure ventilation with positive end-expiratory pressure counteracts inward air leaks during preoxygenation: a randomised crossover controlled study in healthy volunteers. British Journal of Anaesthesia, 2018, 120, 868-873.	3.4	11
96	High-flow nasal oxygen vs. standard oxygen therapy in immunocompromised patients with acute respiratory failure: study protocol for a randomized controlled trial. Trials, 2018, 19, 157.	1.6	11
97	Center effect in intubation risk in critically ill immunocompromised patients with acute hypoxemic respiratory failure. Critical Care, 2019, 23, 306.	5.8	11
98	Effect of Ventilatory Variability on Occurrence of Central Apneas. Respiratory Care, 2013, 58, 745-753.	1.6	10
99	Physiological comparison of breathing patterns with neurally adjusted ventilatory assist (NAVA) and pressure-support ventilation to improve NAVA settings. Respiratory Physiology and Neurobiology, 2014, 195, 11-18.	1.6	10
100	Immature/total granulocyte ratio improves early prediction of neurological outcome after out-of-hospital cardiac arrest: the MyeloScore study. Annals of Intensive Care, 2016, 6, 65.	4.6	10
101	Epidemiology of post-influenza bacterial pneumonia due to Panton–Valentine leucocidin positive Staphylococcus aureus in intensive care units: a retrospective nationwide study. Intensive Care Medicine, 2019, 45, 1312-1314.	8.2	10
102	Non-invasive ventilation alternating with high-flow nasal oxygen versus high-flow nasal oxygen alone after extubation in COPD patients: a post hoc analysis of a randomized controlled trial. Annals of Intensive Care, 2021, 11, 30.	4.6	10
103	Multistate Modeling of COVID-19 Patients Using a Large Multicentric Prospective Cohort of Critically Ill Patients. Journal of Clinical Medicine, 2021, 10, 544.	2.4	10
104	Intensive care units, the Achilles heel of France in the COVID-19 battle. Lancet Regional Health - Europe, The, 2021, 2, 100046.	5.6	9
105	ESICM LIVES 2016: part three. Intensive Care Medicine Experimental, 2016, 4, .	1.9	8
106	Understanding the kidney during acute respiratory failure. Intensive Care Medicine, 2017, 43, 1144-1147.	8.2	8
107	High-flow nasal oxygen therapy alone or with non-invasive ventilation in immunocompromised patients admitted to ICU for acute hypoxemic respiratory failure: the randomised multicentre controlled FLORALI-IM protocol. BMJ Open, 2019, 9, e029798.	1.9	8
108	Persistence at one year of neutralizing antibodies after SARS-CoV-2 infection: Influence of initial severity and steroid use. Journal of Infection, 2021, , .	3.3	8

#	Article	IF	CITATIONS
109	T-piece versus pressure-support ventilation for spontaneous breathing trials before extubation in patients at high risk of reintubation: protocol for a multicentre, randomised controlled trial (TIP-EX). BMJ Open, 2020, 10, e042619.	1.9	7
110	Antiplatelet Drugs and Risk of Bleeding After Bedside Pleural Procedures. Chest, 2021, 159, 1621-1629.	0.8	7
111	Ability of procalcitonin to distinguish between bacterial and nonbacterial infection in severe acute exacerbation of chronic obstructive pulmonary syndrome in the ICU. Annals of Intensive Care, 2021, 11, 39.	4.6	7
112	Non-invasive ventilation versus high-flow nasal oxygen for postextubation respiratory failure in ICU: a post-hoc analysis of a randomized clinical trial. Critical Care, 2021, 25, 221.	5.8	7
113	Mechanical Insufflation-Exsufflation to Improve Secretion Clearance During Invasive Ventilation. Respiratory Care, 2018, 63, 1577-1578.	1.6	6
114	Reverse Triggering: Sometimes It Is Not Only the Diaphragm. American Journal of Respiratory and Critical Care Medicine, 2020, 201, e24-e25.	5.6	6
115	Impact of advance directives on the variability between intensivists in the decisions to forgo life-sustaining treatment. Critical Care, 2020, 24, 672.	5.8	6
116	Does endo-tracheal tube clamping prevent air leaks and maintain positive end-expiratory pressure during the switching of a ventilator in a patient in an intensive care unit? A bench study. PLoS ONE, 2020, 15, e0230147.	2.5	6
117	Comparison of high-flow nasal oxygen therapy and non-invasive ventilation in ICU patients with acute respiratory failure and a do-not-intubate orders: a multicentre prospective study OXYPAL. BMJ Open, 2021, 11, e045659.	1.9	6
118	ESICM LIVES 2016: part two. Intensive Care Medicine Experimental, 2016, 4, .	1.9	5
119	Positive-end expiratory pressure titration and transpulmonary pressure: the EPVENT 2 trial. Journal of Thoracic Disease, 2019, 11, S2012-S2017.	1.4	5
120	A fatal case with disseminated Myceliophthora thermophila infection in a lymphoma patient. Diagnostic Microbiology and Infectious Disease, 2011, 70, 267-269.	1.8	4
121	Early identification of patients at risk of difficult intubation in the ICU: development and validation of the MACOCHA score in a multicenter cohort study. Critical Care, 2013, 17, .	5.8	4
122	Chronic use of reninâ€angiotensinâ€aldosterone system blockers and mortality in COVIDâ€19: A multicenter prospective cohort and literature review. Fundamental and Clinical Pharmacology, 2021, 35, 1141-1158.	1.9	4
123	Clinical phenotype and outcomes of pneumococcal versus meningococcal purpura fulminans: a multicenter retrospective cohort study. Critical Care, 2021, 25, 386.	5.8	4
124	Diagnostic yield of lumbar puncture in adult patients with purpura fulminans. Intensive Care Medicine, 2019, 45, 1487-1489.	8.2	3
125	Regional lung viscoelastic properties in supine and prone position in a porcine model of acute respiratory distress syndrome. Journal of Applied Physiology, 2021, 131, 15-25.	2.5	3
126	Medicine and Intensive Care Training. Critical Care Medicine, 2019, 47, e428-e429.	0.9	2

#	Article	IF	CITATIONS
127	Impact of take-home messages written into slide presentations delivered during lectures on the retention of messages and the residents' knowledge: a randomized controlled study. BMC Medical Education, 2020, 20, 180.	2.4	2
128	Is a COPD patient protected against SARS-CoV-2 virus?. Infectious Diseases Now, 2021, 51, 98-99.	1.6	2
129	A Comprehensive Bench Assessment of Automatic Tube Compensation in ICU Ventilators for Better Clinical Management. Respiratory Care, 2020, 65, respcare.07608.	1.6	1
130	Outcomes of Patients Treated with Prehospital Noninvasive Ventilation: Observational Retrospective Multicenter Study in the Northern French Alps. Journal of Clinical Medicine, 2021, 10, 1359.	2.4	1
131	The eSpiro Ventilator: An Open-Source Response to a Worldwide Pandemic. Journal of Clinical Medicine, 2021, 10, 2336.	2.4	1
132	Impact of obstructive sleep apnea on ICU patient's prognosis – insights from a French ICU cohort. , 2019, , .		1
133	Predicting Noninvasive Mechanical Ventilation Outcome: Early May Be Too Early!. Respiratory Care, 2013, 58, e15-e17.	1.6	0
134	Inspiratory Muscle Activity in Neurally Adjusted Ventilatory Assist. Anesthesiology, 2014, 121, 916-918.	2.5	0
135	Comparison of neurally adjusted ventilatory assist and pressure support ventilation during the early phase of weaning from mechanical ventilation - a randomised controlled study. Intensive Care Medicine Experimental, 2015, 3, .	1.9	0
136	Disclosure of conflicts of interest should appear in clinical guidelines. Anaesthesia, Critical Care & Pain Medicine, 2021, 40, 100926.	1.4	0
137	Swallowing dysfunction in patients hospitalised due to a COPD exacerbation: correspondence. ERJ Open Research, 2021, 7, 00490-2021.	2.6	Ο
138	Bleeding risk of pleural procedures in patients taking antiplatelet therapy: A multicentric prospective study. , 2015, , .		0
139	Risk factors and prognostic impact of patient-ventilator asynchrony in mechanically ventilated patients. A prospective study. , 2015, , .		Ο
140	Risk factors and prognostic impact of decreased breathing variability in mechanically ventilated patients. A prospective study. , 2015, , .		0
141	Assessment of open-source, intermediate and ICU ventilators to face the COVID-19 pandemic. European Journal of Anaesthesiology, 2022, 39, 474-476.	1.7	0