

Nicolas Terzi

List of Publications by Citations

Source: <https://exaly.com/author-pdf/9113812/nicolas-terzi-publications-by-citations.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

130
papers

5,969
citations

33
h-index

75
g-index

152
ext. papers

8,050
ext. citations

8.5
avg, IF

5.18
L-index

#	Paper	IF	Citations
130	Epidemiology, Patterns of Care, and Mortality for Patients With Acute Respiratory Distress Syndrome in Intensive Care Units in 50 Countries. <i>JAMA - Journal of the American Medical Association</i> , 2016 , 315, 788-800	27.4	2131
129	Intravascular Complications of Central Venous Catheterization by Insertion Site. <i>New England Journal of Medicine</i> , 2015 , 373, 1220-9	59.2	356
128	Noninvasive Ventilation of Patients with Acute Respiratory Distress Syndrome. Insights from the LUNG SAFE Study. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2017 , 195, 67-77	10.2	269
127	Timing of Renal-Replacement Therapy in Patients with Acute Kidney Injury and Sepsis. <i>New England Journal of Medicine</i> , 2018 , 379, 1431-1442	59.2	234
126	Early identification of patients at risk for difficult intubation in the intensive care unit: development and validation of the MACOCHA score in a multicenter cohort study. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2013 , 187, 832-9	10.2	193
125	Zygomycosis in solid organ transplant recipients: a prospective, matched case-control study to assess risks for disease and outcome. <i>Journal of Infectious Diseases</i> , 2009 , 200, 1002-11	7	173
124	Epidemiology of Weaning Outcome according to a New Definition. The WIND Study. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2017 , 195, 772-783	10.2	168
123	Effect of High-Flow Nasal Oxygen vs Standard Oxygen on 28-Day Mortality in Immunocompromised Patients With Acute Respiratory Failure: The HIGH Randomized Clinical Trial. <i>JAMA - Journal of the American Medical Association</i> , 2018 , 320, 2099-2107	27.4	120
122	Acute hypoxemic respiratory failure in immunocompromised patients: the Efraim multinational prospective cohort study. <i>Intensive Care Medicine</i> , 2017 , 43, 1808-1819	14.5	115
121	Neurally adjusted ventilatory assist in patients recovering spontaneous breathing after acute respiratory distress syndrome: physiological evaluation. <i>Critical Care Medicine</i> , 2010 , 38, 1830-7	1.4	99
120	Effect of Postextubation High-Flow Nasal Oxygen With Noninvasive Ventilation vs High-Flow Nasal Oxygen Alone on Reintubation Among Patients at High Risk of Extubation Failure: A Randomized Clinical Trial. <i>JAMA - Journal of the American Medical Association</i> , 2019 , 322, 1465-1475	27.4	85
119	Comparison of neurally adjusted ventilatory assist and pressure support ventilation during the early phase of weaning from mechanical ventilation - a randomised controlled study. <i>Intensive Care Medicine Experimental</i> , 2015 , 3,	3.7	78
118	Serum neuron-specific enolase as predictor of outcome in comatose cardiac-arrest survivors: a prospective cohort study. <i>BMC Cardiovascular Disorders</i> , 2011 , 11, 48	2.3	71
117	Geo-economic variations in epidemiology, patterns of care, and outcomes in patients with acute respiratory distress syndrome: insights from the LUNG SAFE prospective cohort study. <i>Lancet Respiratory Medicine</i> , 2017 , 5, 627-638	35.1	63
116	Breathing-swallowing interaction in neuromuscular patients: a physiological evaluation. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2007 , 175, 269-76	10.2	55
115	Neurally adjusted ventilatory assist as an alternative to pressure support ventilation in adults: a French multicentre randomized trial. <i>Intensive Care Medicine</i> , 2016 , 42, 1723-1732	14.5	55
114	Epidemiology and patterns of tracheostomy practice in patients with acute respiratory distress syndrome in ICUs across 50 countries. <i>Critical Care</i> , 2018 , 22, 195	10.8	53

113	Nicotine withdrawal and agitation in ventilated critically ill patients. <i>Critical Care</i> , 2010 , 14, R58	10.8	52
112	COVID-19 increased the risk of ICU-acquired bloodstream infections: a case-cohort study from the multicentric OUTCOMEREA network. <i>Intensive Care Medicine</i> , 2021 , 47, 180-187	14.5	51
111	Immunocompromised patients with acute respiratory distress syndrome: secondary analysis of the LUNG SAFE database. <i>Critical Care</i> , 2018 , 22, 157	10.8	49
110	ExpertsRguidelines of intubation and extubation of the ICU patient of French Society of Anaesthesia and Intensive Care Medicine (SFAR) and French-speaking Intensive Care Society (SRLF) : In collaboration with the pediatric Association of French-speaking Anaesthetists and Intensivists (ADARPEP), French-speaking Group of Intensive Care and Paediatric emergencies (GFRUP) and	8.9	48
109	Clinical review: Update on neurally adjusted ventilatory assist--report of a round-table conference. <i>Critical Care</i> , 2012 , 16, 225	10.8	44
108	Procalcitonin algorithm to guide initial antibiotic therapy in acute exacerbations of COPD admitted to the ICU: a randomized multicenter study. <i>Intensive Care Medicine</i> , 2018 , 44, 428-437	14.5	42
107	Admission of advanced lung cancer patients to intensive care unit: a retrospective study of 76 patients. <i>BMC Cancer</i> , 2011 , 11, 159	4.8	42
106	Angiotensin converting enzyme insertion/deletion genetic polymorphism: its impact on renal function in critically ill patients. <i>Critical Care Medicine</i> , 2008 , 36, 3178-83	1.4	40
105	Intubation and extubation of the ICU patient. <i>Anaesthesia, Critical Care & Pain Medicine</i> , 2017 , 36, 327-341	3	39
104	A Comparison of the Mortality Risk Associated With Ventilator-Acquired Bacterial Pneumonia and Nonventilator ICU-Acquired Bacterial Pneumonia. <i>Critical Care Medicine</i> , 2019 , 47, 345-352	1.4	38
103	Spontaneous Breathing in Early Acute Respiratory Distress Syndrome: Insights From the Large Observational Study to UNderstand the Global Impact of Severe Acute Respiratory Failure Study. <i>Critical Care Medicine</i> , 2019 , 47, 229-238	1.4	38
102	Prevalence and risk factors related to haloperidol use for delirium in adult intensive care patients: the multinational AID-ICU inception cohort study. <i>Intensive Care Medicine</i> , 2018 , 44, 1081-1089	14.5	38
101	Intravenous Immunoglobulins Improve Survival in Monoclonal Gammopathy-Associated Systemic Capillary-Leak Syndrome. <i>American Journal of Medicine</i> , 2017 , 130, 1219.e19-1219.e27	2.4	36
100	Resolved versus confirmed ARDS after 24 h: insights from the LUNG SAFE study. <i>Intensive Care Medicine</i> , 2018 , 44, 564-577	14.5	36
99	Procalcitonin levels in acute exacerbation of COPD admitted in ICU: a prospective cohort study. <i>BMC Infectious Diseases</i> , 2008 , 8, 145	4	35
98	The Clinical Picture of Severe Systemic Capillary-Leak Syndrome Episodes Requiring ICU Admission. <i>Critical Care Medicine</i> , 2017 , 45, 1216-1223	1.4	34
97	Accuracy of plasma neutrophil gelatinase-associated lipocalin in the early diagnosis of contrast-induced acute kidney injury in critical illness. <i>Intensive Care Medicine</i> , 2013 , 39, 857-65	14.5	33
96	Accuracy of a transcutaneous carbon dioxide pressure monitoring device in emergency room patients with acute respiratory failure. <i>Intensive Care Medicine</i> , 2011 , 37, 348-51	14.5	32

95	Vascular access sites for acute renal replacement in intensive care units. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2012 , 7, 70-7	6.9	32
94	Clinical features and outcome of patients with acute respiratory failure revealing anti-synthetase or anti-MDA-5 dermato-pulmonary syndrome: a French multicenter retrospective study. <i>Annals of Intensive Care</i> , 2018 , 8, 87	8.9	32
93	Pheochromocytoma Crisis in the ICU: A French Multicenter Cohort Study With Emphasis on Rescue Extracorporeal Membrane Oxygenation. <i>Critical Care Medicine</i> , 2017 , 45, e657-e665	1.4	29
92	Effect of a tracheostomy speaking valve on breathing-swallowing interaction. <i>Intensive Care Medicine</i> , 2012 , 38, 85-90	14.5	26
91	Unique blood culture for diagnosis of bloodstream infections in emergency departments: a prospective multicentre study. <i>Clinical Microbiology and Infection</i> , 2014 , 20, O920-7	9.5	26
90	Mouth and nasal inspiratory pressure: learning effect and reproducibility in healthy adults. <i>Respiration</i> , 2010 , 80, 379-86	3.7	25
89	Superiority of transcutaneous CO ₂ over end-tidal CO ₂ measurement for monitoring respiratory failure in nonintubated patients: A pilot study. <i>Journal of Critical Care</i> , 2016 , 31, 150-6	4	23
88	Prevalence and Prognosis Impact of Patient-Ventilator Asynchrony in Early Phase of Weaning according to Two Detection Methods. <i>Anesthesiology</i> , 2017 , 127, 989-997	4.3	23
87	Predictors of mortality and short-term physical and cognitive dependence in critically ill persons 75 years and older: a prospective cohort study. <i>Health and Quality of Life Outcomes</i> , 2011 , 9, 35	3	23
86	Continuous renal replacement therapy may increase the risk of catheter infection. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2010 , 5, 1489-96	6.9	23
85	Predicting Survival After Extracorporeal Membrane Oxygenation for ARDS: An External Validation of RESP and PRESERVE Scores. <i>Respiratory Care</i> , 2017 , 62, 912-919	2.1	22
84	Impact of Early Acute Kidney Injury on Management and Outcome in Patients With Acute Respiratory Distress Syndrome: A Secondary Analysis of a Multicenter Observational Study. <i>Critical Care Medicine</i> , 2019 , 47, 1216-1225	1.4	22
83	Outcomes of patients admitted to intensive care units for acute manifestation of small-vessel vasculitis: a multicenter, retrospective study. <i>Critical Care</i> , 2016 , 20, 27	10.8	21
82	Noninvasive ventilation and breathing-swallowing interplay in chronic obstructive pulmonary disease*. <i>Critical Care Medicine</i> , 2014 , 42, 565-73	1.4	21
81	Outcomes of Patients Presenting with Mild Acute Respiratory Distress Syndrome: Insights from the LUNG SAFE Study. <i>Anesthesiology</i> , 2019 , 130, 263-283	4.3	21
80	Initial nutritional management during noninvasive ventilation and outcomes: a retrospective cohort study. <i>Critical Care</i> , 2017 , 21, 293	10.8	20
79	Impact of tracheostomy on swallowing performance in Duchenne muscular dystrophy. <i>Neuromuscular Disorders</i> , 2010 , 20, 493-8	2.9	19
78	Clinical spectrum and short-term outcome of adult patients with purpura fulminans: a French multicenter retrospective cohort study. <i>Intensive Care Medicine</i> , 2018 , 44, 1502-1511	14.5	18

77	Mucormycosis in intensive care unit: surgery is a major prognostic factor in patients with hematological malignancy. <i>Annals of Intensive Care</i> , 2020 , 10, 74	8.9	18
76	Diagnosis and management of metabolic acidosis: guidelines from a French expert panel. <i>Annals of Intensive Care</i> , 2019 , 9, 92	8.9	17
75	Procalcitonin levels and bacterial aetiology among COPD patients admitted to the ICU with severe pneumonia: a prospective cohort study. <i>BMC Infectious Diseases</i> , 2009 , 9, 157	4	17
74	Thyroid Storm in the ICU: A Retrospective Multicenter Study. <i>Critical Care Medicine</i> , 2020 , 48, 83-90	1.4	17
73	Use of online blood volume and blood temperature monitoring during haemodialysis in critically ill patients with acute kidney injury: a single-centre randomized controlled trial. <i>Nephrology Dialysis Transplantation</i> , 2013 , 28, 430-7	4.3	16
72	Identifying associations between diabetes and acute respiratory distress syndrome in patients with acute hypoxemic respiratory failure: an analysis of the LUNG SAFE database. <i>Critical Care</i> , 2018 , 22, 268	10.8	14
71	Diaphragmatic dysfunction at admission in intensive care unit: the value of diaphragmatic ultrasonography. <i>Intensive Care Medicine</i> , 2015 , 41, 557-9	14.5	13
70	Management of severe asthma exacerbation: guidelines from the Société Française de Médecine d'Urgence, the Société de Réanimation de Langue Française and the French Group for Pediatric Intensive Care and Emergencies. <i>Annals of Intensive Care</i> , 2019 , 9, 115	8.9	13
69	Long-term Quality of Life in Adult Patients Surviving Purpura Fulminans: An Exposed-Unexposed Multicenter Cohort Study. <i>Clinical Infectious Diseases</i> , 2019 , 69, 332-340	11.6	13
68	Influenza and associated co-infections in critically ill immunosuppressed patients. <i>Critical Care</i> , 2019 , 23, 152	10.8	12
67	Extracorporeal Life Support for Refractory Cardiac Arrest or Shock: A 10-Year Study. <i>ASAIO Journal</i> , 2015 , 61, 676-81	3.6	12
66	One-year survival in acute stroke patients requiring mechanical ventilation: a multicenter cohort study. <i>Annals of Intensive Care</i> , 2020 , 10, 53	8.9	12
65	Endovascular cooling versus standard femoral catheters and intravascular complications: A propensity-matched cohort study. <i>Resuscitation</i> , 2018 , 124, 1-6	4	11
64	Blood volume- and blood temperature-controlled hemodialysis in critically ill patients: a 6-month, case-matched, open-label study. <i>Blood Purification</i> , 2010 , 29, 245-51	3.1	11
63	Effect of the use of an endotracheal tube and stylet versus an endotracheal tube alone on first-attempt intubation success: a multicentre, randomised clinical trial in 999 patients. <i>Intensive Care Medicine</i> , 2021 , 47, 653-664	14.5	11
62	High-flow nasal cannula oxygen therapy alone or with non-invasive ventilation during the weaning period after extubation in ICU: the prospective randomised controlled HIGH-WEAN protocol. <i>BMJ Open</i> , 2018 , 8, e023772	3	11
61	Multi-organ failure induced by Nivolumab in the context of allo-stem cell transplantation. <i>Experimental Hematology and Oncology</i> , 2019 , 8, 8	7.8	10
60	High-flow nasal oxygen vs. standard oxygen therapy in immunocompromised patients with acute respiratory failure: study protocol for a randomized controlled trial. <i>Trials</i> , 2018 , 19, 157	2.8	10

59	Physiological predictors of respiratory and cough assistance needs after extubation. <i>Annals of Intensive Care</i> , 2018 , 8, 18	8.9	10
58	Immature/total granulocyte ratio: a promising tool to assess the severity and the outcome of post-cardiac arrest syndrome. <i>Resuscitation</i> , 2014 , 85, 1115-9	4	10
57	Association between hydroxocobalamin administration and acute kidney injury after smoke inhalation: a multicenter retrospective study. <i>Critical Care</i> , 2019 , 23, 421	10.8	10
56	Interprofessional safety reporting and review of adverse events and medication errors in critical care. <i>Therapeutics and Clinical Risk Management</i> , 2019 , 15, 549-556	2.9	9
55	Retrospective evaluation of prognostic score performances in cirrhotic patients admitted to an intermediate care unit. <i>Digestive and Liver Disease</i> , 2015 , 47, 675-81	3.3	9
54	Effect of ventilatory variability on occurrence of central apneas. <i>Respiratory Care</i> , 2013 , 58, 745-53	2.1	9
53	Automated detection and quantification of reverse triggering effort under mechanical ventilation. <i>Critical Care</i> , 2021 , 25, 60	10.8	9
52	Severe leptospirosis in non-tropical areas: a nationwide, multicentre, retrospective study in French ICUs. <i>Intensive Care Medicine</i> , 2019 , 45, 1763-1773	14.5	8
51	Differential Perceptions of Noninvasive Ventilation in Intensive Care among Medical Caregivers, Patients, and Their Relatives: A Multicenter Prospective Study-The PARVENIR Study. <i>Anesthesiology</i> , 2016 , 124, 1347-59	4.3	8
50	What's new in management and clearing of airway secretions in ICU patients? It is time to focus on cough augmentation. <i>Intensive Care Medicine</i> , 2019 , 45, 865-868	14.5	8
49	Non-invasive positive-pressure ventilation with positive end-expiratory pressure counteracts inward air leaks during preoxygenation: a randomised crossover controlled study in healthy volunteers. <i>British Journal of Anaesthesia</i> , 2018 , 120, 868-873	5.4	7
48	High-flow nasal oxygen therapy alone or with non-invasive ventilation in immunocompromised patients admitted to ICU for acute hypoxemic respiratory failure: the randomised multicentre controlled FLORALI-IM protocol. <i>BMJ Open</i> , 2019 , 9, e029798	3	7
47	Noninvasive Mechanical Ventilation Improves Breathing-Swallowing Interaction of Ventilator Dependent Neuromuscular Patients: A Prospective Crossover Study. <i>PLoS ONE</i> , 2016 , 11, e0148673	3.7	7
46	Impact of obstructive sleep apnea on the obesity paradox in critically ill patients. <i>Journal of Critical Care</i> , 2020 , 56, 120-124	4	7
45	Performance of the ROX index to predict intubation in immunocompromised patients receiving high-flow nasal cannula for acute respiratory failure. <i>Annals of Intensive Care</i> , 2021 , 11, 17	8.9	7
44	Impact of species and antibiotic therapy of enterococcal peritonitis on 30-day mortality in critical care-an analysis of the OUTCOMEREA database. <i>Critical Care</i> , 2019 , 23, 307	10.8	6
43	Lung and chest wall mechanics in patients with acute respiratory distress syndrome, expiratory flow limitation, and airway closure. <i>Journal of Applied Physiology</i> , 2020 , 128, 1594-1603	3.7	6
42	Pressure-Support Ventilation vs T-Piece During Spontaneous Breathing Trials Before Extubation Among Patients at High Risk of Extubation Failure: A Post-Hoc Analysis of a Clinical Trial. <i>Chest</i> , 2020 , 158, 1446-1455	5.3	6

41	Epidemiology of post-influenza bacterial pneumonia due to Panton-Valentine leucocidin positive Staphylococcus aureus in intensive care units: a retrospective nationwide study. <i>Intensive Care Medicine</i> , 2019 , 45, 1312-1314	14.5	6
40	Understanding the kidney during acute respiratory failure. <i>Intensive Care Medicine</i> , 2017 , 43, 1144-1147	14.5	6
39	Physiological comparison of breathing patterns with neurally adjusted ventilatory assist (NAVA) and pressure-support ventilation to improve NAVA settings. <i>Respiratory Physiology and Neurobiology</i> , 2014 , 195, 11-8	2.8	6
38	Intensive care units, the Achilles heel of France in the COVID-19 battle. <i>Lancet Regional Health - Europe</i> , 2021 , 2, 100046		6
37	Immature/total granulocyte ratio improves early prediction of neurological outcome after out-of-hospital cardiac arrest: the MyeloScore study. <i>Annals of Intensive Care</i> , 2016 , 6, 65	8.9	6
36	Center effect in intubation risk in critically ill immunocompromised patients with acute hypoxemic respiratory failure. <i>Critical Care</i> , 2019 , 23, 306	10.8	5
35	Positive end-expiratory pressure-induced recruited lung volume measured by volume-pressure curves in acute respiratory distress syndrome: a physiologic systematic review and meta-analysis. <i>Intensive Care Medicine</i> , 2020 , 46, 2212-2225	14.5	5
34	Mental health and stress among ICU healthcare professionals in France according to intensity of the COVID-19 epidemic. <i>Annals of Intensive Care</i> , 2021 , 11, 90	8.9	5
33	Respiratory Mechanics and Outcomes in Immunocompromised Patients With ARDS: A Secondary Analysis of the EFRAIM Study. <i>Chest</i> , 2020 , 158, 1947-1957	5.3	4
32	ESICM LIVES 2016: part three. <i>Intensive Care Medicine Experimental</i> , 2016 , 4,	3.7	4
31	ESICM LIVES 2016: part two. <i>Intensive Care Medicine Experimental</i> , 2016 , 4,	3.7	4
30	Prone Position in Coronavirus Disease 2019 and Noncoronavirus Disease 2019 Acute Respiratory Distress Syndrome: An International Multicenter Observational Comparative Study. <i>Critical Care Medicine</i> , 2021 ,	1.4	4
29	Does endo-tracheal tube clamping prevent air leaks and maintain positive end-expiratory pressure during the switching of a ventilator in a patient in an intensive care unit? A bench study. <i>PLoS ONE</i> , 2020 , 15, e0230147	3.7	3
28	A fatal case with disseminated Myceliophthora thermophila infection in a lymphoma patient. <i>Diagnostic Microbiology and Infectious Disease</i> , 2011 , 70, 267-9	2.9	3
27	Low-pressure support vs automatic tube compensation during spontaneous breathing trial for weaning. <i>Annals of Intensive Care</i> , 2019 , 9, 137	8.9	3
26	Multistate Modeling of COVID-19 Patients Using a Large Multicentric Prospective Cohort of Critically Ill Patients. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	3
25	Intubation et extubation du patient de réanimation. <i>Anesthésie & Réanimation</i> , 2018 , 4, 523-547	0.1	3
24	High-flow nasal oxygen alone or alternating with non-invasive ventilation in critically ill immunocompromised patients with acute respiratory failure: a randomised controlled trial.. <i>Lancet Respiratory Medicine</i> , 2022 ,	35.1	3

23	: A Post-Hoc Analysis of a Randomized Clinical Trial. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2021 ,	10.2	2
22	Persistence at one year of neutralizing antibodies after SARS-CoV-2 infection: Influence of initial severity and steroid use. <i>Journal of Infection</i> , 2021 ,	18.9	2
21	T-piece versus pressure-support ventilation for spontaneous breathing trials before extubation in patients at high risk of reintubation: protocol for a multicentre, randomised controlled trial (TIP-EX). <i>BMJ Open</i> , 2020 , 10, e042619	3	2
20	Non-invasive ventilation versus high-flow nasal oxygen for postextubation respiratory failure in ICU: a post-hoc analysis of a randomized clinical trial. <i>Critical Care</i> , 2021 , 25, 221	10.8	2
19	Medicine and Intensive Care Training: The Search for the Holy Grail of Diversity Within Harmonization. <i>Critical Care Medicine</i> , 2019 , 47, e428-e429	1.4	2
18	Antiplatelet Drugs and Risk of Bleeding After Bedside Pleural Procedures: A National Multicenter Cohort Study. <i>Chest</i> , 2021 , 159, 1621-1629	5.3	2
17	Non-invasive ventilation alternating with high-flow nasal oxygen versus high-flow nasal oxygen alone after extubation in COPD patients: a post hoc analysis of a randomized controlled trial. <i>Annals of Intensive Care</i> , 2021 , 11, 30	8.9	2
16	Impact of take-home messages written into slide presentations delivered during lectures on the retention of messages and the residents' knowledge: a randomized controlled study. <i>BMC Medical Education</i> , 2020 , 20, 180	3.3	1
15	Diagnostic yield of lumbar puncture in adult patients with purpura fulminans. <i>Intensive Care Medicine</i> , 2019 , 45, 1487-1489	14.5	1
14	Clinical phenotype and outcomes of pneumococcal versus meningococcal purpura fulminans: a multicenter retrospective cohort study. <i>Critical Care</i> , 2021 , 25, 386	10.8	1
13	Reverse Triggering: Sometimes It Is Not Only the Diaphragm. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2020 , 201, e24-e25	10.2	1
12	Ability of procalcitonin to distinguish between bacterial and nonbacterial infection in severe acute exacerbation of chronic obstructive pulmonary syndrome in the ICU. <i>Annals of Intensive Care</i> , 2021 , 11, 39	8.9	1
11	Chronic use of renin-angiotensin-aldosterone system blockers and mortality in COVID-19: A multicenter prospective cohort and literature review. <i>Fundamental and Clinical Pharmacology</i> , 2021 , 35, 1141-1158	3.1	1
10	Comparison of high-flow nasal oxygen therapy and non-invasive ventilation in ICU patients with acute respiratory failure and a do-not-intubate orders: a multicentre prospective study OXYPAL. <i>BMJ Open</i> , 2021 , 11, e045659	3	1
9	Factors associated with survival of patients with solid Cancer alive after intensive care unit discharge between 2005 and 2013. <i>BMC Cancer</i> , 2021 , 21, 9	4.8	1
8	Impact of advance directives on the variability between intensivists in the decisions to forgo life-sustaining treatment. <i>Critical Care</i> , 2020 , 24, 672	10.8	0
7	Regional lung viscoelastic properties in supine and prone position in a porcine model of acute respiratory distress syndrome. <i>Journal of Applied Physiology</i> , 2021 , 131, 15-25	3.7	0
6	Is a COPD patient protected against SARS-CoV-2 virus?. <i>Infectious Diseases Now</i> , 2021 , 51, 98-99		0

- 5 Early prone positioning in acute respiratory distress syndrome related to COVID-19: a propensity score analysis from the multicentric cohort COVID-ICU network-the ProneCOVID study.. *Critical Care*, **2022**, 26, 71 10.8 0
- 4 Quel int  t la mesure de la toux et de la force p  f  rique lors du sevrage de la ventilation ?. *Reanimation: Journal De La Societe De Reanimation De Langue Francaise*, **2016**, 25, 26-34
- 3 Predicting noninvasive mechanical ventilation outcome: early may be too early!. *Respiratory Care*, **2013**, 58, e15-6 2.1
- 2 A Comprehensive Bench Assessment of Automatic Tube Compensation in ICU Ventilators for Better Clinical Management. *Respiratory Care*, **2020**, 65, 1864-1873 2.1
- 1 Disclosure of conflicts of interest should appear in clinical guidelines. *Anaesthesia, Critical Care & Pain Medicine*, **2021**, 40, 100926 3