

Jong-Han Lee

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9113914/publications.pdf>

Version: 2024-02-01

12
papers

73
citations

1684188

5
h-index

1588992

8
g-index

12
all docs

12
docs citations

12
times ranked

103
citing authors

#	ARTICLE	IF	CITATIONS
1	Clinical performance evaluation of the BD Veritor System Flu A+B assay. <i>Journal of Virological Methods</i> , 2014, 204, 86-90.	2.1	17
2	Comparison of three rapid influenza diagnostic tests with digital readout systems and one conventional rapid influenza diagnostic test. <i>Journal of Clinical Laboratory Analysis</i> , 2018, 32, e22234.	2.1	16
3	Association between Serum Urate and Risk of Hypertension in Menopausal Women with XDH Gene. <i>Journal of Clinical Medicine</i> , 2019, 8, 738.	2.4	9
4	Soluble type immune checkpoint regulators using multiplex luminex immunoassay in chronic hepatitis B patients. <i>Journal of Clinical Pathology</i> , 2021, 74, 780-786.	2.0	7
5	Current laboratory tests for diagnosis of hepatitis B virus infection. <i>International Journal of Clinical Practice</i> , 2021, 75, e14812.	1.7	6
6	Comparison of the analytical and clinical performances of four anti-cyclic citrullinated peptide antibody assays for diagnosing rheumatoid arthritis. <i>Clinical Rheumatology</i> , 2021, 40, 565-573.	2.2	5
7	Characteristics of immune checkpoint regulators and potential role of soluble TIM-3 and LAG-3 in male patients with alcohol-associated liver disease. <i>Alcohol</i> , 2022, 98, 9-17.	1.7	5
8	The characteristics of transferrin variants by carbohydrate-deficient transferrin tests using capillary zone electrophoresis. <i>Journal of Clinical Laboratory Analysis</i> , 2018, 32, e22451.	2.1	4
9	Comparison Between a Manual Squamous Cell Carcinoma Antigen Assay and an Automated Assay in a Clinical Setting. <i>Laboratory Medicine</i> , 2018, 49, 254-258.	1.2	2
10	Multicenter Verification of a Harmonized Test Method for Human Leukocyte Antigen Flow Cytometry Crossmatching. <i>Journal of Laboratory Medicine and Quality Assurance</i> , 2021, 43, 152-161.	0.4	2
11	Comparison between Medion Vacuon Tube and BD Vacutainer Tube for Clinical Laboratory Practice. <i>Laboratory Medicine Online</i> , 2019, 9, 77.	0.2	0
12	Evaluation of Noninvasive Liver Fibrosis Blood Markers in Patients with Chronic Hepatitis B and Hepatitis C. <i>Laboratory Medicine Online</i> , 2019, 9, 153.	0.2	0