

David Luk

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9114314/publications.pdf>

Version: 2024-02-01

77
papers

1,810
citations

318942

23
h-index

325983

40
g-index

77
all docs

77
docs citations

77
times ranked

2478
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Composite yarns with antibacterial nanofibrous sheaths produced by collectorless alternating current electrospinning for suture applications. <i>Journal of Applied Polymer Science</i> , 2022, 139, . | 1.3 | 7 |
| 2 | Alternating current electrospinning: The impacts of various high-voltage signal shapes and frequencies on the spinnability and productivity of polycaprolactone nanofibers. <i>Materials and Design</i> , 2022, 213, 110308. | 3.3 | 51 |
| 3 | Improved spinnability of PA 6 solutions using AC electrospinning. <i>Materials Letters</i> , 2021, 283, 128761. | 1.3 | 11 |
| 4 | Double-layered Nanofibrous Patch for Prevention of Anastomotic Leakage and Peritoneal Adhesions, Experimental Study. <i>In Vivo</i> , 2021, 35, 731-741. | 0.6 | 7 |
| 5 | The Mass Production of Lignin Fibres by Means of Needleless Electrospinning. <i>Journal of Polymers and the Environment</i> , 2021, 29, 2164-2173. | 2.4 | 12 |
| 6 | A novel approach to studying the kinetics of release of Alaptide from Poly- μ -caprolactone nanofibers. <i>Journal of Drug Delivery Science and Technology</i> , 2021, 63, 102492. | 1.4 | 1 |
| 7 | Novel lipophosphonoxin-loaded polycaprolactone electrospun nanofiber dressing reduces <i>Staphylococcus aureus</i> induced wound infection in mice. <i>Scientific Reports</i> , 2021, 11, 17688. | 1.6 | 13 |
| 8 | Degradation of polycaprolactone electrospun materials - methods of analysis. , 2021, , . | | 0 |
| 9 | Drawn aligned polymer microfibres for tissue engineering. <i>Journal of Industrial Textiles</i> , 2020, 50, 263-277. | 1.1 | 3 |
| 10 | Ectopic thyroid with benign and malignant findings: A case series. <i>International Journal of Surgery Case Reports</i> , 2020, 66, 33-38. | 0.2 | 8 |
| 11 | Plasma treatment effects on bulk properties of polycaprolactone nanofibrous mats fabricated by uncommon AC electrospinning: A comparative study. <i>Surface and Coatings Technology</i> , 2020, 399, 126203. | 2.2 | 27 |
| 12 | Experimental fortification of intestinal anastomoses with nanofibrous materials in a large animal model. <i>Scientific Reports</i> , 2020, 10, 1134. | 1.6 | 14 |
| 13 | Structure and mechanical properties of nanofibrous ZrO ₂ derived from alternating field electrospun precursors. <i>Ceramics International</i> , 2019, 45, 18672-18682. | 2.3 | 19 |
| 14 | Fabrication of dual-functional composite yarns with a nanofibrous envelope using high throughput AC needleless and collectorless electrospinning. <i>Scientific Reports</i> , 2019, 9, 1801. | 1.6 | 36 |
| 15 | The post-morphological analysis of electrospun vascular grafts following mechanical testing. <i>Journal of Polymer Engineering</i> , 2018, 38, 525-535. | 0.6 | 2 |
| 16 | Generating standardized image data for testing and calibrating quantification of volumes, surfaces, lengths, and object counts in fibrous and porous materials using X-ray microtomography. <i>Microscopy Research and Technique</i> , 2018, 81, 551-568. | 1.2 | 23 |
| 17 | The combination of nanofibrous and microfibrillar materials for enhancement of cell infiltration and <i>in vivo</i> bone tissue formation. <i>Biomedical Materials (Bristol)</i> , 2018, 13, 025004. | 1.7 | 21 |
| 18 | Effect of nanocrystalline cellulose addition on needleless alternating current electrospinning and properties of nanofibrous polyacrylonitrile meshes. <i>Journal of Applied Polymer Science</i> , 2018, 135, 45772. | 1.3 | 19 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Composite 3D printed scaffold with structured electrospun nanofibers promotes chondrocyte adhesion and infiltration. <i>Cell Adhesion and Migration</i> , 2018, 12, 271-285. | 1.1 | 36 |
| 20 | Needleless emulsion electrospinning for the regulated delivery of susceptible proteins. <i>Journal of Tissue Engineering and Regenerative Medicine</i> , 2018, 12, 583-597. | 1.3 | 17 |
| 21 | Electrospun vascular grafts fabricated from poly(ϵ -lactide-co- μ -caprolactone) used as a bypass for the rabbit carotid artery. <i>Biomedical Materials (Bristol)</i> , 2018, 13, 065009. | 1.7 | 13 |
| 22 | The effect of ethylene oxide sterilization on electrospun vascular grafts made from biodegradable polyesters. <i>Materials Science and Engineering C</i> , 2018, 92, 132-142. | 3.8 | 45 |
| 23 | Needleless coaxial electrospinning: A novel approach to mass production of coaxial nanofibers. <i>International Journal of Pharmaceutics</i> , 2017, 516, 293-300. | 2.6 | 57 |
| 24 | Mechanical investigation of bilayer vascular grafts electrospun from aliphatic polyesters. <i>Polymers for Advanced Technologies</i> , 2017, 28, 201-213. | 1.6 | 11 |
| 25 | Production of yarns composed of oriented nanofibers for ophthalmological implants. <i>IOP Conference Series: Materials Science and Engineering</i> , 2017, 254, 062011. | 0.3 | 0 |
| 26 | Composite fibrous glaucoma drainage implant. <i>IOP Conference Series: Materials Science and Engineering</i> , 2017, 254, 062006. | 0.3 | 0 |
| 27 | Crystallinity of Electrospun and Centrifugal Spun Polycaprolactone Fibers: A Comparative Study. <i>Journal of Nanomaterials</i> , 2017, 2017, 1-9. | 1.5 | 34 |
| 28 | Design of Polycaprolactone Vascular Grafts. <i>Journal of Industrial Textiles</i> , 2016, 45, 813-833. | 1.1 | 32 |
| 29 | Poly(μ -Caprolactone) Nanofibers for Biomedical Scaffolds by High-Rate Alternating Current Electrospinning. <i>MRS Advances</i> , 2016, 1, 1289-1294. | 0.5 | 2 |
| 30 | Nanofibrous alumina structures fabricated using high-yield alternating current electrospinning. <i>Ceramics International</i> , 2016, 42, 17154-17161. | 2.3 | 23 |
| 31 | Surgical treatment of patients with colorectal cancer at the University Hospital Královské Vinohrady, Prague. <i>European Surgery - Acta Chirurgica Austriaca</i> , 2016, 48, 147-148. | 0.3 | 0 |
| 32 | Rapid fabrication of poly(μ -caprolactone) nanofibers using needleless alternating current electrospinning. <i>Journal of Applied Polymer Science</i> , 2016, 133, . | 1.3 | 32 |
| 33 | Mathematical modeling of a whipping instability of an electrically charged liquid jet. <i>Applied Mathematical Modelling</i> , 2016, 40, 9565-9583. | 2.2 | 21 |
| 34 | Protrusion of the Rod Electrode in the Electrospinning Process. <i>Journal of Nanotechnology</i> , 2015, 2015, 1-8. | 1.5 | 2 |
| 35 | The combination of meltblown and electrospinning for bone tissue engineering. <i>Materials Letters</i> , 2015, 143, 172-176. | 1.3 | 35 |
| 36 | Ribbon-like and spontaneously folded structures of tungsten oxide nanofibers fabricated via electrospinning. <i>RSC Advances</i> , 2015, 5, 69534-69542. | 1.7 | 13 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | A census of quadratic post-critically finite rational functions defined over. <i>LMS Journal of Computation and Mathematics</i> , 2014, 17, 314-329. | 0.9 | 8 |
| 38 | Effective AC needleless and collectorless electrospinning for yarn production. <i>Physical Chemistry Chemical Physics</i> , 2014, 16, 26816-26822. | 1.3 | 74 |
| 39 | Correlation among the BRAF Gene Mutation Status, Clinicopathological Features of Primary Tumour, and Lymph Node Metastasizing of Papillary Thyroid Carcinoma. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2014, 122, 268-272. | 0.6 | 4 |
| 40 | Image analysis of jet structure on electrospinning from free liquid surface. <i>Applied Physics Letters</i> , 2014, 104, 243114. | 1.5 | 8 |
| 41 | Study of polycaprolactone wet electrospinning process. <i>EXPRESS Polymer Letters</i> , 2014, 8, 554-564. | 1.1 | 43 |
| 42 | A mathematical model of external electrostatic field of a special collector for electrospinning of nanofibers. <i>Journal of Electrostatics</i> , 2014, 72, 161-165. | 1.0 | 10 |
| 43 | Time-regulated drug delivery system based on coaxially incorporated platelet α -granules for biomedical use. <i>Nanomedicine</i> , 2013, 8, 1137-1154. | 1.7 | 25 |
| 44 | Elastic three-dimensional poly (μ -caprolactone) nanofibre scaffold enhances migration, proliferation and osteogenic differentiation of mesenchymal stem cells. <i>Cell Proliferation</i> , 2013, 46, 23-37. | 2.4 | 73 |
| 45 | Nanofiber Manufacture, Properties, and Applications. <i>Journal of Nanomaterials</i> , 2013, 2013, 1-1. | 1.5 | 5 |
| 46 | The epidemiology of thyroid cancer in the Czech Republic in comparison with other countries. <i>Biomedical Papers of the Medical Faculty of the University Palacký, Olomouc, Czechoslovakia</i> , 2013, 157, 266-275. | 0.2 | 27 |
| 47 | Thin-Layer Hydroxyapatite Deposition on a Nanofiber Surface Stimulates Mesenchymal Stem Cell Proliferation and Their Differentiation into Osteoblasts. <i>Journal of Biomedicine and Biotechnology</i> , 2012, 2012, 1-10. | 3.0 | 27 |
| 48 | Core/Shell Nanofibers with Embedded Liposomes as a Drug Delivery System. <i>Biomacromolecules</i> , 2012, 13, 952-962. | 2.6 | 212 |
| 49 | Laboratory synthesis of carbon nanostructured materials using natural gas. <i>Materials Letters</i> , 2012, 79, 35-38. | 1.3 | 3 |
| 50 | A simple drug anchoring microfiber scaffold for chondrocyte seeding and proliferation. <i>Journal of Materials Science: Materials in Medicine</i> , 2012, 23, 555-563. | 1.7 | 27 |
| 51 | Nanoporous artificial proboscis for probing minute amount of liquids. <i>Nanoscale</i> , 2011, 3, 4685. | 2.8 | 38 |
| 52 | Raster image correlation spectroscopy as a novel tool to study interactions of macromolecules with nanofiber scaffolds. <i>Acta Biomaterialia</i> , 2011, 7, 4195-4203. | 4.1 | 17 |
| 53 | Laryngotracheal stenosis in critically ill patients. <i>Acta Oto-Laryngologica</i> , 2011, 131, 91-95. | 0.3 | 6 |
| 54 | Auto-model based computer simulation of Plateau-Rayleigh instability of mixtures of immiscible liquids. <i>Physica A: Statistical Mechanics and Its Applications</i> , 2010, 389, 2164-2176. | 1.2 | 9 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Electrospinning jets as X-ray sources at atmospheric conditions. Europhysics Letters, 2010, 92, 47002. | 0.7 | 1 |
| 56 | Physical principles of electrospinning (Electrospinning as a nano-scale technology of the twenty-first) Tj ETQq0 0 0 rrgBT /Overlock 10 Tf 13 121 | 1.3 | 121 |
| 57 | Self-organization of jets in electrospinning from free liquid surface: A generalized approach. Journal of Applied Physics, 2008, 103, . | 1.1 | 208 |
| 58 | The Effect of Gas Adsorption on Carbon Nanotubes Properties. Journal of Computational and Theoretical Nanoscience, 2006, 3, 664-669. | 0.4 | 35 |
| 59 | Morphological transitions of capillary rise in a bundle of two and three solid parallel cylinders. Physica A: Statistical Mechanics and Its Applications, 2006, 371, 226-248. | 1.2 | 12 |
| 60 | Understanding the three-dimensional structure of fibrous materials using stereology. , 2006, , 42-101. | | 1 |
| 61 | Computer simulation of moisture transport in fibrous materials. , 2006, , 469-541. | | 1 |
| 62 | The cellular automata lattice gas approach for fluid flows in porous media. , 2006, , 357-401. | | 1 |
| 63 | Modeling Liquid Transport in Fibrous Structures: An Multi-Scale Approach. Journal of Computational and Theoretical Nanoscience, 2006, 3, 506-512. | 0.4 | 2 |
| 64 | Effect of LiCl on the stability length of electrospinning jet by PAN polymer solution. Materials Letters, 2005, 59, 3102-3105. | 1.3 | 21 |
| 65 | Stochastic modelling of tear behaviour of coated fabrics. Modelling and Simulation in Materials Science and Engineering, 2004, 12, 293-309. | 0.8 | 28 |
| 66 | Computer Simulation of 3-D Liquid Transport in Fibrous Materials. Simulation, 2004, 80, 547-557. | 1.1 | 14 |
| 67 | Wetting of a fiber bundle in fibrous structures. Polymer Composites, 2003, 24, 314-322. | 2.3 | 23 |
| 68 | Wetting between parallel fibres; column-unduloid and column disintegration transitions. Proceedings of the Institution of Mechanical Engineers, Part H: Journal of Engineering in Medicine, 2003, 217, 273-277. | 1.0 | 8 |
| 69 | A Stochastic Approach on the Tear Behavior of Coated Fabrics With Interphase. , 2003, , 39. | | 1 |
| 70 | Ocular Lens NAD Kinase: Partial Purification and Metabolic Implications. Biochemical and Biophysical Research Communications, 1998, 247, 154-158. | 1.0 | 3 |
| 71 | Computer Simulation of Liquid Wetting Dynamics in Fiber Structures Using the Ising Model. Journal of the Textile Institute, 1997, 88, 149-161. | 1.0 | 26 |
| 72 | A Two-dimensional Model of the Mechanical Properties of Textiles. Journal of the Textile Institute, 1993, 84, 1-15. | 1.0 | 19 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Computer modelling of geotextiles related to mechanical properties evaluated by micromechanoscropy. <i>Geotextiles and Geomembranes</i> , 1991, 10, 115-124. | 2.3 | 3 |
| 74 | Phase transition from ^4He plasma to stable ^8Be matter. <i>Zeitschrift für Physik A</i> , 1991, 339, 419-420. | 0.9 | 6 |
| 75 | Computer Simulation of a Fluid Flow through the Declined Porous Structure. <i>Advanced Materials Research</i> , 0, 746, 271-276. | 0.3 | 1 |
| 76 | Design of Coaxial Needleless Electrospinning Electrode with Respect to the Distribution of Electric Field. <i>Applied Mechanics and Materials</i> , 0, 693, 394-399. | 0.2 | 12 |
| 77 | Nanofibrous Filters for Respirators. <i>Advanced Materials Research</i> , 0, 1119, 126-131. | 0.3 | 0 |