

Stephen D Ebbs

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9116876/publications.pdf>

Version: 2024-02-01

53
papers

4,527
citations

159358

30
h-index

182168

51
g-index

53
all docs

53
docs citations

53
times ranked

4215
citing authors

#	ARTICLE	IF	CITATIONS
1	The molecular physiology of heavy metal transport in the Zn/Cd hyperaccumulator <i>Thlaspi caerulescens</i> . Proceedings of the National Academy of Sciences of the United States of America, 2000, 97, 4956-4960.	3.3	694
2	Toxicity of Zinc and Copper to Brassica Species: Implications for Phytoremediation. Journal of Environmental Quality, 1997, 26, 776-781.	1.0	440
3	Phytoextraction of Zinc by Oat (<i>Avena sativa</i>), Barley (<i>Hordeum vulgare</i>), and Indian Mustard (<i>Brassica</i>) Tj ETQq1 1 0,784314,rgBT /O 4.6 304	4.6	304
4	Molecular physiology of zinc transport in the Zn hyperaccumulator <i>Thlaspi caerulescens</i> . Journal of Experimental Botany, 2000, 51, 71-79.	2.4	275
5	Role of uranium speciation in the uptake and translocation of uranium by plants. Journal of Experimental Botany, 1998, 49, 1183-1190.	2.4	240
6	Biological degradation of cyanide compounds. Current Opinion in Biotechnology, 2004, 15, 231-236.	3.3	226
7	Elevated expression of <i>TcHMA3</i> plays a key role in the extreme Cd tolerance in a Cd hyperaccumulating ecotype of <i>Thlaspi caerulescens</i> . Plant Journal, 2011, 66, 852-862.	2.8	209
8	Phytochelatin synthesis is not responsible for Cd tolerance in the Zn/Cd hyperaccumulator <i>Thlaspi caerulescens</i> (J. & C. Presl). Planta, 2002, 214, 635-640.	1.6	192
9	Phytoremediation of a Radiocesium Contaminated Soil: Evaluation of Cesium-137 Bioaccumulation in the Shoots of Three Plant Species. Journal of Environmental Quality, 1998, 27, 165-169.	1.0	152
10	Trans-generational impact of cerium oxide nanoparticles on tomato plants. Metallomics, 2013, 5, 753.	1.0	126
11	Accumulation of zinc, copper, or cerium in carrot (<i>Daucus carota</i>) exposed to metal oxide nanoparticles and metal ions. Environmental Science: Nano, 2016, 3, 114-126.	2.2	123
12	Sustainability of crop production from polluted lands. Energy, Ecology and Environment, 2016, 1, 54-65.	1.9	104
13	Root and shoot transcriptome analysis of two ecotypes of <i>Nocca caerulescens</i> uncovers the role of <i>Ncramp1</i> in <i>Cd</i> hyperaccumulation. Plant Journal, 2014, 78, 398-410.	2.8	97
14	Transport and metabolism of free cyanide and iron cyanide complexes by willow. Plant, Cell and Environment, 2003, 26, 1467-1478.	2.8	96
15	Uptake and Accumulation of Bulk and Nanosized Cerium Oxide Particles and Ionic Cerium by Radish (<i>Raphanus sativus</i> L.). Journal of Agricultural and Food Chemistry, 2015, 63, 382-390.	2.4	90
16	Zinc, copper, or cerium accumulation from metal oxide nanoparticles or ions in sweet potato: Yield effects and projected dietary intake from consumption. Plant Physiology and Biochemistry, 2017, 110, 128-137.	2.8	88
17	The <i>γ</i> -cyanoalanine synthase pathway: beyond cyanide detoxification. Plant, Cell and Environment, 2016, 39, 2329-2341.	2.8	79
18	Simplified Extraction of Ginsenosides from American Ginseng (<i>Panax quinquefolius</i> L.) for High-Performance Liquid Chromatography-Ultraviolet Analysis. Journal of Agricultural and Food Chemistry, 2005, 53, 9867-9873.	2.4	76

#	ARTICLE	IF	CITATIONS
19	Cadmium and zinc induced chlorosis in Indian mustard [<i>Brassica juncea</i> (L.) Czern] involves preferential loss of chlorophyll b. <i>Photosynthetica</i> , 2008, 46, 49-55.	0.9	74
20	The Effect of Acidification and Chelating Agents on the Solubilization of Uranium from Contaminated Soil. <i>Journal of Environmental Quality</i> , 1998, 27, 1486-1494.	1.0	51
21	Multigenerational exposure to cerium oxide nanoparticles: Physiological and biochemical analysis reveals transmissible changes in rapid cycling <i>Brassica rapa</i> . <i>NanoImpact</i> , 2016, 1, 46-54.	2.4	51
22	Transport of Ferrocyanide by Two Eucalypt Species and Sorghum. <i>International Journal of Phytoremediation</i> , 2008, 10, 343-357.	1.7	50
23	The exchangeability and leachability of metals from select green roof growth substrates. <i>Urban Ecosystems</i> , 2010, 13, 91-111.	1.1	49
24	Uptake of Cesium-137 and Strontium-90 from Contaminated Soil by Three Plant Species; Application to Phytoremediation. <i>Journal of Environmental Quality</i> , 2002, 31, 904.	1.0	49
25	Pathways of root uptake and membrane transport of Cd ²⁺ in the zinc/cadmium hyperaccumulating plant <i>Sedum plumbizincicola</i> . <i>Environmental Toxicology and Chemistry</i> , 2017, 36, 1038-1046.	2.2	46
26	Bioavailability of cerium oxide nanoparticles to <i>Raphanus sativus</i> L. in two soils. <i>Plant Physiology and Biochemistry</i> , 2017, 110, 185-193.	2.8	44
27	Cadmium sorption, influx, and efflux at the mesophyll layer of leaves from ecotypes of the Zn/Cd hyperaccumulator <i>Thlaspi caerulescens</i> . <i>New Phytologist</i> , 2009, 181, 626-636.	3.5	43
28	Effects of phosphorus on chemical forms of Cd in plants of four spinach (<i>Spinacia oleracea</i> L.) cultivars differing in Cd accumulation. <i>Environmental Science and Pollution Research</i> , 2016, 23, 5753-5762.	2.7	34
29	Nitrogen supply and cyanide concentration influence the enrichment of nitrogen from cyanide in wheat (<i>Triticum aestivum</i> L.) and sorghum (<i>Sorghum bicolor</i> L.). <i>Plant, Cell and Environment</i> , 2010, 33, no-no.	2.8	33
30	Cultivation of garden vegetables in Peoria Pool sediments from the Illinois River: A case study in trace element accumulation and dietary exposures. <i>Environment International</i> , 2006, 32, 766-774.	4.8	32
31	Projected Dietary Intake of Zinc, Copper, and Cerium from Consumption of Carrot (<i>Daucus carota</i>) Exposed to Metal Oxide Nanoparticles or Metal Ions. <i>Frontiers in Plant Science</i> , 2016, 7, 188.	1.7	32
32	Heavy metals in leachate from simulated green roof systems. <i>Ecological Engineering</i> , 2011, 37, 1709-1717.	1.6	30
33	Transport of Cd and Zn to seeds of Indian mustard (<i>Brassica juncea</i>) during specific stages of plant growth and development. <i>Physiologia Plantarum</i> , 2007, 132, 071115143317001-???	2.6	29
34	The influence of lead and arsenite on the inhibition of human breast cancer MCF-7 cell proliferation by American ginseng root (<i>Panax quinquefolius</i> L.). <i>Life Sciences</i> , 2006, 78, 1336-1340.	2.0	28
35	A screen of some native Australian flora and exotic agricultural species for their potential application in cyanide-induced phytoextraction of gold. <i>Minerals Engineering</i> , 2007, 20, 1327-1330.	1.8	25
36	Growth of selected plant species in biosolids-amended mine tailings. <i>Minerals Engineering</i> , 2015, 80, 25-32.	1.8	24

#	ARTICLE	IF	CITATIONS
37	Responses of the wetland grass, <i>Beckmannia syzigachne</i> , to salinity and soil wetness: Consequences for wetland reclamation in the oil sands area of Alberta, Canada. <i>Ecological Engineering</i> , 2016, 86, 24-30.	1.6	23
38	A Comparison of the Dietary Arsenic Exposures from Ingestion of Contaminated Soil and Hyperaccumulating <i>Pteris</i> Ferns Used in a Residential Phytoremediation Project. <i>International Journal of Phytoremediation</i> , 2009, 12, 121-132.	1.7	21
39	The Î²-cyanoalanine pathway is involved in the response to water deficit in <i>Arabidopsis thaliana</i> . <i>Plant Physiology and Biochemistry</i> , 2013, 63, 159-169.	2.8	20
40	Increased Î²-cyanoalanine synthase and asparaginase activity in nitrogen-depleted wheat exposed to cyanide. <i>Journal of Plant Nutrition and Soil Science</i> , 2010, 173, 808-810.	1.1	19
41	Solubilization of heavy metals from gold ore by adjuvants used during gold phytomining. <i>Minerals Engineering</i> , 2010, 23, 819-822.	1.8	18
42	Development of a Plant Uptake Model for Cyanide. <i>International Journal of Phytoremediation</i> , 2006, 8, 25-43.	1.7	17
43	Dissolution of copper and iron from automotive brake pad wear debris enhances growth and accumulation by the invasive macrophyte <i>Salvinia molesta</i> Mitchell. <i>Chemosphere</i> , 2013, 92, 45-51.	4.2	14
44	Uranium Speciation, Plant Uptake, and Phytoremediation. <i>Practice Periodical of Hazardous, Toxic and Radioactive Waste Management</i> , 2001, 5, 130-135.	0.4	12
45	Transport and Partitioning of Lead in Indian Mustard (<i>Brassica juncea</i>) and Wheat (<i>Triticum</i>)	1.0	10
46	Parameter Estimation of a Plant Uptake Model for Cyanide: Application to Hydroponic Data. <i>International Journal of Phytoremediation</i> , 2006, 8, 45-62.	1.7	9
47	Alteration of Root Growth by Lettuce, Wheat, and Soybean in Response to Wear Debris from Automotive Brake Pads. <i>Archives of Environmental Contamination and Toxicology</i> , 2014, 67, 557-564.	2.1	6
48	Plant Tissue Extraction Method for Complexed and Free Cyanide. <i>Water, Air, and Soil Pollution</i> , 2004, 157, 281-293.	1.1	5
49	Cyanide Cycle in Nature. , 2005, , 225-236.		5
50	Functional Redundancies in Cyanide Tolerance Provided by Î²-Cyanoalanine Pathway Genes in <i>Arabidopsis thaliana</i> . <i>International Journal of Plant Sciences</i> , 2014, 175, 346-358.	0.6	5
51	Cadmium accumulation in deer tongue grass (<i>Panicum clandestinum</i> L.) and potential for trophic transfer to microtine rodents. <i>Environmental Pollution</i> , 2007, 148, 580-589.	3.7	4
52	Initial loss of cyanide, thiocyanate, and thiosulfate adjuvants following amendment to an oxidic gold ore. <i>Minerals Engineering</i> , 2011, 24, 1641-1643.	1.8	4
53	Phytoremediation of Iron Cyanide Complexes in Soil-Water Systems. <i>Soil and Sediment Contamination</i> , 2002, 11, 458-458.	1.1	0