

Philippe A Grandjean

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9118816/philippe-a-grandjean-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

318
papers

21,246
citations

76
h-index

136
g-index

354
ext. papers

24,160
ext. citations

6.4
avg, IF

7.12
L-index

#	Paper	IF	Citations
318	Epidemiological approaches to metal toxicology 2022 , 369-383		
317	Principles for prevention of the toxic effects of metals 2022 , 685-703		0
316	Marine pollutant exposures and human milk extracellular vesicle-microRNAs in a mother-infant cohort from the Faroe Islands.. <i>Environment International</i> , 2022 , 158, 106986	12.9	1
315	Concentrations of tetanus and diphtheria antibodies in vaccinated Greenlandic children aged 7-12 years exposed to marine pollutants, a cross sectional study. <i>Environmental Research</i> , 2022 , 203, 111712	7.9	1
314	Early-life exposure to perfluoroalkyl substances in relation to serum adipokines in a longitudinal birth cohort. <i>Environmental Research</i> , 2022 , 204, 111905	7.9	0
313	Higher free thyroxine associated with PFAS exposure in first trimester. The Odense Child Cohort.. <i>Environmental Research</i> , 2022 , 212, 113492	7.9	
312	Pollution and the developing brain. <i>Lancet, The</i> , 2021 , 398, 1961	40	0
311	Plasma concentrations of perfluoroalkyl substances and risk of inflammatory bowel diseases in women: A nested case control analysis in the Nurses' Health Study cohorts. <i>Environmental Research</i> , 2021 , 207, 112222	7.9	0
310	Endocrine disrupting chemicals and COVID-19 relationships: A computational systems biology approach. <i>Environment International</i> , 2021 , 157, 106232	12.9	10
309	Human milk extracellular vesicle miRNA expression and associations with maternal characteristics in a population-based cohort from the Faroe Islands. <i>Scientific Reports</i> , 2021 , 11, 5840	4.9	11
308	Life-course Exposure to Perfluoroalkyl Substances in Relation to Markers of Glucose Homeostasis in Early Adulthood. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021 , 106, 2495-2504	5.6	5
307	Exposure to perfluoroalkyl substances during fetal life and hospitalization for infectious disease in childhood: A study among 1,503 children from the Odense Child Cohort. <i>Environment International</i> , 2021 , 149, 106395	12.9	9
306	A Benchmark Dose Analysis for Maternal Pregnancy Urine-Fluoride and IQ in Children. <i>Risk Analysis</i> , 2021 ,	3.9	2
305	Exposure to perfluoroalkyl substances and blood pressure in pregnancy among 1436 women from the Odense Child Cohort. <i>Environment International</i> , 2021 , 151, 106442	12.9	5
304	Prenatal exposure to pyrethroid and organophosphate insecticides and language development at age 20-36 months among children in the Odense Child Cohort. <i>International Journal of Hygiene and Environmental Health</i> , 2021 , 235, 113755	6.9	2
303	PFAS concentration during pregnancy in relation to cardiometabolic health and birth outcomes. <i>Environmental Research</i> , 2021 , 192, 110287	7.9	22
302	Serum vaccine antibody concentrations in adults exposed to per- and polyfluoroalkyl substances: A birth cohort in the Faroe Islands. <i>Journal of Immunotoxicology</i> , 2021 , 18, 85-92	3.1	3

301	Public-health risks from tea drinking: Fluoride exposure. <i>Scandinavian Journal of Public Health</i> , 2021 , 1403494821990284	3	3
300	Reference intervals for trace elements in the general Danish population and their dependence on serum proteins. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2021 , 81, 523-531	2	0
299	No association between maternal and child PFAS concentrations and repeated measures of ADHD symptoms at age 2 and 5 years in children from the Odense Child Cohort. <i>Neurotoxicology and Teratology</i> , 2021 , 88, 107031	3.9	2
298	Pregnancy exposure to perfluoroalkyl substances, prolactin concentrations and breastfeeding in the Odense Child Cohort. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021 ,	5.6	5
297	Early-life associations between per- and polyfluoroalkyl substances and serum lipids in a longitudinal birth cohort. <i>Environmental Research</i> , 2021 , 200, 111400	7.9	9
296	Prenatal Exposures to Perfluoroalkyl Acids and Associations with Markers of Adiposity and Plasma Lipids in Infancy: An Odense Child Cohort Study. <i>Environmental Health Perspectives</i> , 2020 , 128, 77001	8.4	9
295	Prenatal exposure to perfluorodecanoic acid is associated with lower circulating concentration of adrenal steroid metabolites during mini puberty in human female infants. The Odense Child Cohort. <i>Environmental Research</i> , 2020 , 182, 109101	7.9	7
294	Associations of Perfluoroalkyl substances with blood lipids and Apolipoproteins in lipoprotein subspecies: the POUNDS-lost study. <i>Environmental Health</i> , 2020 , 19, 5	6	17
293	Reducing exposure to high levels of perfluorinated compounds in drinking water improves reproductive outcomes: evidence from an intervention in Minnesota. <i>Environmental Health</i> , 2020 , 19, 42	6	5
292	Severity of COVID-19 at elevated exposure to perfluorinated alkylates. <i>PLoS ONE</i> , 2020 , 15, e0244815	3.7	26
291	Human Health and Ocean Pollution. <i>Annals of Global Health</i> , 2020 , 86, 151	3.3	58
290	Immunotoxicity: Impacts and Research Approaches. <i>Current Topics in Environmental Health and Preventive Medicine</i> , 2020 , 175-190	0.3	1
289	From Research to Intervention. <i>Current Topics in Environmental Health and Preventive Medicine</i> , 2020 , 531-542	0.3	
288	Endocrine disrupting chemicals and COVID-19 relationships: a computational systems biology approach 2020 ,		5
287	Associations of Exposure to Perfluoroalkyl Substances With Thyroid Hormone Concentrations and Birth Size. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020 , 105,	5.6	15
286	Serum Perfluoroalkyl Substances, Vaccine Responses, and Morbidity in a Cohort of Guinea-Bissau Children. <i>Environmental Health Perspectives</i> , 2020 , 128, 87002	8.4	19
285	Severity of COVID-19 at elevated exposure to perfluorinated alkylates 2020 , 15, e0244815		
284	Severity of COVID-19 at elevated exposure to perfluorinated alkylates 2020 , 15, e0244815		

283	Severity of COVID-19 at elevated exposure to perfluorinated alkylates 2020 , 15, e0244815		
282	Severity of COVID-19 at elevated exposure to perfluorinated alkylates 2020 , 15, e0244815		
281	Physico-chemical properties and gestational diabetes predict transplacental transfer and partitioning of perfluoroalkyl substances. <i>Environment International</i> , 2019 , 130, 104874	12.9	32
280	Maternal urinary concentrations of pyrethroid and chlorpyrifos metabolites and attention deficit hyperactivity disorder (ADHD) symptoms in 2-4-year-old children from the Odense Child Cohort. <i>Environmental Research</i> , 2019 , 176, 108533	7.9	32
279	Tap Water Contributions to Plasma Concentrations of Poly- and Perfluoroalkyl Substances (PFAS) in a Nationwide Prospective Cohort of U.S. Women. <i>Environmental Health Perspectives</i> , 2019 , 127, 67006	8.4	45
278	Prevalence of prediabetes and type 2 diabetes in two non-random populations aged 44-77 years in the Faroe Islands. <i>Journal of Clinical and Translational Endocrinology</i> , 2019 , 16, 100187	2.4	3
277	Response to Juberg et al. <i>Environmental Health</i> , 2019 , 18, 29	6	0
276	Perfluorinated substances, risk factors for multiple sclerosis and cellular immune activation. <i>Journal of Neuroimmunology</i> , 2019 , 330, 90-95	3.5	3
275	Gender differences in cognitive performance and health status in the Faroese Septuagenarians cohort. <i>European Journal of Public Health</i> , 2019 , 29, 79-81	2.1	4
274	Environmental chemical exposures among Greenlandic children in relation to diet and residence. <i>International Journal of Circumpolar Health</i> , 2019 , 78, 1642090	1.7	4
273	A Birth Cohort Study on the Genetic Modification of the Association of Prenatal Methylmercury With Child Cognitive Development. <i>American Journal of Epidemiology</i> , 2019 , 188, 1784-1793	3.8	8
272	Improving and Expanding Estimates of the Global Burden of Disease Due to Environmental Health Risk Factors. <i>Environmental Health Perspectives</i> , 2019 , 127, 105001	8.4	42
271	Perfluoroalkyl substances and changes in bone mineral density: A prospective analysis in the POUNDS-LOST study. <i>Environmental Research</i> , 2019 , 179, 108775	7.9	13
270	Early Life Exposures to Perfluoroalkyl Substances in Relation to Adipokine Hormone Levels at Birth and During Childhood. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019 , 104, 5338-5348	5.6	13
269	Developmental fluoride neurotoxicity: an updated review. <i>Environmental Health</i> , 2019 , 18, 110	6	45
268	Joint and independent neurotoxic effects of early life exposures to a chemical mixture: A multi-pollutant approach combining ensemble learning and g-computation. <i>Environmental Epidemiology</i> , 2019 , 3,	0.2	9
267	Timescales of developmental toxicity impacting on research and needs for intervention. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2019 , 125 Suppl 3, 70-80	3.1	14
266	Fish Consumption During Pregnancy. <i>JAMA Pediatrics</i> , 2019 , 173, 292	8.3	1

265	Prenatal bisphenol A exposure is associated with language development but not with ADHD-related behavior in toddlers from the Odense Child Cohort. <i>Environmental Research</i> , 2019 , 170, 398-405	7.9	21
264	A systems biology approach to predictive developmental neurotoxicity of a larvicide used in the prevention of Zika virus transmission. <i>Toxicology and Applied Pharmacology</i> , 2018 , 354, 56-63	4.6	17
263	Shifting Global Exposures to Poly- and Perfluoroalkyl Substances (PFASs) Evident in Longitudinal Birth Cohorts from a Seafood-Consuming Population. <i>Environmental Science & Technology</i> , 2018 , 52, 3738-3747	10.3	37
262	Persistent organic pollutants and risk of type 2 diabetes: A prospective investigation among middle-aged women in Nurses' Health Study II. <i>Environment International</i> , 2018 , 114, 334-342	12.9	39
261	Epigenetics as a mechanism linking developmental exposures to long-term toxicity. <i>Environment International</i> , 2018 , 114, 77-86	12.9	96
260	Perfluoroalkyl substances and glycemic status in pregnant Danish women: The Odense Child Cohort. <i>Environment International</i> , 2018 , 116, 101-107	12.9	24
259	Consensus statement on the need for innovation, transition and implementation of developmental neurotoxicity (DNT) testing for regulatory purposes. <i>Toxicology and Applied Pharmacology</i> , 2018 , 354, 3-6	4.6	69
258	Prenatal phthalate exposure and language development in toddlers from the Odense Child Cohort. <i>Neurotoxicology and Teratology</i> , 2018 , 65, 34-41	3.9	29
257	Can profiles of poly- and Perfluoroalkyl substances (PFASs) in human serum provide information on major exposure sources?. <i>Environmental Health</i> , 2018 , 17, 11	6	37
256	Prevalence of type 2 diabetes and prediabetes in the Faroe Islands. <i>Diabetes Research and Clinical Practice</i> , 2018 , 140, 162-173	7.4	8
255	Identification of sex-specific DNA methylation changes driven by specific chemicals in cord blood in a Faroese birth cohort. <i>Epigenetics</i> , 2018 , 13, 290-300	5.7	37
254	Accelerated functional losses in ageing congenital Minamata disease patients. <i>Neurotoxicology and Teratology</i> , 2018 , 69, 49-53	3.9	11
253	Prenatal pesticide exposure associated with glycated haemoglobin and markers of metabolic dysfunction in adolescents. <i>Environmental Research</i> , 2018 , 166, 71-77	7.9	3
252	Perfluoroalkyl substances and changes in body weight and resting metabolic rate in response to weight-loss diets: A prospective study. <i>PLoS Medicine</i> , 2018 , 15, e1002502	11.6	81
251	Health Status of Workers Exposed to Perfluorinated Alkylate Substances. <i>Journal of Occupational and Environmental Medicine</i> , 2018 , 60, e562	2	2
250	Safety of Safety Evaluation of Pesticides: developmental neurotoxicity of chlorpyrifos and chlorpyrifos-methyl. <i>Environmental Health</i> , 2018 , 17, 77	6	36
249	Application of benchmark analysis for mixed contaminant exposures: Mutual adjustment of perfluoroalkylate substances associated with immunotoxicity. <i>PLoS ONE</i> , 2018 , 13, e0205388	3.7	7
248	Plasma Concentrations of Perfluoroalkyl Substances and Risk of Type 2 Diabetes: A Prospective Investigation among U.S. Women. <i>Environmental Health Perspectives</i> , 2018 , 126, 037001	8.4	73

247	Reproductive Function in a Population of Young Faroese Men with Elevated Exposure to Polychlorinated Biphenyls (PCBs) and Perfluorinated Alkylate Substances (PFAS). <i>International Journal of Environmental Research and Public Health</i> , 2018 , 15,	4.6	45
246	Association between perfluoroalkyl substance exposure and asthma and allergic disease in children as modified by MMR vaccination. <i>Journal of Immunotoxicology</i> , 2017 , 14, 39-49	3.1	29
245	Public health benefits of hair-mercury analysis and dietary advice in lowering methylmercury exposure in pregnant women. <i>Scandinavian Journal of Public Health</i> , 2017 , 45, 444-451	3	18
244	Height and blood chemistry in adults with a history of developmental arsenic poisoning from contaminated milk powder. <i>Environmental Research</i> , 2017 , 155, 86-91	7.9	1
243	Human health implications of organic food and organic agriculture: a comprehensive review. <i>Environmental Health</i> , 2017 , 16, 111	6	136
242	Calculation of the disease burden associated with environmental chemical exposures: application of toxicological information in health economic estimation. <i>Environmental Health</i> , 2017 , 16, 123	6	43
241	Aerobic Fitness and Neurocognitive Function Scores in Young Faroese Adults and Potential Modification by Prenatal Methylmercury Exposure. <i>Environmental Health Perspectives</i> , 2017 , 125, 677-683	8.4	7
240	Serum Vaccine Antibody Concentrations in Adolescents Exposed to Perfluorinated Compounds. <i>Environmental Health Perspectives</i> , 2017 , 125, 077018	8.4	72
239	Gestational diabetes and offspring birth size at elevated environmental pollutant exposures. <i>Environment International</i> , 2017 , 107, 205-215	12.9	56
238	Prevention of Developmental Neurotoxicity. <i>Epidemiology</i> , 2017 , 28, 157-158	3.1	6
237	Estimated exposures to perfluorinated compounds in infancy predict attenuated vaccine antibody concentrations at age 5-years. <i>Journal of Immunotoxicology</i> , 2017 , 14, 188-195	3.1	87
236	Early-life exposures to persistent organic pollutants in relation to overweight in preschool children. <i>Reproductive Toxicology</i> , 2017 , 68, 145-153	3.4	59
235	Shorter duration of breastfeeding at elevated exposures to perfluoroalkyl substances. <i>Reproductive Toxicology</i> , 2017 , 68, 164-170	3.4	37
234	Children's white blood cell counts in relation to developmental exposures to methylmercury and persistent organic pollutants. <i>Reproductive Toxicology</i> , 2017 , 68, 207-214	3.4	24
233	Prenatal exposure to perfluoroalkyl substances and anogenital distance at 3 months of age in a Danish mother-child cohort. <i>Reproductive Toxicology</i> , 2017 , 68, 200-206	3.4	29
232	Secondary sex ratio in relation to exposures to polychlorinated biphenyls, dichlorodiphenyl dichloroethylene and methylmercury. <i>International Journal of Circumpolar Health</i> , 2017 , 76, 1406234	1.7	3
231	Antibody response to booster vaccination with tetanus and diphtheria in adults exposed to perfluorinated alkylates. <i>Journal of Immunotoxicology</i> , 2016 , 13, 270-3	3.1	37
230	Association between prenatal exposure to perfluorinated compounds and symptoms of infections at age 1-4years among 359 children in the Odense Child Cohort. <i>Environment International</i> , 2016 , 96, 58-64	12.9	63

229	A proposed framework for the systematic review and integrated assessment (SYRINA) of endocrine disrupting chemicals. <i>Environmental Health</i> , 2016 , 15, 74	6	70
228	Within-person reproducibility of red blood cell mercury over a 10- to 15-year period among women in the Nurses' Health Study II. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2016 , 26, 219-23	6.7	5
227	Cognitive deficits at age 22 years associated with prenatal exposure to methylmercury. <i>Cortex</i> , 2016 , 74, 358-69	3.8	93
226	Associations between plasma concentrations of PCB 28 and possible indoor exposure sources in Danish school children and mothers. <i>Environment International</i> , 2016 , 87, 13-9	12.9	16
225	Vaccination Efficacy and Environmental Pollution 2016 , 181-203		2
224	Benefits of Regulating Hazardous Air Pollutants from Coal and Oil-Fired Utilities in the United States. <i>Environmental Science & Technology</i> , 2016 , 50, 2117-20	10.3	28
223	Neurological and neuropsychological functions in adults with a history of developmental arsenic poisoning from contaminated milk powder. <i>Neurotoxicology and Teratology</i> , 2016 , 53, 75-80	3.9	28
222	Prenatal pesticide exposure and PON1 genotype associated with adolescent body fat distribution evaluated by dual X-ray absorptiometry (DXA). <i>Andrology</i> , 2016 , 4, 735-44	4.2	7
221	Umbilical Cord Serum 25-Hydroxyvitamin D Concentrations and Relation to Birthweight, Head Circumference and Infant Length at Age 14 Days. <i>Paediatric and Perinatal Epidemiology</i> , 2016 , 30, 238-45	2.7	16
220	Burden of disease and costs of exposure to endocrine disrupting chemicals in the European Union: an updated analysis. <i>Andrology</i> , 2016 , 4, 565-72	4.2	75
219	Health effects associated with measured levels of contaminants in the Arctic. <i>International Journal of Circumpolar Health</i> , 2016 , 75, 33805	1.7	18
218	Lactation history, serum concentrations of persistent organic pollutants, and maternal risk of diabetes. <i>Environmental Research</i> , 2016 , 150, 282-288	7.9	13
217	Behavioral difficulties in 7-year old children in relation to developmental exposure to perfluorinated alkyl substances. <i>Environment International</i> , 2016 , 97, 237-245	12.9	59
216	Prenatal exposure to perfluoroalkyl substances and anogenital distance at 3 months of age as marker of endocrine disruption. <i>Reproductive Toxicology</i> , 2016 ,	3.4	4
215	Detection of Poly- and Perfluoroalkyl Substances (PFASs) in U.S. Drinking Water Linked to Industrial Sites, Military Fire Training Areas, and Wastewater Treatment Plants. <i>Environmental Science and Technology Letters</i> , 2016 , 3, 344-350	11	547
214	Paracelsus Revisited: The Dose Concept in a Complex World. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2016 , 119, 126-32	3.1	42
213	Effect of seafood mediated PCB exposure on desaturase activity and PUFA profile in Faroese septuagenarians. <i>Environmental Research</i> , 2015 , 140, 699-703	7.9	1
212	Prenatal exposure to persistent organochlorine pollutants is associated with high insulin levels in 5-year-old girls. <i>Environmental Research</i> , 2015 , 142, 407-13	7.9	29

211	Epidemiological Approaches to Metal Toxicology 2015 , 265-279		0
210	PFAS concentrations in plasma samples from Danish school children and their mothers. <i>Chemosphere</i> , 2015 , 129, 203-9	8.4	51
209	Spermatogenic capacity in fertile men with elevated exposure to polychlorinated biphenyls. <i>Environmental Research</i> , 2015 , 138, 345-51	7.9	12
208	Perfluorinated Alkyl Substances: Emerging Insights Into Health Risks. <i>New Solutions</i> , 2015 , 25, 147-63	1	63
207	Breastfeeding as an Exposure Pathway for Perfluorinated Alkylates. <i>Environmental Science & Technology</i> , 2015 , 49, 10466-73	10.3	97
206	Developmental Origins of Health and Disease: Integrating Environmental Influences. <i>Endocrinology</i> , 2015 , 156, 3416-21	4.8	212
205	Neurobehavioral deficits, diseases, and associated costs of exposure to endocrine-disrupting chemicals in the European Union. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015 , 100, 1256-66	5.6	95
204	Comment on "Severe dental fluorosis and cognitive deficits". <i>Neurotoxicology and Teratology</i> , 2015 , 50, 32	3.9	1
203	Trace elements as paradigms of developmental neurotoxicants: Lead, methylmercury and arsenic. <i>Journal of Trace Elements in Medicine and Biology</i> , 2015 , 31, 130-4	4.1	48
202	Association of lifetime exposure to fluoride and cognitive functions in Chinese children: a pilot study. <i>Neurotoxicology and Teratology</i> , 2015 , 47, 96-101	3.9	74
201	Occupational pesticide exposure in early pregnancy associated with sex-specific neurobehavioral deficits in the children at school age. <i>Neurotoxicology and Teratology</i> , 2015 , 47, 1-9	3.9	36
200	Principles for Prevention of the Toxic Effects of Metals 2015 , 507-528		2
199	Toxicology research for precautionary decision-making and the role of Human & Experimental Toxicology. <i>Human and Experimental Toxicology</i> , 2015 , 34, 1231-7	3.4	2
198	Structural equation modeling of immunotoxicity associated with exposure to perfluorinated alkylates. <i>Environmental Health</i> , 2015 , 14, 47	6	34
197	Circulating persistent organic pollutants and body fat distribution: Evidence from NHANES 1999-2004. <i>Obesity</i> , 2015 , 23, 1903-10	8	19
196	Asthma and allergy in children with and without prior measles, mumps, and rubella vaccination. <i>Pediatric Allergy and Immunology</i> , 2015 , 26, 742-9	4.2	25
195	Association between perfluorinated compound exposure and miscarriage in Danish pregnant women. <i>PLoS ONE</i> , 2015 , 10, e0123496	3.7	67
194	Estimating burden and disease costs of exposure to endocrine-disrupting chemicals in the European union. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015 , 100, 1245-55	5.6	209

193	Community water fluoridation and intelligence. <i>American Journal of Public Health</i> , 2015 , 105, e3	5.1	1
192	Neurobehavioural effects of developmental toxicity. <i>Lancet Neurology, The</i> , 2014 , 13, 330-8	24.1	984
191	Adiposity and glycemic control in children exposed to perfluorinated compounds. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014 , 99, E608-14	5.6	47
190	Association between prenatal polychlorinated biphenyl exposure and obesity development at ages 5 and 7 y: a prospective cohort study of 656 children from the Faroe Islands. <i>American Journal of Clinical Nutrition</i> , 2014 , 99, 5-13	7	89
189	Neurodevelopmental toxicity: still more questions than answers--authors' response. <i>Lancet Neurology, The</i> , 2014 , 13, 648-9	24.1	5
188	Autoantibodies associated with prenatal and childhood exposure to environmental chemicals in Faroese children. <i>Toxicological Sciences</i> , 2014 , 142, 158-66	4.4	24
187	Neurotoxicity from prenatal and postnatal exposure to methylmercury. <i>Neurotoxicology and Teratology</i> , 2014 , 43, 39-44	3.9	65
186	Negative confounding by essential fatty acids in methylmercury neurotoxicity associations. <i>Neurotoxicology and Teratology</i> , 2014 , 42, 85-92	3.9	48
185	Iron status as a covariate in methylmercury-associated neurotoxicity risk. <i>Chemosphere</i> , 2014 , 100, 89-96.4	14	14
184	Effect of hemoglobin adjustment on the precision of mercury concentrations in maternal and cord blood. <i>Environmental Research</i> , 2014 , 132, 407-12	7.9	32
183	Changing interpretation of human health risks from perfluorinated compounds. <i>Public Health Reports</i> , 2014 , 129, 482-5	2.5	23
182	Exposure to persistent organic pollutants and sperm sex chromosome ratio in men from the Faroe Islands. <i>Environment International</i> , 2014 , 73, 359-64	12.9	10
181	Polychlorinated biphenyl exposure and glucose metabolism in 9-year-old Danish children. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014 , 99, E2643-51	5.6	23
180	Prenatal prevention. <i>Science</i> , 2014 , 345, 1462	33.3	2
179	Immunotoxicity of perfluorinated alkylates: calculation of benchmark doses based on serum concentrations in children. <i>Environmental Health</i> , 2013 , 12, 35	6	84
178	Economic benefits of methylmercury exposure control in Europe: monetary value of neurotoxicity prevention. <i>Environmental Health</i> , 2013 , 12, 3	6	90
177	What are the toxicological effects of mercury in Arctic biota?. <i>Science of the Total Environment</i> , 2013 , 443, 775-90	10.2	238
176	Visual evoked potentials in children prenatally exposed to methylmercury. <i>NeuroToxicology</i> , 2013 , 37, 15-8	4.4	12

175	An international pooled analysis for obtaining a benchmark dose for environmental lead exposure in children. <i>Risk Analysis</i> , 2013 , 33, 450-61	3.9	67
174	Early-life prevention of non-communicable diseases. <i>Lancet, The</i> , 2013 , 381, 3-4	4.0	101
173	Semen quality and reproductive hormones in Faroese men: a cross-sectional population-based study of 481 men. <i>BMJ Open</i> , 2013 , 3,	3	21
172	Persistent organic pollutants and type 2 diabetes: a prospective analysis in the nurses' health study and meta-analysis. <i>Environmental Health Perspectives</i> , 2013 , 121, 153-61	8.4	119
171	Prenatal methylmercury exposure and genetic predisposition to cognitive deficit at age 8 years. <i>Epidemiology</i> , 2013 , 24, 643-50	3.1	41
170	A computational approach to chemical etiologies of diabetes. <i>Scientific Reports</i> , 2013 , 3, 2712	4.9	25
169	Genetic susceptibility to methylmercury developmental neurotoxicity matters. <i>Frontiers in Genetics</i> , 2013 , 4, 278	4.5	27
168	Only One Chance 2013 ,		35
167	Developmental origins of adult diseases and neurotoxicity: epidemiological and experimental studies. <i>NeuroToxicology</i> , 2012 , 33, 810-6	4.4	46
166	Neurobehavioral and neurodevelopmental effects of pesticide exposures. <i>NeuroToxicology</i> , 2012 , 33, 887-96	4.4	114
165	Reproductive hormone profile and pubertal development in 14-year-old boys prenatally exposed to polychlorinated biphenyls. <i>Reproductive Toxicology</i> , 2012 , 34, 498-503	3.4	43
164	Neurobehavioral deficits at age 7 years associated with prenatal exposure to toxicants from maternal seafood diet. <i>Neurotoxicology and Teratology</i> , 2012 , 34, 466-72	3.9	55
163	Developmental origins of non-communicable disease: implications for research and public health. <i>Environmental Health</i> , 2012 , 11, 42	6	469
162	Economic evaluation of health consequences of prenatal methylmercury exposure in France. <i>Environmental Health</i> , 2012 , 11, 53	6	17
161	Paraoxonase 1 polymorphism and prenatal pesticide exposure associated with adverse cardiovascular risk profiles at school age. <i>PLoS ONE</i> , 2012 , 7, e36830	3.7	32
160	Cohort studies of Faroese children concerning potential adverse health effects after the mothers' exposure to marine contaminants during pregnancy. <i>Acta Veterinaria Scandinavica</i> , 2012 , 54,	2	11
159	Strengths and limitations of HBM--imprecision matters. <i>International Journal of Hygiene and Environmental Health</i> , 2012 , 215, 94	6.9	1
158	Developmental fluoride neurotoxicity: a systematic review and meta-analysis. <i>Environmental Health Perspectives</i> , 2012 , 120, 1362-8	8.4	240

157	Evidence on the human health effects of low-level methylmercury exposure. <i>Environmental Health Perspectives</i> , 2012 , 120, 799-806	8.4	433
156	Calculation of mercury's effects on neurodevelopment. <i>Environmental Health Perspectives</i> , 2012 , 120, A452; author reply A452	8.4	21
155	Mercury exposure and risk of hypertension in US men and women in 2 prospective cohorts. <i>Hypertension</i> , 2012 , 60, 645-52	8.5	39
154	Increased serum concentrations of persistent organic pollutants among prediabetic individuals: potential role of altered substrate oxidation patterns. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012 , 97, E1705-13	5.6	23
153	Association between perfluorinated compounds and time to pregnancy in a prospective cohort of Danish couples attempting to conceive. <i>Human Reproduction</i> , 2012 , 27, 873-80	5.7	64
152	Serum vaccine antibody concentrations in children exposed to perfluorinated compounds. <i>JAMA - Journal of the American Medical Association</i> , 2012 , 307, 391-7	27.4	396
151	Advancing the science of developmental neurotoxicity (DNT): testing for better safety evaluation. <i>ALTEX: Alternatives To Animal Experimentation</i> , 2012 , 29, 202-15	4.3	86
150	Epidemiological Evidence on Methylmercury Neurotoxicity 2012 , 13-35		5
149	Human Health Significance of Dietary Exposures to Methylmercury 2011 , 545-568		
148	Functional MRI approach to developmental methylmercury and polychlorinated biphenyl neurotoxicity. <i>NeuroToxicology</i> , 2011 , 32, 975-80	4.4	28
147	Thyroid dysfunction as a mediator of organochlorine neurotoxicity in preschool children. <i>Environmental Health Perspectives</i> , 2011 , 119, 1429-35	8.4	19
146	Methylmercury: Grandjean et al. Respond. <i>Environmental Health Perspectives</i> , 2011 , 119,	8.4	78
145	Marine food pollutants as a risk factor for hypoinsulinemia and type 2 diabetes. <i>Epidemiology</i> , 2011 , 22, 410-7	3.1	53
144	Balancing the benefits of n-3 polyunsaturated fatty acids and the risks of methylmercury exposure from fish consumption. <i>Nutrition Reviews</i> , 2011 , 69, 493-508	6.4	179
143	Prenatal exposure to lead and cognitive deficit in 7- and 14-year-old children in the presence of concomitant exposure to similar molar concentration of methylmercury. <i>Neurotoxicology and Teratology</i> , 2011 , 33, 205-11	3.9	44
142	Larry Needham and the partition ratio. <i>Chemosphere</i> , 2011 , 85, 142	8.4	
141	Childhood lead exposure in France: benefit estimation and partial cost-benefit analysis of lead hazard control. <i>Environmental Health</i> , 2011 , 10, 44	6	42
140	Lower birth weight and increased body fat at school age in children prenatally exposed to modern pesticides: a prospective study. <i>Environmental Health</i> , 2011 , 10, 79	6	48

139	The Matthew effect in environmental science publication: a bibliometric analysis of chemical substances in journal articles. <i>Environmental Health</i> , 2011 , 10, 96	6	49
138	Methylmercury and brain development: imprecision and underestimation of developmental neurotoxicity in humans. <i>Mount Sinai Journal of Medicine</i> , 2011 , 78, 107-18		88
137	Partition of environmental chemicals between maternal and fetal blood and tissues. <i>Environmental Science & Technology</i> , 2011 , 45, 1121-6	10.3	277
136	Vitamin D status in relation to glucose metabolism and type 2 diabetes in septuagenarians. <i>Diabetes Care</i> , 2011 , 34, 1284-8	14.6	79
135	Application of computational systems biology to explore environmental toxicity hazards. <i>Environmental Health Perspectives</i> , 2011 , 119, 1754-9	8.4	20
134	Fish consumption and mercury exposure among Louisiana recreational anglers. <i>Environmental Health Perspectives</i> , 2011 , 119, 245-51	8.4	63
133	Exposure to Environmental Chemicals as a Risk Factor for Diabetes Development. <i>Research and Perspectives in Endocrine Interactions</i> , 2011 , 91-99		2
132	An ignored risk factor in toxicology: The total imprecision of exposure assessment. <i>Pure and Applied Chemistry</i> , 2010 , 82, 383-391	2.1	34
131	Allergy and sensitization during childhood associated with prenatal and lactational exposure to marine pollutants. <i>Environmental Health Perspectives</i> , 2010 , 118, 1429-33	8.4	67
130	Direct assessment of cumulative aryl hydrocarbon receptor agonist activity in sera from experimentally exposed mice and environmentally exposed humans. <i>Environmental Health Perspectives</i> , 2010 , 118, 693-8	8.4	13
129	Neurobehavioral deficits and increased blood pressure in school-age children prenatally exposed to pesticides. <i>Environmental Health Perspectives</i> , 2010 , 118, 890-6	8.4	90
128	Adverse effects of methylmercury: environmental health research implications. <i>Environmental Health Perspectives</i> , 2010 , 118, 1137-45	8.4	203
127	Effects of maternal smoking and exposure to methylmercury on brain-derived neurotrophic factor concentrations in umbilical cord serum. <i>Toxicological Sciences</i> , 2010 , 117, 263-9	4.4	24
126	Serum concentrations of antibodies against vaccine toxoids in children exposed perinatally to immunotoxicants. <i>Environmental Health Perspectives</i> , 2010 , 118, 1434-8	8.4	109
125	Even low-dose lead exposure is hazardous. <i>Lancet, The</i> , 2010 , 376, 855-6	40	62
124	Structural equation models for meta-analysis in environmental risk assessment. <i>Environmetrics</i> , 2010 , 21, 510-527	1.3	16
123	High latitude and marine diet: vitamin D status in elderly Faroese. <i>British Journal of Nutrition</i> , 2010 , 104, 914-8	3.6	24
122	Sensitivity of continuous performance test (CPT) at age 14 years to developmental methylmercury exposure. <i>Neurotoxicology and Teratology</i> , 2010 , 32, 627-32	3.9	33

121	Methylmercury exposure and adverse cardiovascular effects in Faroese whaling men. <i>Environmental Health Perspectives</i> , 2009 , 117, 367-72	8.4	173
120	Epidemiology, public health, and the rhetoric of false positives. <i>Environmental Health Perspectives</i> , 2009 , 117, 1809-13	8.4	39
119	Neurodevelopmental toxicity risks due to occupational exposure to industrial chemicals during pregnancy. <i>Industrial Health</i> , 2009 , 47, 459-68	2.5	63
118	Qualitative assessment of visuospatial errors in mercury-exposed Amazonian children. <i>NeuroToxicology</i> , 2009 , 30, 37-46	4.4	53
117	No changes in lymphocyte muscarinic receptors and platelet monoamine oxidase-B examined as surrogate central nervous system biomarkers in a Faroese children cohort prenatally exposed to methylmercury and polychlorinated biphenyls. <i>Biomarkers</i> , 2009 , 14, 67-76	2.6	102
116	Methylmercury toxicity and functional programming. <i>Reproductive Toxicology</i> , 2008 , 25, 134	3.4	1
115	Potential developmental neurotoxicity of pesticides used in Europe. <i>Environmental Health</i> , 2008 , 7, 50	6	227
114	Impact of dietary exposure to food contaminants on the risk of Parkinson's disease. <i>NeuroToxicology</i> , 2008 , 29, 584-90	4.4	79
113	Increased prenatal exposure to methylmercury does not affect the risk of Parkinson's disease. <i>NeuroToxicology</i> , 2008 , 29, 591-5	4.4	12
112	Selenium as a potential protective factor against mercury developmental neurotoxicity. <i>Environmental Research</i> , 2008 , 107, 45-52	7.9	89
111	Elimination half-lives of polychlorinated biphenyl congeners in children. <i>Environmental Science & Technology</i> , 2008 , 42, 6991-6	10.3	69
110	Serum concentrations of polyfluoroalkyl compounds in Faroese whale meat consumers. <i>Environmental Science & Technology</i> , 2008 , 42, 6291-5	10.3	71
109	Negative confounding in the evaluation of toxicity: the case of methylmercury in fish and seafood. <i>Critical Reviews in Toxicology</i> , 2008 , 38, 877-93	5.7	96
108	Seven deadly sins of environmental epidemiology and the virtues of precaution. <i>Epidemiology</i> , 2008 , 19, 158-62	3.1	17
107	Methylmercury exposure and health effects in humans. <i>Environmental Chemistry</i> , 2008 , 5, 112	3.2	51
106	Development neurotoxicity: implications of methylmercury research. <i>International Journal of Environment and Health</i> , 2008 , 2, 417	1.3	9
105	Impaired reproductive development in sons of women occupationally exposed to pesticides during pregnancy. <i>Environmental Health Perspectives</i> , 2008 , 116, 566-72	8.4	115
104	Late insights into early origins of disease. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2008 , 102, 94-9	3.1	38

103	Epidemiological Methods for Assessing Dose-Response and Dose-Effect Relationships 2007 , 147-161		
102	Separation of risks and benefits of seafood intake. <i>Environmental Health Perspectives</i> , 2007 , 115, 323-7	8.4	183
101	Neurophysiological evidence of methylmercury neurotoxicity. <i>American Journal of Industrial Medicine</i> , 2007 , 50, 765-71	2.7	33
100	Total imprecision of exposure biomarkers: implications for calculating exposure limits. <i>American Journal of Industrial Medicine</i> , 2007 , 50, 712-9	2.7	67
99	Methylmercury toxicity and functional programming. <i>Reproductive Toxicology</i> , 2007 , 23, 414-20	3.4	32
98	Developmental arsenic neurotoxicity in retrospect. <i>Epidemiology</i> , 2007 , 18, 25-6	3.1	9
97	Confounder selection in environmental epidemiology: assessment of health effects of prenatal mercury exposure. <i>Annals of Epidemiology</i> , 2007 , 17, 27-35	6.4	151
96	Principles for Prevention of the Toxic Effects of Metals 2007 , 319-337		1
95	Caffeine N3-demethylation (CYP1A2) in a population with an increased exposure to polychlorinated biphenyls. <i>European Journal of Clinical Pharmacology</i> , 2006 , 62, 1041-8	2.8	29
94	Impact of prenatal methylmercury exposure on neurobehavioral function at age 14 years. <i>Neurotoxicology and Teratology</i> , 2006 , 28, 363-75	3.9	176
93	Impact of prenatal methylmercury exposure on neurobehavioral function at age 14 years. <i>Neurotoxicology and Teratology</i> , 2006 , 28, 536-47	3.9	199
92	Reduced antibody responses to vaccinations in children exposed to polychlorinated biphenyls. <i>PLoS Medicine</i> , 2006 , 3, e311	11.6	161
91	Pesticide exposure and stunting as independent predictors of neurobehavioral deficits in Ecuadorian school children. <i>Pediatrics</i> , 2006 , 117, e546-56	7.4	133
90	Developmental neurotoxicity of industrial chemicals. <i>Lancet, The</i> , 2006 , 368, 2167-78	4.0	1345
89	Long-term consequences of arsenic poisoning during infancy due to contaminated milk powder. <i>Environmental Health</i> , 2006 , 5, 31	6	78
88	Serum polychlorinated biphenyl and organochlorine insecticide concentrations in a Faroese birth cohort. <i>Chemosphere</i> , 2006 , 62, 1167-82	8.4	50
87	Possible effects of phthalate exposure in doses relevant for humans. <i>Journal of Developmental and Physical Disabilities</i> , 2006 , 29, 181-185		137
86	Developmental Neurotoxicity Associated with Dietary Exposure to Methylmercury from Seafood and Freshwater Fish 2006 , 25-42		1

85	Concentrations of polybrominated diphenyl ethers, polychlorinated biphenyls, and polychlorobiphenyls in serum from pregnant Faroese women and their children 7 years later. <i>Environmental Science & Technology</i> , 2005 , 39, 9457-63	10.3	105
84	Application of hair-mercury analysis to determine the impact of a seafood advisory. <i>Environmental Research</i> , 2005 , 97, 200-7	7.9	49
83	A retrospective study of PBDEs and PCBs in human milk from the Faroe Islands. <i>Environmental Health</i> , 2005 , 4, 12	6	108
82	Effects of breast feeding on neuropsychological development in a community with methylmercury exposure from seafood. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2005 , 15, 423-30	6.7	23
81	Non-precautionary aspects of toxicology. <i>Toxicology and Applied Pharmacology</i> , 2005 , 207, 652-7	4.6	18
80	Polymorphism of CYP2D6, CYP2C19, CYP2C9 and CYP2C8 in the Faroese population. <i>European Journal of Clinical Pharmacology</i> , 2005 , 61, 491-7	2.8	52
79	Contaminants in fish oil. <i>American Journal of Clinical Nutrition</i> , 2005 , 82, 1354; author reply 1354-5	7	2
78	Umbilical cord mercury concentration as biomarker of prenatal exposure to methylmercury. <i>Environmental Health Perspectives</i> , 2005 , 113, 905-8	8.4	82
77	Underestimation of Risk Due to Exposure Misclassification. <i>Human and Ecological Risk Assessment (HERA)</i> , 2005 , 11, 179-187	4.9	2
76	Implications of the Precautionary Principle for Public Health Practice and Research. <i>Human and Ecological Risk Assessment (HERA)</i> , 2005 , 11, 13-15	4.9	3
75	Extended follow-up of cancer incidence in fluoride-exposed workers. <i>Journal of the National Cancer Institute</i> , 2004 , 96, 802-3	9.7	11
74	Implications of the precautionary principle for primary prevention and research. <i>Annual Review of Public Health</i> , 2004 , 25, 199-223	20.6	58
73	Effects of exposure imprecision on estimation of the benchmark dose. <i>Risk Analysis</i> , 2004 , 24, 1689-96	3.9	35
72	Criteria for skin notation in different countries. <i>American Journal of Industrial Medicine</i> , 2004 , 45, 275-80	2.7	24
71	Implications of the Precautionary Principle in research and policy-making. <i>American Journal of Industrial Medicine</i> , 2004 , 45, 382-5	2.7	25
70	Association between mercury concentrations in blood and hair in methylmercury-exposed subjects at different ages. <i>Environmental Research</i> , 2004 , 95, 385-93	7.9	106
69	Cardiac autonomic activity in methylmercury neurotoxicity: 14-year follow-up of a Faroese birth cohort. <i>Journal of Pediatrics</i> , 2004 , 144, 169-76	3.6	155
68	Delayed brainstem auditory evoked potential latencies in 14-year-old children exposed to methylmercury. <i>Journal of Pediatrics</i> , 2004 , 144, 177-83	3.6	187

67	Breastfeeding and the weanling's dilemma. <i>American Journal of Public Health</i> , 2004 , 94, 1075; author reply 1075-6	5.1	14
66	Implications of the Precautionary Principle for public health practice and research. <i>International Journal of Occupational Medicine and Environmental Health</i> , 2004 , 17, 5-7	1.5	3
65	Underestimation of risk due to exposure misclassification. <i>International Journal of Occupational Medicine and Environmental Health</i> , 2004 , 17, 131-6	1.5	21
64	Re: Regulatory Toxicology and Pharmacology. <i>International Journal of Occupational and Environmental Health</i> , 2003 , 9, 386-9; author reply 389-90		11
63	Arachidonic acid status during pregnancy is associated with polychlorinated biphenyl exposure. <i>American Journal of Clinical Nutrition</i> , 2003 , 77, 715-9	7	28
62	Comparison of polychlorinated biphenyl levels across studies of human neurodevelopment. <i>Environmental Health Perspectives</i> , 2003 , 111, 65-70	8.4	226
61	Statistical methods for the evaluation of health effects of prenatal mercury exposure. <i>Environmetrics</i> , 2003 , 14, 105-120	1.3	17
60	Consequences of exposure measurement error for confounder identification in environmental epidemiology. <i>Statistics in Medicine</i> , 2003 , 22, 3089-100	2.3	49
59	Neurotoxic risk caused by stable and variable exposure to methylmercury from seafood. <i>Academic Pediatrics</i> , 2003 , 3, 18-23		100
58	Prenatal methylmercury exposure in the Seychelles. <i>Lancet, The</i> , 2003 , 362, 664-5; author reply 665	40	18
57	Attenuated growth of breast-fed children exposed to increased concentrations of methylmercury and polychlorinated biphenyls. <i>FASEB Journal</i> , 2003 , 17, 699-701	0.9	63
56	Spermaturia and serum hormone concentrations at the age of puberty in boys prenatally exposed to polychlorinated biphenyls. <i>European Journal of Endocrinology</i> , 2002 , 146, 357-63	6.5	65
55	Estimation of health effects of prenatal methylmercury exposure using structural equation models. <i>Environmental Health</i> , 2002 , 1, 2	6	73
54	Neurobehavioral performance of Inuit children with increased prenatal exposure to methylmercury. <i>International Journal of Circumpolar Health</i> , 2002 , 61, 41-9	1.7	52
53	Benchmark dose calculation from epidemiological data. <i>Biometrics</i> , 2001 , 57, 698-706	1.8	93
52	Impact of contrast sensitivity performance on visually presented neurobehavioral tests in mercury-exposed children. <i>Neurotoxicology and Teratology</i> , 2001 , 23, 141-6	3.9	32
51	Neurobehavioral deficits associated with PCB in 7-year-old children prenatally exposed to seafood neurotoxicants. <i>Neurotoxicology and Teratology</i> , 2001 , 23, 305-17	3.9	284
50	Birthweight in a fishing community: significance of essential fatty acids and marine food contaminants. <i>International Journal of Epidemiology</i> , 2001 , 30, 1272-8	7.8	132

49	Neurobehavioral Dysfunction as a Possible Sentinel of Methylmercury Exposure. <i>Human and Ecological Risk Assessment (HERA)</i> , 2001 , 7, 1079-1089	4.9	5
48	Toxicologic evidence of developmental neurotoxicity of environmental chemicals. <i>Toxicology</i> , 2000 , 144, 121-7	4.4	92
47	Effects of industrial detergents on the barrier function of human skin. <i>International Journal of Occupational and Environmental Health</i> , 2000 , 6, 138-42		22
46	Breast cancer and dieldrin. <i>Lancet, The</i> , 2000 , 356, 1852-3	4.0	11
45	Maternal seafood diet, methylmercury exposure, and neonatal neurologic function. <i>Journal of Pediatrics</i> , 2000 , 136, 599-605	3.6	310
44	Methylmercury neurotoxicity in Amazonian children downstream from gold mining. <i>Environmental Health Perspectives</i> , 1999 , 107, 587-91	8.4	231
43	Methylmercury exposure biomarkers as indicators of neurotoxicity in children aged 7 years. <i>American Journal of Epidemiology</i> , 1999 , 150, 301-5	3.8	219
42	Delayed evoked potentials in children exposed to methylmercury from seafood. <i>Neurotoxicology and Teratology</i> , 1999 , 21, 343-8	3.9	113
41	Evoked potentials in Faroese children prenatally exposed to methylmercury. <i>Neurotoxicology and Teratology</i> , 1999 , 21, 471-2	3.9	94
40	Improvement in semen quality associated with decreasing occupational lead exposure. <i>American Journal of Industrial Medicine</i> , 1999 , 35, 257-63	2.7	20
39	Association of serum uric acid with all-cause and cardiovascular disease mortality and incident myocardial infarction in the MONICA Augsburg cohort. World Health Organization Monitoring Trends and Determinants in Cardiovascular Diseases. <i>Epidemiology</i> , 1999 , 10, 391-7	3.1	212
38	Mercury risks: controversy or just uncertainty?. <i>Public Health Reports</i> , 1999 , 114, 512-5	2.5	14
37	Occupational and environmental medicine in Denmark. <i>International Archives of Occupational and Environmental Health</i> , 1998 , 71, 3-6	3.2	4
36	Methylmercury dose estimation from umbilical cord concentrations in patients with Minamata disease. <i>Environmental Research</i> , 1998 , 77, 98-103	7.9	77
35	Antioxidative enzyme activities in human erythrocytes. <i>Clinical Chemistry</i> , 1997 , 43, 562-568	5.5	223
34	Cognitive deficit in 7-year-old children with prenatal exposure to methylmercury. <i>Neurotoxicology and Teratology</i> , 1997 , 19, 417-28	3.9	1309
33	Health implications for Faroe islanders of heavy metals and PCBs from pilot whales. <i>Science of the Total Environment</i> , 1996 , 186, 141-8	10.2	107
32	Feasibility and validity of three computer-assisted neurobehavioral tests in 7-year-old children. <i>Neurotoxicology and Teratology</i> , 1996 , 18, 413-9	3.9	59

31	Biomarkers in epidemiology. <i>Clinical Chemistry</i> , 1995 , 41, 1800-1803	5.5	35
30	Relation of a seafood diet to mercury, selenium, arsenic, and polychlorinated biphenyl and other organochlorine concentrations in human milk. <i>Environmental Research</i> , 1995 , 71, 29-38	7.9	160
29	Biomarkers in epidemiology. <i>Clinical Chemistry</i> , 1995 , 41, 1800-3	5.5	10
28	Human milk as a source of methylmercury exposure in infants. <i>Environmental Health Perspectives</i> , 1994 , 102, 74-7	8.4	88
27	Mercury in the Umbilical Cord: Implications for Risk Assessment for Minamata Disease. <i>Environmental Health Perspectives</i> , 1994 , 102, 548-50	8.4	25
26	Evaluation of mercury in hair, blood and muscle as biomarkers for methylmercury exposure in male and female mice. <i>Archives of Toxicology</i> , 1994 , 68, 317-21	5.8	19
25	Biomarkers of chemical exposure: state of the art. <i>Clinical Chemistry</i> , 1994 , 40, 1360-2	5.5	4
24	Neurobehavioral effects of intrauterine mercury exposure: potential sources of bias. <i>Environmental Research</i> , 1993 , 61, 176-83	7.9	44
23	Frequency of seafood intake in pregnancy as a determinant of birth weight: evidence for a dose dependent relationship. <i>Journal of Epidemiology and Community Health</i> , 1993 , 47, 436-40	5.1	97
22	Cancer incidence and mortality in workers exposed to fluoride. <i>Journal of the National Cancer Institute</i> , 1992 , 84, 1903-9	9.7	36
21	Impact of maternal seafood diet on fetal exposure to mercury, selenium, and lead. <i>Archives of Environmental Health</i> , 1992 , 47, 185-95		283
20	Reference intervals for trace elements in blood: significance of risk factors. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 1992 , 52, 321-37	2	76
19	Individual susceptibility to toxicity. <i>Toxicology Letters</i> , 1992 , 64-65 Spec No, 43-51	4.4	13
18	Temporal and interindividual variation in erythrocyte zinc-protoporphyrin in lead exposed workers. <i>Occupational and Environmental Medicine</i> , 1991 , 48, 254-7	2.1	1
17	Effects on reserve capacity: significance for exposure limits. <i>Science of the Total Environment</i> , 1991 , 101, 25-32	10.2	18
16	Fluoride, aluminum, and phosphate kinetics in cryolite workers. <i>Journal of Occupational and Environmental Medicine</i> , 1990 , 32, 58-63	2	8
15	Learning disabilities in children: significance of low-level lead-exposure and confounding factors. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 1990 , 79, 352-60	3.1	44
14	Nickel-sensitive patients with vesicular hand eczema: oral challenge with a diet naturally high in nickel. <i>British Journal of Dermatology</i> , 1990 , 122, 299-308	4	56

13	Screening with zinc protoporphyrin for iron deficiency in non-anemic female blood donors. <i>Clinical Chemistry</i> , 1990 , 36, 846-848	5.5	18
12	Trace element status in alcoholism before and during disulfiram treatment. <i>Annals of Clinical and Laboratory Science</i> , 1990 , 20, 28-35	0.9	2
11	Effects of tetraethylthiuram disulfide on the toxicokinetics of cadmium in mice. <i>Basic and Clinical Pharmacology and Toxicology</i> , 1989 , 64, 210-5		13
10	Delayed blood regeneration in lead exposure: an effect on reserve capacity. <i>American Journal of Public Health</i> , 1989 , 79, 1385-8	5.1	32
9	Blood lead-blood pressure relations: alcohol intake and hemoglobin as confounders. <i>American Journal of Epidemiology</i> , 1989 , 129, 732-9	3.8	55
8	Carcinogenicity of occupational nickel exposures: an evaluation of the epidemiological evidence. <i>American Journal of Industrial Medicine</i> , 1988 , 13, 193-209	2.7	26
7	Preventing percutaneous absorption of industrial chemicals: the "skin" denotation. <i>American Journal of Industrial Medicine</i> , 1988 , 14, 97-107	2.7	23
6	Bias from non-participation: a study of low-level lead exposure in children. <i>Scandinavian Journal of Public Health</i> , 1988 , 16, 209-15		7
5	Effects of inorganic and organic lead compounds on chromosomal length in human lymphocytes. <i>Applied Organometallic Chemistry</i> , 1987 , 1, 15-19	3.1	7
4	Lead concentration in deciduous teeth: variation related to tooth type and analytical technique. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , 1986 , 19, 437-44	3.2	32
3	Indirect exposures: the significance of bystanders at work and at home. <i>AIHA Journal</i> , 1986 , 47, 819-24		19
2	Combining Ensemble Learning Techniques and G-Computation to Investigate Chemical Mixtures in Environmental Epidemiology Studies		3
1	Methylmercury Neurotoxicology: From Rare Poisonings to Silent Pandemic335-356		