## Kazuhiro Watanabe

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9123264/publications.pdf

Version: 2024-02-01

26 papers

392 citations

687363 13 h-index 19 g-index

26 all docs

26 docs citations

times ranked

26

724 citing authors

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Group V secretory phospholipase A2 plays a pathogenic role in myocardial ischaemia–reperfusion injury. Cardiovascular Research, 2011, 90, 335-343.  | 3.8 | 39        |
| 2  | The combined assessment of flow-mediated dilation of the brachial artery and brachial-ankle pulse wave velocity improves the prediction of future coronary events in patients with chronic coronary artery disease. Journal of Cardiology, 2014, 64, 179-184. | 1.9 | 34        |
| 3  | Remnant Lipoproteins Are Residual Risk Factor for Future Cardiovascular Events in Patients With Stable Coronary Artery Disease and On-Statin Low-Density Lipoprotein Cholesterol Levels <70 mg/dL. Circulation Journal, 2019, 83, 1302-1308.                  | 1.6 | 34        |
| 4  | Assessment of carotid plaque neovascularization using quantitative analysis of contrast-enhanced ultrasound imaging is useful for risk stratification in patients with coronary artery disease. International Journal of Cardiology, 2015, 195, 113-119.      | 1.7 | 30        |
| 5  | MicroRNA-93 may control vascular endothelial growth factor A in circulating peripheral blood<br>mononuclear cells in acute Kawasaki disease. Pediatric Research, 2016, 80, 425-432.   | 2.3 | 26        |
| 6  | Remnant lipoproteinemia predicts cardiovascular events in patients with type 2 diabetes and chronic kidney disease. Journal of Cardiology, 2017, 69, 529-535.   | 1.9 | 24        |
| 7  | Group X secretory PLA <sub>2</sub> in neutrophils plays a pathogenic role in abdominal aortic aneurysms in mice. American Journal of Physiology - Heart and Circulatory Physiology, 2012, 302, H95-H104.  | 3.2 | 22        |
| 8  | Câ€type lectinâ€like domain and fibronectinâ€like type II domain of phospholipase A <sub>2</sub> receptor 1 modulate binding and migratory responses to collagen. FEBS Letters, 2015, 589, 829-835.   | 2.8 | 22        |
| 9  | Dynamic changes in choroidal conditions during anti-vascular endothelial growth factor therapy in polypoidal choroidal vasculopathy. Scientific Reports, 2019, 9, 11389.  | 3.3 | 20        |
| 10 | Protein <i>S</i> â€glutathionylation stimulate adipogenesis by stabilizing C/EBPβ in 3T3L1 cells. FASEB Journal, 2020, 34, 5827-5837.   | 0.5 | 19        |
| 11 | Sustained myocardial production of stromal cell-derived factor-1α was associated with left ventricular adverse remodeling in patients with myocardial infarction. American Journal of Physiology - Heart and Circulatory Physiology, 2015, 309, H1764-H1771.  | 3.2 | 16        |
| 12 | Group V secreted phospholipase A2 plays a protective role against aortic dissection. Journal of Biological Chemistry, 2020, 295, $10092-10111$ .  | 3.4 | 16        |
| 13 | Sequential therapy consisting of glucocorticoid infusions followed by granulocyte–monocyte absorptive apheresis in patients with severe alcoholic hepatitis. Journal of Gastroenterology, 2017, 52, 830-837.  | 5.1 | 15        |
| 14 | Usefulness of miriplatin as an anticancer agent for transcatheter arterial chemoembolization in patients with unresectable hepatocellular carcinoma. Journal of Gastroenterology, 2012, 47, 179-186.  | 5.1 | 14        |
| 15 | Persistent Dysfunction of Coronary Endothelial Vasomotor Responses is Related to Atheroma Plaque<br>Progression in the Infarct-Related Coronary Artery of AMI Survivors. Journal of Atherosclerosis and<br>Thrombosis, 2019, 26, 1062-1074.                   | 2.0 | 12        |
| 16 | Effect of coronary artery spasm on long-term outcomes in survivors of acute myocardial infarction. International Journal of Cardiology, 2018, 257, 7-11.  | 1.7 | 11        |
| 17 | Human soluble phospholipase A <sub>2</sub> receptor is an inhibitor of the integrin-mediated cell migratory response to collagen-I. American Journal of Physiology - Cell Physiology, 2018, 315, C398-C408.   | 4.6 | 10        |
| 18 | A case of liver cirrhosis due to hepatits C virus infection complicating giant anorectal varices treated with balloon-occluded retrograde transvenous obliteration. Clinical Journal of Gastroenterology, 2011, 4, 19-23.                                     | 0.8 | 9         |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Echolucency of the carotid artery is associated with short-term plaque progression and positive remodeling in the culprit coronary artery in AMI survivors. Journal of Cardiology, 2017, 70, 438-445.                                     | 1.9 | 5         |
| 20 | Deficiency of Phospholipase A2 Receptor Exacerbates Autoimmune Myocarditis in Mice. Inflammation, 2020, 43, 1097-1109.  | 3.8 | 5         |
| 21 | Angiotensin II receptor blockers suppress the release of stromal cell-derived factor-1α from infarcted myocardium in patients with acute myocardial infarction. Journal of Cardiology, 2018, 71, 367-374.                                 | 1.9 | 4         |
| 22 | High levels of stromal cell-derived factor-1α predict short-term progression of renal dysfunction in patients with coronary artery disease. Clinical and Experimental Nephrology, 2019, 23, 920-927.                                      | 1.6 | 3         |
| 23 | Two cases of bleeding jejunal diverticulum. Progress of Digestive Endoscopy, 2009, 75, 86-87.   | 0.0 | 1         |
| 24 | Association between secondhand smoke and peripheral arterial disease: a meta-analysis of cross-sectional studies. International Archives of Occupational and Environmental Health, 2022, 95, 1091-1101.                                   | 2.3 | 1         |
| 25 | A case with multiple small intestinal ulcers of unknown cause, the capsule endoscopy was useful for diagnosis. Progress of Digestive Endoscopy, 2009, 74, 84-85.  | 0.0 | 0         |
| 26 | Abstract 11733: Assessment of Carotid Plaque Neovascularization Using Quantitative Analysis of Contrast-Enhanced Ultrasound Imaging is Useful for Risk Stratification in Patients With Coronary Artery Disease. Circulation, 2014, 130, . | 1.6 | 0         |