

Kazuhiro Watanabe

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9123264/publications.pdf>

Version: 2024-02-01

26
papers

392
citations

687363

13
h-index

794594

19
g-index

26
all docs

26
docs citations

26
times ranked

724
citing authors

#	ARTICLE	IF	CITATIONS
1	Association between secondhand smoke and peripheral arterial disease: a meta-analysis of cross-sectional studies. <i>International Archives of Occupational and Environmental Health</i> , 2022, 95, 1091-1101.	2.3	1
2	Group V secreted phospholipase A2 plays a protective role against aortic dissection. <i>Journal of Biological Chemistry</i> , 2020, 295, 10092-10111.	3.4	16
3	Protein S-nitrosylation stimulates adipogenesis by stabilizing C/EBP β in 3T3L1 cells. <i>FASEB Journal</i> , 2020, 34, 5827-5837.	0.5	19
4	Deficiency of Phospholipase A2 Receptor Exacerbates Autoimmune Myocarditis in Mice. <i>Inflammation</i> , 2020, 43, 1097-1109.	3.8	5
5	Dynamic changes in choroidal conditions during anti-vascular endothelial growth factor therapy in polypoidal choroidal vasculopathy. <i>Scientific Reports</i> , 2019, 9, 11389.	3.3	20
6	Remnant Lipoproteins Are Residual Risk Factor for Future Cardiovascular Events in Patients With Stable Coronary Artery Disease and On-Statins Low-Density Lipoprotein Cholesterol Levels \leq 70 mg/dL. <i>Circulation Journal</i> , 2019, 83, 1302-1308.	1.6	34
7	Persistent Dysfunction of Coronary Endothelial Vasomotor Responses is Related to Atheroma Plaque Progression in the Infarct-Related Coronary Artery of AMI Survivors. <i>Journal of Atherosclerosis and Thrombosis</i> , 2019, 26, 1062-1074.	2.0	12
8	High levels of stromal cell-derived factor-1 predict short-term progression of renal dysfunction in patients with coronary artery disease. <i>Clinical and Experimental Nephrology</i> , 2019, 23, 920-927.	1.6	3
9	Effect of coronary artery spasm on long-term outcomes in survivors of acute myocardial infarction. <i>International Journal of Cardiology</i> , 2018, 257, 7-11.	1.7	11
10	Angiotensin II receptor blockers suppress the release of stromal cell-derived factor-1 from infarcted myocardium in patients with acute myocardial infarction. <i>Journal of Cardiology</i> , 2018, 71, 367-374.	1.9	4
11	Human soluble phospholipase A ₂ receptor is an inhibitor of the integrin-mediated cell migratory response to collagen-I. <i>American Journal of Physiology - Cell Physiology</i> , 2018, 315, C398-C408.	4.6	10
12	Remnant lipoproteinemia predicts cardiovascular events in patients with type 2 diabetes and chronic kidney disease. <i>Journal of Cardiology</i> , 2017, 69, 529-535.	1.9	24
13	Echoluency of the carotid artery is associated with short-term plaque progression and positive remodeling in the culprit coronary artery in AMI survivors. <i>Journal of Cardiology</i> , 2017, 70, 438-445.	1.9	5
14	Sequential therapy consisting of glucocorticoid infusions followed by granulocyte-monocyte adsorptive apheresis in patients with severe alcoholic hepatitis. <i>Journal of Gastroenterology</i> , 2017, 52, 830-837.	5.1	15
15	MicroRNA-93 may control vascular endothelial growth factor A in circulating peripheral blood mononuclear cells in acute Kawasaki disease. <i>Pediatric Research</i> , 2016, 80, 425-432.	2.3	26
16	Assessment of carotid plaque neovascularization using quantitative analysis of contrast-enhanced ultrasound imaging is useful for risk stratification in patients with coronary artery disease. <i>International Journal of Cardiology</i> , 2015, 195, 113-119.	1.7	30
17	Sustained myocardial production of stromal cell-derived factor-1 was associated with left ventricular adverse remodeling in patients with myocardial infarction. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2015, 309, H1764-H1771.	3.2	16
18	Like domain and fibronectin type II domain of phospholipase A ₂ receptor 1 modulate binding and migratory responses to collagen. <i>FEBS Letters</i> , 2015, 589, 829-835.	2.8	22

#	ARTICLE	IF	CITATIONS
19	The combined assessment of flow-mediated dilation of the brachial artery and brachial-ankle pulse wave velocity improves the prediction of future coronary events in patients with chronic coronary artery disease. <i>Journal of Cardiology</i> , 2014, 64, 179-184.	1.9	34
20	Abstract 11733: Assessment of Carotid Plaque Neovascularization Using Quantitative Analysis of Contrast-Enhanced Ultrasound Imaging is Useful for Risk Stratification in Patients With Coronary Artery Disease. <i>Circulation</i> , 2014, 130, .	1.6	0
21	Group X secretory PLA ₂ in neutrophils plays a pathogenic role in abdominal aortic aneurysms in mice. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2012, 302, H95-H104.	3.2	22
22	Usefulness of miriplatin as an anticancer agent for transcatheter arterial chemoembolization in patients with unresectable hepatocellular carcinoma. <i>Journal of Gastroenterology</i> , 2012, 47, 179-186.	5.1	14
23	A case of liver cirrhosis due to hepatitis C virus infection complicating giant anorectal varices treated with balloon-occluded retrograde transvenous obliteration. <i>Clinical Journal of Gastroenterology</i> , 2011, 4, 19-23.	0.8	9
24	Group V secretory phospholipase A2 plays a pathogenic role in myocardial ischaemiaâ€“reperfusion injury. <i>Cardiovascular Research</i> , 2011, 90, 335-343.	3.8	39
25	Two cases of bleeding jejunal diverticulum. <i>Progress of Digestive Endoscopy</i> , 2009, 75, 86-87.	0.0	1
26	A case with multiple small intestinal ulcers of unknown cause, the capsule endoscopy was useful for diagnosis. <i>Progress of Digestive Endoscopy</i> , 2009, 74, 84-85.	0.0	0