

Sharifah Rafidah Wan Alwi

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9124674/sharifah-rafidah-wan-alwi-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

157
papers

3,692
citations

34
h-index

54
g-index

166
ext. papers

4,283
ext. citations

6.4
avg, IF

5.94
L-index

#	Paper	IF	Citations
157	Industrial site water exchange network synthesis considering multiple quality constraints and water headers.. <i>Journal of Environmental Management</i> , 2022 , 312, 114890	7.9	0
156	Design of Total Site-Integrated Trigeneration System using trigeneration cascade analysis considering transmission losses and sensitivity analysis. <i>Energy</i> , 2022 , 252, 123958	7.9	2
155	Maximising the valorisation of organic waste locally available via carbon-to-nitrogen ratio Supply Composite Curve shifting. <i>Journal of Cleaner Production</i> , 2022 , 132389	10.3	
154	The economic study of centralised water reuse exchange system in the industrial park considering wastewater segregation. <i>Computers and Chemical Engineering</i> , 2022 , 107863	4	
153	Industrial symbiosis tools – A review. <i>Journal of Cleaner Production</i> , 2021 , 280, 124327	10.3	19
152	Techno-economic analysis of carbon dioxide capture and utilisation analysis for an industrial site with fuel cell integration. <i>Journal of Cleaner Production</i> , 2021 , 281, 124920	10.3	5
151	An optimal resource recovery of biogas, water regeneration, and reuse network integrating domestic and industrial sources. <i>Journal of Cleaner Production</i> , 2021 , 286, 125372	10.3	5
150	A new technique for multiple resources targeting and optimization: Application to water-energy nexus. <i>Sustainable Energy Technologies and Assessments</i> , 2021 , 46, 101213	4.7	2
149	Roles of geospatial technology in eco-industrial park site selection: State-of-the-art review. <i>Journal of Cleaner Production</i> , 2021 , 309, 127361	10.3	3
148	Shapley-Shubik Index incorporated debottlenecking framework for sustainable food-energy-water nexus optimised palm oil-based complex. <i>Journal of Cleaner Production</i> , 2021 , 309, 127437	10.3	1
147	Total Site Material Recycling Network Design and Headers Targeting Framework with Minimal Cross-Plant Source Transfer. <i>Computers and Chemical Engineering</i> , 2021 , 151, 107364	4	6
146	Cooperative game-based anchor process allocation within sustainable palm oil based complex for environment-food-energy-water nexus evaluation. <i>Journal of Cleaner Production</i> , 2021 , 314, 127927	10.3	2
145	A framework of resource conservation process integration for eco-industrial site planning. <i>Journal of Cleaner Production</i> , 2021 , 316, 128268	10.3	1
144	Malaysia scenario of biomass supply chain-cogeneration system and optimization modeling development: A review. <i>Renewable and Sustainable Energy Reviews</i> , 2021 , 148, 111289	16.2	6
143	A pinch-based multi-energy targeting framework for combined chilling heating power microgrid of urban-industrial symbiosis. <i>Renewable and Sustainable Energy Reviews</i> , 2021 , 150, 111482	16.2	5
142	Optimization of energy-water-waste nexus at district level: A techno-economic approach. <i>Renewable and Sustainable Energy Reviews</i> , 2021 , 152, 111637	16.2	3
141	Optimal Sizing of a Trigeneration Plant Integrated with Total Site System Considering Multi-period and Energy Losses. <i>E3S Web of Conferences</i> , 2021 , 287, 03014	0.5	1

140	Water Footprints and Virtual Water Flows Embodied in the Power Supply Chain. <i>Water (Switzerland)</i> , 2020 , 12, 3006	3	6
139	Total Site Heat and Power Integration for Locally Integrated Energy Sectors. <i>Energy</i> , 2020 , 204, 117959	7.9	13
138	Multi-objective optimal design for integrated palm oil mill complex with consideration of effluent elimination. <i>Energy</i> , 2020 , 202, 117767	7.9	5
137	Regional Water Resources Assessment using Water Scarcity Pinch Analysis. <i>Resources, Conservation and Recycling</i> , 2020 , 157, 104749	11.9	33
136	A Numerical Pinch Analysis Methodology for Optimal Sizing of a Centralized Trigeneration System with Variable Energy Demands. <i>Energies</i> , 2020 , 13, 2038	3.1	8
135	Design of Integrated Palm Oil Based Complex via Food-Energy-Water Nexus Optimization Framework 2020 , 75-99		1
134	Graphical customisation of process and utility changes for heat exchanger network retrofit using individual stream temperature versus enthalpy plot. <i>Energy</i> , 2020 , 203, 117766	7.9	9
133	A new algebraic tool for simultaneous targeting and design of a mass exchange network with stream splitting for sustainable environment. <i>Journal of Cleaner Production</i> , 2020 , 249, 119361	10.3	8
132	Design of optimal heat exchanger network with fluctuation probability using break-even analysis. <i>Energy</i> , 2020 , 212, 118583	7.9	6
131	A new graphical approach for simultaneous targeting and design of mass exchange networks. <i>Computers and Chemical Engineering</i> , 2020 , 142, 107061	4	6
130	Flexible Carbon Capture and Utilization technologies in future energy systems and the utilization pathways of captured CO ₂ . <i>Renewable and Sustainable Energy Reviews</i> , 2019 , 114, 109338	16.2	64
129	Probability-Power Pinch Analysis targeting approach for diesel/biodiesel plant integration into hybrid power systems. <i>Energy</i> , 2019 , 187, 115913	7.9	6
128	Extended Electric System Cascade Analysis (ESCA) for optimal power system targeting considering generation flexibility and heat rate factor. <i>Energy Procedia</i> , 2019 , 158, 4190-4197	2.3	3
127	A PLS-MGA analysis of farming characteristics on the intentions of smallholder oil palm planters to collect palm residues for biofuel production. <i>Biomass and Bioenergy</i> , 2019 , 120, 404-416	5.3	8
126	Customised retrofit of heat exchanger network combining area distribution and targeted investment. <i>Energy</i> , 2019 , 179, 1054-1066	7.9	19
125	Analyzing the Energy Consumption, GHG Emission, and Cost of Seawater Desalination in China. <i>Energies</i> , 2019 , 12, 463	3.1	46
124	A Process Integration Method for Total Site Cooling, Heating and Power Optimisation with Trigeneration Systems. <i>Energies</i> , 2019 , 12, 1030	3.1	17
123	Water Availability Footprint Addressing Water Quality. <i>Journal of Sustainable Development of Energy, Water and Environment Systems</i> , 2019 , 7, 72-86	1.9	11

122	Review on Techniques for Plant Leaf Classification and Recognition. <i>Computers</i> , 2019 , 8, 77	1.9	25
121	Recent Developments on Ethylene Dimerization with Focus on Alphabutol Optimization. <i>International Journal of Innovative Technology and Exploring Engineering</i> , 2019 , 8, 3969-3975	1.6	7
120	Temperature Disturbance Management in a Heat Exchanger Network for Maximum Energy Recovery Considering Economic Analysis. <i>Energies</i> , 2019 , 12, 594	3.1	5
119	Towards water integration in Eco-Industrial Park: An overview of water recovery from industries. <i>IOP Conference Series: Materials Science and Engineering</i> , 2019 , 702, 012015	0.4	4
118	Synthesis of optimal biogas production system from multiple sources of wastewater and organic waste. <i>IOP Conference Series: Materials Science and Engineering</i> , 2019 , 702, 012014	0.4	3
117	A new framework for optimisation of Pressurised Water Reactor design as a trigeneration system. <i>IOP Conference Series: Materials Science and Engineering</i> , 2019 , 555, 012005	0.4	
116	Combined Pinch and exergy numerical analysis for low temperature heat exchanger network. <i>Energy</i> , 2018 , 153, 100-112	7.9	14
115	Maximizing Total Site Water Reuse via a Two-Way Centralized Water Header. <i>ACS Sustainable Chemistry and Engineering</i> , 2018 , 6, 2563-2573	8.3	7
114	Multi-period energy targeting for Total Site and Locally Integrated Energy Sectors with cascade Pinch Analysis. <i>Energy</i> , 2018 , 155, 370-380	7.9	23
113	Industrial site water minimisation via one-way centralised water reuse header. <i>Journal of Cleaner Production</i> , 2018 , 200, 174-187	10.3	19
112	Peak-off-peak load shifting for optimal storage sizing in hybrid power systems using Power Pinch Analysis considering energy losses. <i>Energy</i> , 2018 , 156, 299-310	7.9	18
111	Bio-adsorbent derived from papaya peel waste and magnetic nanoparticles fabricated for lead determination. <i>Pure and Applied Chemistry</i> , 2018 , 90, 79-92	2.1	11
110	4. Total Site Integration 2018 , 103-170		
109	5. An Integrated Pinch Analysis Framework for Low CO ₂ Industrial Site Planning 2018 , 171-190		
108	1. Process Integration and Intensification: An Introduction 2018 , 1-12		
107	10. Conclusions and sources of further information 2018 , 287-308		
106	Hybrid power systems design considering safety and resilience. <i>Chemical Engineering Research and Design</i> , 2018 , 120, 256-267	5.5	10
105	Simultaneous diagnosis and retrofit of heat exchanger network via individual process stream mapping. <i>Energy</i> , 2018 , 155, 1113-1128	7.9	20

104	Total Site Heat Integration planning and design for industrial, urban and renewable systems. <i>Renewable and Sustainable Energy Reviews</i> , 2017 , 68, 964-985	16.2	69
103	Sustainable Green Management System (SGMS) [An integrated approach towards organisational sustainability. <i>Journal of Cleaner Production</i> , 2017 , 146, 158-172	10.3	45
102	A mathematical model for energy targeting of a batch process with flexible schedule. <i>Journal of Cleaner Production</i> , 2017 , 167, 1060-1067	10.3	12
101	Advances in Process Integration research for CO2 emission reduction [A review. <i>Journal of Cleaner Production</i> , 2017 , 167, 1-13	10.3	69
100	A new quantitative overall environmental performance indicator for a wastewater treatment plant. <i>Journal of Cleaner Production</i> , 2017 , 167, 815-823	10.3	20
99	A new framework for cost-effective design of Hybrid Power Systems. <i>Journal of Cleaner Production</i> , 2017 , 166, 806-815	10.3	6
98	Optimal Design and Sizing of Integrated Centralized and Decentralized Energy Systems. <i>Energy Procedia</i> , 2017 , 105, 3733-3740	2.3	13
97	A generic hybrid model development for process analysis of industrial fixed-bed catalytic reactors. <i>Chemical Engineering Research and Design</i> , 2017 , 117, 149-167	5.5	22
96	A holistic approach for design of Cost-Optimal Water Networks. <i>Journal of Cleaner Production</i> , 2017 , 146, 194-207	10.3	10
95	An integrated Pinch Analysis framework for low CO2 emissions industrial site planning. <i>Journal of Cleaner Production</i> , 2017 , 146, 125-138	10.3	39
94	Selection of minimum temperature difference (ΔT_{min}) for heat exchanger network synthesis based on trade-off plot. <i>Applied Energy</i> , 2016 , 162, 1259-1271	10.7	7
93	Cleaner energy planning, management and technologies: Perspectives of supply-demand side and end-of-pipe management. <i>Journal of Cleaner Production</i> , 2016 , 136, 1-13	10.3	31
92	Optimal heat exchanger network synthesis with operability and safety considerations. <i>Clean Technologies and Environmental Policy</i> , 2016 , 18, 2381-2400	4.3	11
91	Sensitivity analysis of hybrid power systems using Power Pinch Analysis considering Feed-in Tariff. <i>Energy</i> , 2016 , 116, 1260-1268	7.9	10
90	An MILP model for cost-optimal planning of an on-grid hybrid power system for an eco-industrial park. <i>Energy</i> , 2016 , 116, 1423-1441	7.9	39
89	Pinch Analysis targeting for CO2 Total Site planning. <i>Clean Technologies and Environmental Policy</i> , 2016 , 18, 2227-2240	4.3	18
88	A systematic technique for cost-effective CO2 emission reduction in process plants. <i>Clean Technologies and Environmental Policy</i> , 2016 , 18, 1769-1777	4.3	5
87	Simultaneous energy targeting, placement of utilities with flue gas, and design of heat recovery networks. <i>Applied Energy</i> , 2016 , 161, 605-610	10.7	9

86	Effect of multiple water resources in a flexible-schedule batch water network. <i>Journal of Cleaner Production</i> , 2016 , 125, 245-252	10.3	15
85	Treatment of lead-contaminated water using activated carbon adsorbent from locally available papaya peel biowaste. <i>Journal of Cleaner Production</i> , 2016 , 118, 210-222	10.3	72
84	Herbal Processing and Extraction Technologies. <i>Separation and Purification Reviews</i> , 2016 , 45, 305-320	7.3	54
83	Maximising heat recovery in batch processes via product streams storage and shifting. <i>Journal of Cleaner Production</i> , 2016 , 112, 2802-2812	10.3	14
82	Power Pinch Analysis supply side management: strategy on purchasing and selling of electricity. <i>Clean Technologies and Environmental Policy</i> , 2016 , 18, 2401-2418	4.3	6
81	Integrating district cooling systems in Locally Integrated Energy Sectors through Total Site Heat Integration. <i>Applied Energy</i> , 2016 , 184, 1350-1363	10.7	37
80	Integration of diesel plant into a hybrid power system using power pinch analysis. <i>Applied Thermal Engineering</i> , 2016 , 105, 792-798	5.8	9
79	Using Theory of Planned Behaviour to explore oil palm smallholder planters' intention to supply oil palm residues. <i>Journal of Cleaner Production</i> , 2016 , 126, 428-439	10.3	32
78	A new green index as an overall quantitative green performance indicator of a facility. <i>Clean Technologies and Environmental Policy</i> , 2016 , 18, 2161-2171	4.3	5
77	Process Integration for Hybrid Power System supply planning and demand management [A review]. <i>Renewable and Sustainable Energy Reviews</i> , 2016 , 66, 834-842	16.2	18
76	Sizing of Hybrid Power System with varying current type using numerical probabilistic approach. <i>Applied Energy</i> , 2016 , 184, 1364-1373	10.7	16
75	Supply and demand planning and management tools toward low carbon emissions 2015 , 451-477		
74	Total Site Heat Integration Considering Pressure Drops. <i>Energies</i> , 2015 , 8, 1114-1137	3.1	16
73	CO ₂ capture with potassium carbonate solutions: A state-of-the-art review. <i>International Journal of Greenhouse Gas Control</i> , 2015 , 41, 142-162	4.2	121
72	Prediction of Pd/C Catalyst Deactivation Rate and Assessment of Optimal Operating Conditions of Industrial Hydropurification Process. <i>Industrial & Engineering Chemistry Research</i> , 2015 , 54, 7067-7082	3.9	11
71	Computer-Aided Approach for Designing Solvents Blend for Herbal Phytochemical Extraction. <i>Computer Aided Chemical Engineering</i> , 2015 , 1427-1432	0.6	2
70	Feasibility, Flexibility and Sensitivity Tests on Delta Temperature Minimum to Obtain Operable and Flexible Heat Exchanger Network. <i>Applied Mechanics and Materials</i> , 2015 , 735, 299-303	0.3	
69	Process modification of Total Site Heat Integration profile for capital cost reduction. <i>Applied Thermal Engineering</i> , 2015 , 89, 1023-1032	5.8	12

68	A process integration approach for design of hybrid power systems with energy storage. <i>Clean Technologies and Environmental Policy</i> , 2015 , 17, 2055-2072	4.3	27
67	Effect of Delta Temperature Minimum Contribution in Obtaining an Operable and Flexible Heat Exchanger Network. <i>Energy Procedia</i> , 2015 , 75, 3142-3147	2.3	2
66	Catalytic activity evaluation of industrial Pd/C catalyst via gray-box dynamic modeling and simulation of hydropurification reactor. <i>Applied Catalysis A: General</i> , 2015 , 489, 262-271	5.1	6
65	Process modifications to maximise energy savings in total site heat integration. <i>Applied Thermal Engineering</i> , 2015 , 78, 731-739	5.8	38
64	Peak-off-peak load shifting for hybrid power systems based on Power Pinch Analysis. <i>Energy</i> , 2015 , 90, 128-136	7.9	30
63	Synthesis of a sustainable integrated rice mill complex. <i>Journal of Cleaner Production</i> , 2014 , 71, 118-127	10.3	10
62	Issues of social acceptance on biofuel development. <i>Journal of Cleaner Production</i> , 2014 , 71, 30-39	10.3	55
61	Experimental study of Al ₂ O ₃ /water nanofluid turbulent heat transfer enhancement in the horizontal double pipes fitted with modified twisted tapes. <i>International Journal of Heat and Mass Transfer</i> , 2014 , 78, 1042-1054	4.9	70
60	Targeting the maximum heat recovery for systems with heat losses and heat gains. <i>Energy Conversion and Management</i> , 2014 , 87, 1098-1106	10.6	16
59	Kinetic and equilibrium study of Ni(II) sorption from aqueous solutions onto Peganum harmala-L. <i>International Journal of Environmental Science and Technology</i> , 2014 , 11, 1835-1844	3.3	53
58	Algorithmic targeting for Total Site Heat Integration with variable energy supply/demand. <i>Applied Thermal Engineering</i> , 2014 , 70, 1073-1083	5.8	48
57	Minimum water network design for fixed schedule and cyclic operation batch processes with minimum storage capacity and inter-connections. <i>Journal of Cleaner Production</i> , 2014 , 77, 65-78	10.3	19
56	Optimal sizing of hybrid power systems using power pinch analysis. <i>Journal of Cleaner Production</i> , 2014 , 71, 158-167	10.3	57
55	Solubility Parameter Prediction for Kacip Fatimah Herb using Group Contribution-Based Models. <i>Computer Aided Chemical Engineering</i> , 2014 , 33, 1225-1230	0.6	4
54	Electricity Load Reduction in Hybrid Power Systems Using Power Pinch Analysis. <i>Computer Aided Chemical Engineering</i> , 2014 , 33, 1495-1500	0.6	1
53	Heat Exchanger Network Design Considering Inherent Safety. <i>Energy Procedia</i> , 2014 , 61, 2469-2473	2.3	18
52	Recent Developments in Advanced Process Integration: Learning the Lessons from Industrial Implementations. <i>Applied Mechanics and Materials</i> , 2014 , 625, 454-457	0.3	4
51	Design Target Selection for Heat Exchanger Network Synthesis Based on Trade-off Plot. <i>Energy Procedia</i> , 2014 , 61, 2621-2624	2.3	2

50	Cost-effective Load Shifting for Hybrid Power Systems Using Power Pinch Analysis. <i>Energy Procedia</i> , 2014 , 61, 2464-2468	2.3	7
49	Total Site Heat Integration Targeting Algorithm Incorporating Plant Layout Issues. <i>Computer Aided Chemical Engineering</i> , 2014 , 33, 1801-1806	0.6	9
48	Generic Carbon Cascade Analysis technique for carbon emission management. <i>Applied Thermal Engineering</i> , 2014 , 70, 1141-1147	5.8	20
47	A retrofit framework for Total Site heat recovery systems. <i>Applied Energy</i> , 2014 , 135, 778-790	10.7	49
46	Total Site Heat Integration incorporating the water sensible heat. <i>Journal of Cleaner Production</i> , 2014 , 77, 94-104	10.3	29
45	A multi-period model for optimal planning of an integrated, resource-efficient rice mill. <i>Computers and Chemical Engineering</i> , 2013 , 52, 77-89	4	21
44	New graphical tools for process changes via load shifting for hybrid power systems based on Power Pinch Analysis. <i>Clean Technologies and Environmental Policy</i> , 2013 , 15, 459-472	4.3	54
43	SePTA ² new numerical tool for simultaneous targeting and design of heat exchanger networks. <i>Computers and Chemical Engineering</i> , 2013 , 57, 30-47	4	10
42	Linearized Equations of Pseudo Second-order Kinetic for the Adsorption of Pb(II) on Pistacia Atlantica Shells. <i>IERI Procedia</i> , 2013 , 5, 232-237		10
41	Heat exchanger network cost optimization considering multiple utilities and different types of heat exchangers. <i>Computers and Chemical Engineering</i> , 2013 , 49, 194-204	4	23
40	Electricity demand estimation using an adaptive neuro-fuzzy network: A case study from the Ontario province [Canada]. <i>Energy</i> , 2013 , 49, 323-328	7.9	75
39	Industrial implementation issues of Total Site Heat Integration. <i>Applied Thermal Engineering</i> , 2013 , 61, 17-25	5.8	75
38	Towards an integrated, resource-efficient rice mill complex. <i>Resources, Conservation and Recycling</i> , 2013 , 75, 41-51	11.9	20
37	Process integration of hybrid power systems with energy losses considerations. <i>Energy</i> , 2013 , 55, 38-45	7.9	67
36	Centralised utility system planning for a Total Site Heat Integration network. <i>Computers and Chemical Engineering</i> , 2013 , 57, 104-111	4	50
35	Optimal Multi-Site Resource Allocation and Utility Planning for Integrated Rice Mill Complex. <i>Industrial & Engineering Chemistry Research</i> , 2013 , 52, 3816-3831	3.9	15
34	Process Integration techniques for optimal design of hybrid power systems. <i>Applied Thermal Engineering</i> , 2013 , 61, 26-35	5.8	61
33	Water Pinch Analysis for Water Management and Minimisation: An Introduction 2013 , 353-382		4

32	A review on utilisation of biomass from rice industry as a source of renewable energy. <i>Renewable and Sustainable Energy Reviews</i> , 2012 , 16, 3084-3094	16.2	388
31	A combined numerical and visualization tool for utility targeting and heat exchanger network retrofiting. <i>Journal of Cleaner Production</i> , 2012 , 23, 1-7	10.3	30
30	Optimization of thermo-alkaline disintegration of sewage sludge for enhanced biogas yield. <i>Bioresource Technology</i> , 2012 , 114, 69-74	11	73
29	Holistic carbon planning for industrial parks: a waste-to-resources process integration approach. <i>Journal of Cleaner Production</i> , 2012 , 33, 74-85	10.3	42
28	A process integration targeting method for hybrid power systems. <i>Energy</i> , 2012 , 44, 6-10	7.9	110
27	Sustainability Education for First Year Engineering Students using Cooperative Problem Based Learning. <i>Procedia, Social and Behavioral Sciences</i> , 2012 , 56, 52-58		7
26	Optimal Design of a Rice Mill Utility System with Rice Husk Logistic Network. <i>Industrial & Engineering Chemistry Research</i> , 2012 , 51, 362-373	3.9	9
25	A Numerical Analysis for Total Site Sensitivity. <i>Computer Aided Chemical Engineering</i> , 2012 , 560-564	0.6	2
24	A Numerical Tool for Integrating Renewable Energy into Total Sites with Variable Supply and Demand. <i>Computer Aided Chemical Engineering</i> , 2012 , 1347-1351	0.6	4
23	A numerical technique for Total Site sensitivity analysis. <i>Applied Thermal Engineering</i> , 2012 , 40, 397-408	5.8	71
22	Design of green diesel from biofuels using computer aided technique. <i>Computers and Chemical Engineering</i> , 2012 , 41, 88-92	4	29
21	A New Tool For Simultaneous Targeting And Design Of Heat Exchanger Networks. <i>Computer Aided Chemical Engineering</i> , 2012 , 31, 1547-1551	0.6	
20	A Systematic Method for Cost-effective Carbon Emission Reduction in Buildings. <i>Journal of Applied Sciences</i> , 2012 , 12, 1186-1190	0.3	3
19	A New Method To Determine The Optimum Heat Exchanger Network Approach Temperature. <i>Computer Aided Chemical Engineering</i> , 2012 , 31, 190-194	0.6	1
18	A mixed integer linear programming (MILP) model for optimal design of water network 2011 ,		1
17	A new graphical approach for simultaneous targeting and design of a paper recycling network. <i>Asia-Pacific Journal of Chemical Engineering</i> , 2011 , 6, 778-786	1.3	9
16	A new graphical approach for simultaneous mass and energy minimisation. <i>Applied Thermal Engineering</i> , 2011 , 31, 1021-1030	5.8	48
15	Recent advances in resource conservation and planning—review. <i>Asia-Pacific Journal of Chemical Engineering</i> , 2011 , 6, 689-695	1.3	5

14	Optimal design of water networks involving multiple contaminants for global water operations. <i>Asia-Pacific Journal of Chemical Engineering</i> , 2011 , 6, 771-777	1.3	6
13	Holistic Approach for Design of Minimum Water Networks Using the Mixed Integer Linear Programming (MILP) Technique. <i>Industrial & Engineering Chemistry Research</i> , 2010 , 49, 5742-5751	3.9	15
12	Energy Efficiency Award system in Malaysia for energy sustainability. <i>Renewable and Sustainable Energy Reviews</i> , 2010 , 14, 2279-2289	16.2	19
11	STEP ² new graphical tool for simultaneous targeting and design of a heat exchanger network. <i>Chemical Engineering Journal</i> , 2010 , 162, 106-121	14.7	57
10	A Review of Extraction Technology for Carotenoids and Vitamin E Recovery from Palm Oil. <i>Journal of Applied Sciences</i> , 2010 , 10, 1187-1191	0.3	15
9	A generic graphical approach for simultaneous targeting and design of a gas network. <i>Resources, Conservation and Recycling</i> , 2009 , 53, 588-591	11.9	30
8	A new technique for simultaneous water and energy minimisation in process plant. <i>Chemical Engineering Research and Design</i> , 2009 , 87, 1509-1519	5.5	72
7	Generic Graphical Technique for Simultaneous Targeting and Design of Water Networks. <i>Industrial & Engineering Chemistry Research</i> , 2008 , 47, 2762-2777	3.9	30
6	A holistic framework for design of cost-effective minimum water utilization network. <i>Journal of Environmental Management</i> , 2008 , 88, 219-52	7.9	29
5	Targeting Multiple Water Utilities Using Composite Curves. <i>Industrial & Engineering Chemistry Research</i> , 2007 , 46, 5968-5976	3.9	27
4	Water pinch analysis evolution towards a holistic approach for water minimization. <i>Asia-Pacific Journal of Chemical Engineering</i> , 2007 , 2, 544-553	1.3	3
3	SHARPS: A new cost-screening technique to attain cost-effective minimum water network. <i>AIChE Journal</i> , 2006 , 52, 3981-3988	3.6	33
2	Water pinch analysis for an urban system: a case study on the Sultan Ismail Mosque at the Universiti Teknologi Malaysia (UTM). <i>Desalination</i> , 2006 , 194, 52-68	10.3	41
1	Biogas production from multiple feedstock at the district-level centralized facility for multiple end-use options: a case study in Johor Bahru, Malaysia. <i>Clean Technologies and Environmental Policy</i> , 2006 , 8, 103-111	4.3	1