
## Robert Lundqvist

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9124739/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Maternal characteristics and pregnancy outcomes in the NICE birth cohort: an assessment of self-selection bias. Journal of Maternal-Fetal and Neonatal Medicine, 2024, 35, 9014-9022.	0.7	10
2	Comparison of dietary trends between two counties with and without a cardiovascular prevention programme: a population-based cross-sectional study in northern Sweden. Public Health Nutrition, 2022, 25, 1835-1843.	1.1	2
3	Editor's Choice – Structured Computed Tomography Analysis can Identify the Majority of Patients at Risk of Post-Endovascular Aortic Repair Rupture. European Journal of Vascular and Endovascular Surgery, 2022, 64, 166-174.	0.8	3
4	The Relation between Masticatory Function and Nutrition in Older Individuals, Dependent on Supportive Care for Daily Living. International Journal of Environmental Research and Public Health, 2022, 19, 5801.	1.2	2
5	Elevated Thyroxine Concentration and Lithium Intoxication—An Analysis Based on the LiSIE Retrospective Cohort Study. Journal of Clinical Medicine, 2022, 11, 3041.	1.0	2
6	Prediction of improvement after anterior cruciate ligament reconstruction. Open Medicine (Poland), 2021, 16, 833-842.	0.6	3
7	Short-term patient-reported outcomes following total hip replacement: Is the success picture overrated?. Osteoarthritis and Cartilage Open, 2021, 3, 100192.	0.9	3
8	Patterns of Thyroid Hormone Prescription in Patients with Bipolar or Schizoaffective Disorder: Findings from the LiSIE Retrospective Cohort Study. Journal of Clinical Medicine, 2021, 10, 5062.	1.0	3
9	Quality of life related to tooth loss and prosthetic replacements among persons with dependency and functional limitations. Acta Odontologica Scandinavica, 2020, 78, 173-180.	0.9	9
10	National trends in total cholesterol obscure heterogeneous changes in HDL and non-HDL cholesterol and total-to-HDL cholesterol ratio: a pooled analysis of 458 population-based studies in Asian and Western countries. International Journal of Epidemiology, 2020, 49, 173-192.	0.9	44
11	Lithium-associated hypothyroidism and potential for reversibility after lithium discontinuation: Findings from the LiSIE retrospective cohort study. Journal of Psychopharmacology, 2020, 34, 293-303.	2.0	21
12	Time trends of vitamin D concentrations in northern Sweden between 1986 and 2014: a population-based cross-sectional study. European Journal of Nutrition, 2020, 59, 3037-3044.	1.8	6
13	Suicidal and non-suicidal self-injurious behaviour in patients with bipolar disorder and comorbid attention deficit hyperactivity disorder after initiation of central stimulant treatment: a mirror-image study based on the LiSIE retrospective cohort. Therapeutic Advances in Psychopharmacology, 2020, 10, 204512532094750.	1.2	5
14	Height and body-mass index trajectories of school-aged children and adolescents from 1985 to 2019 in 200 countries and territories: a pooled analysis of 2181 population-based studies with 65 million participants. Lancet, The, 2020, 396, 1511-1524.	6.3	219
15	Clinical course and need for hospital admission after lithium discontinuation in patients with bipolar disorder type I or II: mirror-image study based on the LiSIE retrospective cohort. BJPsych Open, 2019, 5, e101.	0.3	15
16	Comparison of two multimodal pain rehabilitation programmes, in relation to sex and age. Journal of Rehabilitation Medicine, 2018, 50, 619-628.	0.8	10
17	Comparison of trends in cardiovascular risk factors between two regions with and without a community and primary care prevention programme. European Journal of Preventive Cardiology, 2018, 25, 1765-1772.	0.8	20
18	Oral Status and Prosthetic Treatment Needs in Functionally Impaired and Elderly Individuals. International Journal of Prosthodontics, 2018, 31, 494-501	0.7	5

**ROBERT LUNDQVIST** 

#	Article	IF	CITATIONS
19	The second myocardial infarction: Is there any difference in symptoms and prehospital delay compared to the first myocardial infarction?. European Journal of Cardiovascular Nursing, 2018, 17, 652-659.	0.4	9
20	Reasons for lithium discontinuation in men and women with bipolar disorder: a retrospective cohort study. BMC Psychiatry, 2018, 18, 37.	1.1	71
21	The second myocardial infarction: Higher risk factor burden and earlier second myocardial infarction in women compared with men. The Northern Sweden MONICA study. European Journal of Cardiovascular Nursing, 2017, 16, 418-424.	0.4	6
22	Lower cognitive performance among long-term type 1 diabetes survivors. Journal of Diabetes and Its Complications, 2017, 31, 1328-1331.	1.2	11
23	Time trends of comparative self-rated health in adults aged 25-34 in the Northern Sweden MONICA study, 1990-2014. PLoS ONE, 2017, 12, e0187896.	1.1	9
24	Tooth Loss and Prosthetic Treatment in Dependent and Functionally Impaired Individuals with Respect to Age and Gender. International Journal of Prosthodontics, 2016, 29, 68-70.	0.7	9
25	Patients with type 1 diabetes in Sweden experience more fatigue than the general population. Journal of Clinical and Translational Endocrinology, 2015, 2, 105-109.	1.0	10
26	Self-rated health and standard risk factors for myocardial infarction: a cohort study. BMJ Open, 2015, 5, e006589-e006589.	0.8	24
27	Health care contact is higher in the week preceding a first myocardial infarction: A review of medical records in Northern Sweden in 2007. European Journal of Cardiovascular Nursing, 2015, 14, 450-456.	0.4	1
28	Cardiovascular risk factors differ between rural and urban Sweden: the 2009 Northern Sweden MONICA cohort. BMC Public Health, 2014, 14, 825.	1.2	51
29	Critical Thinking and the Art of Making Good Mistakes. Teaching in Higher Education, 1999, 4, 523-530.	1.7	18
30	Quality Systems and ISO 9000 in Higher Education. Assessment and Evaluation in Higher Education, 1997, 22, 159-172.	3.9	10