## Haris Subacius

## List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/9125588/haris-subacius-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

42 2,016 26 43 g-index

43 2,302 5.6 4.02 ext. papers ext. citations avg, IF L-index

#	Paper Paper	IF	Citations
42	Sudden Death After Hospitalization for Heart Failure With Reduced Ejection Fraction (from the EVEREST Trial). <i>American Journal of Cardiology</i> , <b>2018</b> , 122, 255-260	3	4
41	Plasma renin activity, response to aliskiren, and clinical outcomes in patients hospitalized for heart failure: the ASTRONAUT trial. <i>European Journal of Heart Failure</i> , <b>2018</b> , 20, 677-686	12.3	13
40	T-Wave Alternans, Heart Rate Turbulence, and Ventricular Ectopy in Standard versus Daily Hemodialysis: Results from the FHN Daily Trial. <i>Annals of Noninvasive Electrocardiology</i> , <b>2016</b> , 21, 566-57	7 <del>1</del> ·5	6
39	Combining Diuretic Response and Hemoconcentration to Predict Rehospitalization After Admission for Acute Heart Failure. <i>Circulation: Heart Failure</i> , <b>2016</b> , 9,	7.6	25
38	In-Hospital Diuretic Agent Use and Post-Discharge Clinical Outcomes in Patients Hospitalized for Worsening Heart Failure: Insights From the EVEREST Trial. <i>JACC: Heart Failure</i> , <b>2016</b> , 4, 580-588	7.9	9
37	Effect of Beta-Blocker Dose on Survival After Acute Myocardial Infarction. <i>Journal of the American College of Cardiology</i> , <b>2015</b> , 66, 1431-41	15.1	83
36	Reply: Are Changes in Serum Potassium Levels During Admissions for Acute Decompensated Heart Failure Irrelevant for Prognosis: The End of the Story?. <i>American Journal of Cardiology</i> , <b>2015</b> , 116, 825-6	3	
35	The Trauma Center Organizational Culture Survey: development and conduction. <i>Journal of Surgical Research</i> , <b>2015</b> , 193, 7-14	2.5	3
34	Global variation in clinical profile, management, and post-discharge outcomes among patients hospitalized for worsening chronic heart failure: findings from the ASTRONAUT trial. <i>European Journal of Heart Failure</i> , <b>2015</b> , 17, 591-600	12.3	52
33	Clinical Significance of Nonsustained Ventricular Tachycardia on Routine Monitoring of Pacemaker Patients. <i>PACE - Pacing and Clinical Electrophysiology</i> , <b>2015</b> , 38, 980-8	1.6	9
32	Changes in serum potassium levels during hospitalization in patients with worsening heart failure and reduced ejection fraction (from the EVEREST trial). <i>American Journal of Cardiology</i> , <b>2015</b> , 115, 790-6	<sub>5</sub> 3	28
31	Sudden cardiac death risk stratification in patients with nonischemic dilated cardiomyopathy. Journal of the American College of Cardiology, <b>2014</b> , 63, 1879-89	15.1	127
30	Comparison of the physiologic and prognostic implications of the heart rate versus the RR interval. <i>Heart Rhythm</i> , <b>2014</b> , 11, 1925-33	6.7	14
29	The prognostic significance of heart rate in patients hospitalized for heart failure with reduced ejection fraction in sinus rhythm: insights from the EVEREST (Efficacy of Vasopressin Antagonism in Heart Failure: Outcome Study With Tolvaptan) trial. <i>JACC: Heart Failure</i> , <b>2013</b> , 1, 488-96	7.9	49
28	Clinical profile and prognostic value of low systolic blood pressure in patients hospitalized for heart failure with reduced ejection fraction: insights from the Efficacy of Vasopressin Antagonism in Heart Failure: Outcome Study with Tolvaptan (EVEREST) trial. <i>American Heart Journal</i> , <b>2013</b> , 165, 216-25	4.9 5	66
27	Relationship between clinical trial site enrollment with participant characteristics, protocol completion, and outcomes: insights from the EVEREST (Efficacy of Vasopressin Antagonism in Heart Failure: Outcome Study with Tolvaptan) trial. <i>Journal of the American College of Cardiology</i> ,	15.1	47
26	2013, 61, 571-9 Significance of follow-up left ventricular ejection fraction measurements in the Defibrillators in Non-Ischemic Cardiomyopathy Treatment Evaluation trial (DEFINITE). <i>Heart Rhythm</i> , 2013, 10, 838-46	6.7	61

## (2008-2013)

Detection of cardiovascular autonomic neuropathy using exercise testing in patients with type 2 diabetes mellitus. <i>Journal of Diabetes and Its Complications</i> , <b>2013</b> , 27, 64-9	3.2	15
Should an improvement in left ventricular systolic function preclude ICD generator replacement?. <i>Heart Rhythm</i> , <b>2013</b> , 10, e77-8	6.7	1
Serum aldosterone is associated with mortality and re-hospitalization in patients with reduced ejection fraction hospitalized for acute heart failure: analysis from the EVEREST trial. <i>European Journal of Heart Failure</i> , <b>2013</b> , 15, 1228-35	12.3	46
Haemoconcentration, renal function, and post-discharge outcomes among patients hospitalized for heart failure with reduced ejection fraction: insights from the EVEREST trial. <i>European Journal of Heart Failure</i> , <b>2013</b> , 15, 1401-11	12.3	100
Association between diabetes mellitus and post-discharge outcomes in patients hospitalized with heart failure: findings from the EVEREST trial. <i>European Journal of Heart Failure</i> , <b>2013</b> , 15, 194-202	12.3	126
Recovery of heart rate variability and ventricular repolarization indices following exercise. <i>Annals of Noninvasive Electrocardiology</i> , <b>2012</b> , 17, 349-60	1.5	11
Clinical characteristics and prevalence of early repolarization associated with ventricular arrhythmias following acute ST-elevation myocardial infarction. <i>American Journal of Cardiology</i> , <b>2012</b> , 110, 615-20	3	42
Prognostic value of monocyte count in patients hospitalized for heart failure with reduced ejection fraction (from the EVEREST Trial). <i>American Journal of Cardiology</i> , <b>2012</b> , 110, 1657-62	3	9
High prevalence of cardiac autonomic dysfunction and T-wave alternans in dialysis patients. <i>Heart Rhythm</i> , <b>2011</b> , 8, 592-8	6.7	35
Improvements in health-related quality of life before and after isolated cardiac operations. <i>Annals of Thoracic Surgery</i> , <b>2011</b> , 91, 777-83	2.7	37
Cardiac magnetic resonance imaging: infarct size is an independent predictor of mortality in patients with coronary artery disease. <i>Magnetic Resonance Imaging</i> , <b>2011</b> , 29, 50-6	3.3	54
Persistent sympathoexcitation long after submaximal exercise in subjects with and without coronary artery disease. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , <b>2011</b> , 301, H912-20	5.2	14
Circadian and gender effects on repolarization in healthy adults: a study using harmonic regression analysis. <i>Annals of Noninvasive Electrocardiology</i> , <b>2010</b> , 15, 3-10	1.5	11
Early repolarization associated with ventricular arrhythmias in patients with chronic coronary artery disease. <i>Circulation: Arrhythmia and Electrophysiology</i> , <b>2010</b> , 3, 489-95	6.4	101
Contemporary perioperative results of isolated aortic valve replacement for aortic stenosis. <i>Annals of Thoracic Surgery</i> , <b>2010</b> , 89, 751-6	2.7	56
Rationale and design for the Defibrillators to Reduce Risk by Magnetic Resonance Imaging Evaluation (DETERMINE) trial. <i>Journal of Cardiovascular Electrophysiology</i> , <b>2009</b> , 20, 982-7	2.7	95
Ventricular arrhythmia inducibility predicts subsequent ICD activation in nonischemic cardiomyopathy patients: a DEFINITE substudy. <i>PACE - Pacing and Clinical Electrophysiology</i> , <b>2009</b> , 32, 755-61	1.6	26
Sex differences in outcome after implantable cardioverter defibrillator implantation in nonischemic cardiomyopathy. <i>American Heart Journal</i> , <b>2008</b> , 156, 367-72	4.9	45
	diabetes mellitus. Journal of Diabetes and Its Complications, 2013, 27, 64-9  Should an improvement in left ventricular systolic function preclude ICD generator replacement?. Heart Rhythm, 2013, 10, e77-8  Serum aldosterone is associated with mortality and re-hospitalization in patients with reduced ejection fraction hospitalized for acute heart failure: analysis from the EVEREST trial. European Journal of Heart Failure, 2013, 15, 1228-35  Haemoconcentration, renal function, and post-discharge outcomes among patients hospitalized for heart failure with reduced ejection fraction: insights from the EVEREST trial. European Journal of Heart Failure, 2013, 15, 1401-11  Association between diabetes mellitus and post-discharge outcomes in patients hospitalized with heart failure; findings from the EVEREST trial. European Journal of Heart Failure, 2013, 15, 194-202  Recovery of heart rate variability and ventricular repolarization indices following exercise. Annals of Noninvasive Electrocardiology, 2012, 17, 349-60  Clinical characteristics and prevalence of early repolarization associated with ventricular arrhythmias following acute ST-elevation myocardial infarction. American Journal of Cardiology, 2012, 110, 615-20  Prognostic value of monocyte count in patients hospitalized for heart failure with reduced ejection fraction (from the EVEREST Trial). American Journal of Cardiology, 2012, 110, 1657-62  High prevalence of cardiac autonomic dysfunction and T-wave alternans in dialysis patients. Heart Rhythm, 2011, 8, 592-8  Improvements in health-related quality of life before and after isolated cardiac operations. Annals of Thoracic Surgery, 2011, 91, 777-83  Cardiac magnetic resonance imaging: infarct size is an independent predictor of mortality in patients with coronary artery disease. Magnetic Resonance Imaging, 2011, 29, 50-6  Persistent sympathoexcitation long after submaximal exercise in subjects with and without coronary artery disease. American Journal of Physiology - Heart and Circulatory Physiology, 2011, 301	Should an improvement in left ventricular systolic function preclude ICD generator replacement?. Heart Rhythm, 2013, 10, e77-8  Serum aldosterone is associated with mortality and re-hospitalization in patients with reduced ejection fraction hospitalized for acute heart failure: analysis from the EVEREST trial. European Journal of Heart Failure, 2013, 15, 1228-35  Haemoconcentration, renal function, and post-discharge outcomes among patients hospitalized for heart failure with reduced ejection fraction insights from the EVEREST trial. European Journal of Heart Failure, 2013, 15, 1401-11  Association between diabetes mellitus and post-discharge outcomes in patients hospitalized with heart failure findings from the EVEREST trial. European Journal of Heart Failure, 2013, 15, 1401-11  Association between diabetes mellitus and post-discharge outcomes in patients hospitalized with heart failure findings from the EVEREST trial. European Journal of Heart Failure, 2013, 15, 194-202  Recovery of heart rate variability and ventricular repolarization indices following exercise. Annals of Noninvasive Electrocardiology, 2012, 17, 349-60  Clinical characteristics and prevalence of early repolarization associated with ventricular arrhythmias following acute ST-elevation myocardial infarction. American Journal of Cardiology, 2012, 110, 615-20  Prognostic value of monocyte count in patients hospitalized for heart failure with reduced ejection fraction (from the EVEREST Trial). American Journal of Cardiology, 2012, 110, 1657-62  3  High prevalence of cardiac autonomic dysfunction and T-wave alternans in dialysis patients. Heart Rhythm, 2011, 8, 592-8  Improvements in health-related quality of life before and after isolated cardiac operations. Annals of Thoracic Surgery, 2011, 91, 777-83  Cardiac magnetic resonance imaging: infarct size is an independent predictor of mortality in patients with coronary artery disease. American Journal of Physiology - Heart and Circulatory Physiology, 2011, 301, H912-20  Circadian and gender effects

7	Prognostic value and temporal behavior of the planar QRS-T angle in patients with nonischemic cardiomyopathy. <i>Circulation</i> , <b>2008</b> , 117, 3181-6	16.7	64
6	Unique autonomic profile of the pulmonary veins and posterior left atrium. <i>Journal of the American College of Cardiology</i> , <b>2007</b> , 49, 1340-8	15.1	47
5	A new method to determine the electrical transfer function of the human thorax. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , <b>2007</b> , 293, H3440-7	5.2	1
4	Implantable cardioverter defibrillators and quality of life: results from the defibrillators in nonischemic cardiomyopathy treatment evaluation study. <i>Archives of Internal Medicine</i> , <b>2007</b> , 167, 2226	5-32	101
3	Are implantable cardioverter defibrillator shocks a surrogate for sudden cardiac death in patients with nonischemic cardiomyopathy?. <i>Circulation</i> , <b>2006</b> , 113, 776-82	16.7	240
2	Patients with recently diagnosed nonischemic cardiomyopathy benefit from implantable cardioverter-defibrillators. <i>Journal of the American College of Cardiology</i> , <b>2006</b> , 47, 2477-82	15.1	43
1	Effects of statin therapy on arrhythmic events and survival in patients with nonischemic dilated cardiomyopathy. <i>Journal of the American College of Cardiology</i> , <b>2006</b> , 48, 1228-33	15.1	100