

Pao-Ti Chang

List of Publications by Citations

Source: <https://exaly.com/author-pdf/9127137/pao-ti-chang-publications-by-citations.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

183
papers

6,173
citations

39
h-index

71
g-index

187
ext. papers

7,275
ext. citations

4.8
avg, IF

0.64
L-index

#	Paper	IF	Citations
183	Precise determination of the mass of the Higgs boson and tests of compatibility of its couplings with the standard model predictions using proton collisions at 7 and 8 TeV. <i>European Physical Journal C</i> , 2015 , 75, 212	4.2	399
182	Observation of a new boson with mass near 125 GeV in pp collisions at ($\sqrt{s}=7$) and 8 TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	261
181	Search for dark matter, extra dimensions, and unparticles in monojet events in proton-proton collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 235	4.2	250
180	Event generator tunes obtained from underlying event and multiparton scattering measurements. <i>European Physical Journal C</i> , 2016 , 76, 155	4.2	250
179	Transverse-momentum and pseudorapidity distributions of charged hadrons in pp collisions at ($\sqrt{s} = 0.9$) and 2.36 TeV. <i>Journal of High Energy Physics</i> , 2010 , 2010, 1	5.4	201
178	Luminosity determination in collisions at [Formula: see text] = 8 TeV using the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2016 , 76, 653	4.2	188
177	Measurements of the Higgs boson production and decay rates and coupling strengths using collision data at [Formula: see text] and 8 TeV in the ATLAS experiment. <i>European Physical Journal C</i> , 2016 , 76, 6	4.2	185
176	Searches for electroweak production of charginos, neutralinos, and sleptons decaying to leptons and W, Z, and Higgs bosons in pp collisions at 8 TeV. <i>European Physical Journal C</i> , 2014 , 74, 3036	4.2	183
175	Search for top-squark pair production in the single-lepton final state in pp collisions at ($\sqrt{s}=8$ TeV). <i>European Physical Journal C</i> , 2013 , 73, 1	4.2	162
174	Combined measurements of Higgs boson couplings in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 421	4.2	153
173	Measurement of the inclusive W and Z production cross sections in pp collisions at ($\sqrt{s} = 7$) TeV with the CMS experiment. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	121
172	ATLAS Run 1 searches for direct pair production of third-generation squarks at the Large Hadron Collider. <i>European Physical Journal C</i> , 2015 , 75, 510	4.2	109
171	Measurements of inclusive W and Z cross sections in pp collisions at ($\sqrt{s} = 7$) TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	104
170	Search for dark matter and other new phenomena in events with an energetic jet and large missing transverse momentum using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	101
169	Search for the Standard Model Higgs boson produced in association with top quarks and decaying into [Formula: see text] in [Formula: see text] collisions at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 349	4.2	94
168	Constraints on new phenomena via Higgs boson couplings and invisible decays with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	91
167	Measurements of properties of the Higgs boson decaying into the four-lepton final state in pp collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	77

166	Searches for invisible decays of the Higgs boson in pp collisions at (\sqrt{s}) = 7, 8, and 13 TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5-4	74
165	Search for a Higgs boson in the mass range from 145 to 1000 GeV decaying to a pair of W or Z bosons. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	73
164	Measurement of the underlying event activity at the LHC with (\sqrt{s}) = 7 TeV and comparison with (\sqrt{s}) = 0.9 TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5-4	70
163	Search for the (\overline{b}) decay of the Standard Model Higgs boson in associated (W/Z)H production with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	64
162	Measurement of the lepton polarization and $R(D^*)$ in the decay $B \rightarrow D^* \ell \nu$ with one-prong hadronic decays at Belle. <i>Physical Review D</i> , 2018 , 97,	4-9	64
161	Search for high-mass resonances in dilepton final states in proton-proton collisions at (\sqrt{s})=13 TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	63
160	Extraction and validation of a new set of CMS pythia8 tunes from underlying-event measurements. <i>European Physical Journal C</i> , 2020 , 80, 4	4-2	61
159	Constraints on the off-shell Higgs boson signal strength in the high-mass and final states with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 335	4-2	56
158	Search for production of vector-like quark pairs and of four top quarks in the lepton-plus-jets final state in pp collisions at (\sqrt{s})=8 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	54
157	Search for top squark pair production in final states with one isolated lepton, jets, and missing transverse momentum in (\sqrt{s}) = 8 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5-4	54
156	Search for new phenomena in events with at least three photons collected in collisions at [\sqrt{s}] = 8 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 210	4-2	53
155	Search for direct top-squark pair production in final states with two leptons in pp collisions at (\sqrt{s}) = 8 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5-4	52
154	Search for dark matter at [\sqrt{s}] in final states containing an energetic photon and large missing transverse momentum with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 393	4-2	52
153	Search for electroweak production of supersymmetric particles in final states with two or three leptons at with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 995	4-2	49
152	Search for a new resonance decaying to a or boson and a Higgs boson in the [\sqrt{s}] final states with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 263	4-2	46
151	Search for dark matter produced with an energetic jet or a hadronically decaying W or Z boson at (\sqrt{s})=13 TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5-4	46
150	Combined search for electroweak production of charginos and neutralinos in proton-proton collisions at (\sqrt{s})=13 TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	45
149	Measurement of ZZ production in pp collisions at (\sqrt{s})=7 TeV and limits on anomalous ZZZ and ZZ couplings with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5-4	45

148	Search for the associated production of the Higgs boson with a top-quark pair. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5-4	45
147	Search for supersymmetry in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in [Formula: see text] TeV collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 318	4-2	44
146	Measurement of the inelastic proton-proton cross section at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	41
145	Search for electroweak production of charginos and neutralinos in multilepton final states in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	40
144	Study of the underlying event at forward rapidity in pp collisions at ($\sqrt{s}=0.9, 2.76, \text{and } 7$ TeV). <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5-4	39
143	Measurement of the ZZ production cross section and search for anomalous couplings in $2\mu\mu$ final states in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5-4	39
142	Search for natural and split supersymmetry in proton-proton collisions at ($\sqrt{s}=13$) TeV in final states with jets and missing transverse momentum. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	39
141	Measurement of associated W + charm production in pp collisions at (\sqrt{s}) = 7 TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5-4	37
140	Measurements of Higgs boson properties in the diphoton decay channel in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	37
139	Measurement of the Higgs boson coupling properties in the $H \rightarrow ZZ^* \rightarrow 4\mu$ decay channel at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	36
138	Measurement of the double-differential inclusive jet cross section in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 451	4-2	36
137	Measurement of differential cross sections for Higgs boson production in the diphoton decay channel in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 13	4-2	35
136	Measurement and QCD analysis of double-differential inclusive jet cross sections in pp collisions at ($\sqrt{s}=8$) TeV and cross section ratios to 2.76 and 7 TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5-4	34
135	Search for new physics in same-sign dilepton events in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 439	4-2	34
134	Searches for third-generation squark production in fully hadronic final states in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	33
133	Search for top-squark pair production in final states with one lepton, jets, and missing transverse momentum using 36 fb ⁻¹ of ($\sqrt{s}=13$) TeV pp collision data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	33
132	Observation of excited Λ charmed baryons in e^+e^- collisions. <i>Physical Review D</i> , 2018 , 97,	4-9	32
131	Search for dark matter produced in association with bottom or top quarks in TeV collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 18	4-2	32

130	Identification techniques for highly boosted W bosons that decay into hadrons. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5-4	32
129	Search for a scalar partner of the top quark in the jets plus missing transverse momentum final state at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5-4	30
128	Observation of Z decays to four leptons with the CMS detector at the LHC. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	30
127	Measurements of the production cross section and the branching fraction, and constraints on anomalous triple gauge couplings at. <i>European Physical Journal C</i> , 2018 , 78, 165	4-2	29
126	Search for low mass vector resonances decaying into quark-antiquark pairs in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	28
125	Measurement of the production cross section, the top quark mass, and the strong coupling constant using dilepton events in pp collisions at. <i>European Physical Journal C</i> , 2019 , 79, 368	4-2	27
124	Shape, transverse size, and charged-hadron multiplicity of jets in pp collisions at ($\sqrt{s}=7$;TeV). <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	27
123	Measurement of ($\overline{B}B$) angular correlations based on secondary vertex reconstruction at ($\sqrt{s} = 7, \text{TeV}$). <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5-4	27
122	Search for heavy resonances decaying into a W or Z boson and a Higgs boson in final states with leptons and b-jets in 36 fb ⁻¹ of ($\sqrt{s}=13$) TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	26
121	Measurement of the cross section and angular correlations for associated production of a Z boson with b hadrons in pp collisions at ($\sqrt{s} = 7$ TeV). <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5-4	26
120	Analysis of events with b-jets and a pair of leptons of the same charge in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	26
119	Measurement of inclusive and differential cross sections in the $H \rightarrow ZZ^* \rightarrow 4\ell$ decay channel in pp collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5-4	25
118	Search for top squark pair production in pp collisions at ($\sqrt{s}=13$) TeV using single lepton events. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5-4	25
117	Measurements of the [Formula: see text][Formula: see text] production cross sections in the [Formula: see text] channel in proton-proton collisions at [Formula: see text] and [Formula: see text] and combined constraints on triple gauge couplings. <i>European Physical Journal C</i> , 2015 , 75, 511	4-2	25
116	Search for production of four top quarks in final states with same-sign or multiple leptons in proton-proton collisions at. <i>European Physical Journal C</i> , 2020 , 80, 75	4-2	24
115	Measurement of the $Z/\gamma + b$ -jet cross section in pp collisions at ($\sqrt{s} = 7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	24
114	Performance of the CMS Level-1 trigger in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of Instrumentation</i> , 2020 , 15, P10017-P10017	1	23
113	Evidence for associated production of a Higgs boson with a top quark pair in final states with electrons, muons, and hadronically decaying ℓ leptons at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	23

112	Search for Higgs boson decays to beyond-the-Standard-Model light bosons in four-lepton events with the ATLAS detector at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	22
111	Search for physics beyond the standard model in events with two leptons of same sign, missing transverse momentum, and jets in proton-proton collisions at. <i>European Physical Journal C</i> , 2017 , 77, 578	4.2	21
110	Search for light bosons in decays of the 125 GeV Higgs boson in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	21
109	Searches for heavy diboson resonances in pp collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	20
108	Search for standard model production of four top quarks with same-sign and multilepton final states in proton-proton collisions at. <i>European Physical Journal C</i> , 2018 , 78, 140	4.2	20
107	Search for a heavy pseudoscalar boson decaying to a Z and a Higgs boson at. <i>European Physical Journal C</i> , 2019 , 79, 564	4.2	20
106	Search for heavy resonances that decay into a vector boson and a Higgs boson in hadronic final states at. <i>European Physical Journal C</i> , 2017 , 77, 636	4.2	20
105	Search for resonant and nonresonant Higgs boson pair production in the ($\overline{\text{b}}\text{ell nu ell nu}$) final state in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	19
104	Search for massive resonances decaying into WW, WZ or ZZ bosons in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	19
103	Search for direct top squark pair production in final states with two leptons in TeV collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 898	4.2	19
102	Measurement of differential cross sections for boson production in association with jets in proton-proton collisions at. <i>European Physical Journal C</i> , 2018 , 78, 965	4.2	19
101	Search for vector-like quarks in events with two oppositely charged leptons and jets in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 364	4.2	18
100	Measurements of the absolute branching fractions of $B^+\rightarrow K^+K^+$ and $B^+\rightarrow D^{(*)}0^+$ at Belle. <i>Physical Review D</i> , 2018 , 97,	4.9	18
99	Search for direct production of supersymmetric partners of the top quark in the all-jets final state in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	18
98	Search for ($\overline{\text{t}}\text{H}$) production in the ($\text{H}\rightarrow\overline{\text{b}}\text{b}$) decay channel with leptonic ($\overline{\text{t}}\text{t}$) decays in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	17
97	Search for new physics in events with a leptonically decaying Z boson and a large transverse momentum imbalance in proton-proton collisions at = 13. <i>European Physical Journal C</i> , 2018 , 78, 291	4.2	17
96	Measurement of dijet cross-sections in pp collisions at 7 TeV centre-of-mass energy using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	17
95	Searches for pair production of third-generation squarks in [Formula: see text][Formula: see text] pp collisions. <i>European Physical Journal C</i> , 2017 , 77, 327	4.2	17

94	Measurements of jet vetoes and azimuthal decorrelations in dijet events produced in [Formula: see text] collisions at [Formula: see text] using the ATLAS detector. <i>European Physical Journal C</i> , 2014 , 74, 3117	4.2	17
93	Ratios of dijet production cross sections as a function of the absolute difference in rapidity between jets in proton-proton collisions at ($\sqrt{s} = 7 \text{ TeV}$). <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	17
92	Searches for physics beyond the standard model with the variable in hadronic final states with and without disappearing tracks in proton-proton collisions at. <i>European Physical Journal C</i> , 2020 , 80, 3	4.2	16
91	Search for the Standard Model Higgs boson decaying into ($\overline{b}b$) produced in association with top quarks decaying hadronically in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	16
90	Search for a very light NMSSM Higgs boson produced in decays of the 125 GeV scalar boson and decaying into $\tau\tau$ leptons in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	16
89	Search for dark matter and unparticles in events with a Z boson and missing transverse momentum in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	16
88	Search for dark matter in events with energetic, hadronically decaying top quarks and missing transverse momentum at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	16
87	Measurements of the associated production of a Z boson and b jets in pp collisions at. <i>European Physical Journal C</i> , 2017 , 77, 751	4.2	15
86	Measurement of differential and integrated fiducial cross sections for Higgs boson production in the four-lepton decay channel in pp collisions at ($\sqrt{s}=7$) and 8 TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	15
85	Search for standard model production of four top quarks in the lepton + jets channel in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	15
84	Search for high-mass resonances in final states with a lepton and missing transverse momentum at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	15
83	Search for a massive resonance decaying into a Higgs boson and a W or Z boson in hadronic final states in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	14
82	Measurement of the ($\overline{t}t$) production cross section using events with one lepton and at least one jet in pp collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	14
81	A strategy for a general search for new phenomena using data-derived signal regions and its application within the ATLAS experiment. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	14
80	Constraints on the double-parton scattering cross section from same-sign W boson pair production in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	13
79	Measurement of the top quark mass in the all-jets final state at and combination with the lepton+jets channel. <i>European Physical Journal C</i> , 2019 , 79, 313	4.2	13
78	Probing color coherence effects in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2014 , 74, 2901	4.2	13
77	Measurement of the inclusive production cross sections for forward jets and for dijet events with one forward and one central jet in pp collisions at ($\sqrt{s} = 7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	13

76	Measurement of $(\overline{t}t)$ normalised multi-differential cross sections in (pp) collisions at $(\sqrt{s}=13, \text{TeV})$, and simultaneous determination of the strong coupling strength, top quark pole mass, and parton distribution functions. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	13
75	Search for $(\overline{t}t)\text{H}$ production in the all-jet final state in proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	13
74	Measurement of the top quark mass with lepton+jets final states using collisions at. <i>European Physical Journal C</i> , 2018 , 78, 891	4.2	13
73	Search for dark matter produced in association with a Higgs boson decaying to a pair of bottom quarks in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 280	4.2	12
72	Search for direct top squark pair production in events with one lepton, jets, and missing transverse momentum at 13 TeV with the CMS experiment. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	12
71	Measurement of normalized differential $(\overline{t}t)$ cross sections in the dilepton channel from pp collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	12
70	Measurement of associated Z + charm production in proton-proton collisions at. <i>European Physical Journal C</i> , 2018 , 78, 287	4.2	11
69	Measurements of differential production cross sections for a Z boson in association with jets in pp collisions at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	11
68	Search for electroweak production of charginos and neutralinos in WH events in proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	11
67	Measurements of differential Z boson production cross sections in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	11
66	Performance of the reconstruction and identification of high-momentum muons in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of Instrumentation</i> , 2020 , 15, P02027-P02027	1	11
65	Search for $Z\tau$ resonances using leptonic and hadronic final states in proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	11
64	Measurements of the pp $\rightarrow WZ$ inclusive and differential production cross sections and constraints on charged anomalous triple gauge couplings at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	10
63	A multi-dimensional search for new heavy resonances decaying to boosted $\tau\tau$, $\tau\tau$, or boson pairs in the dijet final state at 13 TeV. <i>European Physical Journal C</i> , 2020 , 80, 237	4.2	10
62	Measurement of branching fraction and direct CP asymmetry in charmless $B \rightarrow K^* K_S^0$ decays at Belle. <i>Physical Review D</i> , 2017 , 96,	4.9	10
61	Measurement of detector-corrected observables sensitive to the anomalous production of events with jets and large missing transverse momentum in collisions at $\sqrt{s}=13$ TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 765	4.2	10
60	Search for supersymmetry in events with at least one photon, missing transverse momentum, and large transverse event activity in proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	10
59	Search for the associated production of a Higgs boson with a single top quark in proton-proton collisions at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	10

58	Measurements of differential cross sections of top quark pair production as a function of kinematic event variables in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	10
57	Measurement of the ZZ production cross section in proton-proton collisions at ($\sqrt{s}=8$) TeV using the ZZ $\rightarrow \mu\mu$ and (ZZto $\{e\ell\}^{\{-\}}\{e\ell\}^{\{+\}}\nu$ overline{nu}) decay channels with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	9
56	Search for black holes and sphalerons in high-multiplicity final states in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	9
55	Measurement of top quark pair production in association with a Z boson in proton-proton collisions at ($\sqrt{\text{mathrm}\{s\}} = 13$) TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	8
54	Comparing transverse momentum balance of b jet pairs in pp and PbPb collisions at ($\sqrt{s_{\text{mathrm}\{NN\}}}=5.02$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	8
53	Search for new phenomena in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in [Formula: see text][Formula: see text][Formula: see text] collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 144	4.2	8
52	Measurement of the triple-differential dijet cross section in proton-proton collisions at and constraints on parton distribution functions. <i>European Physical Journal C</i> , 2017 , 77, 746	4.2	8
51	Measurement of the underlying event activity in inclusive Z boson production in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	8
50	Search for rare decays of and Higgs bosons to and a photon in proton-proton collisions at = 13. <i>European Physical Journal C</i> , 2019 , 79, 94	4.2	7
49	Search for heavy resonances decaying into two Higgs bosons or into a Higgs boson and a W or Z boson in proton-proton collisions at 13 TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	7
48	Search for dark matter particles produced in association with a Higgs boson in proton-proton collisions at ($\sqrt{\text{mathrm}\{s\}} = 13$) TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	7
47	Jet properties in PbPb and pp collisions at ($\sqrt{s_{\text{mathrm}\{N\};\text{mathrm}\{N\}}}=5.02$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	7
46	Search for a light pseudoscalar Higgs boson produced in association with bottom quarks in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	7
45	Search for dark matter produced in association with a leptonically decaying boson in proton-proton collisions at. <i>European Physical Journal C</i> , 2021 , 81, 13	4.2	7
44	Search for heavy resonances decaying into a vector boson and a Higgs boson in final states with charged leptons, neutrinos and b quarks at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	7
43	Search for a heavy resonance decaying into a Z boson and a Z or W boson in $2\ell q$ final states at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	7
42	Search for dark matter produced in association with a Higgs boson decaying to $\ell\bar{\nu} + \nu\bar{\ell}$ at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	7
41	Search for a heavy resonance decaying to a pair of vector bosons in the lepton plus merged jet final state at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	7

40	Precision luminosity measurement in proton-proton collisions at in 2015 and 2016 at CMS. <i>European Physical Journal C</i> , 2021 , 81, 800	4.2	7
39	Measurement of dijet azimuthal decorrelation in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 536	4.2	6
38	Search for a heavy resonance decaying to a top quark and a vector-like top quark in the lepton + jets final state in pp collisions at ($\sqrt{s} = 13, \text{TeV}$). <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	6
37	Search for the associated production of the Higgs boson with a top-quark pair 2014 , 2014, 1		6
36	Search for direct pair production of scalar top quarks in the single- and dilepton channels in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	6
35	Measurement of the differential Drell-Yan cross section in proton-proton collisions at ($\sqrt{s} = 13$ TeV). <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	6
34	Measurement of the average very forward energy as a function of the track multiplicity at central pseudorapidities in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 893	4.2	6
33	Search for a heavy resonance decaying into a Z boson and a vector boson in the ($\nu \overline{\nu} \mathit{q} \overline{\mathit{q}}$) final state. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	6
32	Measurements of production cross sections and constraints on anomalous triple gauge couplings at. <i>European Physical Journal C</i> , 2021 , 81, 200	4.2	5
31	Measurement of the Higgs boson production rate in association with top quarks in final states with electrons, muons, and hadronically decaying tau leptons at. <i>European Physical Journal C</i> , 2021 , 81, 378	4.2	5
30	Measurements of production cross sections of the Higgs boson in the four-lepton final state in proton-proton collisions at. <i>European Physical Journal C</i> , 2021 , 81, 488	4.2	5
29	Search for top squark pair production using dilepton final states in collision data collected at. <i>European Physical Journal C</i> , 2021 , 81, 3	4.2	5
28	Search for the pair production of light top squarks in the $e\bar{e}\bar{q}q$ final state in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	4
27	Study of the underlying event in top quark pair production in collisions at 13. <i>European Physical Journal C</i> , 2019 , 79, 123	4.2	4
26	Evidence for (W)(W) production from double-parton interactions in proton-proton collisions at ($\sqrt{s} = 13, \text{TeV}$). <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	4
25	Study of dijet events with a large rapidity gap between the two leading jets in pp collisions at. <i>European Physical Journal C</i> , 2018 , 78, 242	4.2	4
24	Pseudorapidity distributions of charged hadrons in proton-lead collisions at ($\sqrt{s_{\text{NN}}}=5.02$) and 8.16 TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	4
23	Search for supersymmetry in events with at least three electrons or muons, jets, and missing transverse momentum in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	4

22	Measurement of branching fractions of hadronic decays of the Λ_b^0 baryon. <i>Physical Review D</i> , 2018 , 97,	4.9	4
21	MUSIC: a model-unspecific search for new physics in proton-proton collisions at. <i>European Physical Journal C</i> , 2021 , 81, 629	4.2	4
20	Search for direct pair production of supersymmetric partners to the lepton in proton-proton collisions at. <i>European Physical Journal C</i> , 2020 , 80, 189	4.2	3
19	Measurement of the inclusive ($\overline{\text{t}}$) cross section in pp collisions at ($\sqrt{s}=5.02$) TeV using final states with at least one charged lepton. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	3
18	Search for ZZ resonances in the $2\ell\ell$ final state in proton-proton collisions at 13 TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	3
17	Measurements of the ($\text{pp} \rightarrow \text{ZZ}$) production cross section and the ($\text{Z} \rightarrow 4\ell$) branching fraction, and constraints on anomalous triple gauge couplings at ($\sqrt{s} = 13, \text{TeV}$) 2018 , 78, 1		3
16	Combined searches for the production of supersymmetric top quark partners in proton-proton collisions at. <i>European Physical Journal C</i> , 2021 , 81, 970	4.2	3
15	Measurements of Higgs boson production cross sections and couplings in the diphoton decay channel at (\sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	3
14	Search for lepton-flavor violating decays of heavy resonances and quantum black holes to $e\ell$ final states in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	3
13	Search for new phenomena in final states with two opposite-charge, same-flavor leptons, jets, and missing transverse momentum in pp collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	2
12	Measurement of differential cross sections in the kinematic angular variable ϕ^* for inclusive Z boson production in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	2
11	Search for physics beyond the standard model in events with jets and two same-sign or at least three charged leptons in proton-proton collisions at. <i>European Physical Journal C</i> , 2020 , 80, 752	4.2	2
10	Search for supersymmetry in events with a photon, jets, $\bar{\nu}$ -jets, and missing transverse momentum in proton-proton collisions at 13. <i>European Physical Journal C</i> , 2019 , 79, 444	4.2	1
9	Search for heavy resonances decaying into a W or Z boson and a Higgs boson in final states with leptons and b-jets in 36 fb $^{-1}$ of ($\sqrt{s}=13$) TeV pp collisions with the ATLAS detector 2018 , 2018, 1		1
8	Development and validation of HERWIG Υ tunes from CMS underlying-event measurements. <i>European Physical Journal C</i> , 2021 , 81, 312	4.2	1
7	Azimuthal separation in nearly back-to-back jet topologies in inclusive 2- and 3-jet events in collisions at. <i>European Physical Journal C</i> , 2019 , 79, 773	4.2	0
6	Search for a heavy vector resonance decaying to a ℓ boson and a Higgs boson in proton-proton collisions at. <i>European Physical Journal C</i> , 2021 , 81, 688	4.2	0
5	Measurements of angular distance and momentum ratio distributions in three-jet and + two-jet final states in collisions. <i>European Physical Journal C</i> , 2021 , 81, 852	4.2	0

4	Search for long-lived particles decaying to leptons with large impact parameter in proton-proton collisions at .. <i>European Physical Journal C</i> , 2022 , 82, 153	4.2	○
3	Search for low-mass dilepton resonances in Higgs boson decays to four-lepton final states in proton-proton collisions at .. <i>European Physical Journal C</i> , 2022 , 82, 290	4.2	○
2	Search for natural supersymmetry in events with top quark pairs and photons in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	
1	Study of dijet events with large rapidity separation in proton-proton collisions at $\sqrt{s} = 2.76$ TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	