

Teresa Brophy

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9127147/publications.pdf>

Version: 2024-02-01

18
papers

405
citations

759233

12
h-index

940533

16
g-index

18
all docs

18
docs citations

18
times ranked

697
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Hemostatic and protein C pathway dysfunction in the pathogenesis of experimental cerebral malaria. <i>Haematologica</i> , 2022, 107, 1950-1954. | 3.5 | 3 |
| 2 | Investigating the clearance of VWF A2 domains using site-directed PEGylation and novel N-linked glycosylation. <i>Journal of Thrombosis and Haemostasis</i> , 2020, 18, 1278-1290. | 3.8 | 8 |
| 3 | Increased galactose expression and enhanced clearance in patients with low von Willebrand factor. <i>Blood</i> , 2019, 133, 1585-1596. | 1.4 | 32 |
| 4 | A novel role for the macrophage galactose-type lectin receptor in mediating von Willebrand factor clearance. <i>Blood</i> , 2018, 131, 911-916. | 1.4 | 54 |
| 5 | Plasmin Cleaves Von Willebrand Factor at K1491-R1492 in the A1-A2 Linker Region in a Shear- and Glycan-Dependent Manner In Vitro. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2017, 37, 845-855. | 2.4 | 29 |
| 6 | Marked elevation in plasma osteoprotegerin constitutes an early and consistent feature of cerebral malaria. <i>Thrombosis and Haemostasis</i> , 2016, 115, 773-780. | 3.4 | 12 |
| 7 | Lenalidomide as a novel treatment for refractory acquired von Willebrand syndrome associated with monoclonal gammopathy. <i>Journal of Thrombosis and Haemostasis</i> , 2016, 14, 1200-1205. | 3.8 | 27 |
| 8 | Galectin-1 and Galectin-3 Constitute Novel-Binding Partners for Factor VIII. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2016, 36, 855-863. | 2.4 | 23 |
| 9 | A novel role for von Willebrand factor in the pathogenesis of experimental cerebral malaria. <i>Blood</i> , 2016, 127, 1192-1201. | 1.4 | 41 |
| 10 | N-linked glycans within the A2 domain of von Willebrand factor modulate macrophage-mediated clearance. <i>Blood</i> , 2016, 128, 1959-1968. | 1.4 | 31 |
| 11 | N-linked glycan truncation causes enhanced clearance of plasma-derived von Willebrand factor. <i>Journal of Thrombosis and Haemostasis</i> , 2016, 14, 2446-2457. | 3.8 | 27 |
| 12 | von Willebrand factor arginine 1205 substitution results in accelerated macrophage-dependent clearance in vivo. <i>Journal of Thrombosis and Haemostasis</i> , 2015, 13, 821-826. | 3.8 | 28 |
| 13 | N-Linked Glycans within the A1A2A3 Domains of VWF Play a Critical Role in Modulating Macrophage-Mediated Clearance. <i>Blood</i> , 2014, 124, 469-469. | 1.4 | 1 |
| 14 | Identification of the Thiol Isomerase-binding Peptide, Mastoparan, as a Novel Inhibitor of Shear-induced Transforming Growth Factor β 1 (TGF- β 1) Activation. <i>Journal of Biological Chemistry</i> , 2013, 288, 10628-10639. | 3.4 | 24 |
| 15 | Identification Of Galectin-1 and Galectin-3 As Novel Binding Partners For Factor VIII. <i>Blood</i> , 2013, 122, 28-28. | 1.4 | 0 |
| 16 | Redox properties of the tissue factor Cys186-Cys209 disulfide bond. <i>Biochemical Journal</i> , 2011, 437, 455-460. | 3.7 | 34 |
| 17 | Identification of Platelet Releasate Proteins that Bind to Mastoparan, a Peptide that Inhibits Shear-Induced TGF- β 1 Activation,. <i>Blood</i> , 2011, 118, 3271-3271. | 1.4 | 0 |
| 18 | RN181, a novel ubiquitin E3 ligase that interacts with the KVGFFKR motif of platelet integrin α IIb β 3. <i>Biochemical and Biophysical Research Communications</i> , 2008, 369, 1088-1093. | 2.1 | 31 |