

Cameron W Brennan

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9127397/cameron-w-brennan-publications-by-year.pdf>
Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

155 papers	47,200 citations	77 h-index	159 g-index
159 ext. papers	54,950 ext. citations	14.4 avg, IF	7.99 L-index

#	Paper	IF	Citations
155	Quiescent human glioblastoma cancer stem cells drive tumor initiation, expansion, and recurrence following chemotherapy.. <i>Developmental Cell</i> , 2022 , 57, 32-46.e8	10.2	2
154	The Evolution of 5-Aminolevulinic Acid Fluorescence Visualization: Time for a Headlamp/Loupe Combination.. <i>World Neurosurgery</i> , 2021 , 159, 136-136	2.1	0
153	Salvage resection of recurrent previously irradiated brain metastases: tumor control and radiation necrosis dependency on adjuvant re-irradiation. <i>Journal of Neuro-Oncology</i> , 2021 , 155, 277-286	4.8	2
152	PRMT6 methylation of RCC1 regulates mitosis, tumorigenicity, and radiation response of glioblastoma stem cells. <i>Molecular Cell</i> , 2021 , 81, 1276-1291.e9	17.6	9
151	The effect of surgery on radiation necrosis in irradiated brain metastases: extent of resection and long-term clinical and radiographic outcomes. <i>Journal of Neuro-Oncology</i> , 2021 , 153, 507-518	4.8	7
150	Durable 5-year local control for resected brain metastases with early adjuvant SRS: the effect of timing on intended-field control. <i>Neuro-Oncology Practice</i> , 2021 , 8, 278-289	2.2	5
149	Mechanisms of stearyl CoA desaturase inhibitor sensitivity and acquired resistance in cancer. <i>Science Advances</i> , 2021 , 7,	14.3	8
148	Cerebrospinal fluid diversion for leptomeningeal metastasis: palliative, procedural and oncologic outcomes. <i>Journal of Neuro-Oncology</i> , 2021 , 154, 301-313	4.8	1
147	SURG-03. The effect of surgery on radiation necrosis in irradiated brain metastases: extent of resection and long-term clinical and radiographic outcomes. <i>Neuro-Oncology Advances</i> , 2021 , 3, iii23-iii24	0.9	78
146	Risk of tract recurrence with stereotactic biopsy of brain metastases: an 18-year cancer center experience. <i>Journal of Neurosurgery</i> , 2021 , 1-7	3.2	1
145	Defining phenotypic and functional heterogeneity of glioblastoma stem cells by mass cytometry. <i>JCI Insight</i> , 2021 , 6,	9.9	4
144	Genetic and epigenetic landscape of IDH-wildtype glioblastomas with FGFR3-TACC3 fusions. <i>Acta Neuropathologica Communications</i> , 2020 , 8, 186	7.3	9
143	Interrogation of the Microenvironmental Landscape in Brain Tumors Reveals Disease-Specific Alterations of Immune Cells. <i>Cell</i> , 2020 , 181, 1643-1660.e17	56.2	200
142	Phase II Multicenter, Open-Label Study of Oral ENMD-2076 for the Treatment of Patients with Advanced Fibrolamellar Carcinoma. <i>Oncologist</i> , 2020 , 25, e1837-e1845	5.7	9
141	Ultrasmall Core-Shell Silica Nanoparticles for Precision Drug Delivery in a High-Grade Malignant Brain Tumor Model. <i>Clinical Cancer Research</i> , 2020 , 26, 147-158	12.9	34
140	Cell Lineage-Based Stratification for Glioblastoma. <i>Cancer Cell</i> , 2020 , 38, 366-379.e8	24.3	23
139	LY6K promotes glioblastoma tumorigenicity via CAV-1-mediated ERK1/2 signaling enhancement. <i>Neuro-Oncology</i> , 2020 , 22, 1315-1326	1	7

138	Temporal Lobe Necrosis in Head and Neck Cancer Patients after Proton Therapy to the Skull Base. <i>International Journal of Particle Therapy</i> , 2020 , 6, 17-28	1.5	8
137	F-Fluorocholine PET uptake correlates with pathologic evidence of recurrent tumor after stereotactic radiosurgery for brain metastases. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2020 , 47, 1446-1457	8.8	9
136	Molecular Engineering of Ultrasmall Silica Nanoparticle-Drug Conjugates as Lung Cancer Therapeutics. <i>Clinical Cancer Research</i> , 2020 , 26, 5424-5437	12.9	9
135	Development of a gene expression-based prognostic signature for IDH wild-type glioblastoma. <i>Neuro-Oncology</i> , 2020 , 22, 1742-1756	1	7
134	Human Mesenchymal glioblastomas are characterized by an increased immune cell presence compared to Proneural and Classical tumors. <i>OncolImmunology</i> , 2019 , 8, e1655360	7.2	40
133	Tracking tumour evolution in glioma through liquid biopsies of cerebrospinal fluid. <i>Nature</i> , 2019 , 565, 654-658	50.4	214
132	EGFR amplification and classical subtype are associated with a poor response to bevacizumab in recurrent glioblastoma. <i>Journal of Neuro-Oncology</i> , 2019 , 142, 337-345	4.8	18
131	Sequencing and curation strategies for identifying candidate glioblastoma treatments. <i>BMC Medical Genomics</i> , 2019 , 12, 56	3.7	5
130	Mutant and Wild-Type Isocitrate Dehydrogenase 1 Share Enhancing Mechanisms Involving Distinct Tyrosine Kinase Cascades in Cancer. <i>Cancer Discovery</i> , 2019 , 9, 756-777	24.4	13
129	Genomic Correlates of Disease Progression and Treatment Response in Prospectively Characterized Gliomas. <i>Clinical Cancer Research</i> , 2019 , 25, 5537-5547	12.9	48
128	Tumor mutational load predicts survival after immunotherapy across multiple cancer types. <i>Nature Genetics</i> , 2019 , 51, 202-206	36.3	1435
127	Incidence of Prolonged Systemic Steroid Treatment after Surgery for Acoustic Neuroma and Its Implications. <i>Journal of Neurological Surgery, Part B: Skull Base</i> , 2018 , 79, 559-568	1.5	
126	Intracranial metastasis in fibrolamellar hepatocellular carcinoma. <i>Pediatric Blood and Cancer</i> , 2018 , 65, e26919	3	3
125	Thalamic Glioblastoma: Clinical Presentation, Management Strategies, and Outcomes. <i>Neurosurgery</i> , 2018 , 83, 76-85	3.2	23
124	Adaptive Global Innovative Learning Environment for Glioblastoma: GBM AGILE. <i>Clinical Cancer Research</i> , 2018 , 24, 737-743	12.9	97
123	Genome-wide methylomic and transcriptomic analyses identify subtype-specific epigenetic signatures commonly dysregulated in glioma stem cells and glioblastoma. <i>Epigenetics</i> , 2018 , 13, 432-448	5.7	25
122	Mutant-IDH1-dependent chromatin state reprogramming, reversibility, and persistence. <i>Nature Genetics</i> , 2018 , 50, 62-72	36.3	86
121	Multicenter Phase IB Trial of Carboxyamidotriazole Orotate and Temozolomide for Recurrent and Newly Diagnosed Glioblastoma and Other Anaplastic Gliomas. <i>Journal of Clinical Oncology</i> , 2018 , 36, 1702-1709	2.2	27

120	Metabolic Imaging of the Human Brain with Hyperpolarized C Pyruvate Demonstrates C Lactate Production in Brain Tumor Patients. <i>Cancer Research</i> , 2018 , 78, 3755-3760	10.1	127
119	Multicenter phase II study of temozolomide and myeloablative chemotherapy with autologous stem cell transplant for newly diagnosed anaplastic oligodendroglioma. <i>Neuro-Oncology</i> , 2017 , 19, 1380-1390	20	
118	Ibrutinib Unmasks Critical Role of Bruton Tyrosine Kinase in Primary CNS Lymphoma. <i>Cancer Discovery</i> , 2017 , 7, 1018-1029	24.4	201
117	Prior malignancies in patients harboring glioblastoma: an institutional case-study of 2164 patients. <i>Journal of Neuro-Oncology</i> , 2017 , 134, 245-251	4.8	5
116	Clinical outcomes of patients with limited brain metastases treated with hypofractionated (58Gy) conformal radiotherapy. <i>Radiotherapy and Oncology</i> , 2017 , 123, 203-208	5.3	12
115	Integrating Proteomics and Transcriptomics for Systematic Combinatorial Chimeric Antigen Receptor Therapy of AML. <i>Cancer Cell</i> , 2017 , 32, 506-519.e5	24.3	146
114	FGFR-TACC approaches the first turn in the race for targetable GBM mutations. <i>Neuro-Oncology</i> , 2017 , 19, 461-462	1	1
113	Genetic driver mutations define the expression signature and microenvironmental composition of high-grade gliomas. <i>Glia</i> , 2017 , 65, 1914-1926	9	37
112	EGFR and PDGFRA co-expression and heterodimerization in glioblastoma tumor sphere lines. <i>Scientific Reports</i> , 2017 , 7, 9043	4.9	21
111	Concurrence of chromosome 6 chromothripsis and glioblastoma metastasis. <i>Journal of Neurosurgery</i> , 2017 , 126, 1472-1478	3.2	4
110	Systematic Combinatorial Chimeric Antigen Receptor Therapies to AML. <i>Blood</i> , 2017 , 130, 856-856	2.2	
109	Macrophage Ontogeny Underlies Differences in Tumor-Specific Education in Brain Malignancies. <i>Cell Reports</i> , 2016 , 17, 2445-2459	10.6	293
108	Probing the AML Surfaceome for Chimeric Antigen Receptor (CAR) Targets. <i>Blood</i> , 2016 , 128, 526-526	2.2	1
107	Comprehensive, Integrative Genomic Analysis of Diffuse Lower-Grade Gliomas. <i>New England Journal of Medicine</i> , 2015 , 372, 2481-98	59.2	1828
106	Ultrasml dual-modality silica nanoparticle drug conjugates: Design, synthesis, and characterization. <i>Bioorganic and Medicinal Chemistry</i> , 2015 , 23, 7119-30	3.4	22
105	Long-term risk of radionecrosis and imaging changes after stereotactic radiosurgery for brain metastases. <i>Journal of Neuro-Oncology</i> , 2015 , 125, 149-56	4.8	165
104	Glutamine-based PET imaging facilitates enhanced metabolic evaluation of gliomas in vivo. <i>Science Translational Medicine</i> , 2015 , 7, 274ra17	17.5	206
103	CLK2 Is an Oncogenic Kinase and Splicing Regulator in Breast Cancer. <i>Cancer Research</i> , 2015 , 75, 1516-26	10.1	51

102	Transcriptional diversity of long-term glioblastoma survivors. <i>Neuro-Oncology</i> , 2014 , 16, 1186-95	1	55
101	Genomic analysis of diffuse intrinsic pontine gliomas identifies three molecular subgroups and recurrent activating ACVR1 mutations. <i>Nature Genetics</i> , 2014 , 46, 451-6	36.3	411
100	Paediatric and adult glioblastoma: multiform (epi)genomic culprits emerge. <i>Nature Reviews Cancer</i> , 2014 , 14, 92-107	31.3	383
99	Phase II study of bevacizumab, temozolomide, and hypofractionated stereotactic radiotherapy for newly diagnosed glioblastoma. <i>Clinical Cancer Research</i> , 2014 , 20, 5023-31	12.9	70
98	Suppression of microRNA-9 by mutant EGFR signaling upregulates FOXP1 to enhance glioblastoma tumorigenicity. <i>Cancer Research</i> , 2014 , 74, 1429-39	10.1	53
97	Loss of the tyrosine phosphatase PTPRD leads to aberrant STAT3 activation and promotes gliomagenesis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014 , 111, 8149-54	11.5	57
96	Outcomes and prognostic factors in women with 1 to 3 breast cancer brain metastases treated with definitive stereotactic radiosurgery. <i>International Journal of Radiation Oncology Biology Physics</i> , 2014 , 90, 518-25	4	23
95	Acute inflammatory reactions to hemostatic materials mimicking post-operative intracranial abscess. <i>Interdisciplinary Neurosurgery: Advanced Techniques and Case Management</i> , 2014 , 1, 5-7	0.5	4
94	A phase 2 trial of stereotactic radiosurgery boost after surgical resection for brain metastases. <i>International Journal of Radiation Oncology Biology Physics</i> , 2014 , 88, 130-6	4	173
93	TRIM3, a tumor suppressor linked to regulation of p21(Waf1/Cip1.). <i>Oncogene</i> , 2014 , 33, 308-15	9.2	38
92	Sleeping Beauty mouse models identify candidate genes involved in gliomagenesis. <i>PLoS ONE</i> , 2014 , 9, e113489	3.7	16
91	Emerging therapies for glioblastoma. <i>JAMA Neurology</i> , 2014 , 71, 1437-44	17.2	123
90	The Somatic Genomic Landscape of Glioblastoma. <i>Cell</i> , 2014 , 157, 753	56.2	29
89	Quantitative assessment of intragenic receptor tyrosine kinase deletions in primary glioblastomas: their prevalence and molecular correlates. <i>Acta Neuropathologica</i> , 2014 , 127, 747-59	14.3	21
88	Genomic analysis of non-NF2 meningiomas reveals mutations in TRAF7, KLF4, AKT1, and SMO. <i>Science</i> , 2013 , 339, 1077-80	33.3	508
87	The somatic genomic landscape of glioblastoma. <i>Cell</i> , 2013 , 155, 462-77	56.2	2900
86	A brain tumor molecular imaging strategy using a new triple-modality MRI-photoacoustic-Raman nanoparticle 2013 ,		1
85	Tumor-infiltrating lymphocytes in glioblastoma are associated with specific genomic alterations and related to transcriptional class. <i>Clinical Cancer Research</i> , 2013 , 19, 4951-60	12.9	134

84	CSF-1R inhibition alters macrophage polarization and blocks glioma progression. <i>Nature Medicine</i> , 2013 , 19, 1264-72	50.5	1294
83	An inhibitor of mutant IDH1 delays growth and promotes differentiation of glioma cells. <i>Science</i> , 2013 , 340, 626-30	33.3	855
82	Double minute chromosomes in glioblastoma multiforme are revealed by precise reconstruction of oncogenic amplicons. <i>Cancer Research</i> , 2013 , 73, 6036-45	10.1	67
81	A survey of intragenic breakpoints in glioblastoma identifies a distinct subset associated with poor survival. <i>Genes and Development</i> , 2013 , 27, 1462-72	12.6	50
80	Efficient induction of differentiation and growth inhibition in IDH1 mutant glioma cells by the DNMT Inhibitor Decitabine. <i>Oncotarget</i> , 2013 , 4, 1729-36	3.3	171
79	Recurrent somatic TET2 mutations in normal elderly individuals with clonal hematopoiesis. <i>Nature Genetics</i> , 2012 , 44, 1179-81	36.3	552
78	microRNA regulatory network inference identifies miR-34a as a novel regulator of TGF- β signaling in glioblastoma. <i>Cancer Discovery</i> , 2012 , 2, 736-49	24.4	90
77	Differential sensitivity of glioma- versus lung cancer-specific EGFR mutations to EGFR kinase inhibitors. <i>Cancer Discovery</i> , 2012 , 2, 458-71	24.4	240
76	Candidate pathways for promoting differentiation or quiescence of oligodendrocyte progenitor-like cells in glioma. <i>Cancer Research</i> , 2012 , 72, 4856-68	10.1	49
75	Passenger deletions generate therapeutic vulnerabilities in cancer. <i>Nature</i> , 2012 , 488, 337-42	50.4	224
74	MEF promotes stemness in the pathogenesis of gliomas. <i>Cell Stem Cell</i> , 2012 , 11, 836-44	18	27
73	A brain tumor molecular imaging strategy using a new triple-modality MRI-photoacoustic-Raman nanoparticle. <i>Nature Medicine</i> , 2012 , 18, 829-34	50.5	847
72	Protein phosphatase 2A mediates dormancy of glioblastoma multiforme-derived tumor stem-like cells during hypoxia. <i>PLoS ONE</i> , 2012 , 7, e30059	3.7	47
71	Emerging insights into the molecular and cellular basis of glioblastoma. <i>Genes and Development</i> , 2012 , 26, 756-84	12.6	388
70	The role of radiotherapy following gross-total resection of atypical meningiomas. <i>Journal of Neurosurgery</i> , 2012 , 117, 679-86	3.2	134
69	Intratumoral heterogeneity of receptor tyrosine kinases EGFR and PDGFRA amplification in glioblastoma defines subpopulations with distinct growth factor response. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012 , 109, 3041-6	11.5	381
68	Integrated genomic analyses of ovarian carcinoma. <i>Nature</i> , 2011 , 474, 609-15	50.4	5210
67	Recruited cells can become transformed and overtake PDGF-induced murine gliomas in vivo during tumor progression. <i>PLoS ONE</i> , 2011 , 6, e20605	3.7	66

66	Stereotactic brain biopsy with a low-field intraoperative magnetic resonance imager. <i>Operative Neurosurgery</i> , 2011 , 68, 217-24; discussion 224	1.6	10
65	Magnetic resonance spectroscopy imaging in radiotherapy planning for recurrent glioma. <i>Medical Physics</i> , 2011 , 38, 2724-30	4.4	5
64	Neurosurgery for brain tumors: update on recent technical advances. <i>Current Neurology and Neuroscience Reports</i> , 2011 , 11, 313-9	6.6	70
63	Genomic profiles of glioma. <i>Current Neurology and Neuroscience Reports</i> , 2011 , 11, 291-7	6.6	34
62	Molecular subclassification of diffuse gliomas: seeing order in the chaos. <i>Glia</i> , 2011 , 59, 1190-9	9	180
61	Genomic dissection of the epidermal growth factor receptor (EGFR)/PI3K pathway reveals frequent deletion of the EGFR phosphatase PTPRS in head and neck cancers. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011 , 108, 19024-9	11.5	81
60	18F-fluorodeoxy-glucose positron emission tomography marks MYC-overexpressing human basal-like breast cancers. <i>Cancer Research</i> , 2011 , 71, 5164-74	10.1	101
59	Splicing factor hnRNPH drives an oncogenic splicing switch in gliomas. <i>EMBO Journal</i> , 2011 , 30, 4084-97	13	110
58	Glioblastoma stem-like cells give rise to tumour endothelium. <i>Nature</i> , 2010 , 468, 829-33	50.4	940
57	Identification of DOK genes as lung tumor suppressors. <i>Nature Genetics</i> , 2010 , 42, 216-23	36.3	91
56	Integrative genome comparison of primary and metastatic melanomas. <i>PLoS ONE</i> , 2010 , 5, e10770	3.7	129
55	PDGFRA gene rearrangements are frequent genetic events in PDGFRA-amplified glioblastomas. <i>Genes and Development</i> , 2010 , 24, 2205-18	12.6	152
54	Tumor heterogeneity is an active process maintained by a mutant EGFR-induced cytokine circuit in glioblastoma. <i>Genes and Development</i> , 2010 , 24, 1731-45	12.6	385
53	Mig-6 controls EGFR trafficking and suppresses gliomagenesis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010 , 107, 6912-7	11.5	91
52	The phosphatase and tensin homolog regulates epidermal growth factor receptor (EGFR) inhibitor response by targeting EGFR for degradation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010 , 107, 6459-64	11.5	87
51	Glioma oncoprotein Bcl2L12 inhibits the p53 tumor suppressor. <i>Genes and Development</i> , 2010 , 24, 2194-204	20.6	63
50	Advanced imaging in brain tumor surgery. <i>Neuroimaging Clinics of North America</i> , 2010 , 20, 311-35	3	19
49	Perivascular nitric oxide activates notch signaling and promotes stem-like character in PDGF-induced glioma cells. <i>Cell Stem Cell</i> , 2010 , 6, 141-52	18	408

48	Integrated genomic analysis identifies clinically relevant subtypes of glioblastoma characterized by abnormalities in PDGFRA, IDH1, EGFR, and NF1. <i>Cancer Cell</i> , 2010 , 17, 98-110	24.3	4782
47	PLAGL2 regulates Wnt signaling to impede differentiation in neural stem cells and gliomas. <i>Cancer Cell</i> , 2010 , 17, 497-509	24.3	189
46	Loss of ATM/Chk2/p53 pathway components accelerates tumor development and contributes to radiation resistance in gliomas. <i>Cancer Cell</i> , 2010 , 18, 619-29	24.3	183
45	Loss of imprinting and marked gene elevation are 2 forms of aberrant IGF2 expression in colorectal cancer. <i>International Journal of Cancer</i> , 2010 , 127, 568-77	7.5	50
44	The tyrosine phosphatase PTPRD is a tumor suppressor that is frequently inactivated and mutated in glioblastoma and other human cancers. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009 , 106, 9435-40	11.5	196
43	The PTEN-regulating microRNA miR-26a is amplified in high-grade glioma and facilitates gliomagenesis in vivo. <i>Genes and Development</i> , 2009 , 23, 1327-37	12.6	403
42	Glioblastoma subclasses can be defined by activity among signal transduction pathways and associated genomic alterations. <i>PLoS ONE</i> , 2009 , 4, e7752	3.7	390
41	Proteasomal and genetic inactivation of the NF1 tumor suppressor in gliomagenesis. <i>Cancer Cell</i> , 2009 , 16, 44-54	24.3	113
40	An integrated genomic analysis of lung cancer reveals loss of DUSP4 in EGFR-mutant tumors. <i>Oncogene</i> , 2009 , 28, 2773-83	9.2	185
39	PTEN/PI3K/Akt pathway regulates the side population phenotype and ABCG2 activity in glioma tumor stem-like cells. <i>Cell Stem Cell</i> , 2009 , 4, 226-35	18	647
38	Presurgical evaluation of language using functional magnetic resonance imaging in brain tumor patients with previous surgery. <i>Neurosurgery</i> , 2009 , 64, 644-52; discussion 652-3	3.2	36
37	Comprehensive genomic characterization defines human glioblastoma genes and core pathways. <i>Nature</i> , 2008 , 455, 1061-8	50.4	5669
36	p53 and Pten control neural and glioma stem/progenitor cell renewal and differentiation. <i>Nature</i> , 2008 , 455, 1129-33	50.4	565
35	Feedback circuit among INK4 tumor suppressors constrains human glioblastoma development. <i>Cancer Cell</i> , 2008 , 13, 355-64	24.3	101
34	Intraoperative magnetic resonance imaging at 3-T using a dual independent operating room-magnetic resonance imaging suite: development, feasibility, safety, and preliminary experience. <i>Neurosurgery</i> , 2008 , 63, 412-24; discussion 424-6	3.2	42
33	Assessment of the language laterality index in patients with brain tumor using functional MR imaging: effects of thresholding, task selection, and prior surgery. <i>American Journal of Neuroradiology</i> , 2008 , 29, 528-35	4.4	75
32	Pten and p53 converge on c-Myc to control differentiation, self-renewal, and transformation of normal and neoplastic stem cells in glioblastoma. <i>Cold Spring Harbor Symposia on Quantitative Biology</i> , 2008 , 73, 427-37	3.9	93
31	Clinical characterization of human metapneumovirus infection among patients with cancer. <i>Journal of Infection</i> , 2008 , 57, 464-71	18.9	45

30	Coactivation of receptor tyrosine kinases affects the response of tumor cells to targeted therapies. <i>Science</i> , 2007 , 318, 287-90	33.3	748
29	Chromosomally unstable mouse tumours have genomic alterations similar to diverse human cancers. <i>Nature</i> , 2007 , 447, 966-71	50.4	327
28	Malignant astrocytic glioma: genetics, biology, and paths to treatment. <i>Genes and Development</i> , 2007 , 21, 2683-710	12.6	1682
27	MET amplification occurs with or without T790M mutations in EGFR mutant lung tumors with acquired resistance to gefitinib or erlotinib. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007 , 104, 20932-7	11.5	1395
26	Common and distinct genomic events in sporadic colorectal cancer and diverse cancer types. <i>Cancer Research</i> , 2007 , 67, 10736-43	10.1	59
25	Hypofractionated stereotactic radiotherapy using intensity-modulated radiotherapy in patients with one or two brain metastases. <i>Stereotactic and Functional Neurosurgery</i> , 2007 , 85, 82-7	1.6	67
24	High-resolution genomic profiles define distinct clinico-pathogenetic subgroups of multiple myeloma patients. <i>Cancer Cell</i> , 2006 , 9, 313-25	24.3	353
23	Marked genomic differences characterize primary and secondary glioblastoma subtypes and identify two distinct molecular and clinical secondary glioblastoma entities. <i>Cancer Research</i> , 2006 , 66, 11502-13	10.1	159
22	Combined cDNA array comparative genomic hybridization and serial analysis of gene expression analysis of breast tumor progression. <i>Cancer Research</i> , 2006 , 66, 4065-78	10.1	134
21	Both p16(Ink4a) and the p19(Arf)-p53 pathway constrain progression of pancreatic adenocarcinoma in the mouse. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006 , 103, 5947-52	11.5	463
20	A genome-wide screen reveals functional gene clusters in the cancer genome and identifies EphA2 as a mitogen in glioblastoma. <i>Cancer Research</i> , 2006 , 66, 10815-23	10.1	96
19	Comparative oncogenomics identifies NEDD9 as a melanoma metastasis gene. <i>Cell</i> , 2006 , 125, 1269-81	56.2	352
18	Discordance between functional magnetic resonance imaging during silent speech tasks and intraoperative speech arrest. <i>Journal of Neurosurgery</i> , 2005 , 103, 267-74	3.2	49
17	High-resolution genomic profiles of human lung cancer. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005 , 102, 9625-30	11.5	326
16	Common and contrasting genomic profiles among the major human lung cancer subtypes. <i>Cold Spring Harbor Symposia on Quantitative Biology</i> , 2005 , 70, 11-24	3.9	18
15	DNA amplification method tolerant to sample degradation. <i>Genome Research</i> , 2004 , 14, 2357-66	9.7	73
14	High-resolution global profiling of genomic alterations with long oligonucleotide microarray. <i>Cancer Research</i> , 2004 , 64, 4744-8	10.1	122
13	Reprogramming of a melanoma genome by nuclear transplantation. <i>Genes and Development</i> , 2004 , 18, 1875-85	12.6	274

12	Balanced-PCR amplification allows unbiased identification of genomic copy changes in minute cell and tissue samples. <i>Nucleic Acids Research</i> , 2004 , 32, e76	20.1	52
11	High-resolution characterization of the pancreatic adenocarcinoma genome. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004 , 101, 9067-72	11.5	228
10	Molecular diversity of astrocytes with implications for neurological disorders. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004 , 101, 8384-9	11.5	185
9	Molecular characterization of the tumor microenvironment in breast cancer. <i>Cancer Cell</i> , 2004 , 6, 17-32	24.3	1038
8	Comprehensive Genome-Wide Profile of Regional Gains and Losses in Multiple Myeloma Using Array-CGH: The 1q21 Amplification and Potential Role of the BCL-9 Gene in Multiple Myeloma Pathogenesis.. <i>Blood</i> , 2004 , 104, 785-785	2.2	4
7	Isolated translocation of Wernicke's area to the right hemisphere in a 62-year-man with a temporo-parietal glioma. <i>American Journal of Neuroradiology</i> , 2004 , 25, 130-3	4.4	50
6	Nuclear cloning of embryonal carcinoma cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004 , 101, 13985-90	11.5	88
5	Array comparative genome hybridization for tumor classification and gene discovery in mouse models of malignant melanoma. <i>Cancer Research</i> , 2003 , 63, 5352-6	10.1	31
4	A principal components-based method for the detection of neuronal activity maps: application to optical imaging. <i>NeuroImage</i> , 2000 , 11, 313-25	7.9	31
3	Concordance between functional magnetic resonance imaging and intraoperative language mapping. <i>Stereotactic and Functional Neurosurgery</i> , 1999 , 72, 95-102	1.6	86
2	Extrageniculate vision in hemianopic humans: saccade inhibition by signals in the blind field. <i>Science</i> , 1990 , 250, 118-21	33.3	258
1	Saccade preparation inhibits reorienting to recently attended locations.. <i>Journal of Experimental Psychology: Human Perception and Performance</i> , 1989 , 15, 673-685	2.6	431