

# Katarzyna Mizia-Stec

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/912806/katarzyna-mizia-stec-publications-by-citations.pdf>

**Version:** 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

147  
papers

967  
citations

17  
h-index

24  
g-index

197  
ext. papers

1,190  
ext. citations

2  
avg, IF

3.95  
L-index

#	Paper	IF	Citations
147	Serum tumour necrosis factor-alpha, interleukin-2 and interleukin-10 activation in stable angina and acute coronary syndromes. <i>Coronary Artery Disease</i> , <b>2003</b> , 14, 431-8	1.4	76
146	The Cardiomyopathy Registry of the EURObservational Research Programme of the European Society of Cardiology: baseline data and contemporary management of adult patients with cardiomyopathies. <i>European Heart Journal</i> , <b>2018</b> , 39, 1784-1793	9.5	60
145	Omega-3 fatty acids supplementation improves endothelial function and maximal oxygen uptake in endurance-trained athletes. <i>European Journal of Sport Science</i> , <b>2015</b> , 15, 305-14	3.9	43
144	Neurocardiogenic injury in subarachnoid hemorrhage: A wide spectrum of catecholamin-mediated brain-heart interactions. <i>Cardiology Journal</i> , <b>2014</b> , 21, 220-8	1.4	40
143	N-3 polyunsaturated fatty acids early supplementation improves ultrasound indices of endothelial function, but not through NO inhibitors in patients with acute myocardial infarction: N-3 PUFA supplementation in acute myocardial infarction. <i>Clinical Nutrition</i> , <b>2011</b> , 30, 79-85	5.9	32
142	Serum levels of selected adhesion molecules in patients with coronary artery disease. <i>International Journal of Cardiology</i> , <b>2002</b> , 83, 143-50	3.2	27
141	The indexes of arterial structure and function in women with simple obesity: a preliminary study. <i>Heart and Vessels</i> , <b>2008</b> , 23, 224-9	2.1	25
140	Effects of n-3 polyunsaturated fatty acids on depressive symptoms, anxiety and emotional state in patients with acute myocardial infarction. <i>Pharmacological Reports</i> , <b>2013</b> , 65, 59-68	3.9	24
139	Characterization of Patients with Pulmonary Arterial Hypertension: Data from the Polish Registry of Pulmonary Hypertension (BNP-PL). <i>Journal of Clinical Medicine</i> , <b>2020</b> , 9,	5.1	23
138	Stress cardiomyopathy: yet another type of neurocardiogenic injury: <del>R</del> stress cardiomyopathyR <i>Cardiovascular Pathology</i> , <b>2014</b> , 23, 113-20	3.8	21
137	Severe dilated cardiomyopathy as a consequence of Ecstasy intake. <i>Cardiovascular Pathology</i> , <b>2008</b> , 17, 250-3	3.8	21
136	Flow-mediated dilation and gender in patients with coronary artery disease: arterial size influences gender differences in flow-mediated dilation. <i>Echocardiography</i> , <b>2007</b> , 24, 1051-7	1.5	21
135	Cigarette smoking and inflammatory indices in coronary artery disease. <i>International Journal of Cardiology</i> , <b>2004</b> , 93, 169-74	3.2	21
134	Hyperlipidaemias and serum cytokines in patients with coronary artery disease. <i>Acta Cardiologica</i> , <b>2003</b> , 58, 9-15	0.9	19
133	Treatment of chronic thromboembolic pulmonary hypertension in a multidisciplinary team. <i>Therapeutic Advances in Respiratory Disease</i> , <b>2019</b> , 13, 1753466619891529	4.9	19
132	Low plasma renalase concentration in hypertensive patients after surgical repair of coarctation of aorta. <i>Journal of the American Society of Hypertension</i> , <b>2014</b> , 8, 464-74		18
131	Pre-procedural renal resistive index accurately predicts contrast-induced acute kidney injury in patients with preserved renal function submitted to coronary angiography. <i>International Journal of Cardiovascular Imaging</i> , <b>2017</b> , 33, 595-604	2.5	17

130	Augmentation of central arterial pressure in adult patients after coarctation repair. <i>Blood Pressure Monitoring</i> , <b>2011</b> , 16, 22-8	1.3	17
129	Parameters of arterial function and structure in adult patients after coarctation repair. <i>Heart and Vessels</i> , <b>2011</b> , 26, 414-20	2.1	16
128	Prediction of contrast-induced acute kidney injury by early post-procedural analysis of urinary biomarkers and intra-renal Doppler flow indices in patients undergoing coronary angiography. <i>Journal of Interventional Cardiology</i> , <b>2017</b> , 30, 465-472	1.8	15
127	Prothrombotic fibrin clot properties associated with NETs formation characterize acute pulmonary embolism patients with higher mortality risk. <i>Scientific Reports</i> , <b>2020</b> , 10, 11433	4.9	15
126	Inflammatory markers in a 2-year follow-up of coronary artery disease. <i>Heart and Vessels</i> , <b>2006</b> , 21, 302-8.	2.1	14
125	Selected cytokines and soluble forms of cytokine receptors in coronary artery disease. <i>European Journal of Internal Medicine</i> , <b>2002</b> , 13, 115-122	3.9	13
124	Anthracycline chemotherapy impairs the structure and diastolic function of the left ventricle and induces negative arterial remodelling. <i>Kardiologia Polska</i> , <b>2013</b> , 71, 681-90	0.9	13
123	Preoperative quantification of aortic valve stenosis: comparison of 64-slice computed tomography with transesophageal and transthoracic echocardiography and size of implanted prosthesis. <i>International Journal of Cardiovascular Imaging</i> , <b>2012</b> , 28, 343-52	2.5	12
122	Renalase and Biomarkers of Contrast-Induced Acute Kidney Injury. <i>CardioRenal Medicine</i> , <b>2015</b> , 6, 25-36	2.8	11
121	Andersen-Tawil syndrome: Clinical presentation and predictors of symptomatic arrhythmias - Possible role of polymorphisms K897T in KCNH2 and H558R in SCN5A gene. <i>Journal of Cardiology</i> , <b>2017</b> , 70, 504-510	3	10
120	Lower soluble Klotho and higher fibroblast growth factor 23 serum levels are associated with episodes of atrial fibrillation. <i>Cytokine</i> , <b>2018</b> , 111, 106-111	4	10
119	Adipokines and endothelial dysfunction in acute myocardial infarction and the risk of recurrent cardiovascular events. <i>Journal of Cardiovascular Medicine</i> , <b>2015</b> , 16, 37-44	1.9	10
118	Database of Pulmonary Hypertension in the Polish Population (BNP-PL): design of the registry. <i>Kardiologia Polska</i> , <b>2019</b> , 77, 972-974	0.9	10
117	Urinary renalase concentration in patients with preserved kidney function undergoing coronary angiography. <i>Nephrology</i> , <b>2018</b> , 23, 133-138	2.2	9
116	Asymmetric dimethylarginine and vascular indices of atherosclerosis in patients after coarctation of aorta repair. <i>International Journal of Cardiology</i> , <b>2012</b> , 158, 364-9	3.2	9
115	N-3 Polyunsaturated fatty acid therapy improves endothelial function and affects adiponectin and resistin balance in the first month after myocardial infarction. <i>Archives of Medical Science</i> , <b>2011</b> , 7, 788-95	2.9	9
114	Causes of hospitalization and prognosis in patients with cardiovascular diseases. Secular trends in the years 2006-2014 according to the Silesian CARDiovascular (SILCARD) database. <i>Polish Archives of Internal Medicine</i> , <b>2016</b> , 126, 754-762	1.9	9
113	Ghrelin as a potential blood pressure reducing factor in obese women during weight loss treatment. <i>Endokrynologia Polska</i> , <b>2008</b> , 59, 207-11	1.1	8

112	In-stent coronary restenosis, but not the type of stent, is associated with impaired endothelial-dependent vasodilatation. <i>Kardiologia Polska</i> , <b>2009</b> , 67, 9-17; discussion 18	0.9	8
111	The use of iloprost in the treatment of $\frac{1}{3}$ of proportion $\frac{1}{3}$ pulmonary hypertension in chronic obstructive pulmonary disease. <i>International Journal of Clinical Pharmacy</i> , <b>2013</b> , 35, 313-5	2.3	7
110	Copeptin constitutes a novel biomarker of degenerative aortic stenosis. <i>Heart and Vessels</i> , <b>2013</b> , 28, 613-9	2.1	7
109	Effects of pantoprazole on dual antiplatelet therapy in stable angina pectoris patients after percutaneous coronary intervention. <i>Pharmacological Reports</i> , <b>2012</b> , 64, 360-8	3.9	7
108	Tilt table testing in obesity. <i>International Journal of Cardiology</i> , <b>2003</b> , 88, 43-8	3.2	7
107	N-3 polyunsaturated fatty acids do not influence the efficacy of dual antiplatelet therapy in stable angina pectoris patients after percutaneous coronary intervention. <i>Cardiology Journal</i> , <b>2013</b> , 20, 478-85	1.4	7
106	Recommendation for the management of dyslipidemia in Poland - Third Declaration of Sopot. Interdisciplinary Expert Position Statement endorsed by the Polish Cardiac Society Working Group on Cardiovascular Pharmacotherapy. <i>Cardiology Journal</i> , <b>2018</b> , 25, 655-665	1.4	7
105	Tissue Doppler echocardiography detects subclinical left ventricular dysfunction in patients undergoing chemotherapy for colon cancer: insights from ONCOECHO multicentre study. <i>Kardiologia Polska</i> , <b>2017</b> , 75, 150-156	0.9	7
104	Characteristics and outcomes of patients with chronic thromboembolic pulmonary hypertension in the era of modern therapeutic approaches: data from the Polish multicenter registry (BNP-PL). <i>Therapeutic Advances in Chronic Disease</i> , <b>2021</b> , 12, 20406223211002961	4.9	7
103	Pharmacological Cardioversion With Antazoline in Atrial Fibrillation: The Results of the CANT Study. <i>Journal of the American Heart Association</i> , <b>2018</b> , 7, e010153	6	7
102	Plasma Level of Retinol-Binding Protein 4, N-Terminal proBNP and Renal Function in Older Patients Hospitalized for Heart Failure. <i>CardioRenal Medicine</i> , <b>2018</b> , 8, 237-248	2.8	7
101	Preserved contractile reserve in a dobutamine test for the prediction of a response to resynchronisation therapy in ischaemic and non-ischaemic cardiomyopathy--a multicenter ViaCRT study. <i>International Journal of Cardiology</i> , <b>2014</b> , 172, 476-7	3.2	6
100	Contrast-induced acute kidney injury: the dark side of cardiac catheterization. <i>Polish Archives of Internal Medicine</i> , <b>2015</b> , 125, 938-49	1.9	6
99	Perception of health control and self-efficacy in heart failure. <i>Kardiologia Polska</i> , <b>2016</b> , 74, 168-178	0.9	6
98	Atrial fibrillation, anticoagulation management and risk of stroke in the Cardiomyopathy/Myocarditis registry of the EURObservational Research Programme of the European Society of Cardiology. <i>ESC Heart Failure</i> , <b>2020</b> , 7, 3601	3.7	6
97	CHA2DS2-Vasc score, age and body mass index as the main risk factors of hyperintense brain lesions in asymptomatic patients with paroxysmal non-valvular atrial fibrillation. <i>International Journal of Cardiology</i> , <b>2016</b> , 215, 476-81	3.2	6
96	Left Ventricular Systolic Function Assessed by Speckle Tracking Echocardiography in Athletes with and without Left Ventricle Hypertrophy. <i>Journal of Clinical Medicine</i> , <b>2019</b> , 8,	5.1	5
95	Echocardiographic evaluation of myocardial strain in patients after transcatheter aortic valve implantation. <i>Postępy W Kardiologii Interwencyjnej</i> , <b>2015</b> , 11, 95-9	0.4	5

94	On the search for the right definition of heart failure with preserved ejection fraction. <i>Cardiology Journal</i> , <b>2020</b> , 27, 449-468	1.4	5
93	Flow-mediated dilatation (FMD) and prevalence of cardiovascular risk factors: the value of FMD assessment in high risk patients is limited. <i>Kardiologia Polska</i> , <b>2014</b> , 72, 254-61	0.9	5
92	Low-flow severe aortic stenosis with preserved ejection fraction, N-terminal pro-brain natriuretic peptide (NT-proBNP) and cardiovascular remodeling. <i>Journal of Heart Valve Disease</i> , <b>2011</b> , 20, 301-10		5
91	CA125 as a Marker of Heart Failure in the Older Women: Population-Based Analysis. <i>Journal of Clinical Medicine</i> , <b>2019</b> , 8,	5.1	4
90	Chemotherapy and echocardiographic indices in patients with non-Hodgkin lymphoma: the ONCO-ECHO study. <i>Medical Oncology</i> , <b>2017</b> , 35, 14	3.7	4
89	Optical Coherence Tomography of De Novo Lesions and In-Stent Restenosis in Coronary Saphenous Vein Grafts (OCTOPUS Study). <i>Circulation Journal</i> , <b>2016</b> , 80, 1804-11	2.9	4
88	Balloon Pulmonary Angioplasty in Chronic Thromboembolic Pulmonary Hypertension: A Multicenter Registry. <i>EuroIntervention</i> , <b>2021</b> ,	3.1	4
87	Polish Stress Echocardiography Registry (Pol-STRESS registry) - a multicentre study. Stress echocardiography in Poland: numbers, settings, results, and complications. <i>Kardiologia Polska</i> , <b>2017</b> , 75, 922-930	0.9	4
86	Renalase is associated with adverse left atrial remodelling and disease burden in patients with atrial fibrillation undergoing pulmonary vein isolation. <i>Kardiologia Polska</i> , <b>2018</b> , 76, 1232-1241	0.9	4
85	Obesity and antiplatelet effects of acetylsalicylic acid and clopidogrel in patients with stable angina pectoris after percutaneous coronary intervention. <i>Polish Archives of Internal Medicine</i> , <b>2015</b> , 125, 620-30 <sup>1.9</sup>		4
84	Differences of psychological features in patients with heart failure with regard to gender and aetiology - Results of a CAPS-LOCK-HF (Complex Assessment of Psychological Status Located in Heart Failure) study. <i>International Journal of Cardiology</i> , <b>2016</b> , 219, 380-6	3.2	4
83	Electrocardiographic criteria for left ventricular hypertrophy in aortic valve stenosis: Correlation with echocardiographic parameters. <i>Annals of Noninvasive Electrocardiology</i> , <b>2019</b> , 24, e12645	1.5	3
82	Low-dose dobutamine stress echo for reverse remodeling prediction after cardiac resynchronization. <i>Advances in Medical Sciences</i> , <b>2015</b> , 60, 294-9	2.8	3
81	Novel combined index of cardiometabolic risk related to periarterial fat improves the clinical prediction for coronary artery disease complexity. <i>Atherosclerosis</i> , <b>2018</b> , 268, 76-83	3.1	3
80	Coronary artery calcium score assessed by a 64 multislice computed tomography and early indexes of functional and structural vascular remodeling in cardiac syndrome X patients. <i>Journal of Nuclear Cardiology</i> , <b>2008</b> , 15, 655-62	2.1	3
79	Role of low-dose dobutamine echocardiography in predicting response to biventricular pacing. Results from the multicenter Viability in Cardiac Resynchronisation Therapy (ViaCRT) study. <i>Polish Archives of Internal Medicine</i> , <b>2016</b> , 126, 989-994	1.9	3
78	Temporal trends in the availability and efficacy of catheter ablation for atrial fibrillation and atrial flutter in a highly populated urban area. <i>Kardiologia Polska</i> , <b>2020</b> , 78, 537-544	0.9	3
77	Are changes in heart rate, observed during dobutamine stress echocardiography, associated with a response to cardiac resynchronisation therapy in patients with severe heart failure? Results of a multicentre ViaCRT study. <i>Kardiologia Polska</i> , <b>2018</b> , 76, 611-617	0.9	3

76	Loose Fibrin Clot Structure and Increased Susceptibility to Lysis Characterize Patients with Central Acute Pulmonary Embolism: The Impact of Isolated Embolism. <i>Thrombosis and Haemostasis</i> , <b>2021</b> , 121, 529-537	7	3
75	Quality of life in patients with paroxysmal atrial fibrillation after circumferential pulmonary vein ablation. <i>Kardiologia Polska</i> , <b>2016</b> , 74, 244-50	0.9	3
74	Impact of septal flash and left ventricle contractile reserve on positive remodeling during 1 year cardiac resynchronization therapy: the multicenter ViaCRT study. <i>Archives of Medical Science</i> , <b>2016</b> , 12, 349-52	2.9	3
73	Patent foramen ovale with an enormous right-to-left shunt: unusual reversible cause of hypoxia in carcinoid syndrome. <i>European Heart Journal</i> , <b>2018</b> ,	9.5	3
72	Metamizole and Platelet Inhibition by Aspirin Following On-Pump Coronary Artery Bypass Grafting. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , <b>2018</b> , 32, 178-186	2.1	3
71	Left ventricular reverse remodeling in patients with anterior wall ST-segment elevation acute myocardial infarction treated with primary percutaneous coronary intervention. <i>Postepy W Kardiologii Interwencyjnej</i> , <b>2018</b> , 14, 373-382	0.4	3
70	Risk factors and prognostic role of an electrical storm in patients after myocardial infarction with an implanted ICD for secondary prevention. <i>Archives of Medical Science</i> , <b>2018</b> , 14, 500-509	2.9	2
69	Left ventricular diverticulum mimicking cardiac tumor. <i>Echocardiography</i> , <b>2017</b> , 34, 1548-1551	1.5	2
68	Percutaneous closure of the left atrial appendage for secondary prevention of stroke in patients with atrial fibrillation and contraindications to chronic anticoagulant therapy. <i>Postepy W Kardiologii Interwencyjnej</i> , <b>2015</b> , 11, 14-8	0.4	2
67	Prosthesis-patient mismatch and left ventricle systolic strain in patients with severe degenerative aortic stenosis, who are undergoing surgical valve replacement. <i>Kardiologia Polska</i> , <b>2016</b> , 74, 537-46	0.9	2
66	Pol-CDRIE registry - 1-year observational data on patients hospitalized due to cardiac device-related infective endocarditis in Polish referential cardiology centres. <i>Kardiologia Polska</i> , <b>2019</b> , 77, 561-567	0.9	2
65	Left atrial function in obese and non-obese patients undergoing percutaneous pulmonary vein isolation. <i>Heart and Vessels</i> , <b>2019</b> , 34, 343-351	2.1	2
64	Current use of cardiac magnetic resonance in tertiary referral centres for the diagnosis of cardiomyopathy: the ESC EORP Cardiomyopathy/Myocarditis Registry. <i>European Heart Journal Cardiovascular Imaging</i> , <b>2021</b> , 22, 781-789	4.1	2
63	Renal resistive index and long-term outcome in patients with coronary artery disease. <i>BMC Cardiovascular Disorders</i> , <b>2020</b> , 20, 322	2.3	1
62	CHADS-VASC-AF score accurately predicts moderate-to-severe acute neurological dysfunction in the course of first ever ischaemic stroke. <i>International Journal of Cardiology</i> , <b>2017</b> , 228, 286-288	3.2	1
61	Stroke caused by carotid artery dissection during ablation of atrial arrhythmia. <i>Postepy W Kardiologii Interwencyjnej</i> , <b>2014</b> , 10, 119-22	0.4	1
60	A large pseudoaneurysm of the left cardiac ventricle in a 57-year-old patient after urgent coronary artery bypass grafting and surgical mitral valve replacement due to acute myocardial infarction. <i>Kardiochirurgia I Torakochirurgia Polska</i> , <b>2014</b> , 11, 432-6	0.3	1
59	Fulminant variant of Loeffler disease mimicking arrhythmogenic right ventricular cardiomyopathy in the course of enterobiasis. <i>European Heart Journal</i> , <b>2014</b> , 35, 3266	9.5	1

58	Emergency caesarean section delivery and puerperium in a patient with severe idiopathic pulmonary arterial hypertension - a case report. <i>Anaesthesiology Intensive Therapy</i> , <b>2019</b> , 51, 70-71	1.7	1
57	Atrial fibrillation and rapid atrial pacing are linked to enhanced inflammation and altered fibrinolysis in patients undergoing pulmonary vein isolation. <i>Kardiologia Polska</i> , <b>2019</b> , 77, 386-388	0.9	1
56	Out-of-hospital cardiac arrest registry: preliminary results from the Wielkopolskie Province. <i>Kardiologia Polska</i> , <b>2019</b> , 77, 710-712	0.9	1
55	Cardiovascular risk factors among cancer patients qualified for systemic treatment. Analysis of a cardiovascular disease-free cohort from the Polish multicentre study ONCOECHO. <i>Archives of Medical Science</i> , <b>2020</b> , 16, 1295-1303	2.9	1
54	Cardiac Amyloidosis-Challenging Diagnosis and Unclear Clinical Picture. <i>Medicina (Lithuania)</i> , <b>2021</b> , 57,	3.1	1
53	Aspiration thrombectomy and histopathologic examination of thrombus for early identification of embolic myocardial infarction. <i>Postepy W Kardiologii Interwencyjnej</i> , <b>2019</b> , 15, 489-491	0.4	1
52	Factors determining exercise capacity evaluated during cardiopulmonary exercise testing in 6-month follow-up after ST elevation myocardial infarction. <i>Clinical Physiology and Functional Imaging</i> , <b>2019</b> , 39, 209-214	2.4	1
51	Biomarkers of left atrial overload in obese and nonobese patients with atrial fibrillation qualified for electrical cardioversion. <i>Kardiologia Polska</i> , <b>2021</b> , 79, 269-276	0.9	1
50	An expert opinion of the Polish Cardiac Society Working Group on Pulmonary Circulation and the Polish Society for Rheumatology on the diagnosis and treatment of pulmonary hypertension in patients with connective tissue disease. <i>Kardiologia Polska</i> , <b>2021</b> , 79, 917-929	0.9	1
49	Small vessel coronary artery disease: How small can we go with myocardial revascularization?. <i>Cardiology Journal</i> , <b>2021</b> , 28, 767-778	1.4	1
48	B-cell lymphoma in a 70 year-old male patient with a cardiac tumour. <i>Kardiologia Polska</i> , <b>2011</b> , 69, 1063-5.9	0.9	1
47	Impact of percutaneous patent foramen ovale closure on migraine headaches in patients with history of ischemic neurological events. <i>Postepy W Kardiologii Interwencyjnej</i> , <b>2020</b> , 16, 315-320	0.4	0
46	Transcatheter aortic valve implantation in moderate bicuspid aortic valve disease in a patient with end-stage dilated cardiomyopathy - bridge to heart transplantation.. <i>Postepy W Kardiologii Interwencyjnej</i> , <b>2021</b> , 17, 427-428	0.4	0
45	Clinical application of stress echocardiography in valvular heart disease: an expert consensus of the Working Group on Valvular Heart Disease of the Polish Cardiac Society. <i>Kardiologia Polska</i> , <b>2020</b> , 78, 632-641	0.9	0
44	Predictors of functional mitral regurgitation improvement during a short-term follow-up after cardiac resynchronisation therapy. <i>Kardiologia Polska</i> , <b>2016</b> , 74, 665-73	0.9	0
43	Severe degenerative aortic stenosis with preserved ejection fraction does not change adipokines serum levels. <i>Cardiology Journal</i> , <b>2019</b> , 26, 483-492	1.4	0
42	Impact of the coronavirus disease 2019 pandemic on atrial fibrillation and atrial flutter ablation rates. The analysis of nearly 5 million Polish population. <i>Kardiologia Polska</i> , <b>2021</b> , 79, 687-689	0.9	0
41	FOXO1 and ANGPT2 relative gene expression in non-ST-segment elevation myocardial infarction among patients with or without type 2 diabetes. <i>Postepy W Kardiologii Interwencyjnej</i> , <b>2021</b> , 17, 187-192	0.4	0

40	Left ventricular global longitudinal strain in predicting CRT response: one more J-shaped curve in medicine. <i>Heart and Vessels</i> , <b>2021</b> , 36, 999-1008	2.1	0
39	Isoprostane-8 and GDF-15 as novel markers of post-PE syndrome: Relation with prothrombotic factors. <i>European Journal of Clinical Investigation</i> , <b>2021</b> , e13660	4.6	0
38	Left Atrial Thrombus in Atrial Fibrillation/Flutter Patients in Relation to Anticoagulation Strategy: LATTEE Registry. <i>Journal of Clinical Medicine</i> , <b>2022</b> , 11, 2705	5.1	0
37	Transcatheter transapical valve-in-valve implantation for degenerated mitral bioprosthesis. <i>Postepy W Kardiologii Interwencyjnej</i> , <b>2017</b> , 13, 345-346	0.4	
36	Mobilization of stem and progenitor cells in patients with atrial fibrillation undergoing circumferential pulmonary vein isolation. <i>International Journal of Cardiology</i> , <b>2016</b> , 203, 415-7	3.2	
35	Atorvastatin facilitates protection against contrast-induced nephropathy in patients undergoing coronary angiography via humoral mediators rather than altered renal hemodynamics. <i>Postepy W Kardiologii Interwencyjnej</i> , <b>2018</b> , 14, 191-194	0.4	
34	Symptomatic and silent atrial fibrillation recurrences after pulmonary vein isolation ablation - usefulness of prolonged 7-day Holter recordings. One-center observation. <i>Postepy W Kardiologii Interwencyjnej</i> , <b>2019</b> , 15, 255-257	0.4	
33	Lung-heart clinical crosstalk in the course of COPD exacerbation. <i>Pneumonologia I Alergologia Polska</i> , <b>2015</b> , 83, 30-8		
32	CARDIAC SURGERY Interventional treatment of moderate and severe mitral stenosis. <i>Kardiochirurgia I Torakochirurgia Polska</i> , <b>2013</b> , 2, 110-114	0.3	
31	Copeptin in heart failure. <i>Research Reports in Clinical Cardiology</i> , <b>2014</b> , 133	0.1	
30	Tilt testing potentiated with sublingual nitroglycerin in children with unexplained syncope. <i>European Heart Journal</i> , <b>2008</b> , 29, 1074-5; author reply 1075	9.5	
29	A large amount of pericardial fluid: determining consecutive steps in the diagnosis and treatment of pulmonary arterial hypertension. <i>Polish Archives of Internal Medicine</i> , <b>2020</b> , 130, 539-540	1.9	
28	Left internal mammary spasm mimicking graft dissection in the course of percutaneous coronary intervention of anastomotic in-stent restenosis. <i>Cardiology Journal</i> , <b>2020</b> , 27, 435-436	1.4	
27	Left internal mammary spasm mimicking graft dissection in the course of percutaneous coronary intervention of anastomotic in-stent restenosis. <i>Cardiology Journal</i> , <b>2020</b> , 27, 435-436	1.4	
26	When Takayasu mimics pulmonary hypertension - severe pulmonary artery stenosis - what to do?. <i>Kardiologia Polska</i> , <b>2021</b> , 79, 1046-1047	0.9	
25	Characteristics of hospital admissions and invasive cardiology procedures in the Silesian Voivodeship in 2019 and 2020. <i>Kardiologia Polska</i> , <b>2021</b> , 79, 1022-1024	0.9	
24	Early Stage of Atherosclerosis in Aortocoronary Saphenous Vein Grafts: Intravascular Ultrasound Study. <i>Brazilian Journal of Cardiovascular Surgery</i> , <b>2019</b> , 34, 560-564	1.1	
23	Prospective multicenter Polish Stress Echocardiography Registry (PolStress-Echopro) - the role in clinical practice. <i>Advances in Clinical and Experimental Medicine</i> , <b>2019</b> , 28, 1555-1560	1.8	



22	Treatment strategies for a giant left ventricular aneurysm and developing ventricular septal defect in a patient after anterior wall myocardial infarction. <i>Kardiologia Polska</i> , <b>2020</b> , 78, 86-88	0.9
21	Successful conservative treatment of right common femoral artery dissection after closure with an Angio-Seal device. <i>Kardiologia Polska</i> , <b>2014</b> , 72, 553	0.9
20	Patent ductus arteriosus and an accessory structure in left ventricular outflow tract in a 68-year-old woman. <i>Kardiologia Polska</i> , <b>2014</b> , 72, 661	0.9
19	Dual guiding catheter approach for the treatment of massive coronary artery perforation. <i>Kardiologia Polska</i> , <b>2014</b> , 72, 1401	0.9
18	Acute coronary syndrome and coexisting resistant hypertension: should renal angiography be routinely performed?. <i>Kardiologia Polska</i> , <b>2015</b> , 73, 59	0.9
17	Hybrid approach for acute limb ischaemia after transcatheter aortic valve implantation. <i>Kardiologia Polska</i> , <b>2015</b> , 73, 378	0.9
16	Incidental finding of a bubble-shaped mass during coronary angiography. <i>EuroIntervention</i> , <b>2017</b> , 12, 2032	3.1
15	Sacubitril/valsartan for treatment of chronic heart failure with reduced ejection fraction. Can all patients benefit? A position statement paper of experts of the Heart Failure Working Group of the Polish Cardiac Society. <i>Kardiologia Polska</i> , <b>2017</b> , 75, 286-293	0.9
14	CRT-P for ineffective RV pacing in variant angina. <i>Kardiologia Polska</i> , <b>2014</b> , 72, 203	0.9
13	Cerebral microembolism during atrial fibrillation ablation can result from the technical aspects and mostly does not cause permanent neurological deficit. <i>Archives of Medical Science</i> , <b>2020</b> , 16, 1288-1294	2.9
12	Coronary interventions via radial artery without pre-procedural routine use of spasmolytic agents. <i>Postepy W Kardiologii Interwencyjnej</i> , <b>2020</b> , 16, 138-144	0.4
11	Pregnant 30-year-old with idiopathic pulmonary arterial hypertension. <i>Ginekologia Polska</i> , <b>2021</b> , 92, 252-253	
10	Hypertrophic cardiomyopathy, non-compaction cardiomyopathy or non-compaction phenotype - another diagnosis, other further treatment. <i>Kardiologia Polska</i> , <b>2021</b> , 79, 700-701	0.9
9	Polish Multicenter Registry (Pol-LAS-SE registry). Stress echocardiography in low-gradient aortic stenosis in Poland: numbers, settings, results, complications and clinical practice. <i>Kardiologia Polska</i> , <b>2021</b> , 79, 517-524	0.9
8	Balloon embolization of distal left anterior descending artery perforation in a patient with COVID-19. <i>Coronary Artery Disease</i> , <b>2022</b> , 31, e9-e10	1.4
7	Pulmonary artery atresia with ventricular septal defect, segmental pulmonary hypertension, major aortopulmonary collaterals (MAPCAs) and giant MAPCA aneurysm. <i>Postepy W Kardiologii Interwencyjnej</i> , <b>2016</b> , 12, 280-1	0.4
6	MP062 PLASMA RENALASE CONCENTRATION BEFORE AND AFTER RADIOFREQUENCY RENAL DENERVATION IN PATIENTS WITH RESISTANT HYPERTENSION: PRELIMINARY RESULTS. <i>Nephrology Dialysis Transplantation</i> , <b>2016</b> , 31, i363-i363	4.3
5	Angiopietin-2 as a biomarker of non-ST-segment elevation myocardial infarction in patients with or without type 2 diabetes.. <i>Archives of Medical Science</i> , <b>2022</b> , 18, 624-631	2.9

4	Anterior wall myocardial infarction in a young man caused by spontaneous dissection and hematoma of coronary artery. <i>Interventional Medicine &amp; Applied Science</i> , <b>2019</b> , 11, 125-127	0.7
3	CHLD score, a new score based on traditional risk factor evaluation and long-term cardiovascular outcomes in patients with systemic sclerosis. <i>Scientific Reports</i> , <b>2021</b> , 11, 19598	4.9
2	A questionnaire-based, multicenter registry of resistant and pseudo-resistant arterial. <i>Wiadomości Lekarskie</i> , <b>2019</b> , 72, 1866-1871	0.3
1	Prediction of early death after myocardial infarction in patients with reduced left ventricular ejection fraction. The search for new indications for cardioverter-defibrillator implantation (ICD).. <i>Kardiologia Polska</i> , <b>2021</b> , 79, 1343-1352	0.9