

# Ali Kiraci

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9128432/publications.pdf>

Version: 2024-02-01

35  
papers

160  
citations

1307594

7  
h-index

1281871

11  
g-index

35  
all docs

35  
docs citations

35  
times ranked

58  
citing authors

#	ARTICLE	IF	CITATIONS
1	Calculation of the spin-lattice relaxation time and the activation energy near the IV <sup>+</sup> III phase transition in pyridinium fluorosulfonate (C <sub>5</sub> NH <sub>6</sub> )FSO <sub>3</sub> . Ferroelectrics, 2022, 589, 45-54.	0.6	1
2	Phenomenological Study of Manganese Antimonite Close to the Néel Temperature. IEEE Magnetics Letters, 2021, 12, 1-5.	1.1	0
3	A phenomenological study on ferroelectric Î <sup>2</sup> -glycine. Ferroelectrics, 2021, 572, 277-286.	0.6	3
4	Phenomenological approaches on the Nd <sup>3+</sup> doped ferroelectric LaBGeO <sub>5</sub> . Ferroelectrics, 2021, 572, 13-26.	0.6	1
5	A phenomenological study on ferroelastic KH <sub>3</sub> (SeO <sub>3</sub> ) <sub>2</sub> and KD <sub>3</sub> (SeO <sub>3</sub> ) <sub>2</sub> . Materials Research Bulletin, 2021, 143, 111472.	5.2	2
6	Analysis of the specific heat and the free energy and calculation of the entropy and the internal energy of [N(CH <sub>3</sub> ) <sub>4</sub> ] <sub>2</sub> MnBr <sub>4</sub> close to the phase transition. Ferroelectrics, 2021, 583, 1-11.	0.6	0
7	Analysis and mathematical computation of some dynamic functions for the guanidine zinc sulfate. Ferroelectrics, 2021, 584, 39-50.	0.6	0
8	A thermodynamic study on PbZr <sub>0.52</sub> Ti <sub>0.48</sub> O <sub>3</sub> ceramic close to the tetragonal-cubic transition. Journal of the Australian Ceramic Society, 2020, 56, 79-90.	1.9	0
9	The Important Role of N <sub>2</sub> (CH <sub>3</sub> ) <sub>4</sub> Ion in the Phase-Transition Mechanism of [N(CH <sub>3</sub> ) <sub>4</sub> ] <sub>2</sub> ZnBr <sub>4</sub> . IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control, 2020, 67, 1053-1058.	3.0	3
10	Raman wavenumbers calculated as a function of pressure from the mode Gr <sup>1/4</sup> neisen parameter of PZT (x=0.48) ceramic close to the monoclinic-cubic transition. Journal of Advanced Dielectrics, 2019, 09, 1950039.	2.4	0
11	A phenomenological study on ferroelectric pyridinium tetrafluoroborate (C <sub>5</sub> NH <sub>6</sub> ) BF <sub>4</sub> . Thermochimica Acta, 2019, 680, 178371.	2.7	6
12	Analysis of the specific heat and the free energy of [N(CH <sub>3</sub> ) <sub>4</sub> ] <sub>2</sub> ZnBr <sub>4</sub> close to the ferro-paraelastic phase transition. Phase Transitions, 2019, 92, 249-258.	1.3	8
13	Order <sup>+</sup> disorder transition in the ferroelectric LiTaO <sub>3</sub> . Ferroelectrics, 2019, 551, 235-244.	0.6	3
14	Damping constant and the inverse relaxation time calculated as a function of pressure using the X-ray diffraction data close to the cubic-tetragonal phase transition in SrTiO <sub>3</sub> . Ferroelectrics, 2019, 551, 143-151.	0.6	5
15	Pressure <sup>+</sup> dependent Raman modes near the cubic <sup>+</sup> tetragonal transition in strontium titanate. Journal of the American Ceramic Society, 2018, 101, 1344-1355.	3.8	5
16	Analysis of the integrated intensity of the central peaks calculated as a function of temperature in the ferroelectric phase of lithium tantalate. Thermal Science, 2018, 22, 221-227.	1.1	4
17	Temperature dependence of the polarization, dielectric constant, damping constant and the relaxation time close to the ferroelectric-paraelectric phase transition in LiNbO <sub>3</sub> . Optik, 2017, 132, 183-191.	2.9	6
18	Calculation of the raman frequency, damping constant (Linewidth) and the relaxation time near the tetragonal-cubic transition in PbTiO <sub>3</sub> . Optik, 2017, 142, 311-319.	2.9	6

#	ARTICLE	IF	CITATIONS
19	Temperature dependence of the damping constant and the relaxation time close to the tetragonal-cubic phase transition in SrZrO <sub>3</sub> . Journal of Molecular Structure, 2017, 1128, 51-56.	3.6	12
20	Pressure dependence of the Raman frequency calculated from the volume data close to the ferroelectric-paraelectric transition in PbTiO <sub>3</sub> . Ferroelectrics, 2017, 520, 245-255.	0.6	0
21	Calculation of the frequency shifts and damping constant for the Raman modes (A <sub>1g</sub> , B <sub>1</sub> ) near the tetragonal-cubic transition in SrTiO <sub>3</sub> . Turkish Journal of Physics, 2017, 41, 526-535.	1.1	0
22	Damping constant and the relaxation time calculated for the lowest-frequency soft mode in the ferroelectric phase of Cd <sub>2</sub> Nb <sub>2</sub> O <sub>7</sub> . Optik, 2016, 127, 11497-11504.	2.9	8
23	Damping Constant (Linewidth) and the Relaxation Time of the Brillouin LA Mode for the Ferroelectric-Paraelectric Transition in PbZr <sub>1-x</sub> Ti <sub>x</sub> O <sub>3</sub> . IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control, 2016, 63, 1647-1655.	3.0	7
24	Temperature dependence of the Brillouin frequency shift and the linewidth of the LA mode in the ferroelectric phase of PZT-x (PbZr <sub>1-x</sub> Ti <sub>x</sub> O <sub>3</sub> )., 2015, , .		0
25	Calculation of the Infrared Frequencies as a Function of Temperature Using the Volume Data in the Ferroelectric Phase of NaNO <sub>2</sub> . Ferroelectrics, 2014, 460, 149-156.	0.6	1
26	Temperature dependence of the polarization and the dielectric constant near the paraelectric-ferroelectric transitions in BaTiO <sub>3</sub> . Journal of Molecular Modeling, 2013, 19, 3925-3930.	1.8	8
27	Damping Constant Calculated as a Function of Temperature for the Tetragonal Raman Mode Close to the Paraelectric-Ferroelectric Transition in BaTiO <sub>3</sub> . Ferroelectrics, 2013, 450, 93-98.	0.6	6
28	Calculation of the damping constant and the order parameter for the lattice mode in ferroelectric PbTiO <sub>3</sub> ., 2013, , .		4
29	Calculation of the Damping Constant and the Relaxation Time for the Soft-Optic and Acoustic Mode in Hexagonal Barium Titanate. Ferroelectrics, 2012, 437, 137-148.	0.6	16
30	Temperature Dependence of the Raman Frequency, Damping Constant and the Activation Energy of a Soft-Optic Mode in Ferroelectric Barium Titanate. Ferroelectrics, 2012, 432, 14-21.	0.6	21
31	CALCULATION OF THE DAMPING CONSTANT AND ACTIVATION ENERGY FOR RAMAN MODES IN (NH <sub>4</sub> ) <sub>2</sub> SO <sub>4</sub> . International Journal of Modern Physics B, 2011, 25, 2063-2080.	2.0	7
32	Calculation of the Raman frequency and the damping constant of a coupled mode in the ferroelectric and paraelectric phases in KH <sub>2</sub> PO <sub>4</sub> . Physica Status Solidi (B): Basic Research, 2010, 247, 927-936.	1.5	10
33	Raman linewidths calculated as a function of temperature in NaNO <sub>2</sub> . Physica Status Solidi (B): Basic Research, 2009, 246, 1124-1131.	1.5	7
34	Damping constant, dielectric susceptibility, inverse relaxation time and the activation energy calculated as a function of temperature from the Raman frequency for the rhombohedral-tetragonal phase transition in BaCeO <sub>3</sub> . BalÄ±kesir Äœniversitesi Fen Bilimleri Enstitüsü Dergisi, 0, , 77-83.	0.3	0
35	Calculation of the Relaxation Time and the Activation Energy Close to the Lower Phase Transition in Imidazolium Perchlorate. Journal of Basic & Applied Sciences, 0, 17, 79-86.	0.8	0