Harald Mangge

List of Publications by Citations

Source: https://exaly.com/author-pdf/9128508/harald-mangge-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

156
papers3,125
citations29
h-index49
g-index170
ext. papers3,715
ext. citations5
avg, IFL-index

#	Paper	IF	Citations
156	Antioxidants, inflammation and cardiovascular disease. World Journal of Cardiology, 2014 , 6, 462-77	2.1	202
155	Serum cytokines in juvenile rheumatoid arthritis. Correlation with conventional inflammation parameters and clinical subtypes. <i>Arthritis and Rheumatism</i> , 1995 , 38, 211-20		161
154	Early atherosclerosis in obese juveniles is associated with low serum levels of adiponectin. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2005 , 90, 4792-6	5.6	149
153	Adiponectin and mortality in patients undergoing coronary angiography. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2006 , 91, 4277-86	5.6	117
152	Inflammation, adiponectin, obesity and cardiovascular risk. Current Medicinal Chemistry, 2010, 17, 4511-	2.0 3	110
151	Obesity-related dysregulation of the tryptophan-kynurenine metabolism: role of age and parameters of the metabolic syndrome. <i>Obesity</i> , 2014 , 22, 195-201	8	109
150	Uric acid best predicts metabolically unhealthy obesity with increased cardiovascular risk in youth and adults. <i>Obesity</i> , 2013 , 21, E71-7	8	87
149	Inverse association between serum concentrations of neopterin and antioxidants in patients with and without angiographic coronary artery disease. <i>Atherosclerosis</i> , 2009 , 202, 543-9	3.1	78
148	Gut microbiota and body composition in anorexia nervosa inpatients in comparison to athletes, overweight, obese, and normal weight controls. <i>International Journal of Eating Disorders</i> , 2017 , 50, 1421	-6:431	72
147	Disturbed tryptophan metabolism in cardiovascular disease. Current Medicinal Chemistry, 2014, 21, 1931	127 .3	67
146	Synthesis pattern of matrix metalloproteinases (MMPs) and inhibitors (TIMPs) in human explant organ cultures after treatment with latanoprost and dexamethasone. <i>Eye</i> , 2000 , 14 (Pt 3A), 375-83	4.4	62
145	Insulin and hippocampus activation in response to images of high-calorie food in normal weight and obese adolescents. <i>Obesity</i> , 2010 , 18, 1552-7	8	61
144	Nanoparticles for intravascular applications: physicochemical characterization and cytotoxicity testing. <i>Nanomedicine</i> , 2016 , 11, 597-616	5.6	52
143	Tryptophan breakdown is increased in euthymic overweight individuals with bipolar disorder: a preliminary report. <i>Bipolar Disorders</i> , 2014 , 16, 432-40	3.8	51
142	Increased breakdown of kynurenine towards its neurotoxic branch in bipolar disorder. <i>PLoS ONE</i> , 2017 , 12, e0172699	3.7	49
141	Ultrasmall superparamagnetic iron oxide (USPIO)-based liposomes as magnetic resonance imaging probes. <i>International Journal of Nanomedicine</i> , 2012 , 7, 2349-59	7:3	46
140	Preatherosclerosis and adiponectin subfractions in obese adolescents. <i>Obesity</i> , 2008 , 16, 2578-84	8	45

(2015-2016)

139	Branched-Chain Amino Acids as New Biomarkers of Major Depression - A Novel Neurobiology of Mood Disorder. <i>PLoS ONE</i> , 2016 , 11, e0160542	3.7	45
138	Link between leptin and interleukin-6 levels in the initial phase of obesity related inflammation. <i>Translational Research</i> , 2012 , 159, 118-24	11	43
137	Therapeutic approaches in the treatment of juvenile dermatomyositis in patients with recent-onset disease and in those experiencing disease flare: an international multicenter PRINTO study. Arthritis and Rheumatism, 2011, 63, 3142-52		42
136	Interleukin-10: an anti-inflammatory marker to target atherosclerotic lesions via PEGylated liposomes. <i>Molecular Pharmaceutics</i> , 2013 , 10, 175-86	5.6	40
135	Subcutaneous adipose tissue exerts proinflammatory cytokines after minimal trauma in humans. American Journal of Physiology - Endocrinology and Metabolism, 2007 , 293, E690-6	6	39
134	Adiponectin serum concentrations in men with coronary artery disease: the LUdwigshafen RIsk and Cardiovascular Health (LURIC) study. <i>Clinica Chimica Acta</i> , 2006 , 364, 251-5	6.2	39
133	Pharmaceutical formulation of HSA hybrid coated iron oxide nanoparticles for magnetic drug targeting. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2016 , 101, 152-62	5.7	35
132	Tryptophan breakdown and cognition in bipolar disorder. <i>Psychoneuroendocrinology</i> , 2017 , 81, 144-150	5	32
131	Therapeutic experience with infliximab in a patient with polyarticular juvenile idiopathic arthritis and uveitis. <i>Rheumatology International</i> , 2003 , 23, 258-61	3.6	32
130	Antioxidant food supplements and obesity-related inflammation. <i>Current Medicinal Chemistry</i> , 2013 , 20, 2330-7	4.3	32
129	Nuchal thickness of subcutaneous adipose tissue is tightly associated with an increased LMW/total adiponectin ratio in obese juveniles. <i>Atherosclerosis</i> , 2009 , 203, 277-83	3.1	30
128	Lipoprotein-Related and Apolipoprotein-Mediated Delivery Systems for Drug Targeting and Imaging. <i>Current Medicinal Chemistry</i> , 2015 , 22, 3631-51	4.3	29
127	Branched-chain amino acids are associated with cardiometabolic risk profiles found already in lean, overweight and obese young. <i>Journal of Nutritional Biochemistry</i> , 2016 , 32, 123-7	6.3	29
126	Beyond cholesterolinflammatory cytokines, the key mediators in atherosclerosis. <i>Clinical Chemistry and Laboratory Medicine</i> , 2004 , 42, 467-74	5.9	28
125	Cystatin C, an early indicator for incipient renal disease in rheumatoid arthritis. <i>Clinica Chimica Acta</i> , 2000 , 300, 195-202	6.2	28
124	Trunk weighted obesity, cholesterol levels and low grade inflammation are main determinants for enhanced thrombin generation. <i>Atherosclerosis</i> , 2012 , 220, 215-8	3.1	27
123	The Role of Vitamin D in Atherosclerosis Inflammation Revisited: More a Bystander than a Player?. <i>Current Vascular Pharmacology</i> , 2015 , 13, 392-8	3.3	27
122	Weight cycling in bipolar disorder. <i>Journal of Affective Disorders</i> , 2015 , 171, 33-8	6.6	26

121	Patatin-like phospholipase 3 (rs738409) gene polymorphism is associated with increased liver enzymes in obese adolescents and metabolic syndrome in all ages. <i>Alimentary Pharmacology and Therapeutics</i> , 2015 , 42, 99-105	6.1	26
120	Cytokines in juvenile rheumatoid arthritis (JRA). <i>Cytokine</i> , 1998 , 10, 471-80	4	26
119	Differences in pharmacokinetics of apple polyphenols after standardized oral consumption of unprocessed apple juice. <i>Nutrition Journal</i> , 2015 , 14, 32	4.3	24
118	Adiponectin Predicts High-Density Lipoprotein Cholesterol Efflux Capacity in Adults Irrespective of Body Mass Index and Fat Distribution. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017 , 102, 4117	- 4 :123	24
117	High density lipoprotein cholesterol level is a robust predictor of lipid peroxidation irrespective of gender, age, obesity, and inflammatory or metabolic biomarkers. <i>Clinica Chimica Acta</i> , 2011 , 412, 1345-9	6.2	23
116	Rs9939609 variant of the fat mass and obesity-associated gene and trunk obesity in adolescents. <i>Journal of Obesity</i> , 2011 , 2011, 186368	3.7	23
115	Evaluation of symptoms and symptom combinations in histamine intolerance. <i>Intestinal Research</i> , 2019 , 17, 427-433	4.1	23
114	A Positive Association between T. gondii Seropositivity and Obesity. <i>Frontiers in Public Health</i> , 2013 , 1, 73	6	22
113	Immune-Mediated Inflammation in Vulnerable Atherosclerotic Plaques. <i>Molecules</i> , 2019 , 24,	4.8	21
112	Diamine oxidase supplementation improves symptoms in patients with histamine intolerance. <i>Food Science and Biotechnology</i> , 2019 , 28, 1779-1784	3	20
111	Evaluation of risk profiles by subcutaneous adipose tissue topography in obese juveniles. <i>Obesity</i> , 2007 , 15, 1319-24	8	20
110	Concomitant Prevalence of Low Serum Diamine Oxidase Activity and Carbohydrate Malabsorption. <i>Canadian Journal of Gastroenterology and Hepatology</i> , 2016 , 2016, 4893501	2.8	20
109	Comparison of functional fibrinogen (FF/CFF) and FIBTEM in surgical patients - a retrospective study. <i>Clinical Chemistry and Laboratory Medicine</i> , 2016 , 54, 453-8	5.9	19
108	Importance of kynurenine in pulmonary hypertension. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2017 , 313, L741-L751	5.8	19
107	Mitochondrial Haplogroup T Is Associated with Obesity in Austrian Juveniles and Adults. <i>PLoS ONE</i> , 2015 , 10, e0135622	3.7	19
106	Extracellular matrix proteins matrix metallopeptidase 9 (MMP9) and soluble intercellular adhesion molecule 1 (sICAM-1) and correlations with clinical staging in euthymic bipolar disorder. <i>Bipolar Disorders</i> , 2016 , 18, 155-63	3.8	19
105	Non-celiac gluten sensitivity: people without celiac disease avoiding gluten-is it due to histamine intolerance?. <i>Inflammation Research</i> , 2018 , 67, 279-284	7.2	19
104	Histamine-reduced diet and increase of serum diamine oxidase correlating to diet compliance in histamine intolerance. <i>European Journal of Clinical Nutrition</i> , 2019 , 73, 102-104	5.2	18

(2011-1998)

103	Activation of the haemostatic system in children with juvenile rheumatoid arthritis correlates with disease activity. <i>Thrombosis Research</i> , 1998 , 92, 267-72	8.2	18	
102	Body fat distribution and associations with metabolic and clinical characteristics in bipolar individuals. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2015 , 265, 313-9	5.1	17	
101	The relationship between inflammatory state and quantity of affective episodes in bipolar disorder. <i>Psychoneuroendocrinology</i> , 2018 , 90, 61-67	5	17	
100	Effect of obesity on plasma clusterin, [corrected] a proposed modulator of leptin action. <i>Pediatric Research</i> , 2011 , 69, 237-42	3.2	17	
99	Exercise-induced norepinephrine decreases circulating hematopoietic stem and progenitor cell colony-forming capacity. <i>PLoS ONE</i> , 2014 , 9, e106120	3.7	17	
98	Mood Stabilizers, Oxidative Stress and Antioxidative Defense in Euthymia of Bipolar Disorder. <i>CNS and Neurological Disorders - Drug Targets</i> , 2016 , 15, 381-9	2.6	17	
97	Adiponectin-coated nanoparticles for enhanced imaging of atherosclerotic plaques. <i>International Journal of Nanomedicine</i> , 2011 , 6, 1279-90	7.3	16	
96	Oxidative stress: Determination of 4-hydroxy-2-nonenal by gas chromatography/mass spectrometry in human and rat plasma. <i>Free Radical Research</i> , 2015 , 49, 1233-8	4	15	
95	Adiponectin is decreased in bipolar depression. World Journal of Biological Psychiatry, 2019, 20, 813-820	0 3.8	14	
94	Long-term follow-up of cytokines and soluble cytokine receptors in peripheral blood of patients with juvenile rheumatoid arthritis. <i>Journal of Interferon and Cytokine Research</i> , 1999 , 19, 1005-10	3.5	14	
93	Novel approaches for the assessment of relative body weight and body fat in diagnosis and treatment of anorexia nervosa: A cross-sectional study. <i>Clinical Nutrition</i> , 2019 , 38, 2913-2921	5.9	13	
92	Laboratory medicine for molecular imaging of atherosclerosis. Clinica Chimica Acta, 2014 , 437, 19-24	6.2	13	
91	Serum diamine oxidase activity is associated with lactose malabsorption phenotypic variation. <i>Clinical Biochemistry</i> , 2017 , 50, 50-53	3.5	13	
90	Cerebral White Matter Lesions and Affective Episodes Correlate in Male Individuals with Bipolar Disorder. <i>PLoS ONE</i> , 2015 , 10, e0135313	3.7	12	
89	New Diagnostic and Therapeutic Aspects of Pancreatic Ductal Adenocarcinoma. <i>Current Medicinal Chemistry</i> , 2017 , 24, 3012-3024	4.3	12	
88	Work Intensity, Low-Grade Inflammation, and Oxidative Status: A Comparison between Office and Slaughterhouse Workers. <i>Oxidative Medicine and Cellular Longevity</i> , 2018 , 2018, 2737563	6.7	11	
87	Activated protein C resistance assay and factor V Leiden. <i>New England Journal of Medicine</i> , 2014 , 371, 685-6	59.2	11	
86	Globular domain of adiponectin: promising target molecule for detection of atherosclerotic lesions. <i>Biologics: Targets and Therapy</i> , 2011 , 5, 95-105	4.4	11	

85	More reliable brain death diagnosis with chromatographic analysis of midazolam, diazepam, thiopentone, and active metabolites. <i>Journal of Analytical Toxicology</i> , 2006 , 30, 196-201	2.9	11
84	25OH-Vitamin D3 Levels in Obesity and Metabolic Syndrome-Unaltered in Young and not Correlated to Carotid IMT in All Ages. <i>Current Pharmaceutical Design</i> , 2015 , 21, 2243-9	3.3	11
83	Beta-trace Protein as a new non-invasive immunological Marker for Quinolinic Acid-induced impaired Blood-Brain Barrier Integrity. <i>Scientific Reports</i> , 2017 , 7, 43642	4.9	10
82	Carbohydrate Malabsorption and Putative Carbohydrate-Specific Small Intestinal Bacterial Overgrowth: Prevalence and Diagnostic Overlap Observed in an Austrian Outpatient Center. <i>Digestion</i> , 2015 , 92, 32-8	3.6	10
81	Branched-chain amino acids are associated with metabolic parameters in bipolar disorder. <i>World Journal of Biological Psychiatry</i> , 2019 , 20, 821-826	3.8	10
80	Associations between tryptophan and iron metabolism observed in individuals with and without iron deficiency. <i>Scientific Reports</i> , 2019 , 9, 14548	4.9	10
79	Interleukin 10-coated nanoparticle systems compared for molecular imaging of atherosclerotic lesions. <i>International Journal of Nanomedicine</i> , 2014 , 9, 4211-22	7.3	10
78	Pneumatic tube system transport does not alter platelet function in optical and whole blood aggregometry, prothrombin time, activated partial thromboplastin time, platelet count and fibrinogen in patients on anti-platelet drug therapy. <i>Biochemia Medica</i> , 2017 , 27, 217-224	2.5	10
77	Blood Biomarkers of Heart Failure and Hypercoagulation to Identify Atrial Fibrillation-Related Stroke. <i>Stroke</i> , 2019 , 50, 2223-2226	6.7	9
76	Assessment of tryptophan metabolism and signs of depression in individuals with carbohydrate malabsorption. <i>Psychiatry Research</i> , 2018 , 262, 595-599	9.9	9
75	Obesity Affects HDL Metabolism, Composition and Subclass Distribution. <i>Biomedicines</i> , 2021 , 9,	4.8	9
74	Beyond Macrophages and T Cells: B Cells and Immunoglobulins Determine the Fate of the Atherosclerotic Plaque. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	8
73	Serum Ferritin Correlates With Liver Fat in Male Adolescents With Obesity. <i>Frontiers in Endocrinology</i> , 2020 , 11, 340	5.7	8
7 ²	Immune activation and inflammation in patients with cardiovascular disease are associated with elevated phenylalanine-to-tyrosine ratios. <i>Pteridines</i> , 2013 , 24, 51-55	0.6	8
71	Serum neopterin is not increased in obese juveniles. <i>Journal of Obesity</i> , 2011 , 2011, 946795	3.7	8
70	Peripheral blood lymphocytes of nonleukemic lymphoma patients exhibit aberrant expression of T-cell activation markers after polyclonal stimulation in vitro. <i>Cancer</i> , 1990 , 66, 677-83	6.4	8
69	Sex-Specific Associations of Trimethylamine-N-Oxide and Zonulin with Signs of Depression in Carbohydrate Malabsorbers and Nonmalabsorbers. <i>Disease Markers</i> , 2020 , 2020, 7897240	3.2	8
68	Anti-HCV treatment with ombitasvir/paritaprevir/ritonavir dasabuvir is associated with increased bile acid levels and pruritus. <i>Wiener Klinische Wochenschrift</i> , 2017 , 129, 848-851	2.3	8

(2019-2016)

67	Impact of Pneumatic Tube System Transport of Whole Blood Samples on Free DNA Concentration in Human Plasma. <i>Clinical Chemistry</i> , 2016 , 62, 1672-1673	5.5	8	
66	Pharmacologic IL-6R inhibition in cholangiocarcinoma promotes cancer cell growth and survival. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2019 , 1865, 308-321	6.9	8	
65	Subcutaneous adipose tissue distribution and telomere length. <i>Clinical Chemistry and Laboratory Medicine</i> , 2019 , 57, 1358-1363	5.9	7	
64	Increasing Expiratory Hydrogen in Lactose Intolerance Is Associated with Additional Food Intolerance/Malabsorption. <i>Nutrients</i> , 2020 , 12,	6.7	7	
63	In vivo cardiovascular magnetic resonance of 2D vessel wall diffusion anisotropy in carotid arteries. Journal of Cardiovascular Magnetic Resonance, 2016 , 18, 81	6.9	7	
62	In psychiatrically healthy individuals, overweight women but not men have lower tryptophan levels. <i>Pteridines</i> , 2015 , 26, 79-84	0.6	7	
61	Timely diagnosis of malalignment of the distal extremities is crucial in morbidly obese juveniles. <i>Obesity Facts</i> , 2013 , 6, 542-51	5.1	7	
60	Primary epiploic appendagitis and successful outpatient management. <i>Medical Science Monitor</i> , 2012 , 18, CS48-51	3.2	7	
59	Implementation of buffy-coat-derived pooled platelet concentrates for internal quality control of light transmission aggregometry: a proof of concept study. <i>Journal of Thrombosis and Haemostasis</i> , 2017 , 15, 2443-2450	15.4	6	
58	Telomere shortening associates with elevated insulin and nuchal fat accumulation. <i>Scientific Reports</i> , 2020 , 10, 6863	4.9	6	
57	Influence of Antioxidants on Leptin Metabolism and its Role in the Pathogenesis of Obesity. <i>Advances in Experimental Medicine and Biology</i> , 2017 , 960, 399-413	3.6	6	
56	Vitamin D Metabolites and Clinical Outcome in Hospitalized COVID-19 Patients. <i>Nutrients</i> , 2021 , 13,	6.7	6	
55	Weight Gain During Treatment of Bipolar Disorder (BD)-Facts and Therapeutic Options. <i>Frontiers in Nutrition</i> , 2019 , 6, 76	6.2	5	
54	A novel factor V mutation causes a normal activated protein C ratio despite the presence of a heterozygous F5 R506Q (factor V Leiden) mutation. <i>British Journal of Haematology</i> , 2013 , 163, 414-7	4.5	5	
53	Improvement of Cerebral Hypoperfusion with Levothyroxine Therapy in Hashimoto@ Encephalopathy Demonstrated by (99m)Tc-HMPAO-SPECT. <i>European Thyroid Journal</i> , 2013 , 2, 116-9	4.2	5	
52	Uric acid indicates a high cardiovascular risk profile but is not closely associated with insulin resistance in obese adolescents. <i>Diabetes Care</i> , 2008 , 31, e21	14.6	5	
51	Comparative analysis of nanosystems Qeffects on human endothelial and monocytic cell functions. <i>Nanotoxicology</i> , 2018 , 12, 957-974	5.3	5	
50	Biodistribution of Nanostructured Lipid Carriers in Mice Atherosclerotic Model. <i>Molecules</i> , 2019 , 24,	4.8	4	

49	Benign pancreatic hyperenzymemia (Gullo syndrome), histamine intolerance, and carbohydrate malabsorption. <i>Baylor University Medical Center Proceedings</i> , 2017 , 30, 177-178	0.6	4
48	Hypoadiponectinemia as a risk factor for atherosclerosis?. <i>Stroke</i> , 2006 , 37, 1642; author reply 1643	6.7	4
47	Increased Kynurenine Indicates a Fatal Course of COVID-19 Antioxidants, 2021, 10,	7.1	4
46	Branched-chain amino acids are linked with iron metabolism. <i>Annals of Translational Medicine</i> , 2020 , 8, 1569	3.2	4
45	Non-responsive celiac disease may coincide with additional food intolerance/malabsorption, including histamine intolerance. <i>Medical Hypotheses</i> , 2021 , 146, 110404	3.8	4
44	Endoplasmic reticulum stress in bipolar disorder? - BiP and CHOP gene expression- and XBP1 splicing analysis in peripheral blood. <i>Psychoneuroendocrinology</i> , 2018 , 95, 113-119	5	4
43	Beyond Cholesterol - New Cardiovascular Biomarkers. <i>Nestle Nutrition Institute Workshop Series</i> , 2016 , 84, 81-8	1.9	4
42	Ethalassemia minor, carbohydrate malabsorption and histamine intolerance. <i>Journal of Community Hospital Internal Medicine Perspectives</i> , 2017 , 7, 227-229	1.1	3
41	Iron status determination in individuals with Helicobacter pylori infection: conventional vs. new laboratory biomarkers. <i>Clinical Chemistry and Laboratory Medicine</i> , 2019 , 57, 982-989	5.9	3
40	Food intolerance/malabsorption may occur in rare diseases. <i>Intractable and Rare Diseases Research</i> , 2020 , 9, 126-129	1.4	3
39	Refining small intestinal bacterial overgrowth diagnosis by means of carbohydrate specificity: a proof-of-concept study. <i>Therapeutic Advances in Gastroenterology</i> , 2016 , 9, 265-72	4.7	3
38	N-terminal pro-B-type natriuretic peptide in early and advanced phases of obesity. <i>Clinical Chemistry and Laboratory Medicine</i> , 2011 , 49, 1539-45	5.9	3
37	Tumor necrosis factor receptor p75 correlates better than p55 with disease activity in juvenile rheumatoid arthritis: comment on the article by Mangge et al. <i>Arthritis and Rheumatism</i> , 1996 , 39, 883-4	ļ	3
36	The Relationship Between Food Craving, Appetite-Related Hormones and Clinical Parameters in Bipolar Disorder. <i>Nutrients</i> , 2020 , 13,	6.7	3
35	Periodontal treatment and vascular inflammation in patients with advanced peripheral arterial disease: A randomized controlled trial. <i>Atherosclerosis</i> , 2020 , 313, 60-69	3.1	3
34	Non-alcoholic fatty liver disease (NAFLD) in children with obesity: narrative review and research gaps. <i>Hormone Research in Paediatrics</i> , 2021 ,	3.3	3
33	Hypercarotenemia in Anorexia Nervosa Patients May Influence Weight Balance: Results of a Clinical Cross-Sectional Cohort Study <i>Frontiers in Psychiatry</i> , 2021 , 12, 758300	5	3
32	Dietary intake in patients with peripheral arterial disease and concomitant periodontal disease. <i>British Journal of Nutrition</i> , 2019 , 122, 78-85	3.6	2

(2021-2015)

31	Oxidized LDL Is Strictly Limited to Hyperthyroidism Irrespective of Fat Feeding in Female Sprague Dawley Rats. <i>International Journal of Molecular Sciences</i> , 2015 , 16, 11689-98	6.3	2
30	Do chemokines spark autoimmunity in juvenile and adult rheumatic disease?. <i>Immunobiology</i> , 2002 , 206, 459-71	3.4	2
29	Early rheumatoid arthritis is associated with diminished numbers of TH1 cells in stimulated peripheral blood. <i>Immunobiology</i> , 1999 , 200, 290-4	3.4	2
28	C-Reactive Protein as a Possible Predictor of Trail-Making Performance in Individuals with Psychiatric Disorders. <i>Nutrients</i> , 2020 , 12,	6.7	2
27	Immune Responses against SARS-CoV-2-Questions and Experiences. <i>Biomedicines</i> , 2021 , 9,	4.8	2
26	Hereditary methemoglobinemia caused by Hb M-Hyde Park (Hb M-Akita) (HBB:c.277C > T; p.His93Tyr). <i>Wiener Klinische Wochenschrift</i> , 2019 , 131, 381-384	2.3	1
25	Severe rhabdomyolysis in homozygote carnitine palmitoyltransferase II deficiency. <i>EXCLI Journal</i> , 2020 , 19, 1309-1313	2.4	1
24	Food malabsorption/intolerance complaints triggered by primary epiploic appendagitis. <i>EXCLI Journal</i> , 2019 , 18, 746-749	2.4	1
23	Co-occurrence of carbohydrate malabsorption and primary epiploic appendagitis. <i>World Journal of Gastroenterology</i> , 2015 , 21, 10242-5	5.6	1
22	Normal weight estonian prepubertal boys show a more cardiovascular-risk-associated adipose tissue distribution than austrian counterparts. <i>ISRN Obesity</i> , 2013 , 2013, 506751		1
21	Haptoglobin polymorphism and prostate cancer mortality. Scientific Reports, 2020, 10, 13117	4.9	1
20	Procalcitonin measurement by Diazymelimmunturbidimetric and Elecsys BRAHMSIPCTlassay on a Roche COBAS modular analyzer. <i>Clinical Chemistry and Laboratory Medicine</i> , 2021 , 59, e362-e366	5.9	1
19	Predicting atrial fibrillation after cryptogenic stroke via a clinical risk score-a prospective observational study. <i>European Journal of Neurology</i> , 2022 , 29, 149-157	6	1
18	Helicobacter pylori infection and lactose intolerance increase expiratory hydrogen <i>EXCLI Journal</i> , 2022 , 21, 426-435	2.4	1
17	Serum Diamine Oxidase Values, Indicating Histamine Intolerance, Influence Lactose Tolerance Breath Test Results. <i>Nutrients</i> , 2022 , 14, 2026	6.7	1
16	The Role of Macronutrients in the Pathogenesis, Prevention and Treatment of Non-Alcoholic Fatty Liver Disease (NAFLD) in the Paediatric Population Review. <i>Life</i> , 2022 , 12, 839	3	1
15	Single Point Insulin Sensitivity Estimator in Pediatric Non-Alcoholic Fatty Liver Disease <i>Frontiers in Endocrinology</i> , 2022 , 13, 830012	5.7	0
14	Distribution of subcutaneous and intermuscular fatty tissue of the mid-thigh measured by MRI-A putative indicator of serum adiponectin level and individual factors of cardio-metabolic risk. <i>PLoS ONE</i> , 2021 , 16, e0259952	3.7	O

13	Diagnosis of hepatic nuclear factor A monogenic diabetes mellitus (HNF1A-MODY) impacts antihyperglycemic treatment. <i>Wiener Klinische Wochenschrift</i> , 2021 , 133, 241-244	2.3	O
12	Blood biomarkers of progressive atherosclerosis and restenosis after stenting of symptomatic intracranial artery stenosis. <i>Scientific Reports</i> , 2021 , 11, 15599	4.9	O
11	Letter: PNPLA3, metabolic syndrome and NAFLD status in obese subjectsauthors Qeply. <i>Alimentary Pharmacology and Therapeutics</i> , 2015 , 42, 630-1	6.1	
10	Hypothyroidism Exacerbates Thrombophilia in Female Rats Fed with a High Fat Diet. <i>International Journal of Molecular Sciences</i> , 2015 , 16, 15776-84	6.3	
9	Contribution of Inflammation, Adiponectin, and Obesity in Cardiovascular Diseases 2013, 423-437		
8	Adiponektin, ein Adipokin mit großm Potenzial flDiagnostik und Therapie des metabolischen Syndroms und assoziierter kardiovaskuller Erkrankungen / Adiponectin, an adipokine as a promising target for diagnosis and therapy of the metabolic syndrome and associated		
7	Inflammatorische Biomarker und Atherosklerose/Inflammatory biomarkers and atherosclerosis. Laboratoriums Medizin, 2004 , 28, 346-353		
6	LIPOMETER: a patented device to evaluate body fat distribution with prognostic potential. <i>FASEB Journal</i> , 2007 , 21, A344	0.9	
5	Role of Kynurenine Pathway in Cardiovascular Diseases 2015 , 133-143		
4	Dissimilar Pain of Primary Epiploic Appendagitis and Malabsorption. <i>Journal of Clinical and Diagnostic Research JCDR</i> , 2017 , 11, OD14-OD15	Ο	
3	Interdisciplinary score for the evaluation of bariatric treatment in obese children (BAREV-C). <i>International Journal on Disability and Human Development</i> , 2012 , 1-7		
2	Reply to: Comparing the visco-elastomeric fibrin polymerization assays FIBTEM[] (ROTEM) vs. Functional Fibrinogen[] (TEG): or why is a higher threshold for fibrinogen substitution better than a lower one? By Schill et al. <i>Clinical Chemistry and Laboratory Medicine</i> , 2016 , 54, e277	5.9	
1	Response to Letter to the Editor to Gut microbiota, dietary intakes and intestinal permeability reflected by serum zonulin in women. <i>European Journal of Nutrition</i> , 2018 , 57, 3001-3002	5.2	