

Felix Sanchez

List of Publications by Citations

Source: <https://exaly.com/author-pdf/9129427/felix-sanchez-publications-by-citations.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

145
papers

6,221
citations

48
h-index

73
g-index

170
ext. papers

6,600
ext. citations

5.1
avg, IF

5.75
L-index

#	Paper	IF	Citations
145	Catalysis by gold(I) and gold(III): a parallelism between homo- and heterogeneous catalysts for copper-free Sonogashira cross-coupling reactions. <i>Angewandte Chemie - International Edition</i> , 2007 , 46, 1536-8	16.4	262
144	Gold catalyzes the Sonogashira coupling reaction without the requirement of palladium impurities. <i>Chemical Communications</i> , 2011 , 47, 1446-8	5.8	150
143	Single-site homogeneous and heterogenized gold(III) hydrogenation catalysts: mechanistic implications. <i>Journal of the American Chemical Society</i> , 2006 , 128, 4756-65	16.4	145
142	New Heterogenized Gold(I)-Heterocyclic Carbene Complexes as Reusable Catalysts in Hydrogenation and Cross-Coupling Reactions. <i>Advanced Synthesis and Catalysis</i> , 2006 , 348, 1899-1907	5.6	141
141	Gold nanoparticles and gold(III) complexes as general and selective hydrosilylation catalysts. <i>Angewandte Chemie - International Edition</i> , 2007 , 46, 7820-2	16.4	138
140	Bifunctional iridium-(2-aminoterephthalate)Zr-MOF chemoselective catalyst for the synthesis of secondary amines by one-pot three-step cascade reaction. <i>Journal of Catalysis</i> , 2013 , 299, 137-145	7.3	136
139	Heterogenized Gold Complexes: Recoverable Catalysts for Multicomponent Reactions of Aldehydes, Terminal Alkynes, and Amines. <i>ACS Catalysis</i> , 2012 , 2, 399-406	13.1	136
138	Synthesis of Structured Porous Polymers with Acid and Basic Sites and Their Catalytic Application in Cascade-Type Reactions. <i>Chemistry of Materials</i> , 2013 , 25, 981-988	9.6	125
137	Enantioselective hydrogenation of alkenes and imines by a gold catalyst. <i>Chemical Communications</i> , 2005 , 3451-3	5.8	120
136	Conjugated Microporous Polymers Incorporating BODIPY Moieties as Light-Emitting Materials and Recyclable Visible-Light Photocatalysts. <i>Macromolecules</i> , 2016 , 49, 1666-1673	5.5	117
135	Gold (I) and (III) catalyze Suzuki cross-coupling and homocoupling, respectively. <i>Journal of Catalysis</i> , 2006 , 238, 497-501	7.3	115
134	Asymmetric Aldol Reaction Using Immobilized Proline on Mesoporous Support. <i>Advanced Synthesis and Catalysis</i> , 2005 , 347, 1395-1403	5.6	111
133	New rhodium complexes anchored on modified USY zeolites. A remarkable effect of the support on the enantioselectivity of catalytic hydrogenation of prochiral alkenes. <i>Journal of the Chemical Society Chemical Communications</i> , 1991 , 1253-1255		110
132	Homogeneous and heterogenized Au(III) Schiff base-complexes as selective and general catalysts for self-coupling of aryl boronic acids. <i>Chemical Communications</i> , 2005 , 1990-2	5.8	106
131	Pd(II)-Schiff Base Complexes Heterogenised on MCM-41 and Delaminated Zeolites as Efficient and Recyclable Catalysts for the Heck Reaction. <i>Advanced Synthesis and Catalysis</i> , 2004 , 346, 1758-1764	5.6	103
130	Preparation and properties of Ti-containing MCM-41. <i>Studies in Surface Science and Catalysis</i> , 1994 , 84, 69-75	1.8	103
129	Cu and Au metal-organic frameworks bridge the gap between homogeneous and heterogeneous catalysts for alkene cyclopropanation reactions. <i>Chemistry - A European Journal</i> , 2010 , 16, 9789-95	4.8	102

128	Optically active complexes of transition metals (RhI, RuII, CoII and NiII) with 2-aminocarbonylpyrrolidine ligands. Selective catalysts for hydrogenation of prochiral olefins. <i>Journal of Organometallic Chemistry</i> , 1992 , 431, 233-246	2.3	102
127	Hybrid organic/inorganic catalysts: a cooperative effect between support, and palladium and nickel salen complexes on catalytic hydrogenation of imines. <i>Journal of Catalysis</i> , 2004 , 224, 170-177	7.3	101
126	Gold complexes as catalysts: Chemoselective hydrogenation of nitroarenes. <i>Applied Catalysis A: General</i> , 2009 , 356, 99-102	5.1	100
125	Asymmetric aldol reaction catalyzed by a heterogenized proline on a mesoporous support. The role of the nature of solvents. <i>Journal of Organic Chemistry</i> , 2007 , 72, 9353-6	4.2	96
124	Efficient synthesis of vinyl and alkyl sulfides via hydrothiolation of alkynes and electron-deficient olefins using soluble and heterogenized gold complexes catalysts. <i>Applied Catalysis A: General</i> , 2010 , 375, 49-54	5.1	89
123	Large pore Ti-zeolites and mesoporous Ti-silicalites as catalysts for selective oxidation of organic sulfides. <i>Catalysis Letters</i> , 1996 , 39, 153-156	2.8	89
122	Bifunctional Metal Organic Framework Catalysts for Multistep Reactions: MOF-Cu(BTC)-[Pd] Catalyst for One-Pot Heteroannulation of Acetylenic Compounds. <i>Advanced Synthesis and Catalysis</i> , 2012 , 354, 1347-1355	5.6	88
121	Catalysis by Gold(I) and Gold(III): A Parallelism between Homo- and Heterogeneous Catalysts for Copper-Free Sonogashira Cross-Coupling Reactions. <i>Angewandte Chemie</i> , 2007 , 119, 1558-1560	3.6	85
120	Synthesis of Electron-Rich CNN-Pincer Complexes, with N-Heterocyclic Carbene and (S)-Proline Moieties and Application to Asymmetric Hydrogenation. <i>Organometallics</i> , 2010 , 29, 134-141	3.8	84
119	Pincer-type Pyridine-Based N-Heterocyclic Carbene Amine Ru(II) Complexes as Efficient Catalysts for Hydrogen Transfer Reactions. <i>Organometallics</i> , 2011 , 30, 2180-2188	3.8	83
118	Stabilization of Au(III) on heterogeneous catalysts and their catalytic similarities with homogeneous Au(III) metal organic complexes. <i>Applied Catalysis A: General</i> , 2005 , 291, 247-252	5.1	82
117	. <i>Journal of Catalysis</i> , 2002 , 211, 208-215	7.3	75
116	New chiral ligands bearing two N-heterocyclic carbene moieties at a dioxolane backbone. Gold, palladium and rhodium complexes as enantioselective catalysts. <i>Chemical Communications</i> , 2010 , 46, 3001-3	5.8	72
115	Heterogenized Gold(I), Gold(III), and Palladium(II) Complexes for C-C Bond Reactions. <i>Synlett</i> , 2007 , 2007, 1771-1774	2.2	68
114	Immobilization of (NHC)NN-Pincer Complexes on Mesoporous MCM-41 Support. <i>Organometallics</i> , 2010 , 29, 4491-4498	3.8	67
113	Preparation of new chiral dioxomolybdenum complexes heterogenised on modified USY-zeolites efficient catalysts for selective epoxidation of allylic alcohols. <i>Journal of Molecular Catalysis A</i> , 1996 , 107, 225-234		67
112	Soluble Gold and Palladium Complexes Heterogenized on MCM-41 Are Effective and Versatile Catalysts. <i>European Journal of Inorganic Chemistry</i> , 2008 , 2008, 1107-1115	2.3	66
111	Synthesis and characterization of new chiral Rh(I) complexes with N, N ⁺ -, and N, P-ligands. A study of anchoring on the modified zeolites and catalytic properties of heterogenized complexes. <i>Journal of Organometallic Chemistry</i> , 1995 , 492, 11-21	2.3	66

110	Zeolites as base catalysts: Condensation of benzaldehyde derivatives with activated methylenic compounds on Germanium-substituted faujasite. <i>Journal of Catalysis</i> , 1990 , 126, 192-198	7.3	65
109	Conjugate addition of diethylzinc to enones catalyzed by homogeneous and supported chiral Ni-complexes. Cooperative effect of the support on enantioselectivity. <i>Tetrahedron: Asymmetry</i> , 1992 , 3, 845-848		63
108	Improved Palladium and Nickel Catalysts Heterogenised on Oxidic Supports (Silica, MCM-41, ITQ-2, ITQ-6). <i>Advanced Synthesis and Catalysis</i> , 2004 , 346, 1316-1328	5.6	61
107	New Pyridine ONN-Pincer Gold and Palladium Complexes: Synthesis, Characterization and Catalysis in Hydrogenation, Hydrosilylation and C-C Cross-Coupling Reactions. <i>Advanced Synthesis and Catalysis</i> , 2007 , 349, 2470-2476	5.6	60
106	Chiral dioxomolybdenum(VI) and oxovanadium(V) complexes anchored on modified USY-zeolite and mesoporous MCM-41 as solid selective catalysts for oxidation of sulfides to sulfoxides or sulfones. <i>Journal of Molecular Catalysis A</i> , 2004 , 211, 227-235		59
105	Large pore bifunctional titanium-aluminosilicates: the inorganic non-enzymatic version of the epoxidase conversion of linalool to cyclic ethers. <i>Journal of the Chemical Society Chemical Communications</i> , 1995 , 1635-1636		59
104	Photochemistry of Zr-based MOFs: ligand-to-cluster charge transfer, energy transfer and excimer formation, what else is there?. <i>Physical Chemistry Chemical Physics</i> , 2016 , 18, 27761-27774	3.6	52
103	Post-functionalized iridium-Zr-MOF as a promising recyclable catalyst for the hydrogenation of aromatics. <i>Green Chemistry</i> , 2014 , 16, 3522-3527	10	52
102	Palladium-heterogenized porous polyimide materials as effective and recyclable catalysts for reactions in water. <i>Green Chemistry</i> , 2015 , 17, 466-473	10	50
101	One-Pot Multifunctional Catalysis with NNN-Pincer Zr-MOF: Zr Base Catalyzed Condensation with Rh-Catalyzed Hydrogenation. <i>ChemCatChem</i> , 2013 , 5, 3092-3100	5.2	50
100	Recyclable mesoporous silica-supported chiral ruthenium-(NHC)NN-pincer catalysts for asymmetric reactions. <i>Green Chemistry</i> , 2011 , 13, 2471	10	50
99	Mono-functionalization of porous aromatic frameworks to use as compatible heterogeneous catalysts in one-pot cascade reactions. <i>Applied Catalysis A: General</i> , 2014 , 469, 206-212	5.1	49
98	Synthesis of bifunctional Au-Sn organic-inorganic catalysts for acid-free hydroamination reactions. <i>Chemical Communications</i> , 2008 , 6218-20	5.8	49
97	Design of a Bifunctional Ir-Zr Based Metal-Organic Framework Heterogeneous Catalyst for the N-Alkylation of Amines with Alcohols. <i>ChemCatChem</i> , 2014 , 6, 1794-1800	5.2	46
96	From homogeneous to heterogeneous catalysis: zeolite supported metal complexes with C2-multidentate nitrogen ligands. Application as catalysts for olefin hydrogenation and cyclopropanation reactions. <i>Journal of Organometallic Chemistry</i> , 2002 , 655, 134-145	2.3	44
95	Experimental and Theoretical Studies of the Proton-Hopping Reaction of 7-Hydroxyquinoline in Viscous Hydroxylic Media. <i>Journal of Physical Chemistry A</i> , 1998 , 102, 8871-8880	2.8	43
94	A deprotection strategy of a BODIPY conjugated porous polymer to obtain a heterogeneous (dipyrrin)(bipyridine)ruthenium(II) visible light photocatalyst. <i>Journal of Materials Chemistry A</i> , 2016 , 4, 17274-17278	13	43
93	An abnormally slow proton transfer reaction in a simple HBO derivative due to ultrafast intramolecular-charge transfer events. <i>Physical Chemistry Chemical Physics</i> , 2015 , 17, 16257-69	3.6	40

92	New Mn(II) and Cu(II) chiral C2-multidentate complexes immobilised in zeolites (USY, MCM41). <i>Journal of Molecular Catalysis A</i> , 2003 , 194, 137-152		39
91	Reactivity of polyhalogenated and zeolite-encapsulated metalloporphyrins in oxidation with dioxygen. <i>Journal of Molecular Catalysis A</i> , 1996 , 109, 91-98		39
90	Postfunctionalized Porous Polymeric Aromatic Frameworks with an Organocatalyst and a Transition Metal Catalyst for Tandem Condensation-Hydrogenation Reactions. <i>ACS Sustainable Chemistry and Engineering</i> , 2016 , 4, 1078-1084	8.3	36
89	Gold Nanoparticles and Gold(III) Complexes as General and Selective Hydrosilylation Catalysts. <i>Angewandte Chemie</i> , 2007 , 119, 7966-7968	3.6	36
88	Approaches to the synthesis of heterogenised metalloporphyrins: Application of new materials as electrocatalysts for oxygen reduction. <i>Journal of Molecular Catalysis A</i> , 2006 , 246, 109-117		36
87	MCM-41 Heterogenized Chiral Amines as Base Catalysts for Enantioselective Michael Reaction. <i>Catalysis Letters</i> , 2002 , 82, 237-242	2.8	36
86	Efficient multicolor and white light emission from Zr-based MOF composites: spectral and dynamic properties. <i>Journal of Materials Chemistry C</i> , 2015 , 3, 11300-11310	7.1	35
85	Chiral NHC-Complexes with Dioxolane Backbone Heterogenized on MCM-41. Catalytic Activity. <i>ChemCatChem</i> , 2011 , 3, 1320-1328	5.2	35
84	Gas transport properties of new aromatic polyimides based on 3,8-diphenylpyrene-1,2,6,7-tetracarboxylic dianhydride. <i>Journal of Membrane Science</i> , 2015 , 476, 442-448	9.6	33
83	Heterogenised catalysts on zeolites. Synthesis of new chiral Rh(I) complexes with (2S,4R)-trans-4-RCOO-2-(t-butylaminocarbonyl) pyrrolidines and (2S,4S)-cis-4-RCONH-2-(t-butylaminocarbonyl) pyrrolidines. Heterogenisation on silica and USY-zeolite and study of the role of support on their catalytic profile in hydrogenation of olefins. <i>Journal of Organometallic Chemistry</i> , 1997 , 544, 147-156	2.3	33
82	New OLEDs Based on Zirconium Metal-Organic Framework. <i>Advanced Optical Materials</i> , 2018 , 6, 1701068	8.1	32
81	2,3-Di-O-pentyl-6-O-tert-butyl-dimethylsilyl- β -cyclodextrin as a Chiral Stationary Phase in Capillary Gas Chromatography. <i>Journal of High Resolution Chromatography</i> , 1998 , 21, 225-233		31
80	First pre-functionalised polymeric aromatic framework from mononitrotetrakis(iodophenyl)methane and its applications. <i>Chemistry - A European Journal</i> , 2014 , 20, 5111-20	4.8	30
79	Homogeneous and encapsulated within the cavities of zeolite Y chiral manganese and copper complexes with C2-multidentate ligands as catalysts for the selective oxidation of sulphides to sulfoxides or sulfones. <i>Journal of Molecular Catalysis A</i> , 2002 , 178, 253-266		30
78	New rhodium complexes anchored on silica and modified Y-zeolite as efficient catalysts for hydrogenation of olefins. <i>Journal of Molecular Catalysis</i> , 1991 , 70, 369-379		30
77	Efficient Rare-Earth-Based Coordination Polymers as Green Photocatalysts for the Synthesis of Imines at Room Temperature. <i>Inorganic Chemistry</i> , 2018 , 57, 6883-6892	5.1	30
76	Mechanistic analogies and differences between gold- and palladium-supported Schiff base complexes as hydrogenation catalysts: A combined kinetic and DFT study. <i>Journal of Catalysis</i> , 2008 , 254, 226-237	7.3	29
75	Novel efficient catalysts based on imine-linked mesoporous polymers for hydrogenation and cyclopropanation reactions. <i>Journal of Materials Chemistry</i> , 2012 , 22, 24637		28

74	Femtosecond Fluorescence Dynamics of a Proton-Transfer Dye Interacting with Silica-Based Nanomaterials. <i>Journal of Physical Chemistry C</i> , 2010 , 114, 6281-6289	3.8	28
73	Mapping the distribution of an individual chromophore interacting with silica-based nanomaterials. <i>Journal of the American Chemical Society</i> , 2010 , 132, 5507-14	16.4	28
72	Easy Synthesis of New Chiral Tridentate Schiff Bases and Their Use as [N,N,O] Ligands for Ni and Pd Complexes [Catalytic Behaviour versus Hydrogenation Reactions. <i>European Journal of Inorganic Chemistry</i> , 2004 , 2004, 1955-1962	2.3	28
71	Rh and Ir complexes containing multidentate, C ₂ -symmetry ligands. Structural and catalytic properties in asymmetric hydrogenation. <i>Journal of Organometallic Chemistry</i> , 2000 , 601, 284-292	2.3	28
70	Hydrogenation of aromatics under mild conditions on transition metal complexes in zeolites. A cooperative effect of molecular sieves. <i>Catalysis Letters</i> , 1995 , 32, 313-318	2.8	28
69	Spectral and dynamical properties of a Zr-based MOF. <i>Physical Chemistry Chemical Physics</i> , 2016 , 18, 5113-20	3.8	26
68	Multisite solid (NHC)NN-Ru-catalysts for cascade reactions: Synthesis of secondary amines from nitro compounds. <i>Journal of Catalysis</i> , 2012 , 291, 110-116	7.3	26
67	Synthesis of bimetallic Zr(Ti)-naphthalendicarboxylate MOFs and their properties as Lewis acid catalysis. <i>RSC Advances</i> , 2016 , 6, 106790-106797	3.7	25
66	Presence of tetrahydro-beta-carboline-3-carboxylic acids in foods by gas chromatography-mass spectrometry as their N-methoxycarbonyl methyl ester derivatives. <i>Journal of Chromatography A</i> , 1997 , 765, 265-77	4.5	25
65	Photodynamics of Zr-based MOFs: effect of explosive nitroaromatics. <i>Physical Chemistry Chemical Physics</i> , 2017 , 19, 16337-16347	3.6	24
64	Gas separation properties of mixed-matrix membranes containing porous polyimides fillers. <i>Journal of Membrane Science</i> , 2013 , 447, 403-412	9.6	24
63	Homogeneous versus supported ONN pincer-type gold and palladium complexes: catalytic activity. <i>ChemSusChem</i> , 2009 , 2, 650-7	8.3	22
62	Direct observation of breaking of the intramolecular H-bond, and slowing down of the proton motion and tuning its mechanism in an HBO derivative. <i>Physical Chemistry Chemical Physics</i> , 2015 , 17, 14569-81	3.6	21
61	Hydrogen-bonding interactions and double proton-transfer reactions at both gates of cyclodextrins. <i>Chemical Physics Letters</i> , 1998 , 296, 335-342	2.5	21
60	Porous aromatic frameworks (PAFs) as efficient supports for N-heterocyclic carbene catalysts. <i>Catalysis Science and Technology</i> , 2016 , 6, 6037-6045	5.5	21
59	Synthesis of polyesters by an efficient heterogeneous phosphazene (P1)-Porous Polymeric Aromatic Framework catalyzed-Ring Opening Polymerization of lactones. <i>European Polymer Journal</i> , 2017 , 95, 775-784	5.2	19
58	Competitive Excimer Formation and Energy Transfer in Zr-Based Heterolinker Metal-Organic Frameworks. <i>Chemistry - A European Journal</i> , 2016 , 22, 13072-82	4.8	19
57	New chiral diphosphinites: synthesis of Rh complexes. Heterogenisation on zeolites. <i>Journal of Organometallic Chemistry</i> , 1999 , 588, 186-194	2.3	19

56	Heterogenised Rh(I), Ir(I) metal complexes with chiral triaza donor ligands: a cooperative effect between support and complex. <i>Inorganica Chimica Acta</i> , 2004 , 357, 3071-3078	2.7	18
55	Synthesis of Rh(I) and Ir(I) complexes with chiral C2-multitopic ligands. <i>Journal of Organometallic Chemistry</i> , 2001 , 634, 25-33	2.3	18
54	Chiral Metal Transition Complexes in Zeolites: Enantioselective Hydrogenation of Dehydrophenylalanine Derivatives. <i>Studies in Surface Science and Catalysis</i> , 1993 , 2293-2296	1.8	18
53	Fluorine-Phenanthroimidazole Porous Organic Polymer: Efficient Microwave Synthesis and Photocatalytic Activity. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 3459-3465	9.5	18
52	From intra- to inter-molecular hydrogen bonds with the surroundings: steady-state and time-resolved behaviours. <i>Photochemical and Photobiological Sciences</i> , 2015 , 14, 1306-18	4.2	17
51	Zirconium Materials from Mixed Dicarboxylate Linkers: Enhancing the Stability for Catalytic Applications. <i>ChemCatChem</i> , 2014 , 6, 3426-3433	5.2	17
50	Spectral properties of amorphous silica (SiO ₂) and mesoporous structured silicates (MCM-41 and ITQ-6) functionalized with ESIPT chromophores. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2006 , 178, 26-32	4.7	17
49	Mesoporous MCM41-heterogenised (salen)Mn and Cu complexes as effective catalysts for oxidation of sulfides to sulfoxides: Isolation of a stable supported Mn(V)O complex, responsible of the catalytic activity. <i>Journal of Molecular Catalysis A</i> , 2004 , 221, 201-208		17
48	Cyclopropanation reactions catalysed by copper and rhodium complexes homogeneous and heterogenised on a modified USY-zeolite. Influence of the catalyst on the catalytic profile. <i>Journal of Molecular Catalysis A</i> , 1999 , 144, 337-346		17
47	Synthesis and characterisation of chiral Cu(I) complexes of substituted pyrrolidine ligands. Efficient catalysts for cyclopropanation reactions. <i>Inorganica Chimica Acta</i> , 1996 , 244, 239-245	2.7	17
46	Switching to a reversible proton motion in a charge-transferred dye. <i>Journal of Physical Chemistry B</i> , 2015 , 119, 552-62	3.4	16
45	Fast to Ultrafast Dynamics of Palladium Phthalocyanine Covalently Bonded to MCM-41 Mesoporous Material. <i>Journal of Physical Chemistry C</i> , 2009 , 113, 19199-19207	3.8	16
44	Heterogenised chiral amines as environmentally friendly base catalysts for enantioselective Michael addition. <i>Catalysis Today</i> , 2005 , 107-108, 404-409	5.3	16
43	Synthesis and characterisation of chiral Cu(I) complexes with substituted-pyrrolidine-ligands bearing a triethoxysilyl group and preparation of heterogenised catalysts on USY-zeolites. <i>Inorganica Chimica Acta</i> , 1996 , 244, 79-85	2.7	16
42	Zeolites as Base Catalysts. Preparation of Calcium Antagonists Intermediates by Condensation of Benzaldehyde with Ethyl Acetoacetate.. <i>Studies in Surface Science and Catalysis</i> , 1991 , 59, 503-511	1.8	16
41	Diastereoselective Structure Directing Effect of (1S,2S)-2-Hydroxymethyl-1-benzyl-1-methylpyrrolidinium in the Synthesis of ZSM-12. <i>Chemistry of Materials</i> , 2010 , 22, 2276-2286	9.6	14
40	Synthesis and characterization of proton-conducting sol-gel membranes produced from 1,4-bis(triethoxysilyl)benzene and (3-glycidoxypropyl)trimethoxysilane. <i>Journal of Power Sources</i> , 2005 , 151, 57-62	8.9	14
39	Exploring the Photobehavior of Nanocaged Monomers and H- and J-Aggregates of a Proton-Transfer Dye within NaX and NaY Zeolites. <i>Journal of Physical Chemistry C</i> , 2014 , 118, 8217-8226	3.8	13

38	Copper and manganese complexes with C2-multitopic ligands. X-ray crystal structure of [Cu(N,N'-bis[(S)-prolyl]phenylenediamine)H ₂ O]. Catalytic properties. <i>Inorganica Chimica Acta</i> , 2002 , 333, 83-92	2.7	12
37	Pseudoesters and Derivatives; XVIII.1. Synthesis of 4-Alkylamino- and 4-Alkylthio-5-methoxyfuran-2(5H)-ones. <i>Synthesis</i> , 1983 , 1983, 397-398	2.9	12
36	Conformational analysis of acyclic compounds with oxygen-sulphur interactions. Part VI. Some 1-thioderivatives of 2-propanol and its acetates. <i>Canadian Journal of Chemistry</i> , 1979 , 57, 2426-2433	0.9	12
35	Conformational analysis of acyclic compounds with oxygen-sulphur interactions. Some 2-thio-derivatives of 1-phenylethanol. <i>Journal of the Chemical Society Perkin Transactions II</i> , 1978 , 412-416		12
34	Spectroscopy and relaxation dynamics of salicylideneaniline derivative aggregates encapsulated in MCM41 and SBA15 pores. <i>Microporous and Mesoporous Materials</i> , 2016 , 226, 34-43	5.3	11
33	Structure-direction of chiral 2-hydroxymethyl-1-benzyl-1-methylpyrrolidinium in the cotemplated synthesis of ferrierite: Fundamentals of diastereo-recognition from non-chiral microporous structures. <i>Microporous and Mesoporous Materials</i> , 2011 , 146, 57-68	5.3	11
32	Copper complexes with multidentate ligands derived from l-proline. X-ray crystal structure of {[Cu(N,N'-bis[(S)-prolyl]ethylenediamine)]ClO ₄ }] ₂ [(MeCN) ₂]. <i>Inorganica Chimica Acta</i> , 2000 , 306, 116-121	2.7	11
31	Adamantyl-BINOL as platform for chiral porous polymer aromatic frameworks. Multiple applications as recyclable catalysts. <i>Journal of Catalysis</i> , 2019 , 377, 609-618	7.3	10
30	A cooperative effect between support and the heterogenised metalloporphyrins on electrocatalytic oxygen reduction. <i>Catalysis Letters</i> , 2005 , 101, 99-103	2.8	10
29	Pseudoesters and derivatives. XXIII Reaction of 3-bromo-5-methoxyfuran-2(5)-one with nucleophiles. Formation of cyclopropane derivatives. <i>Tetrahedron</i> , 1986 , 42, 3715-3722	2.4	10
28	The Conjugate Addition of Glyoxalate-Derived Anion Equivalents by Phase Transfer Catalysis. <i>Synthesis</i> , 1983 , 1983, 911-913	2.9	10
27	Development of homogeneous and heterogenized rhodium(I) and palladium(II) complexes with ligands based on a chiral proton sponge building block and their application as catalysts. <i>Dalton Transactions</i> , 2011 , 40, 9589-600	4.3	9
26	From homogeneous to heterogeneous catalysis: Supported Pd(II) metal complexes with chiral triaza donor ligands. <i>Catalysis Today</i> , 2005 , 107-108, 362-370	5.3	9
25	Immobilized Proton Sponge on Inorganic Carriers The Synergic Effect of the Support on Catalytic Activity. <i>Journal of Catalysis</i> , 2002 , 211, 208-215	7.3	9
24	Pyrazolopyridazinones by 1,3-Dipolar Cycloaddition of Diazomethane to Pyridazin-3(2H)-ones. <i>Heterocycles</i> , 1982 , 18, 175	0.8	9
23	Effective Approach toward Conjugated Porous Organic Frameworks Based on Phenanthrene Building Blocks: Metal-Free Heterogeneous Photocatalysts. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 15108-15114	9.5	8
22	Conformational analysis of acyclic compounds with oxygen-sulphur interactions. Part 3. A study of some erythro-2-thio-derivatives of 1,2-diphenylethanol. <i>Journal of the Chemical Society Perkin Transactions II</i> , 1979 , 564-568		8
21	Confinement effect on ultrafast events of a salicylideneaniline derivative within mesoporous materials. <i>Microporous and Mesoporous Materials</i> , 2017 , 248, 54-61	5.3	7

20	Efficient light harvesting within a C153@Zr-based MOF embedded in a polymeric film: spectral and dynamical characterization. <i>Physical Chemistry Chemical Physics</i> , 2017 , 19, 17544-17552	3.6	6
19	Interrogating ultrafast dynamics of a salicylideneaniline derivative within faujasite zeolites. <i>Chemical Physics Letters</i> , 2017 , 683, 145-153	2.5	6
18	Regiospecific hydrosilylation of styrene by rhodium complexes heterogenised on modified USY-zeolites. <i>Studies in Surface Science and Catalysis</i> , 1997 , 501-507	1.8	6
17	Heteroaromatic Nucleophilic Substitution Reactions by Phase-Transfer Catalysis Synthesis of New Alkoxypridazin-3(2H)-ones. <i>Liebigs Annalen Der Chemie</i> , 1985 , 1985, 1465-1473		6
16	Experimental and theoretical insights into the influence of electronic density on proton-transfer reactions. <i>Physical Chemistry Chemical Physics</i> , 2018 , 20, 27149-27161	3.6	6
15	Optical characterization of a two-dimensional BODIPY-based polymer material and its related chromophores. <i>Journal of Materials Chemistry C</i> , 2019 , 7, 7872-7884	7.1	5
14	Preparation and characterization of hybrid membranes for fuel cell applications: EPDM filled with organophilized silicas. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2009 , 47, 1203-1210	2.6	5
13	New cardiotoxic agents related to amrinone: synthesis of 1,2-dihydro-5-arylpyridin-2-ones. <i>Archiv Der Pharmazie</i> , 1992 , 325, 483-90	4.3	5
12	A new approach to 1-alkyl-1,3-dihydro-2H-benzimidazol-2-ones. <i>Monatshefte Für Chemie</i> , 1985 , 116, 639-644	4.4	5
11	Amino-functionalized zirconium and cerium MOFs: Catalysts for visible light induced aerobic oxidation of benzylic alcohols and microwaves assisted N-Alkylation of amines. <i>Applied Catalysis A: General</i> , 2021 , 623, 118287	5.1	5
10	A study of the phase-transfer alkoxyacylation of secondary alkyl amines. Application of a factorial design. <i>Journal of the Chemical Society Perkin Transactions II</i> , 1987 , 695-697		4
9	Synthesis of 2-arylpyridazinyl-4-alkoxyquinazolines by phase-transfer-catalysed heteroaromatic nucleophilic substitution. <i>Journal of Heterocyclic Chemistry</i> , 1984 , 21, 1189-1192	1.9	4
8	Readily Available Highly Active [Ti]-Adamantyl-BINOL Catalysts for the Enantioselective Alkylation of Aldehydes. <i>ACS Omega</i> , 2018 , 3, 1197-1200	3.9	3
7	4,5-disubstituted pyridazin-3(2H)-ones as hypotensive drugs: incorporation of a beta-blocking moiety. <i>Archiv Der Pharmazie</i> , 1986 , 319, 60-4	4.3	3
6	An Improved Synthesis of Amrinone by Phase-Transfer Catalysis. <i>Archiv Der Pharmazie</i> , 1984 , 317, 183-185	4.5	3
5	Investigation of Advanced Hybrid PEM Based on Sulfonyl Fluoride PFSA and Grafted Inorganic Nanoparticles. <i>ECS Transactions</i> , 2010 , 33, 823-838	1	2
4	Mesoporous MCM41-heterogenised (salen)Mn and Cu complexes as effective catalysts for oxidation of sulfides to sulfoxides: Isolation of a stable supported Mn(V)O complex, responsible of the catalytic activity. <i>Journal of Molecular Catalysis A</i> , 2004 , 221, 201-208		2
3	Preparation and characterization of hybrid membranes for fuel cell applications: hydrogenated styrene-butadiene rubber filled with alkyl, phenyl or tolyl sulfonated silica. <i>Polymer International</i> , 2011 , 60, 493-499	3.3	1

- 2 Chiral Dioxo-Molybdenum Complexes Anchored to Modified Usy-Zeolites. Application to Selective Epoxidation of Olefins **1995**, 179-189 1
- 1 Syntheses of 1-Aryl-2-[4-[4-(3-oxobutyl)phenyl]piperazin-1-yl]ethanones. *Archiv Der Pharmazie*, **1986**, 319, 552-558 43 0