

Yoshiharu Nishiyama

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9129480/yoshiharu-nishiyama-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

114
papers

13,084
citations

45
h-index

114
g-index

119
ext. papers

14,422
ext. citations

5.8
avg. IF

6.44
L-index

#	Paper	IF	Citations
114	Recyclable nanocomposites of well-dispersed 2D layered silicates in cellulose nanofibril (CNF) matrix.. <i>Carbohydrate Polymers</i> , 2022 , 279, 119004	10.3	0
113	Combining computational and experimental studies for a better understanding of cellulose and its analogs. <i>Advances in Carbohydrate Chemistry and Biochemistry</i> , 2021 , 80, 1-14	3.7	
112	Quantifying the influence of dispersion interactions on the elastic properties of crystalline cellulose. <i>Cellulose</i> , 2021 , 28, 10777-10786	5.5	3
111	Direct Evidence for Aligned Binding of Cellulase Enzymes to Cellulose Surfaces. <i>Journal of Physical Chemistry Letters</i> , 2021 , 12, 10684-10688	6.4	0
110	Small Angle Neutron Scattering Shows Nanoscale PMMA Distribution in Transparent Wood Biocomposites. <i>Nano Letters</i> , 2021 , 21, 2883-2890	11.5	8
109	Time-Dependent Elastic Tensor of Cellulose Nanocrystal Probed by Hydrostatic Pressure and Uniaxial Stretching. <i>Journal of Physical Chemistry Letters</i> , 2021 , 12, 3779-3785	6.4	2
108	Crystal and molecular structure of V-amylose complexed with ibuprofen. <i>Carbohydrate Polymers</i> , 2021 , 261, 117885	10.3	6
107	Oligocellulose from acid hydrolysis: A revisit. <i>Applied Surface Science</i> , 2021 , 537, 147783	6.7	2
106	Process-dependent nanostructures of regenerated cellulose fibres revealed by small angle neutron scattering. <i>Polymer</i> , 2021 , 218, 123510	3.9	4
105	Solvent-Assisted Fractionation of Oligomeric Cellulose and Reversible Transformation of Cellulose II and IV. <i>ACS Biomaterials Science and Engineering</i> , 2021 , 7, 4792-4797	5.5	0
104	Bottom-up Construction of Xylan Nanocrystals in Dimethyl Sulfoxide. <i>Biomacromolecules</i> , 2021 , 22, 898-906	10.6	8
103	Twisted pseudo-tetragonal orthorhombic lamellar crystal in cellulose/ionic liquid spherulite. <i>Cellulose</i> , 2020 , 27, 5449-5455	5.5	5
102	Competing Molecular Packing of Blocks in a Lamella-Forming Carbohydrate-block-poly(3-hexylthiophene) Copolymer. <i>Macromolecules</i> , 2020 , 53, 9054-9064	5.5	6
101	Water cast film formability of sugarcane bagasse xylans favored by side groups. <i>Cellulose</i> , 2020 , 27, 7307-7320	5.5	16
100	Drying-induced bending deformation of cellulose nanocrystals studied by molecular dynamics simulations. <i>Cellulose</i> , 2020 , 27, 9779-9786	5.5	5
99	Distinguishing Mesoscale Polar Order (Unidirectional vs Bidirectional) of Cellulose Microfibrils in Plant Cell Walls Using Sum Frequency Generation Spectroscopy. <i>Journal of Physical Chemistry B</i> , 2020 , 124, 8071-8081	3.4	5
98	Nanostructure and Properties of Nacre-Inspired Clay/Cellulose Nanocomposites by Synchrotron X-ray Scattering Analysis. <i>Macromolecules</i> , 2019 , 52, 3131-3140	5.5	25

97	Water-induced crystallization and nano-scale spinodal decomposition of cellulose in NMMO and ionic liquid dope. <i>Cellulose</i> , 2019 , 26, 281-289	5.5	13
96	Hydrogen-bonding network in anhydrous chitosan from neutron crystallography and periodic density functional theory calculations. <i>Carbohydrate Polymers</i> , 2019 , 207, 211-217	10.3	10
95	Molecular interactions in nanocellulose assembly. <i>Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences</i> , 2018 , 376,	3	31
94	Cellulose crystals plastify by localized shear. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018 , 115, 7260-7265	11.5	25
93	In situ mechano-conversion and amorphization in native cellulose simulated by crystal bending. <i>Cellulose</i> , 2018 , 25, 4345-4355	5.5	10
92	Periodate Oxidation Followed by NaBH Reduction Converts Microfibrillated Cellulose into Sterically Stabilized Neutral Cellulose Nanocrystal Suspensions. <i>Langmuir</i> , 2018 , 34, 11066-11075	4	22
91	Translational Entropy and Dispersion Energy Jointly Drive the Adsorption of Urea to Cellulose. <i>Journal of Physical Chemistry B</i> , 2017 , 121, 2244-2251	3.4	26
90	Rapid Benzoylation of Cellulose in Tetra-n-butylphosphonium Hydroxide Aqueous Solution at Room Temperature. <i>ACS Sustainable Chemistry and Engineering</i> , 2017 , 5, 4505-4510	8.3	15
89	Ensemble evaluation of polydisperse nanocellulose dimensions: rheology, electron microscopy, X-ray scattering and turbidimetry. <i>Cellulose</i> , 2017 , 24, 3231-3242	5.5	16
88	Quantification of a tightly adsorbed monolayer of xylan on cellulose surface. <i>Cellulose</i> , 2017 , 24, 3725-3739	5.5	23
87	Evaluation of hydrogen bond networks in cellulose I _B and II crystals using density functional theory and Car-Parrinello molecular dynamics. <i>Carbohydrate Research</i> , 2017 , 449, 103-113	2.9	20
86	Fast and Robust Nanocellulose Width Estimation Using Turbidimetry. <i>Macromolecular Rapid Communications</i> , 2016 , 37, 1581-1586	4.8	32
85	Absence of Sum Frequency Generation in Support of Orthorhombic Symmetry of β -Chitin. <i>Macromolecules</i> , 2016 , 49, 7025-7031	5.5	33
84	Hydrothermal Transformation of Wood Cellulose Crystals into Pseudo-Orthorhombic Structure by Cocrystallization. <i>ACS Macro Letters</i> , 2016 , 5, 730-734	6.6	19
83	X-ray crystal structure of anhydrous chitosan at atomic resolution. <i>Biopolymers</i> , 2016 , 105, 361-8	2.2	21
82	Linear, non-linear and plastic bending deformation of cellulose nanocrystals. <i>Physical Chemistry Chemical Physics</i> , 2016 , 18, 19880-7	3.6	34
81	Molecular Interactions in an β -Chitin/Hydrazine Complex: Dynamic Hydrogen Bonds and Improvement of Polymeric Crystallinity. <i>Crystal Growth and Design</i> , 2016 , 16, 3345-3352	3.5	4
80	Alternative hydrogen bond models of cellulose II and III based on molecular force-fields and density functional theory. <i>Cellulose</i> , 2015 , 22, 1485-1493	5.5	21

79	Diversity of potential hydrogen bonds in cellulose I revealed by molecular dynamics simulation. <i>Cellulose</i> , 2014 , 21, 897-908	5.5	22
78	Origin of hydrophilicity of cellulose hydrogel from aqueous LiOH/urea solvent coagulated with alkyl alcohols. <i>Cellulose</i> , 2014 , 21, 1043-1050	5.5	9
77	Common processes drive the thermochemical pretreatment of lignocellulosic biomass. <i>Green Chemistry</i> , 2014 , 16, 63-68	10	159
76	Structural coarsening of aspen wood by hydrothermal pretreatment monitored by small- and wide-angle scattering of X-rays and neutrons on oriented specimens. <i>Cellulose</i> , 2014 , 21, 1015-1024	5.5	41
75	Solid-solvent molecular interactions observed in crystal structures of chitin complexes. <i>Cellulose</i> , 2014 , 21, 1007-1014	5.5	4
74	The initial structure of cellulose during ammonia pretreatment. <i>Cellulose</i> , 2014 , 21, 1117-1126	5.5	11
73	Atomic partial charges and one Lennard-Jones parameter crucial to model cellulose allomorphs. <i>Cellulose</i> , 2014 , 21, 2207-2217	5.5	19
72	Morphological changes in the cellulose and lignin components of biomass occur at different stages during steam pretreatment. <i>Cellulose</i> , 2014 , 21, 873-878	5.5	31
71	Transition of cellulose under ultrasonic radiation. <i>Cellulose</i> , 2013 , 20, 597-603	5.5	21
70	Synthesis and Stereocomplex Formation of Star-Shaped Stereoblock Polylactides Consisting of Poly(L-lactide) and Poly(D-lactide) Arms. <i>Macromolecules</i> , 2013 , 46, 8509-8518	5.5	90
69	Structure and dynamics of a complex of cellulose with EDA: insights into the action of amines on cellulose. <i>Cellulose</i> , 2013 , 20, 1563-1571	5.5	13
68	X-ray texture analysis indicates downward spinning of chitin microfibrils in tubeworm tube. <i>Journal of Structural Biology</i> , 2013 , 184, 212-6	3.4	5
67	The crystal structure of mono-ethylenediamine chitin from synchrotron X-ray fiber diffraction. <i>Carbohydrate Polymers</i> , 2013 , 92, 1737-42	10.3	15
66	Role of urea in alkaline dissolution of cellulose. <i>Cellulose</i> , 2013 , 20, 97-103	5.5	61
65	Diffraction from nonperiodic models of cellulose crystals. <i>Cellulose</i> , 2012 , 19, 319-336	5.5	77
64	Crystalline and amorphous cellulose in the secondary walls of Arabidopsis. <i>Plant Science</i> , 2012 , 193-194, 48-61	5.3	42
63	Direct determination of the hydrogen bonding arrangement in anhydrous chitin by neutron fiber diffraction. <i>Biomacromolecules</i> , 2012 , 13, 288-91	6.9	32
62	Reorientation of cellulose nanowhiskers in agarose hydrogels under tensile loading. <i>Biomacromolecules</i> , 2012 , 13, 850-6	6.9	77

61	Water in crystalline fibers of dihydrate β -chitin results in unexpected absence of intramolecular hydrogen bonding. <i>PLoS ONE</i> , 2012 , 7, e39376	3.7	47
60	About the structure of cellulose: debating the Lindman hypothesis. <i>Cellulose</i> , 2012 , 19, 589-598	5.5	198
59	Torsional Entropy at the Origin of the Reversible Temperature-Induced Phase Transition of Cellulose. <i>Macromolecules</i> , 2012 , 45, 362-368	5.5	20
58	Poly(ethylene glycol) hydroxystearate-based nanosized emulsions: effect of surfactant concentration on their formation and ability to solubilize quercetin. <i>Journal of Biomedical Nanotechnology</i> , 2012 , 8, 202-10	4	22
57	Neutron crystallographic and molecular dynamics studies of the structure of ammonia-cellulose I: rearrangement of hydrogen bonding during the treatment of cellulose with ammonia. <i>Cellulose</i> , 2011 , 18, 191-206	5.5	33
56	The molecular structure and solution conformation of an acidic heteropolysaccharide from <i>Auricularia auricula-judae</i> . <i>Biopolymers</i> , 2011 , 95, 217-27	2.2	9
55	Reversible swelling of the cell wall of poplar biomass by ionic liquid at room temperature. <i>Bioresource Technology</i> , 2011 , 102, 4518-23	11	46
54	X-ray Structure of Anhydrous β -Chitin at 1 Å Resolution. <i>Macromolecules</i> , 2011 , 44, 950-957	5.5	62
53	Helical Conformation in Crystalline Inclusion Complexes of V-Amylose: A Historical Perspective. <i>Macromolecular Symposia</i> , 2011 , 303, 1-9	0.8	22
52	B \rightarrow A Allomorphic transition in native starch and amylose spherocrystals monitored by in situ synchrotron X-ray diffraction. <i>Biomacromolecules</i> , 2010 , 11, 76-87	6.9	42
51	Molecular and Crystal Structure of 7-Fold V-Amylose Complexed with 2-Propanol. <i>Macromolecules</i> , 2010 , 43, 8628-8636	5.5	49
50	Time-resolved X-ray diffraction microprobe studies of the conversion of cellulose I to ethylenediamine-cellulose I. <i>Cellulose</i> , 2010 , 17, 735-745	5.5	19
49	Looking at hydrogen bonds in cellulose. <i>Acta Crystallographica Section D: Biological Crystallography</i> , 2010 , 66, 1172-7		46
48	Supramolecular structure and properties of high strength regenerated cellulose films. <i>Macromolecular Bioscience</i> , 2009 , 9, 29-35	5.5	26
47	Structure and properties of the cellulose microfibril. <i>Journal of Wood Science</i> , 2009 , 55, 241-249	2.4	349
46	The structure of the complex of cellulose I with ethylenediamine by X-ray crystallography and cross-polarization/magic angle spinning ^{13}C nuclear magnetic resonance. <i>Cellulose</i> , 2009 , 16, 943-957	5.5	35
45	Gas-phase surface esterification of cellulose microfibrils and whiskers. <i>Biomacromolecules</i> , 2009 , 10, 2144-51	6.9	153
44	X-ray crystallographic, scanning microprobe X-ray diffraction, and cross-polarized/magic angle spinning ^{13}C NMR studies of the structure of cellulose III(II). <i>Biomacromolecules</i> , 2009 , 10, 302-9	6.9	45

43	Neutron crystallography, molecular dynamics, and quantum mechanics studies of the nature of hydrogen bonding in cellulose I β . <i>Biomacromolecules</i> , 2008 , 9, 3133-40	6.9	186
42	The shape and size distribution of crystalline nanoparticles prepared by acid hydrolysis of native cellulose. <i>Biomacromolecules</i> , 2008 , 9, 57-65	6.9	892
41	Structure and thermal behavior of a cellulose I-ethylenediamine complex. <i>Biomacromolecules</i> , 2008 , 9, 2898-904	6.9	38
40	The structure of celluloses. <i>Powder Diffraction</i> , 2008 , 23, 92-95	1.8	28
39	Influence of finishing oil on structure and properties of multi-filament fibers from cellulose dope in NaOH/urea aqueous solution. <i>Cellulose</i> , 2008 , 15, 81-89	5.5	26
38	Rheological properties of microfibrillar suspension of TEMPO-oxidized pulp. <i>Cellulose</i> , 2008 , 15, 425-433	5.5	194
37	Single crystals of V-amylose complexed with alpha-naphthol. <i>Biomacromolecules</i> , 2007 , 8, 1319-26	6.9	52
36	Cellulose nanofibers prepared by TEMPO-mediated oxidation of native cellulose. <i>Biomacromolecules</i> , 2007 , 8, 2485-91	6.9	1637
35	X-ray Structure of Ammonia Cellulose I: New Insights into the Conversion of Cellulose I to Cellulose III. <i>Macromolecules</i> , 2006 , 39, 2947-2952	5.5	82
34	Homogeneous suspensions of individualized microfibrils from TEMPO-catalyzed oxidation of native cellulose. <i>Biomacromolecules</i> , 2006 , 7, 1687-91	6.9	1291
33	Surface acylation of cellulose whiskers by drying aqueous emulsion. <i>Biomacromolecules</i> , 2006 , 7, 696-700	6.9	214
32	Complexation of alpha-chitin with aliphatic amines. <i>Biomacromolecules</i> , 2005 , 6, 2362-4	6.9	19
31	Surface Esterification of Cellulose by Vapor-Phase Treatment With Trifluoroacetic Anhydride. <i>Cellulose</i> , 2005 , 12, 543-549	5.5	28
30	Synchrotron X-ray structures of cellulose I and regenerated cellulose II at ambient temperature and 100 K. <i>Cellulose</i> , 2005 , 12, 551-562	5.5	90
29	Intermediate States of Aqueous Solution of Agarose on Quasi-Static Cooling. <i>Journal of Fiber Science and Technology</i> , 2005 , 61, 191-195	0	2
28	Microfibrillar carbon from native cellulose. <i>Cellulose</i> , 2004 , 11, 475-480	5.5	60
27	Nanofibrillar cellulose aerogels. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2004 , 240, 63-67	5.1	265
26	Guest Selectivity in Complexation of β -Chitin. <i>Macromolecules</i> , 2004 , 37, 6839-6842	5.5	21

25	Cellulose III Crystal Structure and Hydrogen Bonding by Synchrotron X-ray and Neutron Fiber Diffraction. <i>Macromolecules</i> , 2004 , 37, 8548-8555	5.5	222
24	Crystal structure and hydrogen bonding system in cellulose I(alpha) from synchrotron X-ray and neutron fiber diffraction. <i>Journal of the American Chemical Society</i> , 2003 , 125, 14300-6	16.4	1104
23	Controlling molecular conformation of regenerated wild silk fibroin by aqueous ethanol treatment. <i>Polymers for Advanced Technologies</i> , 2003 , 14, 694-698	3.2	87
22	Inclusion complex of beta-chitin and aliphatic amines. <i>Biomacromolecules</i> , 2003 , 4, 944-9	6.9	37
21	Periodic disorder along ramie cellulose microfibrils. <i>Biomacromolecules</i> , 2003 , 4, 1013-7	6.9	183
20	Alkali-induced conversion of beta-chitin to alpha-chitin. <i>Biomacromolecules</i> , 2003 , 4, 896-9	6.9	78
19	Mechanical properties of silk fibroin/microcrystalline cellulose composite films. <i>Journal of Applied Polymer Science</i> , 2002 , 86, 3425-3429	2.9	136
18	Crystal structure and hydrogen-bonding system in cellulose Ibeta from synchrotron X-ray and neutron fiber diffraction. <i>Journal of the American Chemical Society</i> , 2002 , 124, 9074-82	16.4	1813
17	Surface acetylation of bacterial cellulose. <i>Cellulose</i> , 2002 , 9, 361-367	5.5	211
16	ORF2 gene involves in the construction of high-order structure of bacterial cellulose. <i>Biochemical and Biophysical Research Communications</i> , 2002 , 295, 458-62	3.4	31
15	Graphitization of highly crystalline cellulose. <i>Carbon</i> , 2001 , 39, 1051-1056	10.4	64
14	High-yield Carbonization of Cellulose by Sulfuric Acid Impregnation. <i>Cellulose</i> , 2001 , 8, 29-33	5.5	128
13	Thermal Decomposition of Cellulose Crystallites in Wood. <i>Holzforschung</i> , 2001 , 55, 521-524	2	79
12	Role of the putative membrane-bound endo-1,4-beta-glucanase KORRIGAN in cell elongation and cellulose synthesis in Arabidopsis thaliana. <i>Plant and Cell Physiology</i> , 2001 , 42, 251-63	4.9	178
11	X-ray structure of mercerized cellulose II at 1 a resolution. <i>Biomacromolecules</i> , 2001 , 2, 410-6	6.9	372
10	Improved Structural Data of Cellulose III Prepared in Supercritical Ammonia. <i>Macromolecules</i> , 2001 , 34, 1237-1243	5.5	71
9	Mechanism of mercerization revealed by X-ray diffraction. <i>Journal of Wood Science</i> , 2000 , 46, 452-457	2.4	58
8	All Disordered Regions of Native Cellulose Show Common Low-Frequency Dynamics. <i>Macromolecules</i> , 2000 , 33, 1834-1840	5.5	55

7	Intracrystalline Deuteration of Native Cellulose. <i>Macromolecules</i> , 1999 , 32, 2078-2081	5.5	64
6	High resolution neutron fibre diffraction data on hydrogenated and deuterated cellulose. <i>International Journal of Biological Macromolecules</i> , 1999 , 26, 279-83	7.9	25
5	A Revised Structure and Hydrogen-Bonding System in Cellulose II from a Neutron Fiber Diffraction Analysis. <i>Journal of the American Chemical Society</i> , 1999 , 121, 9940-9946	16.4	275
4	Morphological changes of ramie fiber during mercerization. <i>Journal of Wood Science</i> , 1998 , 44, 310-313	2.4	22
3	Molecular imaging of halocynthia papillosa cellulose. <i>Journal of Structural Biology</i> , 1998 , 124, 42-50	3.4	85
2	Cellulose Microcrystal Film of High Uniaxial Orientation. <i>Macromolecules</i> , 1997 , 30, 6395-6397	5.5	157
1	Fivefold Helical Cellulose Trapped in a Sulfuric Acid Framework. <i>Crystal Growth and Design</i> ,	3.5	0