

Morley D Hollenberg

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9130233/publications.pdf>

Version: 2024-02-01

282
papers

17,819
citations

11908

72
h-index

19470

122
g-index

287
all docs

287
docs citations

287
times ranked

10628
citing authors

#	ARTICLE	IF	CITATIONS
1	Stable flow-induced expression of KLK10 inhibits endothelial inflammation and atherosclerosis. <i>ELife</i> , 2022, 11, .	2.8	19
2	<i>Giardia duodenalis</i> cysteine proteases cleave proteinase-activated receptor-2 to regulate intestinal goblet cell mucin gene expression. <i>International Journal for Parasitology</i> , 2022, 52, 285-292.	1.3	7
3	The innate immune response, microenvironment proteinases, and the COVID-19 pandemic: pathophysiologic mechanisms and emerging therapeutic targets. <i>Kidney International Supplements</i> , 2022, 12, 48-62.	4.6	10
4	Identification of ligand linkage vectors for the development of p300/CBP degraders. <i>RSC Medicinal Chemistry</i> , 2022, 13, 726-730.	1.7	4
5	Metformin downregulates TGF beta signal transduction and production of PAR2 N-terminus cleaving protease activity in an NR4a1 dependent manner in a PC3 prostate cancer cell line. <i>FASEB Journal</i> , 2022, 36, .	0.2	1
6	PAR2, not PAR1, regulates endothelium-dependent vascular tone in resistance arteries. <i>FASEB Journal</i> , 2022, 36, .	0.2	0
7	Dihydromyricetin protects against high glucose-induced endothelial dysfunction: Role of HIF-1 α /ROR2/NF- κ B. <i>Biomedicine and Pharmacotherapy</i> , 2022, 153, 113308.	2.5	10
8	Does conventional early life academic excellence predict later life scientific discovery? An assessment of the lives of great medical innovators. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2021, 114, 381-389.	0.2	0
9	Increased Mucosal Thrombin is Associated with Crohn's Disease and Causes Inflammatory Damage through Protease-activated Receptors Activation. <i>Journal of Crohn's and Colitis</i> , 2021, 15, 787-799.	0.6	19
10	Legumain Induces Oral Cancer Pain by Biased Agonism of Protease-Activated Receptor-2. <i>Journal of Neuroscience</i> , 2021, 41, 193-210.	1.7	32
11	The RGS-RhoGEFs control the amplitude of YAP1 activation by serum. <i>Scientific Reports</i> , 2021, 11, 2348.	1.6	1
12	Receptors Proteinase-Activated Receptors. , 2021, , 254-262.		0
13	Microglial cell secretion of serpin-like trypsin-inhibitory activity: potential regulation of proteinase-activated receptor-2 (PAR2)-mediated inflammatory signalling. <i>FASEB Journal</i> , 2021, 35, .	0.2	0
14	Proteolytic Signal Crosstalk in the Prostate Cancer Microenvironment: PC3 Cell Metalloproteinases and Autocrine-paracrine-fibroblast Regulation of Proteinase-activated Receptors (PARs). <i>FASEB Journal</i> , 2021, 35, .	0.2	0
15	Metformin Prevents Hyperglycemia-Associated, Oxidative Stress-Induced Vascular Endothelial Dysfunction: Essential Role for the Orphan Nuclear Receptor Human Nuclear Receptor 4A1 (Nur77). <i>Molecular Pharmacology</i> , 2021, 100, 428-455.	1.0	17
16	A KLK4 proteinase substrate capture approach to antagonize PAR1. <i>Scientific Reports</i> , 2021, 11, 16170.	1.6	0
17	A Critical Review of the Evidence That Metformin Is a Putative Anti-Aging Drug That Enhances Healthspan and Extends Lifespan. <i>Frontiers in Endocrinology</i> , 2021, 12, 718942.	1.5	107
18	Oxytocin: much more than childbirth and milk letdown. <i>Clinical Science</i> , 2021, 135, 2121-2126.	1.8	0

#	ARTICLE	IF	CITATIONS
19	Physician Scientists Of Yesterday, Today And Tomorrow – Published 44(3) September 2021. Clinical and Investigative Medicine, 2021, 44, E80-81.	0.3	0
20	Platelet-Mediated NET Release Amplifies Coagulopathy and Drives Lung Pathology During Severe Influenza Infection. Frontiers in Immunology, 2021, 12, 772859.	2.2	22
21	Cathelicidin-mediated lipopolysaccharide signaling via intracellular TLR4 in colonic epithelial cells evokes CXCL8 production. Gut Microbes, 2020, 12, 1785802.	4.3	17
22	Why the endothelium? The endothelium as a target to reduce diabetes-associated vascular disease. Canadian Journal of Physiology and Pharmacology, 2020, 98, 415-430.	0.7	36
23	Proteinase-Mediated Macrophage Signaling in Psoriatic Arthritis. Frontiers in Immunology, 2020, 11, 629726.	2.2	8
24	Can a virtual on-line nation-wide mentorship-matching process meet the need?. Clinical and Investigative Medicine, 2020, 43, E39-E40.	0.3	0
25	RAC1B Suppresses TGF- β 2-Dependent Chemokinesis and Growth Inhibition through an Autoregulatory Feed-Forward Loop Involving PAR2 and ALK5. Cancers, 2019, 11, 1211.	1.7	6
26	Active thrombin produced by the intestinal epithelium controls mucosal biofilms. Nature Communications, 2019, 10, 3224.	5.8	39
27	HIV-induced neuroinflammation: impact of PAR1 and PAR2 processing by Furin. Cell Death and Differentiation, 2019, 26, 1942-1954.	5.0	11
28	The pregnane X receptor and its microbiota-derived ligand indole 3-propionic acid regulate endothelium-dependent vasodilation. American Journal of Physiology - Endocrinology and Metabolism, 2019, 317, E350-E361.	1.8	47
29	Protease-Activated Receptor 2 Agonist as Adjuvant: Augmenting Development of Protective Memory CD8 T Cell Responses Induced by Influenza Virosomes. Journal of Immunology, 2019, 203, 441-452.	0.4	8
30	RAC1B Suppresses TGF- β 1-Dependent Cell Migration in Pancreatic Carcinoma Cells through Inhibition of the TGF- β Type I Receptor ALK5. Cancers, 2019, 11, 691.	1.7	16
31	PAR2-Mediated cAMP Generation Suppresses TRPV4-Dependent Ca ²⁺ Signaling in Alveolar Macrophages to Resolve TLR4-Induced Inflammation. Cell Reports, 2019, 27, 793-805.e4.	2.9	52
32	Minimizing Hyperglycemia-Induced Vascular Endothelial Dysfunction by Inhibiting Endothelial Sodium-Glucose Cotransporter 2 and Attenuating Oxidative Stress: Implications for Treating Individuals With Type 2 Diabetes. Canadian Journal of Diabetes, 2019, 43, 510-514.	0.4	23
33	TRPV1 promotes opioid analgesia during inflammation. Science Signaling, 2019, 12, .	1.6	26
34	Giardia –Induced Alterations to Intestinal Mucus Production Involve Protease–Activated Receptor–Mediated Activation of MAPK and Calcium Release. FASEB Journal, 2019, 33, 38.10.	0.2	2
35	Proteinases and their receptors in inflammatory arthritis: an overview. Nature Reviews Rheumatology, 2018, 14, 170-180.	3.5	45
36	Protease-Activated Receptor 2 Facilitates Bacterial Dissemination in Pneumococcal Pneumonia. Journal of Infectious Diseases, 2018, 217, 1462-1471.	1.9	11

#	ARTICLE	IF	CITATIONS
37	Heat shock protein α 27 and sex-selective regulation of muscarinic and proteinase-activated receptor 2-mediated vasodilatation: differential sensitivity to endothelial NOS inhibition. <i>British Journal of Pharmacology</i> , 2018, 175, 2063-2076.	2.7	8
38	Protease-activated receptor-2 signaling through β 2-arrestin-2 mediates <i>Alternaria</i> alkaline serine protease-induced airway inflammation. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2018, 315, L1042-L1057.	1.3	25
39	Itch induced by peripheral mu opioid receptors is dependent on TRPV1-expressing neurons and alleviated by channel activation. <i>Scientific Reports</i> , 2018, 8, 15551.	1.6	27
40	Functional Proteomic Profiling of Secreted Serine Proteases in Health and Inflammatory Bowel Disease. <i>Scientific Reports</i> , 2018, 8, 7834.	1.6	67
41	Shear stress sensitizes TRPV4 in endothelium-dependent vasodilatation. <i>Pharmacological Research</i> , 2018, 133, 152-159.	3.1	29
42	Myopia-Inhibiting Concentrations of Muscarinic Receptor Antagonists Block Activation of Alpha _{2A} -Adrenoceptors In Vitro. , 2018, 59, 2778.		45
43	Interferon gamma decreases intestinal epithelial aquaporin 3 expression through downregulation of constitutive transcription. <i>Journal of Molecular Medicine</i> , 2018, 96, 1081-1093.	1.7	7
44	Hyperglycaemic impairment of PAR2-mediated vasodilation: Prevention by inhibition of aortic endothelial sodium-glucose-co-Transporter-2 and minimizing oxidative stress. <i>Vascular Pharmacology</i> , 2018, 109, 56-71.	1.0	84
45	Microenvironment proteinases, proteinase-activated receptor regulation, cancer and inflammation. <i>Biological Chemistry</i> , 2018, 399, 1023-1039.	1.2	18
46	Protease Activated Receptor α 2 Mediates <i>Giardia</i> -Induced Disruptions of the Intestinal Mucus Barrier. <i>FASEB Journal</i> , 2018, 32, 286.11.	0.2	1
47	Protease activated receptor 2 deficiency in alveolar macrophages impairs cAMP generation leading to NFAT-dependent pro-inflammatory signalling and lung injury. <i>FASEB Journal</i> , 2018, 32, 746.6.	0.2	0
48	Targeting a Proteinase-Activated Receptor 4 (PAR4) Carboxyl Terminal Motif to Regulate Platelet Function. <i>Molecular Pharmacology</i> , 2017, 91, 287-295.	1.0	23
49	Insights into cellular signalling by G protein coupled receptor transactivation of cell surface protein kinase receptors. <i>Journal of Cell Communication and Signaling</i> , 2017, 11, 117-125.	1.8	21
50	Career and research outcomes of the physician-scientist training program at the University of Calgary: a retrospective cohort study. <i>CMAJ Open</i> , 2017, 5, E395-E401.	1.1	5
51	Cockroach allergen serine proteinases: Isolation, sequencing and signalling via proteinase-activated receptor α 2. <i>Clinical and Experimental Allergy</i> , 2017, 47, 946-960.	1.4	16
52	Granulocyte-colony-stimulating factor (G-CSF) signaling in spinal microglia drives visceral sensitization following colitis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, 11235-11240.	3.3	39
53	Bioactive Extracellular Matrix Scaffold Promotes Adaptive Cardiac Remodeling and Repair. <i>JACC Basic To Translational Science</i> , 2017, 2, 450-464.	1.9	43
54	Tumor necrosis factor α decreases aquaporin 3 expression in intestinal epithelial cells through inhibition of constitutive transcription. <i>Physiological Reports</i> , 2017, 5, e13451.	0.7	23

#	ARTICLE	IF	CITATIONS
55	Transforming Growth Factor- β 1/Activin Receptor-like Kinase 5-Mediated Cell Migration is Dependent on the Protein Proteinase-Activated Receptor 2 but not on Proteinase-Activated Receptor 2-Stimulated G _q -Calcium Signaling. <i>Molecular Pharmacology</i> , 2017, 92, 519-532.	1.0	11
56	Integrating the GPCR transactivation-dependent and biased signalling paradigms in the context of PAR1 signalling. <i>British Journal of Pharmacology</i> , 2016, 173, 2992-3000.	2.7	12
57	Lost: Young Canadian physician-scientists need a map. <i>Science Translational Medicine</i> , 2016, 8, 329fs6.	5.8	5
58	Proteinases, Their Extracellular Targets, and Inflammatory Signaling. <i>Pharmacological Reviews</i> , 2016, 68, 1110-1142.	7.1	53
59	Thrombin Cleavage of Plasmodium falciparum Erythrocyte Membrane Protein 1 Inhibits Cytoadherence. <i>MBio</i> , 2016, 7, .	1.8	9
60	Thrombin-Mediated Direct Activation of Proteinase-Activated Receptor-2: Another Target for Thrombin Signaling. <i>Molecular Pharmacology</i> , 2016, 89, 606-614.	1.0	75
61	Protease activated receptor-1 mediated dual kinase receptor transactivation stimulates the expression of glycosaminoglycan synthesizing genes. <i>Cellular Signalling</i> , 2016, 28, 110-119.	1.7	36
62	Protease-Activated Receptors. , 2016, , 1124-1144.		0
63	GPCR-mediated EGF receptor transactivation regulates TRPV4 action in the vasculature. <i>British Journal of Pharmacology</i> , 2015, 172, 2493-2506.	2.7	49
64	Proteinases, their receptors and inflammatory signalling: the Oxford South Parks Road connection. <i>British Journal of Pharmacology</i> , 2015, 172, 3196-3211.	2.7	2
65	Functional inhibition of PAR ₂ alleviates allergen-induced airway hyperresponsiveness and inflammation. <i>Clinical and Experimental Allergy</i> , 2015, 45, 1844-1855.	1.4	51
66	Neuroinflammation-Induced Interactions between Protease-Activated Receptor 1 and Proprotein Convertases in HIV-Associated Neurocognitive Disorder. <i>Molecular and Cellular Biology</i> , 2015, 35, 3684-3700.	1.1	29
67	Vitamin D, the autonomic nervous system, and cardiovascular risk. <i>Physiological Reports</i> , 2015, 3, e12349.	0.7	13
68	Proteinase-activated Receptor 2 (PAR2) Decreases Apoptosis in Colonic Epithelial Cells. <i>Journal of Biological Chemistry</i> , 2014, 289, 34366-34377.	1.6	45
69	Tulathromycin Exerts Proresolving Effects in Bovine Neutrophils by Inhibiting Phospholipases and Altering Leukotriene B ₄ , Prostaglandin E ₂ , and Lipoxin A ₄ Production. <i>Antimicrobial Agents and Chemotherapy</i> , 2014, 58, 4298-4307.	1.4	16
70	Proteolytic Activation of the Human Epithelial Sodium Channel by Trypsin IV and Trypsin I Involves Distinct Cleavage Sites. <i>Journal of Biological Chemistry</i> , 2014, 289, 19067-19078.	1.6	31
71	Biased signalling and proteinase-activated receptors (PARs): targeting inflammatory disease. <i>British Journal of Pharmacology</i> , 2014, 171, 1180-1194.	2.7	153
72	Subcellular localization of coagulation factor II receptor-like 1 in neurons governs angiogenesis. <i>Nature Medicine</i> , 2014, 20, 1165-1173.	15.2	65

#	ARTICLE	IF	CITATIONS
73	Proteinase-activated receptors 1 and 2 and the regulation of porcine coronary artery contractility: a role for distinct tyrosine kinase pathways. <i>British Journal of Pharmacology</i> , 2014, 171, 2413-2425.	2.7	10
74	KLKs and their hormone-like signaling actions: a new life for the PSA-KLK family. <i>Biological Chemistry</i> , 2014, 395, 915-929.	1.2	14
75	Protease-Activated Receptors. , 2014, , 1-23.		0
76	Shear stress increases vasodilator sensitivity to the TRPV4 agonist GSK10167904 in rat cremaster arterioles (LB566). <i>FASEB Journal</i> , 2014, 28, LB566.	0.2	0
77	Proteinase-activated receptors (PARs) â€“ focus on receptor-receptor-interactions and their physiological and pathophysiological impact. <i>Cell Communication and Signaling</i> , 2013, 11, 86.	2.7	150
78	Implantation serine proteinase 2 is a monomeric enzyme with mixed serine proteolytic activity and can silence signalling via proteinase activated receptors. <i>Biochemistry and Cell Biology</i> , 2013, 91, 487-497.	0.9	1
79	Neutrophil Elastase and Proteinase-3 Trigger G Protein-biased Signaling through Proteinase-activated Receptor-1 (PAR1). <i>Journal of Biological Chemistry</i> , 2013, 288, 32979-32990.	1.6	98
80	Proteinase-Activated Receptor-1 and Immunomodulatory Effects of a PAR1-Activating Peptide in a Mouse Model of Prostatitis. <i>Mediators of Inflammation</i> , 2013, 2013, 1-12.	1.4	4
81	Induction of Complement C3a Receptor Responses by Kallikrein-Related Peptidase 14. <i>Journal of Immunology</i> , 2013, 191, 3858-3866.	0.4	24
82	Proteinase-activated Receptor-2 Transactivation of Epidermal Growth Factor Receptor and Transforming Growth Factor- β 2 Receptor Signaling Pathways Contributes to Renal Fibrosis. <i>Journal of Biological Chemistry</i> , 2013, 288, 37319-37331.	1.6	74
83	Cockroach Allergen Proteinases Regulate Proteinase-Activated Receptor-1 (PAR1) Signalling. <i>FASEB Journal</i> , 2013, 27, 1171.6.	0.2	0
84	Proteinase-activated receptors, PAR1 & PAR2, regulate porcine coronary contractility via tyrosine kinase-EMAPKinase signaling involving a cyclooxygenase (COX)-1 product. <i>FASEB Journal</i> , 2013, 27, 880.2.	0.2	0
85	Biased signaling by proteinase-activated receptor 1 (PAR1) via activation with neutrophil and cockroach serine proteinases: tracking of distinct receptor dynamics with dual fluorochrome tagged receptors. <i>FASEB Journal</i> , 2013, 27, .	0.2	0
86	Cleavage of interleukin-8 and attenuation of neutrophil chemotaxis by a Giardia cathepsin B. <i>FASEB Journal</i> , 2013, 27, 131.8.	0.2	0
87	Epidermal growth factor receptor transactivation is required for proteinase-activated receptor-2-induced COX-2 expression in intestinal epithelial cells. <i>American Journal of Physiology - Renal Physiology</i> , 2012, 303, G111-G119.	1.6	22
88	β 2-Arrestin-2 mediates the proinflammatory effects of proteinase-activated receptor-2 in the airway. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 16660-16665.	3.3	76
89	Kallikrein-related peptidase signaling in colon carcinoma cells: targeting proteinase-activated receptors. <i>Biological Chemistry</i> , 2012, 393, 413-420.	1.2	24
90	Targeting proteinase-activated receptors: therapeutic potential and challenges. <i>Nature Reviews Drug Discovery</i> , 2012, 11, 69-86.	21.5	272

#	ARTICLE	IF	CITATIONS
91	Proteinase-activated receptors (PARs): differential signalling by kallikrein-related peptidases KLK8 and KLK14. <i>Biological Chemistry</i> , 2012, 393, 421-427.	1.2	18
92	Activation of PAR ₂ receptors sensitizes primary afferents and causes leukocyte rolling and adherence in the rat knee joint. <i>British Journal of Pharmacology</i> , 2012, 167, 1665-1678.	2.7	25
93	Novel insights into the delayed vasospasm following subarachnoid haemorrhage: importance of proteinase signalling. <i>British Journal of Pharmacology</i> , 2012, 165, 103-105.	2.7	3
94	Interleukin-17 and protease-activated receptor 2-mediated production of CXCL1 and CXCL8 modulated by cyclosporine A, vitamin D ₃ and glucocorticoids in human keratinocytes. <i>Journal of Dermatology</i> , 2012, 39, 625-631.	0.6	18
95	Allergic sensitization enhances anion current responsiveness of murine trachea to PAR-2 activation. <i>Pflugers Archiv European Journal of Physiology</i> , 2012, 463, 497-509.	1.3	17
96	Proteinase-Activated Receptors (PARs) and Calcium Signaling in Cancer. <i>Advances in Experimental Medicine and Biology</i> , 2012, 740, 979-1000.	0.8	16
97	Mentors And The Butterfly Effect: Triggers For Discovering Signalling by Proteinases via Proteinase-Activated Receptors (PARs) And More. <i>Clinical and Investigative Medicine</i> , 2012, 35, 378.	0.3	0
98	Pathogenesis of renal fibrosis: Role of Proteinase-Activated Receptor-2. <i>FASEB Journal</i> , 2012, 26, 1051.16.	0.2	0
99	Allergen-derived proteinases: Isolation, characterization and signaling via proteinase-activated receptors (PARs). <i>FASEB Journal</i> , 2012, 26, 664.10.	0.2	2
100	A Giardia Cathepsin-B-like Protease Cleaves Interleukin-8 From Intestinal Epithelial Cells. <i>FASEB Journal</i> , 2012, 26, 56.5.	0.2	0
101	Kallikrein-Related Peptidase 14 Acts on Proteinase-Activated Receptor 2 to Induce Signaling Pathway in Colon Cancer Cells. <i>American Journal of Pathology</i> , 2011, 179, 2625-2636.	1.9	47
102	Implantation Serine Proteinase 1 Exhibits Mixed Substrate Specificity that Silences Signaling via Proteinase-Activated Receptors. <i>PLoS ONE</i> , 2011, 6, e27888.	1.1	7
103	Role of proteinase-activated receptor-2 in anti-bacterial and immunomodulatory effects of interferon- γ on human neutrophils and monocytes. <i>Immunology</i> , 2011, 133, 329-339.	2.0	12
104	Perivascular adipose tissue-derived relaxing factors: release by peptide agonists via proteinase-activated receptor-2 (PAR2) and non-PAR2 mechanisms. <i>British Journal of Pharmacology</i> , 2011, 164, 1990-2002.	2.7	17
105	Structure, function and pathophysiology of protease activated receptors. , 2011, 130, 248-282.		315
106	Proteinase-activated receptor-1 mediates dorsal root ganglion neuronal degeneration in HIV/AIDS. <i>Brain</i> , 2011, 134, 3209-3221.	3.7	26
107	Neutrophil Elastase Acts as a Biased Agonist for Proteinase-activated Receptor-2 (PAR2). <i>Journal of Biological Chemistry</i> , 2011, 286, 24638-24648.	1.6	142
108	The active Zot domain (aa 288-293) increases ZO-1 and myosin 1C serine/threonine phosphorylation, alters interaction between ZO-1 and its binding partners, and induces tight junction disassembly through proteinase activated receptor 2 activation. <i>FASEB Journal</i> , 2011, 25, 144-158.	0.2	82

#	ARTICLE	IF	CITATIONS
109	Mucosal Allergic Sensitization to Cockroach Allergens Is Dependent on Proteinase Activity and Proteinase-Activated Receptor-2 Activation. <i>Journal of Immunology</i> , 2011, 186, 3164-3172.	0.4	87
110	Proteolytic Enzymes and Cell Signaling: Pharmacological Lessons. , 2011, , 1-25.		0
111	Abnormal overexpression of mastocytes in skin biopsies of fibromyalgia patients. <i>Clinical Rheumatology</i> , 2010, 29, 1403-1412.	1.0	75
112	Design, synthesis and biological evaluation of non-peptide PAR1 thrombin receptor antagonists based on small bifunctional templates: arginine and phenylalanine side chain groups are keys for receptor activity. <i>Amino Acids</i> , 2010, 38, 985-990.	1.2	1
113	Activation of Protease Activated Receptor 2 by Exogenous Agonist Exacerbates Early Radiation Injury in Rat Intestine. <i>International Journal of Radiation Oncology Biology Physics</i> , 2010, 77, 1206-1212.	0.4	6
114	Proteinase-activated receptor-2 (PAR ₂) and mouse osteoblasts: Regulation of cell function and lack of specificity of PAR ₂ -activating peptides. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2010, 37, 328-336.	0.9	15
115	Insulin Modulates Protease-Activated Receptor 2 Signaling: Implications for the Innate Immune Response. <i>Journal of Immunology</i> , 2010, 184, 2702-2709.	0.4	20
116	Functional proteomics of kallikrein-related peptidases in ovarian cancer ascites fluid. <i>Biological Chemistry</i> , 2010, 391, 381-90.	1.2	27
117	Kallikrein-related peptidases: proteolysis and signaling in cancer, the new frontier. <i>Biological Chemistry</i> , 2010, 391, 299-310.	1.2	65
118	Getting the message across: Pathophysiology and signaling via receptors for polypeptide hormones and proteinases. <i>Clinical and Investigative Medicine</i> , 2010, 33, 133.	0.3	7
119	CUX1 Transcription Factor Is a Downstream Effector of the Proteinase-activated Receptor 2 (PAR2). <i>Journal of Biological Chemistry</i> , 2009, 284, 36-45.	1.6	16
120	Agonist-Biased Signaling via Proteinase Activated Receptor-2: Differential Activation of Calcium and Mitogen-Activated Protein Kinase Pathways. <i>Molecular Pharmacology</i> , 2009, 76, 791-801.	1.0	96
121	Relative Importance of Proteinase-Activated Receptor-1 Versus Matrix Metalloproteinases in Intracerebral Hemorrhage-Mediated Neurotoxicity in Mice. <i>Stroke</i> , 2009, 40, 2199-2204.	1.0	52
122	Urotensin-like ¹ (Urotensin II) and Urocortins: A mermaid's tail. <i>General and Comparative Endocrinology</i> , 2009, 164, 7-14.	0.8	8
123	Thrombin: To PAR or Not to PAR, and the Regulation of Inflammation. , 2009, , 19-46.		1
124	Proteinases, proteinase-activated receptors (PARs) and the pathophysiology of cancer and diseases of the cardiovascular, musculoskeletal, nervous and gastrointestinal systems. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2008, 377, 377-392.	1.4	27
125	Proteinases and signalling: pathophysiological and therapeutic implications via PARs and more. <i>British Journal of Pharmacology</i> , 2008, 153, S263-82.	2.7	256
126	Kallikreins and proteinase-mediated signaling: proteinase-activated receptors (PARs) and the pathophysiology of inflammatory diseases and cancer. <i>Biological Chemistry</i> , 2008, 389, 643-651.	1.2	50

#	ARTICLE	IF	CITATIONS
127	Derivatized 2-Furoyl-LIGRLO-amide, a Versatile and Selective Probe for Proteinase-Activated Receptor 2: Binding and Visualization. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2008, 326, 453-462.	1.3	37
128	EGF receptor transactivation and MAP kinase mediate proteinase-activated receptor-2-induced chloride secretion in intestinal epithelial cells. <i>American Journal of Physiology - Renal Physiology</i> , 2008, 294, G441-G451.	1.6	38
129	Analysis of Proteinase-activated Receptor 2 and TLR4 Signal Transduction. <i>Journal of Biological Chemistry</i> , 2008, 283, 24314-24325.	1.6	122
130	Agonists of Proteinase-Activated Receptor-2 Enhance IFN- β -Inducible Effects on Human Monocytes: Role in Influenza A Infection. <i>Journal of Immunology</i> , 2008, 180, 6903-6910.	0.4	21
131	Proteinases as hormones: targets and mechanisms for proteolytic signaling. <i>Biological Chemistry</i> , 2008, .	1.2	0
132	Proteinase-Activated Receptor-2 Promotes Allergic Sensitization to an Inhaled Antigen through a TNF-Mediated Pathway. <i>Journal of Immunology</i> , 2007, 179, 2910-2917.	0.4	81
133	Proteinase-activated receptor-2 activating peptides: distinct canine coronary artery receptor systems. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2007, 293, H3279-H3289.	1.5	3
134	Kallikrein-mediated activation of PARs in inflammation and nociception. <i>Inflammation Research</i> , 2007, 56, S499-S502.	1.6	5
135	Thrombin-mediated hepatocellular carcinoma cell migration: Cooperative action via proteinase-activated receptors 1 and 4. <i>Journal of Cellular Physiology</i> , 2007, 211, 699-707.	2.0	60
136	Agonists of proteinase-activated receptor-2 affect transendothelial migration and apoptosis of human neutrophils. <i>Experimental Dermatology</i> , 2007, 16, 799-806.	1.4	28
137	Trypsin IV or Mesotrypsin and p23 Cleave Protease-activated Receptors 1 and 2 to Induce Inflammation and Hyperalgesia. <i>Journal of Biological Chemistry</i> , 2007, 282, 26089-26100.	1.6	92
138	PAR2 Proteinase-Activated Receptor. , 2007, , 1-13.		0
139	Proteinase-Activated Receptors. , 2007, , 1-12.		1
140	PAR4 Proteinase-Activated Receptor. , 2007, , 1-15.		0
141	PAR1 Proteinase-Activated Receptor. , 2007, , 1-18.		0
142	PAR3 Proteinase-Activated Receptor. , 2007, , 1-13.		0
143	Combination of Thrombin and Matrix Metalloproteinase-9 Exacerbates Neurotoxicity in Cell Culture and Intracerebral Hemorrhage in Mice. <i>Journal of Neuroscience</i> , 2006, 26, 10281-10291.	1.7	106
144	Surfactant as an Airway Smooth Muscle Relaxant. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 2006, 34, 609-615.	1.4	26

#	ARTICLE	IF	CITATIONS
145	Therapeutic Promise of Proteinase-Activated Receptor-2 Antagonism in Joint Inflammation. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2006, 316, 1017-1024.	1.3	175
146	Proteinase-activated receptor 2 modulates neuroinflammation in experimental autoimmune encephalomyelitis and multiple sclerosis. <i>Journal of Experimental Medicine</i> , 2006, 203, 425-435.	4.2	145
147	Proteinase-mediated cell signalling: targeting proteinase-activated receptors (PARs) by kallikreins and more. <i>Biological Chemistry</i> , 2006, 387, 677-685.	1.2	71
148	Kallikrein-mediated cell signalling: targeting proteinase-activated receptors (PARs). <i>Biological Chemistry</i> , 2006, 387, 817-24.	1.2	97
149	The House Dust Mite Allergen Der p 1, Unlike Der p 3, Stimulates the Expression of Interleukin-8 in Human Airway Epithelial Cells via a Proteinase-activated Receptor-2-independent Mechanism. <i>Journal of Biological Chemistry</i> , 2006, 281, 6910-6923.	1.6	147
150	Proteinase-activated Receptors, Targets for Kallikrein Signaling*. <i>Journal of Biological Chemistry</i> , 2006, 281, 32095-32112.	1.6	217
151	Proteolytic processing of SDF-1 α reveals a change in receptor specificity mediating HIV-associated neurodegeneration. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 19182-19187.	3.3	97
152	Physiology and Pathophysiology of Proteinase-Activated Receptors (PARs): Proteinases as Hormone-Like Signal Messengers: PARs and More. <i>Journal of Pharmacological Sciences</i> , 2005, 97, 8-13.	1.1	35
153	Neutrophils and the kallikrein-kinin system in proteinase-activated receptor 4-mediated inflammation in rodents. <i>British Journal of Pharmacology</i> , 2005, 146, 670-678.	2.7	83
154	Redundant signaling mechanisms contribute to the vasodilatory response of the afferent arteriole to proteinase-activated receptor-2. <i>American Journal of Physiology - Renal Physiology</i> , 2005, 288, F65-F75.	1.3	24
155	Expression of proteinase-activated receptor 2 on human primary gastrointestinal myofibroblasts and stimulation of prostaglandin synthesis. <i>Canadian Journal of Physiology and Pharmacology</i> , 2005, 83, 605-616.	0.7	20
156	Activation of proteinase-activated receptor-1 inhibits neurally evoked chloride secretion in the mouse colon in vitro. <i>American Journal of Physiology - Renal Physiology</i> , 2005, 288, G337-G345.	1.6	32
157	Proteinase-activated receptors 1 and 4 counter-regulate endostatin and VEGF release from human platelets. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 216-220.	3.3	248
158	<i>Pseudomonas aeruginosa</i> Elastase Disables Proteinase-Activated Receptor 2 in Respiratory Epithelial Cells. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 2005, 32, 411-419.	1.4	120
159	High Expression of Pulmonary Proteinase-activated Receptor 2 in Acute and Chronic Lung Injury in Preterm Infants. <i>Pediatric Research</i> , 2005, 57, 831-836.	1.1	41
160	Proteinase-Activated Receptor-1 Mediates Elastase-Induced Apoptosis of Human Lung Epithelial Cells. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 2005, 33, 231-247.	1.4	125
161	Proteinase-Activated Receptors: Transducers of Proteinase-Mediated Signaling in Inflammation and Immune Response. <i>Endocrine Reviews</i> , 2005, 26, 1-43.	8.9	469
162	Proteinase-Activated Receptor-2 Induction by Neuroinflammation Prevents Neuronal Death during HIV Infection. <i>Journal of Immunology</i> , 2005, 174, 7320-7329.	0.4	92

#	ARTICLE	IF	CITATIONS
163	A major role for proteolytic activity and proteinase-activated receptor-2 in the pathogenesis of infectious colitis. Proceedings of the National Academy of Sciences of the United States of America, 2005, 102, 8363-8368.	3.3	163
164	Signal Transduction for Proteinase-Activated Receptor-2-Triggered Prostaglandin E2 Formation in Human Lung Epithelial Cells. Journal of Pharmacology and Experimental Therapeutics, 2005, 315, 576-589.	1.3	49
165	Expression of protease-activated receptors 1 and 2 in melanocytic nevi and malignant melanoma. Human Pathology, 2005, 36, 676-685.	1.1	67
166	Proteinase-activated receptor 2 activation in the airways enhances antigen-mediated airway inflammation and airway hyperresponsiveness through different pathways. Journal of Allergy and Clinical Immunology, 2005, 115, 623-630.	1.5	107
167	Proteinases as hormone-like signal messengers. Swiss Medical Weekly, 2005, 135, 425-32.	0.8	10
168	2-Furoyl-LIGRLO-amide: A Potent and Selective Proteinase-Activated Receptor 2 Agonist. Journal of Pharmacology and Experimental Therapeutics, 2004, 309, 1124-1131.	1.3	128
169	Proteinase-Activated Receptor-2: Key Role of Amino-Terminal Dipeptide Residues of the Tethered Ligand for Receptor Activation. Molecular Pharmacology, 2004, 65, 149-156.	1.0	39
170	Evidence that protease activated receptor 2 expression is enhanced in human coronary atherosclerotic lesions. Journal of Clinical Pathology, 2004, 57, 513-516.	1.0	43
171	Proteinase-Activated Receptor-2-Mediated Relaxation in Mouse Tracheal and Bronchial Smooth Muscle: Signal Transduction Mechanisms and Distinct Agonist Sensitivity. Journal of Pharmacology and Experimental Therapeutics, 2004, 311, 402-410.	1.3	37
172	Tethered ligand-derived peptides of proteinase-activated receptor 3 (PAR3) activate PAR1 and PAR2 in Jurkat T cells. Immunology, 2004, 112, 183-190.	2.0	59
173	Proteinase-activated receptor-4: evaluation of tethered ligand-derived peptides as probes for receptor function and as inflammatory agonists in vivo. British Journal of Pharmacology, 2004, 143, 443-454.	2.7	106
174	Proteinase-activated receptor 2 activation modulates guinea-pig mesenteric lymphatic vessel pacemaker potential and contractile activity. Journal of Physiology, 2004, 560, 563-576.	1.3	28
175	The role of the C-terminal tail in protease-activated receptor-2-mediated Ca ²⁺ signalling, proline-rich tyrosine kinase-2 activation, and mitogen-activated protein kinase activity. Cellular Signalling, 2004, 16, 21-29.	1.7	41
176	Hyperpolarization of murine small caliber mesenteric arteries by activation of endothelial proteinase-activated receptor 2. Canadian Journal of Physiology and Pharmacology, 2004, 82, 1103-1112.	0.7	35
177	A role for proteinase-activated receptor-1 in inflammatory bowel diseases. Journal of Clinical Investigation, 2004, 114, 1444-1456.	3.9	82
178	Proteinase-Activated Receptors. , 2004, , 543-548.		0
179	Proteinase-activated receptors (PARs): An evolving hormonal system. Drug Development Research, 2003, 59, 334-335.	1.4	1
180	Proteinase-activated receptors: Tethered ligands and receptor-activating peptides. Drug Development Research, 2003, 59, 336-343.	1.4	7

#	ARTICLE	IF	CITATIONS
181	Proteinase-activated receptor domains and signaling. Drug Development Research, 2003, 59, 344-349.	1.4	5
182	Proteinase-activated receptors (PARs) and the kidney. Drug Development Research, 2003, 60, 36-42.	1.4	6
183	Proteinase-activated receptors in the nervous system. Nature Reviews Neuroscience, 2003, 4, 981-990.	4.9	123
184	Proteinase-mediated signaling: Proteinase-activated receptors (PARs) and much more. Life Sciences, 2003, 74, 237-246.	2.0	41
185	Colitis induced by proteinase-activated receptor-2 agonists is mediated by a neurogenic mechanism. Canadian Journal of Physiology and Pharmacology, 2003, 81, 920-927.	0.7	81
186	Selective Tryptic Cleavage at the Tethered Ligand Site of the Amino Terminal Domain of Proteinase-Activated Receptor-2 in Intact Cells. Journal of Pharmacology and Experimental Therapeutics, 2003, 304, 1120-1128.	1.3	17
187	Proteinase-activated receptor 1 activation induces epithelial apoptosis and increases intestinal permeability. Proceedings of the National Academy of Sciences of the United States of America, 2003, 100, 11104-11109.	3.3	130
188	Proteinase-Activated Receptor-2 and Human Lung Epithelial Cells. American Journal of Respiratory Cell and Molecular Biology, 2003, 28, 339-346.	1.4	122
189	Up-Regulation of Proteinase-Activated Receptor 1 Expression in Astrocytes During HIV Encephalitis. Journal of Immunology, 2003, 170, 2638-2646.	0.4	115
190	The Endothelium in Health and Disease-A Target for Therapeutic Intervention.. Journal of Smooth Muscle Research, 2003, 39, 249-267.	0.7	90
191	PAR1-dependent and independent increases in COX-2 and PGE2 in human colonic myofibroblasts stimulated by thrombin. American Journal of Physiology - Cell Physiology, 2003, 284, C1185-C1192.	2.1	29
192	Bidirectional regulation of renal hemodynamics by activation of PAR ₁ and PAR ₂ in isolated perfused rat kidney. American Journal of Physiology - Renal Physiology, 2003, 285, F95-F104.	1.3	49
193	Modified Proteinase-Activated Receptor-1 and -2 Derived Peptides Inhibit Proteinase-Activated Receptor-2 Activation by Trypsin. Journal of Pharmacology and Experimental Therapeutics, 2002, 300, 702-708.	1.3	64
194	Proteinase-Activated Receptor 2: Differential Activation of the Receptor by Tethered Ligand and Soluble Peptide Analogs. Journal of Pharmacology and Experimental Therapeutics, 2002, 302, 1046-1054.	1.3	47
195	Restricted ability of human mast cell tryptase to activate proteinase-activated receptor-2 in rat aorta. Canadian Journal of Physiology and Pharmacology, 2002, 80, 987-992.	0.7	28
196	Proteinase-Activated Receptor (PAR)-1 and -2 Agonists Induce Mediator Release from Mast Cells by Pathways Distinct from PAR-1 and PAR-2. Journal of Pharmacology and Experimental Therapeutics, 2002, 302, 466-474.	1.3	62
197	Activation of proteinase-activated receptor 1 stimulates epithelial chloride secretion through a unique MAP kinase and cyclooxygenase-dependent pathway. FASEB Journal, 2002, 16, 1515-1525.	0.2	48
198	Expression of protease activated receptor-2 (PAR-2) in central airways of smokers and non-smokers. Thorax, 2002, 57, 146-151.	2.7	63

#	ARTICLE	IF	CITATIONS
199	Proteinase-Activated Receptor-2 (PAR2): Vascular Effects of a PAR2-Derived Activating Peptide via a Receptor Different than PAR2. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2002, 303, 985-992.	1.3	36
200	PAR-2 elicits afferent arteriolar vasodilation by NO-dependent and NO-independent actions. <i>American Journal of Physiology - Renal Physiology</i> , 2002, 282, F891-F897.	1.3	22
201	Glycosylation of human proteinase-activated receptor-2 (hPAR2): role in cell surface expression and signalling. <i>Biochemical Journal</i> , 2002, 368, 495-505.	1.7	106
202	Induction of Intestinal Inflammation in Mouse by Activation of Proteinase-Activated Receptor-2. <i>American Journal of Pathology</i> , 2002, 161, 1903-1915.	1.9	342
203	International Union of Pharmacology. XXVIII. Proteinase-Activated Receptors. <i>Pharmacological Reviews</i> , 2002, 54, 203-217.	7.1	395
204	PARs in the stars: proteinase-activated receptors and astrocyte function. Focus on Thrombin (PAR-1)-induced proliferation in astrocytes via MAPK involves multiple signaling pathways. <i>American Journal of Physiology - Cell Physiology</i> , 2002, 283, C1347-C1350.	2.1	16
205	Multiple mechanisms of vascular smooth muscle relaxation by the activation of Proteinase-Activated Receptor 2 in mouse mesenteric arterioles. <i>British Journal of Pharmacology</i> , 2002, 135, 155-169.	2.7	76
206	Mechanisms of action of proteinase-activated receptor agonists on human platelets. <i>British Journal of Pharmacology</i> , 2002, 135, 1123-1132.	2.7	67
207	Protease-activated receptor-2 (PAR-2) in the rat gastric mucosa: immunolocalization and facilitation of pepsin/pepsinogen secretion. <i>British Journal of Pharmacology</i> , 2002, 135, 1292-1296.	2.7	51
208	Airway epithelial cells release eosinophil survival-promoting factors (GM-CSF) after stimulation of proteinase-activated receptor 2. <i>Journal of Allergy and Clinical Immunology</i> , 2001, 107, 679-685.	1.5	104
209	Proteinase-activated receptor 4 (PAR4): activation and inhibition of rat platelet aggregation by PAR4-derived peptides. <i>Canadian Journal of Physiology and Pharmacology</i> , 2001, 79, 439-442.	0.7	64
210	Protease-activated receptors in inflammation, neuronal signaling and pain. <i>Trends in Pharmacological Sciences</i> , 2001, 22, 146-152.	4.0	361
211	Protease-activated receptor-1 stimulates Ca ²⁺ -dependent Cl ⁻ secretion in human intestinal epithelial cells. <i>American Journal of Physiology - Renal Physiology</i> , 2001, 281, G323-G332.	1.6	73
212	Activation of pro-(matrix metalloproteinase-2) (pro-MMP-2) by thrombin is membrane-type-MMP-dependent in human umbilical vein endothelial cells and generates a distinct 63 kDa active species. <i>Biochemical Journal</i> , 2001, 357, 107.	1.7	72
213	Activation of pro-(matrix metalloproteinase-2) (pro-MMP-2) by thrombin is membrane-type-MMP-dependent in human umbilical vein endothelial cells and generates a distinct 63 kDa active species. <i>Biochemical Journal</i> , 2001, 357, 107-115.	1.7	105
214	Proteinase-activated receptor-2 and hyperalgesia: A novel pain pathway. <i>Nature Medicine</i> , 2001, 7, 821-826.	15.2	453
215	Contractile actions of proteinase-activated receptor-derived polypeptides in guinea-pig gastric and lung parenchymal strips: evidence for distinct receptor systems. <i>British Journal of Pharmacology</i> , 2001, 132, 556-566.	2.7	25
216	Agonists of proteinase-activated receptor 1 induce plasma extravasation by a neurogenic mechanism. <i>British Journal of Pharmacology</i> , 2001, 133, 975-987.	2.7	125

#	ARTICLE	IF	CITATIONS
217	Glycosylation and the activation of proteinase-activated receptor 2 (PAR2) by human mast cell tryptase. <i>British Journal of Pharmacology</i> , 2001, 134, 705-718.	2.7	104
218	Thrombin-induced platelet endostatin release is blocked by a proteinase activated receptor-4 (PAR4) antagonist. <i>British Journal of Pharmacology</i> , 2001, 134, 701-704.	2.7	48
219	Endothelin-1 endothelin receptor type A mediates closure of rat ductus arteriosus at birth. <i>Journal of Physiology</i> , 2001, 537, 579-585.	1.3	22
220	Proteinase-activated receptor 2 is an anti-inflammatory signal for colonic lamina propria lymphocytes in a mouse model of colitis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001, 98, 13936-13941.	3.3	190
221	Proteinase-activated receptor 4 (PAR4): activation and inhibition of rat platelet aggregation by PAR4-derived peptides. <i>Canadian Journal of Physiology and Pharmacology</i> , 2001, 79, 439-42.	0.7	27
222	Proteinase-activated receptor-2 (PAR-2): regulation of salivary and pancreatic exocrine secretion in vivo in rats and mice. <i>British Journal of Pharmacology</i> , 2000, 129, 1808-1814.	2.7	88
223	Mast cell tryptase stimulates human lung fibroblast proliferation via protease-activated receptor-2. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2000, 278, L193-L201.	1.3	250
224	Receptor Binding and Agonist Efficacy: New Insights from Mutants of the Thrombin Protease-Activated Receptor-1 (PAR-1). <i>Molecular Pharmacology</i> , 2000, 58, 1175-1177.	1.0	5
225	Interleukin-1 β , Src- and non-Src tyrosine kinases, and nitric oxide synthase induction in rat aorta in vitro. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2000, 279, H566-H576.	1.5	12
226	A Polymorphic Protease-activated Receptor 2 (PAR2) Displaying Reduced Sensitivity to Trypsin and Differential Responses to PAR Agonists. <i>Journal of Biological Chemistry</i> , 2000, 275, 39207-39212.	1.6	67
227	Agonists of proteinase-activated receptor 2 induce inflammation by a neurogenic mechanism. <i>Nature Medicine</i> , 2000, 6, 151-158.	15.2	909
228	Proteinase-activated receptor-2-mediated matrix metalloproteinase-9 release from airway epithelial cells. <i>Journal of Allergy and Clinical Immunology</i> , 2000, 106, 537-545.	1.5	154
229	Proteinase-activated receptors (PARs): activation of PAR ₁ and PAR ₂ by a proteolytic fragment of the neuronal growth associated protein B-50/GAP-43. <i>Canadian Journal of Physiology and Pharmacology</i> , 2000, 78, 81-85.	0.7	9
230	Thrombin and mast cell tryptase regulate guinea-pig myenteric neurons through proteinase-activated receptors-1 and β 2. <i>Journal of Physiology</i> , 1999, 517, 741-756.	1.3	168
231	Pro- and anti-inflammatory actions of thrombin: a distinct role for proteinase-activated receptor-1 (PAR1). <i>British Journal of Pharmacology</i> , 1999, 126, 1262-1268.	2.7	111
232	Characterization of the inflammatory response to proteinase-activated receptor-2 (PAR2)-activating peptides in the rat paw. <i>British Journal of Pharmacology</i> , 1999, 127, 1083-1090.	2.7	209
233	Proteinase activated receptor 2: role of extracellular loop 2 for ligand-mediated activation. <i>British Journal of Pharmacology</i> , 1999, 128, 1105-1113.	2.7	52
234	Proteinase-activated receptor 4 (PAR4): action of PAR4-activating peptides in vascular and gastric tissue and lack of cross-reactivity with PAR1 and PAR2. <i>Canadian Journal of Physiology and Pharmacology</i> , 1999, 77, 458-464.	0.7	57

#	ARTICLE	IF	CITATIONS
235	Protease-activated receptors: PAR4 and counting: how long is the course?. Trends in Pharmacological Sciences, 1999, 20, 271-273.	4.0	70
236	Evaluation of proteinase-activated receptor-1 (PAR1) agonists and antagonists using a cultured cell receptor desensitization assay: activation of PAR2 by PAR1-targeted ligands. Journal of Pharmacology and Experimental Therapeutics, 1999, 288, 358-70.	1.3	174
237	Proteinase-activated receptor 2 (PAR(2)): development of a ligand-binding assay correlating with activation of PAR(2) by PAR(1)- and PAR(2)-derived peptide ligands. Journal of Pharmacology and Experimental Therapeutics, 1999, 290, 753-60.	1.3	80
238	Proteinase-activated receptor 4 (PAR4): action of PAR4-activating peptides in vascular and gastric tissue and lack of cross-reactivity with PAR1 and PAR2. Canadian Journal of Physiology and Pharmacology, 1999, 77, 458-64.	0.7	22
239	Dual endothelium-dependent vascular activities of proteinase-activated receptor-2-activating peptides: evidence for receptor heterogeneity. British Journal of Pharmacology, 1998, 123, 1434-1440.	2.7	52
240	Endothelium-dependent contractile actions of proteinase-activated receptor-2-activating peptides in human umbilical vein: release of a contracting factor via a novel receptor. British Journal of Pharmacology, 1998, 125, 1445-1454.	2.7	44
241	Proteinase-activated receptor 2 (PAR2)-activating peptides: Identification of a receptor distinct from PAR2 that regulates intestinal transport. Proceedings of the National Academy of Sciences of the United States of America, 1998, 95, 7766-7771.	3.3	154
242	Parallel contractile signal transduction pathways activated by receptors for thrombin and epidermal growth factor-urogastrone in guinea pig gastric smooth muscle: blockade by inhibitors of mitogen-activated protein kinase-kinase and phosphatidylinositol 3'-kinase. Journal of Pharmacology and Experimental Therapeutics, 1998, 285, 325-34.	1.3	44
243	Luminal trypsin may regulate enterocytes through proteinase-activated receptor 2. Proceedings of the National Academy of Sciences of the United States of America, 1997, 94, 8884-8889.	3.3	292
244	Proteinase-activated receptors: structural requirements for activity, receptor cross-reactivity, and receptor selectivity of receptor-activating peptides. Canadian Journal of Physiology and Pharmacology, 1997, 75, 832-841.	0.7	211
245	Proteinase-activated receptors: structural requirements for activity, receptor cross-reactivity, and receptor selectivity of receptor-activating peptides. Canadian Journal of Physiology and Pharmacology, 1997, 75, 832-41.	0.7	89
246	Dependence of thrombin receptor-mediated contraction of guinea pig gastric smooth muscle on growth factor signalling pathways: comparison with EGF and implication of a role for Src-family kinases. Proceedings of the Western Pharmacology Society, 1997, 40, 45-8.	0.1	2
247	Rat proteinase-activated receptor-2 (PAR-2): cDNA sequence and activity of receptor-derived peptides in gastric and vascular tissue. British Journal of Pharmacology, 1996, 118, 521-530.	2.7	185
248	Protease-mediated signalling: new paradigms for cell regulation and drug development. Trends in Pharmacological Sciences, 1996, 17, 3-6.	4.0	70
249	Synergistic actions of a thrombin-derived synthetic peptide and a thrombin receptor-activating peptide in stimulating fibroblast mitogenesis. , 1996, 169, 491-496.		16
250	Synthesis and activities of cyclic thrombin-receptor-derived peptide analogues of the Ser42-Phe-Leu-Leu-Arg46 motif sequence containing d-Phe and/or d-Arg. International Journal of Peptide Research and Therapeutics, 1996, 3, 233-240.	0.1	4
251	Proteinase-activated receptor-2 in rat aorta: structural requirements for agonist activity of receptor-activating peptides. Molecular Pharmacology, 1996, 49, 229-33.	1.0	66
252	Tyrosine kinase-mediated signal transduction pathways and the actions of polypeptide growth factors and G-protein-coupled agonists in smooth muscle. Molecular and Cellular Biochemistry, 1995, 149-150, 77-85.	1.4	35

#	ARTICLE	IF	CITATIONS
253	Contractile actions of thrombin receptor-derived polypeptides in human umbilical and placental vasculature: evidence for distinct receptor systems. <i>British Journal of Pharmacology</i> , 1995, 115, 569-578.	2.7	27
254	Detection of functional receptors for the proteinase-activated-receptor-2-activating polypeptide, SLIGRL-NH ₂ , in rat vascular and gastric smooth muscle. <i>Canadian Journal of Physiology and Pharmacology</i> , 1995, 73, 1203-1207.	0.7	154
255	Vascular actions of thrombin receptor-derived polypeptides: structure-activity profiles for contractile and relaxant effects in rat aorta. <i>British Journal of Pharmacology</i> , 1995, 114, 1680-1686.	2.7	46
256	Contractile actions of thrombin receptor-derived polypeptides in rat and guinea pig lung parenchymal smooth muscle. <i>Proceedings of the Western Pharmacology Society</i> , 1995, 38, 93-6.	0.1	2
257	Tyrosine kinase pathways and the regulation of smooth muscle contractility. <i>Trends in Pharmacological Sciences</i> , 1994, 15, 108-114.	4.0	160
258	Regulation of vascular and gastric smooth muscle contractility by pervanadate. <i>British Journal of Pharmacology</i> , 1994, 113, 403-410.	2.7	49
259	Tyrosine kinase inhibitors and the contractile action of G-protein-linked vascular agonists. <i>Canadian Journal of Physiology and Pharmacology</i> , 1994, 72, 1075-1085.	0.7	52
260	Role of the amino- and carboxyl-terminal domains of thrombin receptor-derived polypeptides in biological activity in vascular endothelium and gastric smooth muscle: evidence for receptor subtypes. <i>Molecular Pharmacology</i> , 1993, 43, 921-30.	1.0	61
261	Distinct signal transduction pathways for angiotensin-II in guinea pig gastric smooth muscle: differential blockade by indomethacin and tyrosine kinase inhibitors. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 1993, 264, 958-66.	1.3	36
262	Vascular actions of thrombin receptor peptide. <i>Canadian Journal of Physiology and Pharmacology</i> , 1992, 70, 996-1003.	0.7	87
263	Actions of thrombin and thrombin receptor peptide analogues in gastric and aortic smooth muscle: Development of bioassays for structure-activity studies. <i>Life Sciences</i> , 1992, 51, 1325-1332.	2.0	30
264	Synergistic actions of epidermal growth factor-urogastrone and vasopressin in cultured aortic A-10 smooth muscle cells. <i>Journal of Cellular Physiology</i> , 1992, 152, 372-381.	2.0	5
265	Action of thrombin receptor polypeptide in gastric smooth muscle: identification of a core pentapeptide retaining full thrombin-mimetic intrinsic activity. <i>Molecular Pharmacology</i> , 1992, 42, 186-91.	1.0	45
266	Structure-activity relationships for transmembrane signaling: the receptor's turn. <i>FASEB Journal</i> , 1991, 5, 178-186.	0.2	46
267	Phosphorylation of human placenta membrane calpactins with bovine brain protein kinase C. <i>Biochemical Society Transactions</i> , 1990, 18, 586-587.	1.6	0
268	Epidermal growth factor stimulation of prostacyclin production by cultured aortic smooth muscle cells: Requirement for increased cellular calcium levels. <i>Journal of Cellular Physiology</i> , 1989, 139, 524-530.	2.0	22
269	Growth factors, their receptors and development. <i>American Journal of Medical Genetics Part A</i> , 1989, 34, 35-42.	2.4	30
270	Contractile actions of epidermal growth factor-urogastrone in isolated smooth muscle preparations from guinea pig stomach: structure-activity relationships and comparison with the effects of human transforming growth factor-alpha. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 1989, 248, 384-90.	1.3	15

#	ARTICLE	IF	CITATIONS
271	Epidermal growth factor-urogastrone (EGF-URO) causes contraction of porcine coronary arterial strips: inhibition by indomethacin. <i>Proceedings of the Western Pharmacology Society</i> , 1989, 32, 269-71.	0.1	1
272	A polypeptide growth inhibitor isolated from lactating bovine mammary gland (MDGI) is a lipid-carrying protein. <i>Journal of Cellular Biochemistry</i> , 1988, 38, 199-204.	1.2	31
273	Distinctive actions of epidermal growth factor-urogastrone in isolated smooth muscle preparations from guinea pig stomach: differential inhibition by indomethacin. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 1988, 245, 625-31.	1.3	24
274	Receptors for insulin and other growth factors: rationale for common and distinct mechanisms of cell activation. <i>Clinical and Investigative Medicine</i> , 1987, 10, 475-9.	0.3	0
275	Receptors for insulin and epidermal growth factor: Interaction with organomercurial agarose. <i>Journal of Cellular Biochemistry</i> , 1985, 28, 143-157.	1.2	6
276	Aggressive behaviour in mice provokes a marked increase in both plasma epidermal growth factor and renin. <i>Acta Physiologica Scandinavica</i> , 1981, 111, 367-371.	2.3	38
277	Mitogenesis in normal human fibroblasts by polyinosinic $\hat{\wedge}$ polycytidylic acid and other synthetic acidic polymers: Enhancement of action by glucocorticoids. <i>Journal of Cellular Physiology</i> , 1981, 108, 445-454.	2.0	15
278	Membrane Receptors and Hormone Action. <i>Advances in Protein Chemistry</i> , 1976, 30, 251-451.	4.4	424
279	Insulin and epidermal growth factor. Human fibroblast receptors related to deoxyribonucleic acid synthesis and amino acid uptake. <i>Journal of Biological Chemistry</i> , 1975, 250, 3845-53.	1.6	299
280	Epidermal Growth Factor: Receptors in Human Fibroblasts and Modulation of Action by Cholera Toxin. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1973, 70, 2964-2968.	3.3	326
281	The isolation of the native hormone-binding proteins from bovine pituitary posterior lobes. Crystallization of neurophysin-I and -II as complexes with [8-arginine]-vasopressin. <i>Biochemical Journal</i> , 1968, 106, 557-564.	3.2	139
282	Proteinase-activated receptor 2 promotes TGF- $\hat{\wedge}$ 2-dependent cell motility in pancreatic cancer cells by sustaining expression of the TGF- $\hat{\wedge}$ 2 type I receptor ALK5. <i>Oncotarget</i> , 0, 7, 41095-41109.	0.8	26