Jianguo Yang

List of Publications by Citations

Source: https://exaly.com/author-pdf/91303/jianguo-yang-publications-by-citations.pdf

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

51	431	11	18
papers	citations	h-index	g-index
61	552	3.8 avg, IF	4.11
ext. papers	ext. citations		L-index

#	Paper	IF	Citations
51	Just-in-time semi-supervised soft sensor for quality prediction in industrial rubber mixers. <i>Chemometrics and Intelligent Laboratory Systems</i> , 2018 , 180, 36-41	3.8	61
50	The bond strength of AlBi coating on mild steel by kinetic spraying deposition. <i>Applied Surface Science</i> , 2006 , 252, 7809-7814	6.7	53
49	Spatial-Neighborhood Manifold Learning for Nondestructive Testing of Defects in Polymer Composites. <i>IEEE Transactions on Industrial Informatics</i> , 2020 , 16, 4639-4649	11.9	32
48	Generative Principal Component Thermography for Enhanced Defect Detection and Analysis. <i>IEEE Transactions on Instrumentation and Measurement</i> , 2020 , 1-1	5.2	23
47	Industrial Mooney viscosity prediction using fast semi-supervised empirical model. <i>Chemometrics and Intelligent Laboratory Systems</i> , 2017 , 171, 86-92	3.8	21
46	Brazing graphite to hastelloy N superalloy using pure-Au filler metal: Bonding mechanism and joint properties. <i>Materials and Design</i> , 2016 , 104, 1-9	8.1	18
45	Microstructure evolution in a NiMoCr superalloy subjected to simulated heat-affected zone thermal cycle with high peak temperature. <i>Materials and Design</i> , 2015 , 86, 230-236	8.1	14
44	Characterization of the NiMolTr superalloy subjected to simulated heat-affected zone thermal cycle treatment. <i>Journal of Alloys and Compounds</i> , 2015 , 643, 7-16	5.7	14
43	Welding deformation controlling of aluminum-alloy thin plate by two-direction pre-stress method. <i>Materials Science & amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2009 , 499, 147-152	5.3	14
42	An analysis of high-temperature microstructural stability and mechanical performance of the Hastelloy N-Hastelloy N Superalloy joint bonded with pure Ti. <i>Materials and Design</i> , 2018 , 144, 72-85	8.1	13
41	Microstructure and local strains in GH3535 alloy heat affected zone and their influence on the mechanical properties. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2017 , 699, 48-54	5.3	12
40	Microstructural evolution and mechanical characterization for the A508B steel before and after phase transition. <i>Journal of Nuclear Materials</i> , 2017 , 495, 103-110	3.3	11
39	An investigation of phase transition on the microstructural characteristic and creep behavior for the SA508 Gr.3 steel used for nuclear reactor pressure vessels. <i>Materials Science & amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2018 , 711, 659-669	5.3	11
38	An analysis of formation mechanism and nano-scale hardness of the laser-induced coating on Ni🛮 7Mo🖟 Cr based superalloy. <i>Journal of Alloys and Compounds</i> , 2016 , 673, 8-16	5.7	10
37	Effect of high-temperature aging on microstructure and mechanical properties of NiMoIIr based superalloy subjected to simulated heat-affected zone thermal cycle. <i>Journal of Alloys and Compounds</i> , 2016 , 660, 266-275	5.7	9
36	Enhanced Defect Detection in Carbon Fiber Reinforced Polymer Composites via Generative Kernel Principal Component Thermography. <i>Polymers</i> , 2021 , 13,	4.5	9
35	Microstructural modification and mechanical characterization for a laser-induced composite coating during thermal exposure. <i>Surface and Coatings Technology</i> , 2019 , 358, 11-21	4.4	9

(2019-2021)

34	A thermographic data augmentation and signal separation method for defect detection. <i>Measurement Science and Technology</i> , 2021 , 32, 045401	2	9	
33	Influence of phase transformation on the creep deformation mechanism of SA508 Gr.3 steel for nuclear reactor pressure vessels. <i>Journal of Nuclear Materials</i> , 2019 , 519, 292-301	3.3	8	
32	Novel joining of dissimilar materials in the graphite/Hastelloy N alloy system using pure Au doped with Si particles. <i>Materials Characterization</i> , 2017 , 131, 388-398	3.9	7	
31	Microstructural evolution and mechanical properties of AlCoCrFeNi high-entropy alloy joints brazed using a novel Ni-based filler. <i>Journal of Alloys and Compounds</i> , 2021 , 860, 157926	5.7	7	
30	Hydrogen diffusion mechanism of the single-pass welded joint in welding considering the phase transformation effects. <i>Journal of Manufacturing Processes</i> , 2018 , 36, 126-137	5	7	
29	Deformation mechanism-based true-stress creep model for SA508 Gr.3 steel over the temperature range of 450\(\textbf{1}\)50 \(\textbf{C}\)C. Journal of Nuclear Materials, 2019 , 526, 151776	3.3	6	
28	Influence of crystallographic orientation of epitaxial solidification on the initial instability during the solidification of welding pool. <i>Journal of Manufacturing Processes</i> , 2019 , 38, 298-307	5	5	
27	Tailoring microstructure and mechanical performance of the TC4 titanium alloy brazed joint through doping rare-earth element Dy into Ti-Cu-Ni filler alloy. <i>Journal of Manufacturing Processes</i> , 2020 , 50, 255-265	5	5	
26	Microstructural evolution and characterization of interfacial phases in diffusion-bonded SiC/TaBW/SiC joints. <i>Ceramics International</i> , 2020 , 46, 22650-22660	5.1	5	
25	A global limit load solution for plates containing embedded off-set rectangular cracks under combined biaxial force/stress and through-thickness bending. <i>International Journal of Pressure Vessels and Piping</i> , 2017 , 149, 93-107	2.4	4	
24	Influence of simulated heat-affected zone thermal cycle treatment on mechanical performances and microstructural stability of NiII7MoIICr based superalloy. <i>Vacuum</i> , 2016 , 125, 26-35	3.7	4	
23	Self-Gathering Effect of the Hydrogen Diffusion in Welding Induced by the Solid-State Phase Transformation. <i>Materials</i> , 2019 , 12,	3.5	3	
22	Effect of Welding Technologies on Decreasing Welding Residual Stress of Francis Turbine Runner. Journal of Materials Science and Technology, 2010 , 26, 951-956	9.1	3	
21	Enhanced discharge and surface properties of TiSiCN coatings deposited by pulse-enhanced vacuum arc evaporation. <i>Surface and Coatings Technology</i> , 2020 , 403, 126413	4.4	3	
20	Study on Hydrogen Diffusion Behavior during Welding of Heavy Plate. Materials, 2020, 13,	3.5	3	
19	A novel joining of Cf/C composites using AlCoCrFeNi2.1 high-entropy brazing filler alloys. <i>Materials Characterization</i> , 2021 , 179, 111368	3.9	3	
18	Hydrogen Diffusion Mechanism around a Crack Tip in Type 304L Austenite Stainless Steel Considering the Influence of the Volume Expansion of Strain-Induced Martensite Transformation. <i>Metals</i> , 2019 , 9, 977	2.3	2	
17	Tailoring microstructure and mechanical performance of the graphite-Ni based superalloy brazed combination used for molten salt reactors through thermal exposure. <i>Materials Characterization</i> , 2019 , 156, 109831	3.9	2	

16	Characterization of SiC Ceramic Joints Brazed Using Au?Ni?Pd?Ti High-Temperature Filler Alloy. <i>Materials</i> , 2019 , 12,	3.5	2
15	Microstructure, adhesion, mechanical and corrosion properties of TiN coatings deposited by high energy pulse-enhanced vacuum arc evaporation. <i>Journal of Adhesion Science and Technology</i> , 2019 , 1-22	2 ²	2
14	TEM study of microstructural characteristic and evaluation of mechanical performance for the hastelloy N/Ti/Hastelloy N superalloy joint brazed for diverse soaking time. <i>Journal of Manufacturing Processes</i> , 2018 , 35, 271-281	5	2
13	Microstructure and Mechanical Performance of the DD98M-DD98M Single Crystal Superalloy Joints Brazed Using a Pd-Si Composite Filler. <i>Metals</i> , 2019 , 9, 1001	2.3	1
12	Orthogonal Locality Preserving Projections Thermography for Subsurface Defect Detection 2019,		1
11	Effects of the target-to-substrate distance on the microstructure and properties of TiN coatings fabricated by pulse-enhanced vacuum arc evaporation. <i>Journal of Adhesion Science and Technology</i> , 2021 , 35, 1125-1137	2	1
10	Factor analysis thermography for defect detection of panel paintings. <i>Quantitative InfraRed Thermography Journal</i> ,1-13	1.1	1
9	Loading path optimization of shaft clinching forming assembly using finite element simulation and response surface methodology. <i>Proceedings of the Institution of Mechanical Engineers, Part C: Journal of Mechanical Engineering Science</i> , 2020 , 234, 734-745	1.3	O
8	Tailoring microstructure and mechanical performance of Hastelloy N-Hastelloy N superalloy joint through modifying brazing processing parameters and post thermal exposure. <i>Materials Characterization</i> , 2021 , 173, 110947	3.9	0
7	An Investigation of Atomic Interaction between Ag and Ti2AlC under the Processing Temperature of 1080 LC. <i>Metals</i> , 2021 , 11, 1963	2.3	O
6	Austenite Memory and Variant Selection in a Novel Martensitic Welding Alloy. <i>Materials Today: Proceedings</i> , 2015 , 2, S325-S331	1.4	
5	Aging Time-Microstructure-Mechanical Property Correlation of a Ni-17Mo-7Cr-Based Superalloy Subjected to Simulated Heat-Affected Zone Thermal Treatment. <i>Journal of Materials Engineering and Performance</i> , 2017 , 26, 4556-4566	1.6	
4	Dynamic evolution of welding residual stress field under noncontact electromagnetic force. <i>Journal of Applied Physics</i> , 2010 , 107, 054904	2.5	
3	Influence of Acetylene on Ti Target Poisoning During Pulse-Enhanced Vacuum Arc Evaporation. <i>IEEE Transactions on Plasma Science</i> , 2020 , 48, 2799-2809	1.3	
2	Microstructure dependent fatigue crack growth characteristics in the Nill7MollCr base superalloy before and after thermal exposure. <i>Journal of Materials Research</i> , 2016 , 31, 3880-3890	2.5	
1	Ultrasonic-assisted soldering of Cu/Ti joints. <i>IOP Conference Series: Materials Science and Engineering</i> , 2018 , 322, 022020	0.4	