

# Reshef Tenne

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9130315/publications.pdf>

Version: 2024-02-01

410  
papers

25,380  
citations

11235

73  
h-index

10679

143  
g-index

429  
all docs

429  
docs citations

429  
times ranked

18876  
citing authors

#	ARTICLE	IF	CITATIONS
1	Nanotubes from the Misfit Layered Compound (SmS) <sub>1.19</sub> TaS <sub>2</sub> : Atomic Structure, Charge Transfer, and Electrical Properties. <i>Chemistry of Materials</i> , 2022, 34, 1838-1853.	3.2	5
2	Influence of Surface Relief on Orientation of Nematic Liquid Crystals: Polyimide Doped with WS <sub>2</sub> Nanotubes. <i>Crystals</i> , 2022, 12, 391.	1.0	4
3	Size and Shape's Effects on the High-Pressure Behavior of WS <sub>2</sub> Nanomaterials. <i>Materials</i> , 2022, 15, 2838.	1.3	5
4	WS <sub>2</sub> Nanotubes as a 1D Functional Filler for Melt Mixing with Poly(lactic acid) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 622 Td (ac	2.4	4
5	Initiative on #4openScienceStandsForUkraine scientists and students. <i>4open</i> , 2022, 5, E2.	0.1	1
6	Nanotubes from Ternary WS <sub>2</sub> (1-x)Se <sub>2x</sub> Alloys: Stoichiometry Modulated Tunable Optical Properties. <i>Journal of the American Chemical Society</i> , 2022, 144, 10530-10542.	6.6	15
7	WS <sub>2</sub> nanotubes dressed in gold and silver: Synthesis, optoelectronic properties, and NO <sub>2</sub> sensing. <i>AIP Conference Proceedings</i> , 2021, , .	0.3	0
8	Synthesis and characterization of WS <sub>2</sub> /SiO <sub>2</sub> microfibers. <i>Journal of Materials Science</i> , 2021, 56, 10834-10846.	1.7	3
9	MoS <sub>2</sub> and WS <sub>2</sub> Nanotubes: Synthesis, Structural Elucidation, and Optical Characterization. <i>Journal of Physical Chemistry C</i> , 2021, 125, 6324-6340.	1.5	35
10	Vibrational Properties and Charge Transfer in the Misfit-Layer Compound LaS <sub>2</sub> Cr <sub>2</sub> . <i>Journal of Physical Chemistry C</i> , 2021, 125, 8006-8013.	1.5	3
11	Why do nanocrystals of 2D materials form nanotubes and why is that important?. <i>Nano Today</i> , 2021, 37, 101060.	6.2	8
12	Probing the Chiral Domains and Excitonic States in Individual WS <sub>2</sub> Tubes by Second-Harmonic Generation. <i>Nano Letters</i> , 2021, 21, 4937-4943.	4.5	12
13	Asymmetric misfit nanotubes: Chemical affinity outwits the entropy at high-temperature solid-state reactions. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	3.3	9
14	Poly(L-lactic acid) Reinforced with Hydroxyapatite and Tungsten Disulfide Nanotubes. <i>Polymers</i> , 2021, 13, 3851.	2.0	4
15	Size-Dependent Control of Exciton-Polariton Interactions in WS <sub>2</sub> Nanotubes. <i>Small</i> , 2020, 16, e1904390.	5.2	26
16	Chemical control of the surface of WS <sub>2</sub> nanoparticles. <i>Chemical Physics Letters</i> , 2020, 761, 138052.	1.2	5
17	Nanotubes from layered transition metal dichalcogenides. <i>Physics Today</i> , 2020, 73, 42-48.	0.3	14
18	Strong, tough and bio-degradable polymer-based 3D-ink for fused filament fabrication (FFF) using WS <sub>2</sub> nanotubes. <i>Scientific Reports</i> , 2020, 10, 8892.	1.6	16

#	ARTICLE	IF	CITATIONS
19	Quaternary Misfit Compounds—A Concise Review. <i>Crystals</i> , 2020, 10, 468.	1.0	4
20	Silica aerogels as hosting matrices for WS <sub>2</sub> nanotubes and their optical characterization. <i>Journal of Materials Science</i> , 2020, 55, 7612-7623.	1.7	8
21	Nanotubes from Two-Dimensional Materials in Contemporary Energy Research: Historical and Perspective Outlook. <i>ACS Energy Letters</i> , 2020, 5, 1498-1511.	8.8	10
22	Nanotubes: Size-Dependent Control of Exciton-Polariton Interactions in WS <sub>2</sub> Nanotubes (Small 4/2020). <i>Small</i> , 2020, 16, 2070022.	5.2	0
23	Quaternary Ln <sub>x</sub> La <sub>(1-x)</sub> S-TaS <sub>2</sub> nanotubes (Ln=Pr, Sm, Ho, and Yb) as a vehicle for improving the yield of misfit nanotubes. <i>Applied Materials Today</i> , 2020, 19, 100581.	2.3	4
24	YS-TaS <sub>2</sub> and Y <sub>x</sub> La <sub>(1-x)</sub> S-TaS <sub>2</sub> (0 ≤ x ≤ 1) Nanotubes: A Family of Misfit Layered Compounds. <i>ACS Nano</i> , 2020, 14, 5445-5458.	7.3	10
25	Magnetic Field-Induced Through-Plane Alignment of the Proton Highway in a Proton Exchange Membrane. <i>ACS Applied Energy Materials</i> , 2020, 3, 4619-4628.	2.5	24
26	Temporal Characteristics of Liquid Crystal Cell with WS <sub>2</sub> Nanoparticles: Mesophase Sensitization and Relief Features. <i>Zhidkie Kristally I Ikh Prakticheskoe Ispol'zovanie</i> , 2020, 20, 34-40.	0.0	8
27	Correlations Between Spectral, Time and Orientation Parameters of Liquid Crystal Cells with WS <sub>2</sub> Nanoparticles. <i>Zhidkie Kristally I Ikh Prakticheskoe Ispol'zovanie</i> , 2020, 20, 41-48.	0.0	6
28	Au-MoS <sub>2</sub> Hybrids as Hydrogen Evolution Electrocatalysts. <i>ACS Applied Energy Materials</i> , 2019, 2, 6043-6050.	2.5	43
29	Impact resistant hybrid composites reinforced with inorganic nanoparticles and nanotubes of WS <sub>2</sub> . <i>Composites Part B: Engineering</i> , 2019, 176, 107222.	5.9	23
30	Enhanced intrinsic photovoltaic effect in tungsten disulfide nanotubes. <i>Nature</i> , 2019, 570, 349-353.	13.7	197
31	Synthesis and characterization of quaternary La(Sr) <sub>x</sub> TaS <sub>2</sub> misfit-layered nanotubes. <i>Beilstein Journal of Nanotechnology</i> , 2019, 10, 1112-1124.	1.5	5
32	Nanocomposite of Poly(L-Lactic Acid) with Inorganic Nanotubes of WS <sub>2</sub> . <i>Lubricants</i> , 2019, 7, 28.	1.2	13
33	Nanoparticle coating of orthodontic appliances for friction reduction. , 2019, , 309-331.		2
34	An overview of the recent advances in inorganic nanotubes. <i>Nanoscale</i> , 2019, 11, 8073-8090.	2.8	55
35	Ultrafast nonequilibrium dynamics of strongly coupled resonances in the intrinsic cavity of WS <sub>2</sub> nanotubes. <i>Physical Review Research</i> , 2019, 1, .	1.3	11
36	Decoration of Inorganic Nanostructures by Metallic Nanoparticles to Induce Fluorescence, Enhance Solubility, and Tune Band Gap. <i>Journal of Physical Chemistry C</i> , 2018, 122, 6748-6759.	1.5	9

#	ARTICLE	IF	CITATIONS
37	Tubular Hybrids: A Nanoparticleâ€™Molecular Network. Langmuir, 2018, 34, 2464-2470.	1.6	5
38	Quaternary Chalcogenide-Based Misfit Nanotubes LnS(Se)-TaS(Se) <sub>2</sub> (Ln = La, Ce, Nd, and) Tj ETQq0 0,0 rgBT /Oygrlock 10	1.9	15
39	How effectively do carbon nanotube inclusions contribute to the electromagnetic performance of a composite material? Estimation criteria from microwave and terahertz measurements. Carbon, 2018, 129, 688-694.	5.4	18
40	Concentrated Sunlight for Materials Synthesis and Diagnostics. Advanced Materials, 2018, 30, e1800444.	11.1	12
41	Improved Performance p-type Polymer (P3HT) / n-type Nanotubes (WS <sub>2</sub> ) Electrolyte Gated Thin-Film Transistor. MRS Advances, 2018, 3, 1525-1533.	0.5	3
42	Nanocomposites based on tubular and onion nanostructures of molybdenum and tungsten disulfides: inorganic design, functional properties and applications. Russian Chemical Reviews, 2018, 87, 251-271.	2.5	15
43	Optoelectronic response of a WS <sub>2</sub> tubular p-n junction. 2D Materials, 2018, 5, 035002.	2.0	41
44	Doping of Fullereneâ€™Like MoS <sub>2</sub> Nanoparticles with Minute Amounts of Niobium. Particle and Particle Systems Characterization, 2018, 35, 1700165.	1.2	3
45	Nanotubes from the Misfit Compound Alloy LaS-Nb <sub>x</sub> Ta <sub>1-x</sub> S <sub>2</sub> . Chemistry of Materials, 2018, 30, 8829-8842.	3.2	11
46	Diameter-Dependent Superconductivity in Individual WS <sub>2</sub> Nanotubes. Nano Letters, 2018, 18, 6789-6794.	4.5	25
47	Deposition of metal coatings containing fullerene-like MoS <sub>2</sub> nanoparticles with reduced friction and wear. Surface and Coatings Technology, 2018, 353, 116-125.	2.2	16
48	Strong lightâ€™matter interaction in tungsten disulfide nanotubes. Physical Chemistry Chemical Physics, 2018, 20, 20812-20820.	1.3	44
49	Metallic Nanocrystal Ripening on Inorganic Surfaces. ACS Omega, 2018, 3, 6533-6539.	1.6	3
50	Electrophoretic Deposition of Hydroxyapatite Film Containing Re-Doped MoS <sub>2</sub> Nanoparticles. International Journal of Molecular Sciences, 2018, 19, 657.	1.8	13
51	Nanotubes from misfit layered compounds. Journal of Coordination Chemistry, 2018, 71, 1669-1678.	0.8	4
52	Synthesis and Characterization of Nanotubes from Misfit (LnS) <sub>1+y</sub> TaS <sub>2</sub> (Ln=Pr, Sm, Gd, Yb) Compounds. Chemistry - A European Journal, 2018, 24, 11354-11363.	1.7	10
53	Important insights into polyurethane nanocomposite-adhesives; a comparative study between INT-WS <sub>2</sub> and CNT. European Polymer Journal, 2017, 89, 281-300.	2.6	25
54	Synthesis and Characterization of Pb@GaS Coreâ€™Shell Fullerene-Like Nanoparticles and Nanotubes. Nano, 2017, 12, 1750030.	0.5	4

#	ARTICLE	IF	CITATIONS
55	Superconductivity in a chiral nanotube. <i>Nature Communications</i> , 2017, 8, 14465.	5.8	143
56	Synthesis of magnetic FeWO <sub>4</sub> nanoparticles and their decoration of WS <sub>2</sub> nanotubes surface. <i>Journal of Materials Science</i> , 2017, 52, 6376-6387.	1.7	3
57	Synthesis of core-shell single-layer MoS <sub>2</sub> sheathing gold nanoparticles, AuNP@1L-MoS <sub>2</sub> . <i>Nanotechnology</i> , 2017, 28, 24LT03.	1.3	24
58	Short Pulse Laser Synthesis of Transition-Metal Dichalcogenide Nanostructures under Ambient Conditions. <i>ACS Omega</i> , 2017, 2, 2649-2656.	1.6	11
59	Structure and Stability of GaS Fullerenes and Nanotubes. <i>Israel Journal of Chemistry</i> , 2017, 57, 529-539.	1.0	6
60	Torsional Resonators Based on Inorganic Nanotubes. <i>Nano Letters</i> , 2017, 17, 28-35.	4.5	28
61	Strain-induced phonon shifts in tungsten disulfide nanoplatelets and nanotubes. <i>2D Materials</i> , 2017, 4, 015007.	2.0	85
62	Inorganic Nanotubes and Fullerene-like Nanoparticles at the Crossroads between Solid-State Chemistry and Nanotechnology. <i>Journal of the American Chemical Society</i> , 2017, 139, 12865-12878.	6.6	52
63	Comparative study on the properties of poly(trimethylene terephthalate) -based nanocomposites containing multi-walled carbon (MWCNT) and tungsten disulfide (INT-WS <sub>2</sub> ) nanotubes. <i>Polymers for Advanced Technologies</i> , 2017, 28, 645-657.	1.6	11
64	(Invited) Investigation of Single WS <sub>2</sub> Nanotubes Leads to New Observations and Potential Applications. <i>ECS Transactions</i> , 2017, 80, 25-28.	0.3	0
65	Dielectric and Electrical Properties of WS <sub>2</sub> Nanotubes/Epoxy Composites and Their Use for Stress Monitoring of Structures. <i>Journal of Nanomaterials</i> , 2017, 2017, 1-13.	1.5	12
66	(Invited) Investigation of Single WS <sub>2</sub> Nanotubes Leads to New Observations and Potential Applications. <i>ECS Meeting Abstracts</i> , 2017, , .	0.0	0
67	Strontium Cobalt Oxide Misfit Nanotubes. <i>Chemistry of Materials</i> , 2016, 28, 9150-9157.	3.2	9
68	Nanotubes from Oxide-Based Misfit Family: The Case of Calcium Cobalt Oxide. <i>ACS Nano</i> , 2016, 10, 6248-6256.	7.3	23
69	Effects of p- and n-type Doping in Inorganic Fullerene MoS <sub>2</sub> on the Hydrogen Evolution Reaction. <i>ChemElectroChem</i> , 2016, 3, 1937-1943.	1.7	24
70	Diameter-dependent wetting of tungsten disulfide nanotubes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, 13624-13629.	3.3	14
71	Raman spectroscopy of intercalated and misfit layer nanotubes. <i>Physical Review B</i> , 2016, 94, .	1.1	9
72	Effects of tungsten disulphide nanotubes and glutaric acid on the thermal and mechanical properties of polyvinyl alcohol. <i>Composites Science and Technology</i> , 2016, 127, 47-53.	3.8	34

#	ARTICLE	IF	CITATIONS
73	Tubular structures from the LnS <sub>2</sub> (Ln = La, Ce, Nd, Ho, Er) and LaSe <sub>2</sub> misfit layered compounds. Journal of Materials Chemistry C, 2016, 4, 89-98.	2.7	22
74	High Pressure Vibrational Properties of WS <sub>2</sub> Nanotubes. Nano Letters, 2016, 16, 993-999.	4.5	37
75	Atomic Structural Studies on Thin Single-Crystalline Misfit-Layered Nanotubes of TbS <sub>2</sub> -CrS <sub>2</sub> . Journal of Physical Chemistry C, 2016, 120, 15600-15607.	1.5	20
76	Advanced AZ31 Mg alloy composites reinforced by WS <sub>2</sub> nanotubes. Journal of Alloys and Compounds, 2016, 654, 15-22.	2.8	19
77	On the Mechanical Properties of WS <sub>2</sub> and MoS <sub>2</sub> Nanotubes and Fullerene-Like Nanoparticles: In Situ Electron Microscopy Measurements. Jom, 2016, 68, 151-167.	0.9	34
78	Re-doped fullerene-like MoS <sub>2</sub> nanoparticles in relationship with soft lubrication. Nanomaterials and Energy, 2015, 4, 30-38.	0.1	11
79	Direct Synthesis of Palladium Catalyst on Supporting WS <sub>2</sub> Nanotubes and its Reactivity in Cross-Coupling Reactions. Chemistry - an Asian Journal, 2015, 10, 2234-2239.	1.7	11
80	Biocompatibility of Tungsten Disulfide Inorganic Nanotubes and Fullerene-Like Nanoparticles with Salivary Gland Cells. Tissue Engineering - Part A, 2015, 21, 1013-1023.	1.6	55
81	Fullerene-like Re-Doped MoS <sub>2</sub> Nanoparticles as an Intercalation Host with Fast Kinetics for Sodium Ion Batteries. Israel Journal of Chemistry, 2015, 55, 599-603.	1.0	27
82	Solar Synthesis of PbS <sub>2</sub> -SnS <sub>2</sub> Superstructure Nanoparticles. ACS Nano, 2015, 9, 7831-7839.	7.3	18
83	Reinforcing silica aerogels with tungsten disulfide nanotubes. Journal of Supercritical Fluids, 2015, 106, 9-15.	1.6	13
84	Nanotube Electromechanics beyond Carbon: The Case of WS <sub>2</sub> . ACS Nano, 2015, 9, 12224-12232.	7.3	29
85	Beneficial effect of Re doping on the electrochemical HER activity of MoS <sub>2</sub> fullerenes. Dalton Transactions, 2015, 44, 16399-16404.	1.6	66
86	Carbon and Tungsten Disulfide Nanotubes and Fullerene-like Nanostructures in Thermoset Adhesives: A Critical Review. Reviews of Adhesion and Adhesives, 2015, 3, 311-363.	3.3	9
87	Single- to Triple-Wall WS <sub>2</sub> Nanotubes Obtained by High-Power Plasma Ablation of WS <sub>2</sub> Multiwall Nanotubes. Inorganics, 2014, 2, 177-190.	1.2	27
88	The Role of Lead (Pb) in the High Temperature Formation of MoS <sub>2</sub> Nanotubes. Inorganics, 2014, 2, 363-376.	1.2	7
89	Inorganic Fullerene-Like Nanoparticles and Inorganic Nanotubes. Inorganics, 2014, 2, 649-651.	1.2	5
90	Two-Step Synthesis of MoS <sub>2</sub> Nanotubes using Shock Waves with Lead as Growth Promoter. Zeitschrift Fur Anorganische Und Allgemeine Chemie, 2014, 640, 1152-1158.	0.6	14

#	ARTICLE	IF	CITATIONS
91	Lanthanide-Based Functional Misfit Layered Nanotubes. <i>Angewandte Chemie - International Edition</i> , 2014, 53, 6920-6924.	7.2	23
92	Nanotubes from Chalcogenide Misfit Compounds: SnS and NbPbS. <i>Accounts of Chemical Research</i> , 2014, 47, 406-416.	7.6	40
93	Recent advances in the research of inorganic nanotubes and fullerene-like nanoparticles. <i>Frontiers of Physics</i> , 2014, 9, 370-377.	2.4	40
94	Enhanced Field Emission of WS <sub>2</sub> Nanotubes. <i>Small</i> , 2014, 10, 2398-2403.	5.2	45
95	Theoretical aspects of WS <sub>2</sub> nanotube chemical unzipping. <i>Nanoscale</i> , 2014, 6, 8400-8404.	2.8	5
96	Decoration of WS <sub>2</sub> Nanotubes and Fullerene-Like MoS <sub>2</sub> with Gold Nanoparticles. <i>Journal of Physical Chemistry C</i> , 2014, 118, 2161-2169.	1.5	57
97	Nanotubes from Misfit Layered Compounds: A New Family of Materials with Low Dimensionality. <i>Journal of Physical Chemistry Letters</i> , 2014, 5, 3724-3736.	2.1	47
98	The effect of tungsten disulphide nanoparticles on the properties of polyurethane adhesives. <i>Journal of Adhesion Science and Technology</i> , 2014, 28, 38-52.	1.4	15
99	The effect of tungsten disulfide nanotubes on the properties of silicone adhesives. <i>International Journal of Adhesion and Adhesives</i> , 2014, 55, 77-81.	1.4	6
100	Nanotubes from the Misfit Layered Compounds MS <sub>2</sub> TaS <sub>2</sub> , Where M = Pb, Sn, Sb, or Bi: Synthesis and Study of Their Structure. <i>Chemistry of Materials</i> , 2014, 26, 3757-3770.	3.2	26
101	Lubricating Medical Devices with Fullerene-Like Nanoparticles. <i>Tribology Letters</i> , 2014, 55, 103-109.	1.2	19
102	Dependence of the Absorption and Optical Surface Plasmon Scattering of MoS <sub>2</sub> Nanoparticles on Aspect Ratio, Size, and Media. <i>ACS Nano</i> , 2014, 8, 3575-3583.	7.3	63
103	Attenuation of encrustation by self-assembled inorganic fullerene-like nanoparticles. <i>Nanoscale</i> , 2014, 6, 5251.	2.8	16
104	Tribological performance of the epoxy-based composite reinforced by WS <sub>2</sub> fullerene-like nanoparticles and nanotubes. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2013, 210, 2298-2306.	0.8	35
105	Chemical Unzipping of WS <sub>2</sub> Nanotubes. <i>ACS Nano</i> , 2013, 7, 7311-7317.	7.3	50
106	Study of urological devices coated with fullerene-like nanoparticles. <i>Nanoscale</i> , 2013, 5, 8526.	2.8	14
107	High-yield synthesis of silicon carbide nanowires by solar and lamp ablation. <i>Nanotechnology</i> , 2013, 24, 335603.	1.3	17
108	Spectroscopic Determination of Phonon Lifetimes in Rhenium-Doped MoS <sub>2</sub> Nanoparticles. <i>Nano Letters</i> , 2013, 13, 2803-2808.	4.5	40

#	ARTICLE	IF	CITATIONS
109	WS2 nanoflakes from nanotubes for electrocatalysis. Nano Research, 2013, 6, 921-928.	5.8	103
110	Field-Effect Transistors Based on WS <sub>2</sub> Nanotubes with High Current-Carrying Capacity. Nano Letters, 2013, 13, 3736-3741.	4.5	131
111	Tribological studies of rhenium doped fullerene-like MoS <sub>2</sub> nanoparticles in boundary, mixed and elasto-hydrodynamic lubrication conditions. Wear, 2013, 297, 1103-1110.	1.5	89
112	Encapsulation of Mo <sub>2</sub> C in MoS <sub>2</sub> inorganic fullerene-like nanoparticles and nanotubes. Nanoscale, 2013, 5, 1499.	2.8	14
113	Revealing the Anomalous Tensile Properties of WS <sub>2</sub> Nanotubes by in Situ Transmission Electron Microscopy. Nano Letters, 2013, 13, 1034-1040.	4.5	40
114	Observation of a Bursteinâ€“Moss Shift in Rhenium-Doped MoS <sub>2</sub> Nanoparticles. ACS Nano, 2013, 7, 3506-3511.	7.3	81
115	Nanoparticle Coating of Orthodontic Appliances for Friction Reduction. , 2013, , 259-279.		6
116	Photocatalysis with hybrid Co-coated WS <sub>2</sub> nanotubes. Nanomaterials and Energy, 2013, 2, 25-34.	0.1	11
117	A Nanocomposite of Polyaniline/Inorganic Nanotubes. Macromolecular Chemistry and Physics, 2013, 214, 2007-2015.	1.1	13
118	Inorganic nanotubes and fullerene-like nanoparticles: Synthesis, mechanical properties, and applications. Physica Status Solidi (A) Applications and Materials Science, 2013, 210, 2253-2258.	0.8	16
119	Nanoinduced morphology and enhanced properties of epoxy containing tungsten disulfide nanoparticles. Polymer Engineering and Science, 2013, 53, 2624-2632.	1.5	29
120	Two-step method for preparation of Al <sub>2</sub> O <sub>3</sub> /IF-WS <sub>2</sub> nanoparticles composite coating. Physica Status Solidi (A) Applications and Materials Science, 2013, 210, 2292-2297.	0.8	10
121	INORGANIC NANOTUBES AND FULLERENE-LIKE NANOPARTICLES: FROM THE LAB TO THE MARKET PLACE. , 2013, , .		0
122	New Deposition Technique for Metal Films Containing Inorganic Fullereneâ€“Like (IF) Nanoparticles. ChemPhysChem, 2013, 14, 2125-2131.	1.0	2
123	Compound Crystals. , 2013, , 605-638.		2
124	Inorganic Nanotubes and Fullerene-Like Nano-particles: From the Lab to Applications. NATO Science for Peace and Security Series B: Physics and Biophysics, 2013, , 299-302.	0.2	1
125	Electrical transport properties of individual WS <sub>2</sub> nanotubes and their dependence on water and oxygen absorption. Applied Physics Letters, 2012, 101, .	1.5	42
126	Metallic Films with Fullerene-Like WS <sub>2</sub> (MoS <sub>2</sub> ) Nanoparticles: Self-Lubricating Coatings with Potential Applications. NATO Science for Peace and Security Series A: Chemistry and Biology, 2012, , 59-67.	0.5	0

#	ARTICLE	IF	CITATIONS
127	Self-healing of bended WS <sub>2</sub> nanotubes and its effect on the nanotube's properties. <i>Nanoscale</i> , 2012, 4, 7825.	2.8	9
128	Characterization of Ni-Coated WS <sub>2</sub> Nanotubes for Hydrodesulfurization Catalysis. <i>Israel Journal of Chemistry</i> , 2012, 52, 1053-1062.	1.0	11
129	Investigation of Rhenium-Doped MoS <sub>2</sub> Nanoparticles with Fullerene-Like Structure. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2012, 638, 2610-2616.	0.6	21
130	Semiconductor quantum dot-inorganic nanotube hybrids. <i>Physical Chemistry Chemical Physics</i> , 2012, 14, 4271.	1.3	9
131	New High-Temperature Pb-Catalyzed Synthesis of Inorganic Nanotubes. <i>Journal of the American Chemical Society</i> , 2012, 134, 16379-16386.	6.6	33
132	High-performance photodetectors for visible and near-infrared lights based on individual WS <sub>2</sub> nanotubes. <i>Applied Physics Letters</i> , 2012, 100, .	1.5	111
133	Study of Tubular Structures of the Misfit Layered Compound SnS <sub>2</sub> /SnS. <i>Chemistry of Materials</i> , 2012, 24, 3004-3015.	3.2	32
134	Synthesis and characterization of WS <sub>2</sub> nanotube supported cobalt catalyst for hydrodesulfurization. <i>Materials Research Bulletin</i> , 2012, 47, 1653-1660.	2.7	31
135	Controlled Doping of MS <sub>2</sub> (M=W, Mo) Nanotubes and Fullerene-Like Nanoparticles. <i>Angewandte Chemie - International Edition</i> , 2012, 51, 1148-1151.	7.2	73
136	High Lubricity of Re-Doped Fullerene-Like MoS <sub>2</sub> Nanoparticles. <i>Tribology Letters</i> , 2012, 45, 257-264.	1.2	61
137	Medical applications of inorganic fullerene-like nanoparticles. <i>Journal of Materials Chemistry</i> , 2011, 21, 15121.	6.7	48
138	New Route for Stabilization of 1T-WS <sub>2</sub> and MoS <sub>2</sub> Phases. <i>Journal of Physical Chemistry C</i> , 2011, 115, 24586-24591.	1.5	430
139	Biocompatible Inorganic Fullerene-Like Molybdenum Disulfide Nanoparticles Produced by Pulsed Laser Ablation in Water. <i>ACS Nano</i> , 2011, 5, 1276-1281.	7.3	184
140	Friction mechanism of individual multilayered nanoparticles. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 19901-19906.	3.3	158
141	The use of functionalized nanoparticles as non-specific compatibilizers for polymer blends. <i>Polymers for Advanced Technologies</i> , 2011, 22, 65-71.	1.6	28
142	Innentitelbild: MoS <sub>2</sub> Hybrid Nanostructures: From Octahedral to Quasi-Spherical Shells within Individual Nanoparticles ( <i>Angew. Chem.</i> 8/2011). <i>Angewandte Chemie</i> , 2011, 123, 1766-1766.	1.6	0
143	Inside Cover: MoS <sub>2</sub> Hybrid Nanostructures: From Octahedral to Quasi-Spherical Shells within Individual Nanoparticles ( <i>Angew. Chem. Int. Ed.</i> 8/2011). <i>Angewandte Chemie - International Edition</i> , 2011, 50, 1728-1728.	7.2	0
144	MoS <sub>2</sub> Hybrid Nanostructures: From Octahedral to Quasi-Spherical Shells within Individual Nanoparticles. <i>Angewandte Chemie - International Edition</i> , 2011, 50, 1810-1814.	7.2	62

#	ARTICLE	IF	CITATIONS
145	Synthesis of Copious Amounts of SnS <sub>2</sub> and SnS <sub>2</sub> /SnS Nanotubes with Ordered Superstructures. <i>Angewandte Chemie - International Edition</i> , 2011, 50, 12316-12320.	7.2	94
146	The Effect of WS <sub>2</sub> Nanotubes on the Properties of Epoxy-Based Nanocomposites. <i>Journal of Adhesion Science and Technology</i> , 2011, 25, 1603-1617.	1.4	57
147	Alleviating fatigue and failure of NiTi endodontic files by a coating containing inorganic fullerene-like WS <sub>2</sub> nanoparticles. <i>Journal of Materials Research</i> , 2011, 26, 1234-1242.	1.2	26
148	CHROMIUM-RICH COATINGS WITH WS <sub>2</sub> NANOPARTICLES CONTAINING FULLERENE-LIKE STRUCTURE. <i>Nano</i> , 2011, 06, 313-324.	0.5	9
149	Towards medical applications of self-lubricating coatings with fullerene-like (IF) WS <sub>2</sub> nanoparticles. <i>International Journal of Nano and Biomaterials</i> , 2010, 3, 140.	0.1	4
150	Recent progress in the research of inorganic fullerene-like nanoparticles and inorganic nanotubes. <i>Chemical Society Reviews</i> , 2010, 39, 1423-1434.	18.7	185
151	Scaling Up of the WS <sub>2</sub> Nanotubes Synthesis. <i>Fullerenes Nanotubes and Carbon Nanostructures</i> , 2010, 19, 18-26.	1.0	63
152	Surface Functionalization of WS <sub>2</sub> Fullerene-like Nanoparticles. <i>Langmuir</i> , 2010, 26, 4409-4414.	1.6	81
153	Synthesis of Inorganic Fullerene-like Nanostructures by Concentrated Solar and Artificial Light. <i>Israel Journal of Chemistry</i> , 2010, 50, 417-425.	1.0	20
154	Inorganic Nanotubes and Nanostructures. <i>Israel Journal of Chemistry</i> , 2010, 50, 393-394.	1.0	3
155	Synthesis and characterization of WS <sub>2</sub> inorganic nanotubes with encapsulated/intercalated CsI. <i>Nano Research</i> , 2010, 3, 170-173.	5.8	14
156	One- and Two-Dimensional Inorganic Crystals inside Inorganic Nanotubes. <i>European Journal of Inorganic Chemistry</i> , 2010, 2010, 4233-4243.	1.0	14
157	Synthesis of Core-Shell Inorganic Nanotubes. <i>Advanced Functional Materials</i> , 2010, 20, 2459-2468.	7.8	54
158	Nanocompression of individual multilayered polyhedral nanoparticles. <i>Nanotechnology</i> , 2010, 21, 365705.	1.3	45
159	Stability Criteria of Fullerene-like Nanoparticles: Comparing V <sub>2</sub> O <sub>5</sub> to Layered Metal Dichalcogenides and Dihalides. <i>Materials</i> , 2010, 3, 4428-4445.	1.3	12
160	Gold Nanoparticles as Surface Defect Probes for WS <sub>2</sub> Nanostructures. <i>Journal of Physical Chemistry Letters</i> , 2010, 1, 540-543.	2.1	30
161	Hollow V <sub>2</sub> O <sub>5</sub> Nanoparticles (Fullerene-Like Analogues) Prepared by Laser Ablation. <i>Journal of the American Chemical Society</i> , 2010, 132, 11214-11222.	6.6	45
162	The Effect of Tungsten Sulfide Fullerene-Like Nanoparticles on the Toughness of Epoxy Adhesives. <i>Journal of Adhesion Science and Technology</i> , 2010, 24, 1083-1095.	1.4	61

#	ARTICLE	IF	CITATIONS
163	INSIGHT INTO THE GROWTH MECHANISM OF WS <sub>2</sub> NANOTUBES IN THE SCALED-UP FLUIDIZED-BED REACTOR. Nano, 2009, 04, 91-98.	0.5	128
164	Inorganic fullerene-like tungsten disulfide nanocoating for friction reduction of nickel-titanium alloys. Nanomedicine, 2009, 4, 943-950.	1.7	55
165	Core-Shell PbI <sub>2</sub> @WS <sub>2</sub> Inorganic Nanotubes from Capillary Wetting. Angewandte Chemie - International Edition, 2009, 48, 1230-1233.	7.2	56
166	Fullerene-like MoS <sub>2</sub> Nanoparticles and Their Tribological Behavior. Tribology Letters, 2009, 36, 175-182.	1.2	163
167	Synthesis of WS <sub>2</sub> and MoS <sub>2</sub> fullerene-like nanoparticles from solid precursors. Nano Research, 2009, 2, 416-424.	5.8	62
168	Inorganic WS <sub>2</sub> nanotubes revealed atom by atom using ultra-high-resolution transmission electron microscopy. Applied Physics A: Materials Science and Processing, 2009, 96, 343-348.	1.1	16
169	Recent Progress in the Study of Inorganic Nanotubes and Fullerene-Like Structures. Annual Review of Materials Research, 2009, 39, 387-413.	4.3	98
170	Synthesis of fullerene-like MoS <sub>2</sub> nanoparticles and their tribological behavior. Journal of Materials Chemistry, 2009, 19, 4368.	6.7	103
171	Toughening of Epoxy Adhesives by Nanoparticles. Journal of Adhesion Science and Technology, 2009, 23, 753-768.	1.4	64
172	A magnetic resonance study of MoS <sub>2</sub> fullerene-like nanoparticles. Journal of Physics Condensed Matter, 2009, 21, 395301.	0.7	20
173	Reactive and Non-reactive Interactions of Thiophene with WS <sub>2</sub> Fullerene-like Nanoparticles: An Ultra-high Vacuum Surface Chemistry Study. Catalysis Letters, 2008, 125, 236-242.	1.4	13
174	In situ TEM measurements of the mechanical properties and behavior of WS <sub>2</sub> nanotubes. Nano Research, 2008, 1, 22.	5.8	55
175	X-ray photoelectron spectroscopy and tribology studies of annealed fullerene-like WS <sub>2</sub> nanoparticles. Physica Status Solidi (B): Basic Research, 2008, 245, 1779-1784.	0.7	24
176	Polymer-assisted fabrication of nanoparticles and nanocomposites. Progress in Polymer Science, 2008, 33, 40-112.	11.8	486
177	Phototransistors Utilizing Individual WS <sub>2</sub> Nanotubes. , 2008, , .		2
178	Fullerene-like Mo(W) <sub>1-x</sub> Re <sub>x</sub> S <sub>2</sub> Nanoparticles. Chemistry - an Asian Journal, 2008, 3, 1568-1574.	1.7	33
179	Gas-phase synthesis of inorganic fullerene-like structures and inorganic nanotubes. Open Chemistry, 2008, 6, 373-389.	1.0	13
180	ZnO Nanowire and WS <sub>2</sub> Nanotube Electronics. IEEE Transactions on Electron Devices, 2008, 55, 2988-3000.	1.6	35

#	ARTICLE	IF	CITATIONS
181	Improved orthodontic stainless steel wires coated with inorganic fullerene-like nanoparticles of WS <sub>2</sub> impregnated in electroless nickel-phosphorous film. Dental Materials, 2008, 24, 1640-1646.	1.6	98
182	Intercalation of Alkali Metal in WS <sub>2</sub> Nanoparticles, Revisited. Chemistry of Materials, 2008, 20, 4099-4105.	3.2	23
183	Fullerene-like WS <sub>2</sub> nanoparticles and nanotubes by the vapor-phase synthesis of WCl <sub>5</sub> and H <sub>2</sub> S. Nanotechnology, 2008, 19, 095601.	1.3	33
184	Torsional Stick-Slip Behavior in $WS_2$ Nanotubes. Physical Review Letters, 2008, 101, 195501.	3.9	68
185	X-Ray Photoelectron Spectroscopy and Tribology Studies of Annealed Fullerene-like WS <sub>2</sub> Nanoparticles. NATO Science for Peace and Security Series B: Physics and Biophysics, 2008, , 51-59.	0.2	2
186	Atom by atom: HRTEM insights into inorganic nanotubes and fullerene-like structures. Proceedings of the National Academy of Sciences of the United States of America, 2008, 105, 15643-15648.	3.3	77
187	Toward Atomic-Scale Bright-Field Electron Tomography for the Study of Fullerene-Like Nanostructures. Nano Letters, 2008, 8, 891-896.	4.5	61
188	Singular MoS <sub>2</sub> , SiO <sub>2</sub> and Si nanostructures synthesis by solar ablation. Journal of Materials Chemistry, 2008, 18, 458-462.	6.7	35
189	Friction reduction and wear resistance of electro-co-deposited inorganic fullerene-like WS <sub>2</sub> coating for improved stainless steel orthodontic wires. Journal of Materials Research, 2008, 23, 2909-2915.	1.2	30
190	Inorganic Nanotubes and Fullerene-Like Structures (IF). Topics in Applied Physics, 2007, , 631-671.	0.4	47
191	Fabrication of self-lubricating cobalt coatings on metal surfaces. Nanotechnology, 2007, 18, 115703.	1.3	63
192	Bulk vs Nanoscale WS <sub>2</sub> : Finite Size Effects and Solid-State Lubrication. Nano Letters, 2007, 7, 2365-2369.	4.5	47
193	Microscopic Investigation of Shear in Multiwalled Nanotube Deformation. Journal of Physical Chemistry C, 2007, 111, 8432-8436.	1.5	33
194	Fullerene-Like (IF) NbMo <sub>1-x</sub> S <sub>2</sub> Nanoparticles. Journal of the American Chemical Society, 2007, 129, 12549-12562.	6.6	49
195	Structure and Stability of Molybdenum Sulfide Fullerenes. Angewandte Chemie - International Edition, 2007, 46, 623-627.	7.2	84
196	Characterization of Geoinspired and Synthetic Chrysotile Nanotubes by Atomic Force Microscopy and Transmission Electron Microscopy. Advanced Functional Materials, 2007, 17, 3332-3338.	7.8	57
197	Sedimentation of IF-WS <sub>2</sub> aggregates and a reproducibility of the tribological data. Tribology International, 2007, 40, 117-124.	3.0	42
198	Inorganic fullerenes and nanotubes: Wealth of materials and morphologies. European Physical Journal: Special Topics, 2007, 149, 71-101.	1.2	34

#	ARTICLE	IF	CITATIONS
199	On the Efficacy of WS <sub>2</sub> Nanoparticles as Solid Lubricant: The Effect of the Loading Scheme. Tribology Letters, 2007, 28, 81-87.	1.2	17
200	Mechanical Properties of WS <sub>2</sub> Nanotubes. Journal of Cluster Science, 2007, 18, 549-563.	1.7	53
201	A simple hydrothermal method for the growth of Bi <sub>2</sub> Se <sub>3</sub> nanorods. Nanotechnology, 2006, 17, 1700-1705.	1.3	57
202	On the mechanical behavior of WS <sub>2</sub> nanotubes under axial tension and compression. Proceedings of the National Academy of Sciences of the United States of America, 2006, 103, 523-528.	3.3	263
203	Observation of Current Reversal in the Scanning Tunneling Spectra of Fullerene-like WS <sub>2</sub> Nanoparticles. Nano Letters, 2006, 6, 760-764.	4.5	7
204	Inorganic nanotubes and fullerene-like nanoparticles. Journal of Materials Research, 2006, 21, 2726-2743.	1.2	69
205	Transport properties of fullerene-like WS <sub>2</sub> nanoparticles. Physica Status Solidi (B): Basic Research, 2006, 243, 1229-1240.	0.7	34
206	Electric transport properties and <sup>1</sup> H NMR study of the fullerene-like WS <sub>2</sub> nanoparticles. Physica Status Solidi (B): Basic Research, 2006, 243, 3290-3296.	0.7	3
207	Inorganic nanotubes and fullerene-like nanoparticles. Nature Nanotechnology, 2006, 1, 103-111.	15.6	437
208	Structure and Stability of Molybdenum Sulfide Fullerenes. Journal of Physical Chemistry B, 2006, 110, 25399-25410.	1.2	61
209	A new way to feed nanoparticles to friction interfaces. Tribology Letters, 2006, 21, 89-93.	1.2	12
210	Self-lubricating coatings containing fullerene-like WS <sub>2</sub> nanoparticles for orthodontic wires and other possible medical applications. Tribology Letters, 2006, 21, 135-139.	1.2	105
211	Friction of fullerene-like WS <sub>2</sub> nanoparticles: effect of agglomeration. Tribology Letters, 2006, 24, 225-228.	1.2	63
212	Closed-cage (fullerene-like) structures of NiBr <sub>2</sub> . Materials Research Bulletin, 2006, 41, 2137-2146.	2.7	22
213	Synthesis of Fullerene-like Cs <sub>2</sub> O Nanoparticles by Concentrated Sunlight. Advanced Materials, 2006, 18, 2993-2996.	11.1	30
214	Nuclear Magnetic Resonance Study of Fullerene-Like WS <sub>2</sub> . Journal of Nanoscience and Nanotechnology, 2006, 6, 1678-1683.	0.9	6
215	Dynamics of bulk versus nanoscale WS <sub>2</sub> : Local strain and charging effects. Physical Review B, 2006, 73, .	1.1	18
216	MoS <sub>2</sub> FULLERENE-LIKE NANOPARTICLES AND NANOTUBES USING GAS-PHASE REACTION WITH MoCl <sub>5</sub> . Nano, 2006, 01, 167-180.	0.5	17

#	ARTICLE	IF	CITATIONS
217	Inorganic Nanotubes and Fullerene-Like Materials of Metal Dichalcogenide and Related Layered Compounds. <i>Advanced Materials and Technologies</i> , 2006, , 135-155.	0.4	2
218	Inorganic Nanotubes and Fullerene- Like Materials of Metal Dichalcogenide and Related Layered Compounds. , 2006, , .		2
219	Behavior of fullerene-like WS <sub>2</sub> nanoparticles under severe contact conditions. <i>Wear</i> , 2005, 259, 703-707.	1.5	88
220	Stochastic strength of nanotubes: An appraisal of available data. <i>Composites Science and Technology</i> , 2005, 65, 2380-2384.	3.8	97
221	Inorganic fullerene-like nanoparticles of TiS <sub>2</sub> . <i>Chemical Physics Letters</i> , 2005, 411, 162-166.	1.2	37
222	Applications of WS <sub>2</sub> (MoS <sub>2</sub> ) inorganic nanotubes and fullerene-like nanoparticles for solid lubrication and for structural nanocomposites. <i>Journal of Materials Chemistry</i> , 2005, 15, 1782.	6.7	315
223	Shock-Absorbing and Failure Mechanisms of WS <sub>2</sub> and MoS <sub>2</sub> Nanoparticles with Fullerene-like Structures under Shock Wave Pressure. <i>Journal of the American Chemical Society</i> , 2005, 127, 16263-16272.	6.6	104
224	Preparation and Structural Characterization of Stable Cs <sub>2</sub> O Closed-Cage Structures. <i>Angewandte Chemie - International Edition</i> , 2005, 44, 4169-4172.	7.2	26
225	WS <sub>2</sub> and MoS <sub>2</sub> Inorganic Fullerenesâ€™ Super Shock Absorbers at Very High Pressures. <i>Advanced Materials</i> , 2005, 17, 1500-1503.	11.1	78
226	Preparation and Structural Characterization of Stable Cs <sub>2</sub> O Closed-Cage Structures.. <i>ChemInform</i> , 2005, 36, no.	0.1	0
227	Electron microscopy, spectroscopy, and first-principles calculations of Cs <sub>2</sub> O. <i>Journal of Solid State Chemistry</i> , 2005, 178, 1190-1196.	1.4	14
228	Friction and wear of fullerene-like WS <sub>2</sub> under severe contact conditions: friction of ceramic materials. <i>Tribology Letters</i> , 2005, 19, 143-149.	1.2	37
229	Synthesis of Fullerene-Like Tantalum Disulfide Nanoparticles by a Gas-Phase Reaction and Laser Ablation. <i>Small</i> , 2005, 1, 1100-1109.	5.2	48
230	Fullerene-like Nanoparticles of Titanium Disulfide. <i>Current Nanoscience</i> , 2005, 1, 253-262.	0.7	15
231	Nanowire Acting as a Superconducting Quantum Interference Device. <i>Physical Review Letters</i> , 2005, 95, 116805.	2.9	72
232	Orientation dependence of the polarizability of an individualWS <sub>2</sub> nanotube by resonant Raman spectroscopy. <i>Physical Review B</i> , 2005, 72, .	1.1	51
233	Doping control for nanotubes. <i>Nature</i> , 2004, 431, 640-641.	13.7	29
234	The Effect of WS <sub>2</sub> Nanoparticles on Friction Reduction in Various Lubrication Regimes. <i>Tribology Letters</i> , 2004, 17, 179-186.	1.2	150

#	ARTICLE	IF	CITATIONS
235	Mechanical behavior of individual WS <sub>2</sub> nanotubes. <i>Journal of Materials Research</i> , 2004, 19, 454-459.	1.2	117
236	Behavior of solid lubricant nanoparticles under compression. <i>Journal of Materials Science</i> , 2004, 39, 4119-4129.	1.7	19
237	Study of the growth mechanism of WS <sub>2</sub> nanotubes produced by a fluidized bed reactor. <i>Journal of Materials Chemistry</i> , 2004, 14, 617.	6.7	67
238	Polymer Nanocomposites with Fullerene-like Solid Lubricant. <i>Advanced Engineering Materials</i> , 2004, 6, 44-48.	1.6	84
239	Advances in the Synthesis of Inorganic Nanotubes and Fullerene-Like Nanoparticles.. <i>ChemInform</i> , 2004, 35, no.	0.1	0
240	How stable are inorganic fullerene-like particles? Thermal analysis (STA) of inorganic fullerene-like NbS <sub>2</sub> , MoS <sub>2</sub> , and WS <sub>2</sub> in oxidizing and inert atmospheres in comparison with the bulk material. <i>Physical Chemistry Chemical Physics</i> , 2004, 6, 3991-4002.	1.3	38
241	Characterization of Oxides of Cesium. <i>Journal of Physical Chemistry B</i> , 2004, 108, 12360-12367.	1.2	54
242	Nanoparticles Produced by Laser Ablation of HfS <sub>3</sub> in Liquid Medium: A Inorganic Fullerene-Like Structures of Hf <sub>2</sub> S. <i>Chemistry of Materials</i> , 2004, 16, 2238-2243.	3.2	44
243	Inorganic nanotubes. <i>Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences</i> , 2004, 362, 2099-2125.	1.6	181
244	Inorganic Nanotubes and Fullerene-Like Materials. <i>Microscopy and Microanalysis</i> , 2004, 10, 20-21.	0.2	100
245	Mechanical behavior of individual WS <sub>2</sub> nanotubes. , 2004, 19, 454.		2
246	Synthesis of SnS <sub>2</sub> /SnS Fullerene-like Nanoparticles: A Superlattice with Polyhedral Shape. <i>Journal of the American Chemical Society</i> , 2003, 125, 10470-10474.	6.6	141
247	Nanoparticles of CdI <sub>2</sub> with closed cage structures obtained via electron-beam irradiation. <i>Solid State Sciences</i> , 2003, 5, 905-908.	1.5	17
248	Fullerene-like WS <sub>2</sub> Nanoparticles: Superior Lubricants for Harsh Conditions. <i>Advanced Materials</i> , 2003, 15, 651-655.	11.1	210
249	Inorganic Nanotubes and Fullerene-Like Materials. <i>ChemInform</i> , 2003, 34, no.	0.1	0
250	Advances in the Synthesis of Inorganic Nanotubes and Fullerene-Like Nanoparticles. <i>Angewandte Chemie - International Edition</i> , 2003, 42, 5124-5132.	7.2	272
251	Tribological properties of WS <sub>2</sub> nanoparticles under mixed lubrication. <i>Wear</i> , 2003, 255, 785-793.	1.5	291
252	Superior tribological properties of powder materials with solid lubricant nanoparticles. <i>Wear</i> , 2003, 255, 794-800.	1.5	93

#	ARTICLE	IF	CITATIONS
253	Modification of contact surfaces by fullerene-like solid lubricant nanoparticles. Surface and Coatings Technology, 2003, 163-164, 405-412.	2.2	42
254	Use of functionalized WS <sub>2</sub> nanotubes to produce new polystyrene/polymethylmethacrylate nanocomposites. Polymer, 2003, 44, 2109-2115.	1.8	43
255	Shock-Wave Resistance of WS <sub>2</sub> Nanotubes. Journal of the American Chemical Society, 2003, 125, 1329-1333.	6.6	123
256	CdI <sub>2</sub> nanoparticles with closed-cage (fullerene-like) structures. Journal of Materials Chemistry, 2003, 13, 1631.	6.7	41
257	Synthesis of NiCl <sub>2</sub> nanotubes and fullerene-like structures by laser ablation: theoretical considerations and comparison with MoS <sub>2</sub> nanotubes. Physical Chemistry Chemical Physics, 2003, 5, 1644-1651.	1.3	48
258	Evidences for dry deintercalation in layered compounds upon controlled surface charging in x-ray photoelectron spectroscopy. Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films, 2003, 21, 1752-1757.	0.9	15
259	TEM and EFTEM characterization of WS <sub>2</sub> Nanotubes. Microscopy and Microanalysis, 2003, 9, 226-227.	0.2	2
260	Techwatch - Fall 2003. Electrochemical Society Interface, 2003, 12, 17-18.	0.3	1
261	Inorganic Nanoparticles with Fullerene-like Structure and Inorganic Nanotubes. , 2003, , 251-271.		0
262	WS <sub>2</sub> Nanotube Bundles and Foils. Chemistry of Materials, 2002, 14, 471-473.	3.2	65
263	Stability of Metal Chalcogenide Nanotubes. Journal of Physical Chemistry B, 2002, 106, 2497-2501.	1.2	148
264	Alkali Metal Intercalated Fullerene-Like MS <sub>2</sub> (M = W, Mo) Nanoparticles and Their Properties. Journal of the American Chemical Society, 2002, 124, 4747-4758.	6.6	183
265	Scanning tunneling microscopy study of WS <sub>2</sub> nanotubes. Physical Chemistry Chemical Physics, 2002, 4, 2095-2098.	1.3	61
266	TEM Characterization of WS <sub>2</sub> Nanotubes. Microscopy and Microanalysis, 2002, 8, 1128-1129.	0.2	1
267	Inorganic Nanotubes and Fullerene-Like Materials. Chemistry - A European Journal, 2002, 8, 5296-5304.	1.7	154
268	Vaporâ€“Liquidâ€“Solid (VLS) Growth of NiCl <sub>2</sub> Nanotubes via Reactive Gas Laser Ablation. Advanced Materials, 2002, 14, 1075.	11.1	70
269	Wear and Friction of Ni-P Electroless Composite Coating Including Inorganic Fullerene-WS <sub>2</sub> Nanoparticles. Advanced Engineering Materials, 2002, 4, 686-690.	1.6	65
270	Raman scattering from the peroxide ion in Cs <sub>2</sub> O <sub>2</sub> . Journal of Raman Spectroscopy, 2002, 33, 675-676.	1.2	4

#	ARTICLE	IF	CITATIONS
271	Bundles and foils of WS <sub>2</sub> nanotubes. Applied Physics A: Materials Science and Processing, 2002, 74, 367-369.	1.1	24
272	Fullerene-like materials and nanotubes from inorganic compounds with a layered (2-D) structure. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2002, 208, 83-92.	2.3	77
273	Load bearing capacity of bronze, iron and iron-nickel powder composites containing fullerene-like WS <sub>2</sub> nanoparticles. Tribology International, 2002, 35, 47-53.	3.0	37
274	Mechanisms of ultra-low friction by hollow inorganic fullerene-like MoS <sub>2</sub> nanoparticles. Surface and Coatings Technology, 2002, 160, 282-287.	2.2	265
275	Friction and wear of powdered composites impregnated with WS <sub>2</sub> inorganic fullerene-like nanoparticles. Wear, 2002, 252, 518-527.	1.5	55
276	Synthesis of NbS <sub>2</sub> nanoparticles with (nested) fullerene-like structure (IF). Journal of Materials Chemistry, 2002, 12, 1587-1591.	6.7	72
277	Nanotubes from Inorganic Materials. , 2001, , 81-112.		73
278	Nanoparticles of CdCl <sub>2</sub> with closed cage structures. Israel Journal of Chemistry, 2001, 41, 7-14.	1.0	33
279	Slow Release of Fullerene-like WS <sub>2</sub> Nanoparticles from Fe-Ni Graphite Matrix: A Self-Lubricating Nanocomposite. Nano Letters, 2001, 1, 137-140.	4.5	57
280	Investigations of Nonstoichiometric Tungsten Oxide Nanoparticles. Journal of Solid State Chemistry, 2001, 162, 300-314.	1.4	169
281	Slow Release of Fullerene-Like WS <sub>2</sub> Nanoparticles as a Superior Solid Lubrication Mechanism in Composite Matrices. Advanced Engineering Materials, 2001, 3, 71-75.	1.6	50
282	The effect of substrate topography on the local electronic structure of WS <sub>2</sub> nanotubes. Chemical Physics Letters, 2001, 344, 434-440.	1.2	13
283	Title is missing!. Journal of Sol-Gel Science and Technology, 2001, 20, 153-160.	1.1	24
284	Microtribology and Friction-Induced Material Transfer in WS <sub>2</sub> Nanoparticle Additives. Advanced Functional Materials, 2001, 11, 348-354.	7.8	64
285	Diamond/CdTe: a new inverted heterojunction CdTe thin film solar cell. Solar Energy Materials and Solar Cells, 2001, 69, 381-388.	3.0	9
286	Friction and wear of bronze powder composites including fullerene-like WS <sub>2</sub> nanoparticles. Wear, 2001, 249, 149-156.	1.5	58
287	Slow Release of Fullerene-Like WS <sub>2</sub> Nanoparticles as a Superior Solid Lubrication Mechanism in Composite Matrices. Advanced Engineering Materials, 2001, 3, 71-75.	1.6	1
288	In situ imaging of shearing contacts in the surface forces apparatus. Wear, 2000, 245, 190-195.	1.5	27

#	ARTICLE	IF	CITATIONS
289	Morphology of Multiwall WS <sub>2</sub> Nanotubes. Journal of Physical Chemistry B, 2000, 104, 8976-8981.	1.2	61
290	Study on preparation, growth mechanism, and optoelectronic properties of highly oriented WSe <sub>2</sub> thin films. Journal of Materials Research, 2000, 15, 2636-2646.	1.2	5
291	Growth of WS <sub>2</sub> Nanotubes Phases. Journal of the American Chemical Society, 2000, 122, 5169-5179.	6.6	237
292	New reactor for production of tungsten disulfide hollow onion-like (inorganic fullerene-like) nanoparticles. Solid State Sciences, 2000, 2, 663-672.	1.5	115
293	Growth Mechanism of MoS <sub>2</sub> Fullerene-like Nanoparticles by Gas-Phase Synthesis. Journal of the American Chemical Society, 2000, 122, 11108-11116.	6.6	176
294	Cohen et al. Reply. Physical Review Letters, 1999, 83, 659-659.	2.9	6
295	The Effect of Hollow Nanoparticles of WS <sub>2</sub> on Friction and Wear. Tribology Series, 1999, 36, 567-573.	0.1	2
296	Inorganic fullerene-like material as additives to lubricants: structure-function relationship. Wear, 1999, 225-229, 975-982.	1.5	239
297	Photoelectrochemical studies with inorganic cage structures of metal dichalcogenides. Journal of Electroanalytical Chemistry, 1999, 473, 186-191.	1.9	12
298	Synthesis of bulk WS <sub>2</sub> nanotube phases. Materials Research Innovations, 1999, 3, 145-149.	1.0	46
299	Defect and Ordered Tungsten Oxides Encapsulated Inside 2H-WX <sub>2</sub> (X=S and Se) Fullerene-Related Structures. Journal of Solid State Chemistry, 1999, 144, 100-117.	1.4	42
300	Microtribology and Direct Force Measurement of WS <sub>2</sub> Nested Fullerene-Like Nanostructures. Advanced Materials, 1999, 11, 934-937.	11.1	83
301	Raman and resonance Raman investigation of MoS <sub>2</sub> nanoparticles. Physical Review B, 1999, 60, 2883-2892.	1.1	475
302	WS <sub>2</sub> nanotubes as tips in scanning probe microscopy. Applied Physics Letters, 1999, 75, 4025-4027.	1.5	119
303	Cage structures and nanotubes of NiCl <sub>2</sub> . Nature, 1998, 395, 336-337.	13.7	307
304	The tribological behavior of type II textured MX <sub>2</sub> (M=Mo, W; X=S, Se) films. Thin Solid Films, 1998, 324, 190-197.	0.8	62
305	Optical Properties of MS <sub>2</sub> (M = Mo, W) Inorganic Fullerene-like and Nanotube Material Optical Absorption and Resonance Raman Measurements. Journal of Materials Research, 1998, 13, 2412-2417.	1.2	151
306	Nanoparticles of Layered Compounds with Hollow Cage Structures (Inorganic Fullerene-Like) Tj ETQq0 0 0 rgBT / Overlock 10 Jf 50 62 T	3.2	280

#	ARTICLE	IF	CITATIONS
307	Underpotential Deposition of Cu on Boron-Doped Diamond Thin Films. Journal of Physical Chemistry B, 1998, 102, 134-140.	1.2	39
308	Kinetics of Nested Inorganic Fullerene-like Nanoparticle Formation. Journal of the American Chemical Society, 1998, 120, 4176-4183.	6.6	73
309	Stress-induced fragmentation of multiwall carbon nanotubes in a polymer matrix. Applied Physics Letters, 1998, 72, 188-190.	1.5	841
310	Optical-absorption spectra of inorganic fullerene-like $MS_2$ (M=Mo,W). Physical Review B, 1998, 57, 6666-6671.	1.1	270
311	Synthesis and characterization of inorganic fullerene-like $WSe_2$ material. Fullerenes, Nanotubes, and Carbon Nanostructures, 1998, 6, 157-165.	0.6	48
312	Negative curvature in inorganic fullerene-like structure. Fullerenes, Nanotubes, and Carbon Nanostructures, 1998, 6, 59-66.	0.6	6
313	Near-Field Electron Energy Loss Spectroscopy of Nanoparticles. Physical Review Letters, 1998, 80, 782-785.	2.9	57
314	Highly Textured Films of Layered Metal Disulfide $2H\text{-}WS_2$ : Preparation and Optoelectronic Properties. Journal of the Electrochemical Society, 1997, 144, 1013-1019.	1.3	65
315	Electrochemical Deposition of Quantized Particle $MoS_2$ Thin Films. Journal of the Electrochemical Society, 1997, 144, L277-L279.	1.3	30
316	Preparation and Characterization of CdS Films Synthesized in Situ in Zirconia Sol-Gel Matrix. Chemistry of Materials, 1997, 9, 2541-2543.	3.2	54
317	Intercalation of Inorganic Fullerene-like Structures Yields Photosensitive Films and New Tips for Scanning Probe Microscopy. Journal of the American Chemical Society, 1997, 119, 2693-2698.	6.6	102
318	Hollow nanoparticles of $WS_2$ as potential solid-state lubricants. Nature, 1997, 387, 791-793.	13.7	805
319	Scanning Tunneling Microscope Induced Crystallization of Fullerene-like $MoS_2$ . Journal of the American Chemical Society, 1996, 118, 7804-7808.	6.6	46
320	Bulk Synthesis of Inorganic Fullerene-like $MS_2$ (M = Mo, W) from the Respective Trioxides and the Reaction Mechanism. Journal of the American Chemical Society, 1996, 118, 5362-5367.	6.6	362
321	Fullerene-like structures and nanotubes from inorganic compounds. Endeavour, 1996, 20, 97-104.	0.1	12
322	TEM study of chirality in $MoS_2$ nanotubes. Journal of Microscopy, 1996, 181, 68-71.	0.8	48
323	Characterization of oriented thin films of $WSe_2$ grown by van der Waals rheotaxy. Thin Solid Films, 1996, 272, 38-42.	0.8	19
324	Inorganic Fullerenes from 2-D Layered Compounds. Materials Science Forum, 1996, 232, 275-0.	0.3	3

#	ARTICLE	IF	CITATIONS
325	Nucleation of WS <sub>2</sub> Fullerenes at Room Temperature. Microscopy Microanalysis Microstructures, 1996, 7, 87-89.	0.4	21
326	Doped and heteroatom-containing fullerene-like structures and nanotubes. Advanced Materials, 1995, 7, 965-995.	11.1	166
327	Efficient reduction of nitrite and nitrate to ammonia using thin-film B-doped diamond electrodes. Journal of Electroanalytical Chemistry, 1995, 396, 233-239.	1.9	91
328	High-Rate, Gas-Phase Growth of MoS <sub>2</sub> Nested Inorganic Fullerenes and Nanotubes. Science, 1995, 267, 222-225.	6.0	1,190
329	Cation Electrolytic Modification of WSe <sub>2</sub> /Aqueous Polyiodide Photoelectrochemistry. Journal of the Electrochemical Society, 1995, 142, 840-844.	1.3	10
330	Crystallization of layered metal dichalcogenides films on amorphous substrates. Applied Physics Letters, 1995, 67, 3474-3476.	1.5	26
331	Morphology of Nested Fullerenes. Physical Review Letters, 1995, 74, 1779-1782.	2.9	123
332	The microstructure of titanium-modified silica glass waveguides prepared by the sol-gel method. Chemical Physics Letters, 1994, 227, 235-242.	1.2	41
333	Highly oriented WSe <sub>2</sub> thin films prepared by selenization of evaporated WO <sub>3</sub> . Thin Solid Films, 1994, 245, 180-185.	0.8	78
334	Elastic equilibrium of curved thin films. Physical Review E, 1994, 49, 5260-5270.	0.8	30
335	Nested Polyhedra of MX <sub>2</sub> (M = W, Mo; X = S, Se) Probed by High-Resolution Electron Microscopy and Scanning Tunneling Microscopy. Journal of the American Chemical Society, 1994, 116, 1914-1917.	6.6	159
336	Fullerene-like nanocrystals of tungsten disulfide. Advanced Materials, 1993, 5, 386-388.	11.1	23
337	Nested fullerene-like structures. Nature, 1993, 365, 113-114.	13.7	673
338	Room temperature photoluminescence of photoelectrochemically etched n-type Si. Journal of Luminescence, 1993, 57, 125-129.	1.5	12
339	Microscopic phase stability of the dilute magnetic semiconductor Cd <sub>1-x</sub> Fe <sub>x</sub> Se. Journal of Materials Research, 1993, 8, 1348-1352.	1.2	1
340	Photostimulated gettering of deep band-gap impurities from semiconductors by resonance excitation: Fe from Cd <sub>0.98</sub> Fe <sub>0.02</sub> Se. Physical Review B, 1993, 47, 1244-1248.	1.1	5
341	Absorption tail of low resistivity Cd <sub>1-x</sub> Te <sub>x</sub> : Comparison between absorption and quantum efficiency measurements. Journal of Applied Physics, 1993, 73, 7753-7759.	1.1	7
342	Collection efficiency of photoexcited carriers of electrochemically etched surface. Journal of Applied Physics, 1993, 73, 2866-2870.	1.1	5

#	ARTICLE	IF	CITATIONS
343	Preparation of WSe <sub>2</sub> surfaces with high photoactivity. Physical Review B, 1992, 45, 1943-1946.	1.1	22
344	Polyhedral and cylindrical structures of tungsten disulphide. Nature, 1992, 360, 444-446.	13.7	1,901
345	Unusual photoluminescence of porous CdS (CdSe) crystals.. Solid State Communications, 1992, 82, 651-654.	0.9	29
346	Preparation and microstructure WS <sub>2</sub> thin films. Thin Solid Films, 1992, 217, 91-97.	0.8	55
347	Effect of substrate on growth of WS <sub>2</sub> thin films. Thin Solid Films, 1992, 219, 30-36.	0.8	41
348	Zinc segregation in CdZnTe grown under Cd/Zn partial pressure control. Journal of Crystal Growth, 1992, 117, 276-280.	0.7	36
349	Shallow donor state removal via photoelectrochemical etching in Cd(Se,Te). Journal of Crystal Growth, 1992, 117, 666-671.	0.7	1
350	Gettering deep bandgap impurities from semiconductors using resonance excitation photoelectrochemical etching: Fe from Cd <sub>0.98</sub> Fe <sub>0.02</sub> Se. Journal of Crystal Growth, 1992, 117, 1080.	0.7	0
351	Photoelectrochemical etching of silicon. Electrochimica Acta, 1992, 37, 877-888.	2.6	53
352	Primary Reactions in the Photocorrosion of CdSe Through Photocapacitance Measurements. Journal of the Electrochemical Society, 1991, 138, 261-268.	1.3	25
353	Efficiency and Stability Enhancement of n- $\alpha$ -Si Photoelectrodes in Aqueous Solution. Journal of the Electrochemical Society, 1991, 138, L69-L71.	1.3	40
354	Controlled photocorrosion of tungsten diselenide: influence of molecular oxygen. The Journal of Physical Chemistry, 1990, 94, 8012-8013.	2.9	27
355	Transport and optical properties of low-resistivity CdSe. Physical Review B, 1990, 42, 1763-1772.	1.1	17
356	Room-temperature absorption study of CdTe/ZnTe superlattices. Applied Physics Letters, 1989, 55, 553-555.	1.5	0
357	WSe <sub>2</sub> : Optical and electrical properties as related to surface passivation of recombination centers. Physical Review B, 1989, 40, 2992-3000.	1.1	60
358	Photoelectrochemical properties of the Cd-rich alloy. Solar Energy Materials and Solar Cells, 1988, 17, 201-206.	0.4	8
359	Photoelectrochemical properties of the dilute magnetic semiconductor Cd <sub>0.95</sub> Mn <sub>0.05</sub> Se. Solar Energy Materials and Solar Cells, 1988, 17, 65-72.	0.4	2
360	Control of impurity concentration on CdSe surfaces. Journal of Crystal Growth, 1988, 86, 826-833.	0.7	5

#	ARTICLE	IF	CITATIONS
361	Thin-film CdSe: Photoluminescence and electronic measurements. Journal of Applied Physics, 1988, 64, 2601-2606.	1.1	22
362	Passivation of recombination centers on the WSe <sub>2</sub> surface. Physical Review B, 1988, 38, 1533-1536.	1.1	26
363	Photoluminescence of CdSe: Evidence for selective etching of donor states. Physical Review B, 1987, 36, 1204-1207.	1.1	24
364	he system: The existence region of the wurzite structure. Solar Energy Materials and Solar Cells, 1987, 15, 115-120.	0.4	0
365	Crystallographic effects on the photoelectrochemical etching of CdTe. Applied Surface Science, 1987, 28, 429-438.	3.1	2
366	A light-variation insensitive high efficiency solar cell. Nature, 1987, 326, 863-864.	13.7	138
367	Cation Effects on the Electrochemistry of Anions in Polysulfide Photoelectrochemical Cells. Journal of the Electrochemical Society, 1986, 133, 52-59.	1.3	30
368	Etch pit formation by photoelectrochemical etching in II-VI Semiconductor compounds. Ultramicroscopy, 1986, 19, 393.	0.8	0
369	Electrochemical Characterization of Photoetching Products of CdSe. Journal of the Electrochemical Society, 1986, 133, 1143-1148.	1.3	11
370	Passivation of recombination centers in WSe <sub>2</sub> yields high efficiency (> 14%) photoelectrochemical cell. Applied Physics Letters, 1985, 47, 707-709.	1.5	203
371	Photoluminescence of CdSe: The effect of photoetching. Physical Review B, 1985, 31, 7844-7849.	1.1	20
372	Electrical properties of CdTe crystals grown by vuv from nonstoichiometric charges. Journal of Electronic Materials, 1985, 14, 85-94.	1.0	9
373	Improved performance of InSe-based photoelectrochemical cells by means of a selective (photo)electrochemical etching. Journal of Applied Physics, 1985, 57, 141-145.	1.1	35
374	Ternary Chalcogenide-Based Photoelectrochemical Cells: VII. Analysis of the Chemical Processes Occurring at the Surface during Photoelectrochemical Operation. Journal of the Electrochemical Society, 1985, 132, 1829-1835.	1.3	25
375	Ternary Chalcogenide-Based Photoelectrochemical Cells: V. Surface Analyses of the Polysulfide Interface by X-Ray Photoelectron Spectroscopy; Absence of Se/S Exchange in the System. Journal of the Electrochemical Society, 1985, 132, 1070-1076.	1.3	32
376	High efficiency Cd(Se,Te)/S photoelectrochemical cell resulting from solution chemistry control. Applied Physics Letters, 1985, 46, 608-610.	1.5	64
377	Ternary Cd(Se,Te) alloy semiconductors: Synthesis, material characterization, and high efficiency photoelectrochemical cells. Journal of Applied Physics, 1985, 58, 4703-4708.	1.1	18
378	Improved performance of cadmium chalcogenide photoelectrochemical cells: surface modification using copper sulphide. Journal Physics D: Applied Physics, 1984, 17, 1055-1066.	1.3	11

#	ARTICLE	IF	CITATIONS
379	Evidence for nonuniform flow of charge carriers through semiconductor junctions. Applied Physics Letters, 1984, 45, 1219-1221.	1.5	23
380	Photoelectrochemical etching of ZnSe and nonuniform charge flow in Schottky barriers. Physical Review B, 1984, 29, 5799-5804.	1.1	36
381	Adsorption of ions on semiconductor surfaces. I. Silver and halide ions on silver halides. Journal of Chemical Physics, 1984, 80, 5283-5293.	1.2	4
382	Electrolyte Electroreflectance of Single-Crystal CdIn <sub>2</sub> Se <sub>4</sub> in a Photoelectrochemical Solar Cell. Journal of the Electrochemical Society, 1984, 131, 736-740.	1.3	37
383	Investigation into the photocurrent quadrature signal of photoelectrochemical cells. Journal of Applied Physics, 1984, 56, 2930-2938.	1.1	4
384	Dissociative electron transfer on ionic surfaces. Chemical Physics Letters, 1983, 99, 11-15.	1.2	7
385	Application of cathodoluminescence imaging for the investigation of CdTe: The effect of photoetching. Materials Letters, 1983, 2, 143-146.	1.3	5
386	Selective (photo)electrochemical etching of semiconductor surfaces. Surface Science, 1983, 135, 453-478.	0.8	31
387	Selective electrochemical etching of CdTe (for photovoltaic cells). Applied Physics Letters, 1983, 43, 201-203.	1.5	24
388	The Relation Between Performance and Stability of Cd-Chalcogenide/Polysulfide Photoelectrochemical Cells: I. Model and the Effect of Photoetching. Journal of the Electrochemical Society, 1983, 130, 852-860.	1.3	22
389	Study of Cd-Chalcogenide/Ferri-Ferrocyanide Photoelectrochemical Cells: Effect of Surface Morphology and Added Salt. Journal of the Electrochemical Society, 1983, 130, 2163-2169.	1.3	9
390	The Effect of Added Salts on the Stability of Cd-Chalcogenide/Polysulfide Photoelectrochemical Cells. Journal of the Electrochemical Society, 1982, 129, 143-145.	1.3	21
391	Ternary Chalcogenide-Based Photoelectrochemical Cells: II. The Polysulfide System. Journal of the Electrochemical Society, 1982, 129, 1506-1512.	1.3	50
392	Zero separation theorem for systems with long range interactions. Molecular Physics, 1982, 47, 913-924.	0.8	3
393	Activation energy for nucleation of the supercooled hard-sphere fluid. Chemical Physics Letters, 1982, 87, 177-180.	1.2	0
394	Photoelectrochemical solar cells: Interpretation of cell performance using electrochemical determination of photoelectrode properties. Thin Solid Films, 1982, 91, 349-356.	0.8	30
395	The effect of photoelectrochemical etching on the performance of CdS based photoelectrochemical cells. Applied Physics Berlin, 1981, 25, 13-16.	1.4	24
396	Photoelectrochemistry of the CuInS <sub>2</sub> /Sn <sup>2+</sup> system. Solar Energy Materials and Solar Cells, 1981, 4, 169-177.	0.4	43

#	ARTICLE	IF	CITATIONS
397	The effect of photoelectrochemical etching on the performance of CdTe polysulfide photoelectrochemical cells. Applied Physics Letters, 1981, 39, 283-285.	1.5	35
398	Thermodynamics of a one-dimensional hard rod mixture with non-additive lengths. Molecular Physics, 1981, 44, 1137-1143.	0.8	1
399	Nonadditive hard discs, a model for partially localized adsorption. Physical Review B, 1980, 22, 702-716.	1.1	4
400	Improved efficiency of CdSe photoanodes by photoelectrochemical etching. Applied Physics Letters, 1980, 37, 428-430.	1.5	91
401	Scaled particle theory for mixtures of nonadditive hard discs. Journal of Chemical Physics, 1979, 70, 1952-1961.	1.2	17
402	Scaled particle theory of mixtures of hard spheres with negatively non-additive diameters. Chemical Physics Letters, 1978, 56, 310-313.	1.2	12
403	Scaled particle theory for nonadditive hard spheres: Solutions for general positive nonadditivity. Physical Review A, 1978, 17, 2036-2045.	1.0	50
404	Application of the scaled particle theory to the problem of hydrophobic interaction. Journal of Chemical Physics, 1977, 67, 627-635.	1.2	10
405	Application of the scaled particle theory to the problem of hydrophobic interaction. II. Mixtures of water and ethanol. Journal of Chemical Physics, 1977, 67, 4632-4635.	1.2	1
406	Distribution functions at zero separation and an equation of state for hard-core particles with a finite interaction tail. Molecular Physics, 1977, 33, 331-337.	0.8	3
407	Distribution functions at zero separation and An equation of state for hard-core particles with a finite interaction tail. Molecular Physics, 1976, 31, 1749-1764.	0.8	11
408	The Photochemistry of Solutions of Eu(III) and Eu(II). Israel Journal of Chemistry, 1972, 10, 529-536.	1.0	29
409	Electrical Properties of LaS <sub>2</sub> TaS <sub>2</sub> Misfit Layered Compound Nanotubes. Israel Journal of Chemistry, 0, , .	1.0	2
410	Nanotubes and fullerene-like nanoparticles from layered transition metal dichalcogenides: Why do they form and what is their significance?. Zeitschrift Fur Anorganische Und Allgemeine Chemie, 0, , .	0.6	2