Junfang Zheng

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9130530/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	iTRAQ-facilitated proteomic analysis of Bacillus cereus via degradation of malachite green. Journal of Microbiology, 2021, 59, 142-150.	2.8	1
2	SDHB Suppresses the Tumorigenesis and Development of ccRCC by Inhibiting Glycolysis. Frontiers in Oncology, 2021, 11, 639408.	2.8	24
3	Inhibitor tolerance and bioethanol fermentability of levoglucosan-utilizing Escherichia coli were enhanced by overexpression of stress-responsive gene ycfR: The proteomics-guided metabolic engineering. Synthetic and Systems Biotechnology, 2021, 6, 384-395.	3.7	5
4	ECHS1 suppresses renal cell carcinoma development through inhibiting mTOR signaling activation. Biomedicine and Pharmacotherapy, 2020, 123, 109750.	5.6	15
5	Long noncoding RNA PENG upregulates PDZK1 expression by sponging miR-15b to suppress clear cell renal cell carcinoma cell proliferation. Oncogene, 2020, 39, 4404-4420.	5.9	24
6	SIRT5-mediated SDHA desuccinylation promotes clear cell renal cell carcinoma tumorigenesis. Free Radical Biology and Medicine, 2019, 134, 458-467.	2.9	65
7	New mechanistic insights of clear cell renal cell carcinoma from integrated miRNA and mRNA expression profiling studies. Biomedicine and Pharmacotherapy, 2019, 111, 821-834.	5.6	13
8	<scp>SERPINH</scp> 1 overexpression in clear cell renal cell carcinoma: association with poor clinical outcome and its potential as a novel prognostic marker. Journal of Cellular and Molecular Medicine, 2018, 22, 1224-1235.	3.6	31
9	Low level of PDZ domain containing 1 (PDZK1) predicts poor clinical outcome in patients with clear cell carcinoma. EBioMedicine, 2017, 15, 62-72.	6.1	31
10	Reduced EBP50 expression levels are correlated with unfavorable clinicopathological features of extrahepatic bile duct carcinoma and promote the proliferation and migration of QBC939 cells. Oncology Letters, 2017, 13, 2758-2764.	1.8	1
11	NHERF1 inhibits proliferation of triple-negative breast cancer cells by suppressing GPER signaling. Oncology Reports, 2017, 38, 221-228.	2.6	11
12	Ezrin-Radixin-Moesin Binding Phosphoprotein 50 (EBP50) Suppresses the Metastasis of Breast Cancer and HeLa Cells by Inhibiting Matrix Metalloproteinase-2 Activity. Anticancer Research, 2017, 37, 4353-4360.	1.1	7
13	Global Analysis of miRNA–mRNA Interaction Network in Breast Cancer with Brain Metastasis. Anticancer Research, 2017, 37, 4455-4468.	1.1	26
14	NDUFA4L2 is associated with clear cell renal cell carcinoma malignancy and is regulated by ELK1. PeerJ, 2017, 5, e4065.	2.0	32
15	Ezrin-radixin-moesin-binding phosphoprotein-50 regulates EGF-induced AKT activation through interaction with EGFR and PTEN. Oncology Reports, 2016, 35, 530-537.	2.6	7
16	EBP50 interacts with EGFR and regulates EGFR signaling to affect the prognosis of cervical cancer patients. International Journal of Oncology, 2016, 49, 1737-1745.	3.3	15
17	Targeting of NHERF1 through RNA interference inhibits the proliferation and migration of metastatic prostate cancer cells. Oncology Letters, 2016, 11, 1149-1154.	1.8	9
18	miR-19a correlates with poor prognosis of clear cell renal cell carcinoma patients via promoting cell proliferation and suppressing PTEN/SMAD4 expression. International Journal of Oncology, 2016, 49, 2589-2599.	3.3	31

JUNFANG ZHENG

#	Article	IF	CITATIONS
19	NHERF1 regulates actin cytoskeleton organization through modulation of αâ€actininâ€4 stability. FASEB Journal, 2016, 30, 578-589.	0.5	24
20	NHERF1, a novel GPER associated protein, increases stability and activation of GPER in ER-positive breast cancer. Oncotarget, 2016, 7, 54983-54997.	1.8	20
21	Regulation of β2-adrenergic receptor cell surface expression by interaction with cystic fibrosis transmembrane conductance regulator-associated ligand (CAL). Amino Acids, 2015, 47, 1455-1464.	2.7	5
22	EBP50 inhibits EGF-induced breast cancer cell proliferation by blocking EGFR phosphorylation. Amino Acids, 2012, 43, 2027-2035.	2.7	33
23	The β1-adrenergic receptor mediates extracellular signal-regulated kinase activation via Cαs. Amino Acids, 2010, 38, 75-84.	2.7	17
24	Distribution and localization of microfilament cytoskeleton is regulated by EBP50. Chinese-German Journal of Clinical Oncology, 2009, 8, 282-285.	0.1	0