## John Paul Rathjen

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9131651/publications.pdf

Version: 2024-02-01

73 papers

10,652 citations

42 h-index 73 g-index

95 all docs 95
docs citations

95 times ranked 10114 citing authors

| #  | Article   | IF           | CITATIONS |
|----|---|--------------|-----------|
| 1  | Plant immunity: towards an integrated view of plant–pathogen interactions. Nature Reviews Genetics, 2010, 11, 539-548.  | 7.7          | 2,790     |
| 2  | The receptor-like kinase SERK3/BAK1 is a central regulator of innate immunity in plants. Proceedings of the National Academy of Sciences of the United States of America, 2007, 104, 12217-12222.   | 3.3          | 998       |
| 3  | Molecular Basis of Gene-for-Gene Specificity in Bacterial Speck Disease of Tomato. Science, 1996, 274, 2063-2065.   | 6.0          | 532       |
| 4  | High throughput virus-induced gene silencing implicates heat shock protein 90 in plant disease resistance. EMBO Journal, 2003, 22, 5690-5699.   | 3 <b>.</b> 5 | 493       |
| 5  | AvrPtoB Targets the LysM Receptor Kinase CERK1 to Promote Bacterial Virulence on Plants. Current Biology, 2009, 19, 423-429.  | 1.8          | 419       |
| 6  | NAD <sup>+</sup> cleavage activity by animal and plant TIR domains in cell death pathways. Science, 2019, 365, 793-799.   | 6.0          | 357       |
| 7  | Brassinosteroids inhibit pathogen-associated molecular pattern–triggered immune signaling independent of the receptor kinase BAK1. Proceedings of the National Academy of Sciences of the United States of America, 2012, 109, 303-308.               | 3.3          | 303       |
| 8  | The Tomato NBARC-LRR Protein Prf Interacts with Pto Kinase in Vivo to Regulate Specific Plant Immunity. Plant Cell, 2006, 18, 2792-2806.  | 3.1          | 239       |
| 9  | The Bacterial Effector HopX1 Targets JAZ Transcriptional Repressors to Activate Jasmonate Signaling and Promote Infection in Arabidopsis. PLoS Biology, 2014, 12, e1001792.   | 2.6          | 223       |
| 10 | Direct transcriptional control of the <i>Arabidopsis</i> immune receptor FLS2 by the ethylene-dependent transcription factors EIN3 and EIL1. Proceedings of the National Academy of Sciences of the United States of America, 2010, 107, 14502-14507. | 3.3          | 218       |
| 11 | The Calcium-Dependent Protein Kinase CPK28 Buffers Plant Immunity and Regulates BIK1 Turnover. Cell<br>Host and Microbe, 2014, 16, 605-615.   | 5.1          | 208       |
| 12 | Early events in the pathogenicity of Pseudomonas syringae on Nicotiana benthamiana. Plant Journal, 2007, 49, 607-618.   | 2.8          | 185       |
| 13 | Hierarchy and Roles of Pathogen-Associated Molecular Pattern-Induced Responses in <i>Nicotiana<br/>benthamiana</i> Â Â. Plant Physiology, 2011, 156, 687-699.   | 2.3          | 185       |
| 14 | The Receptor-Like Kinase SERK3/BAK1 Is Required for Basal Resistance against the Late Blight Pathogen Phytophthora infestans in Nicotiana benthamiana. PLoS ONE, 2011, 6, e16608.   | 1.1          | 170       |
| 15 | Constitutively active Pto induces a Prf-dependent hypersensitive response in the absence of avrPto. EMBO Journal, 1999, 18, 3232-3240.  | 3.5          | 140       |
| 16 | A chloroplast retrograde signal, 3'-phosphoadenosine 5'-phosphate, acts as a secondary messenger in abscisic acid signaling in stomatal closure and germination. ELife, 2017, 6, .  | 2.8          | 132       |
| 17 | ASPARTATE OXIDASE Plays an Important Role in Arabidopsis Stomatal Immunity  Â. Plant Physiology, 2012, 159, 1845-1856.  | 2.3          | 129       |
| 18 | Host Inhibition of a Bacterial Virulence Effector Triggers Immunity to Infection. Science, 2009, 324, 784-787.  | 6.0          | 120       |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Prf immune complexes of tomato are oligomeric and contain multiple Ptoâ€like kinases that diversify effector recognition. Plant Journal, 2010, 61, 507-518.  | 2.8 | 116       |
| 20 | A Near-Complete Haplotype-Phased Genome of the Dikaryotic Wheat Stripe Rust Fungus <i>Puccinia striiformis </i> f. sp. <i>tritici </i> Reveals High Interhaplotype Diversity. MBio, 2018, 9, .                           | 1.8 | 112       |
| 21 | Gibberellin biosynthesis and signalling during development of the strawberry receptacle. New Phytologist, 2011, 191, 376-390.  | 3.5 | 110       |
| 22 | Strategies for Wheat Stripe Rust Pathogenicity Identified by Transcriptome Sequencing. PLoS ONE, 2013, 8, e67150.  | 1.1 | 110       |
| 23 | Effector Proteins of the Bacterial Pathogen Pseudomonas syringae Alter the Extracellular Proteome of the Host Plant, Arabidopsis thaliana. Molecular and Cellular Proteomics, 2009, 8, 145-156.                          | 2.5 | 107       |
| 24 | Identification of novel proteins and phosphorylation sites in a tonoplast enriched membrane fraction of <b><i>Arabidopsis thaliana</i></b> . Proteomics, 2008, 8, 3536-3547.   | 1.3 | 103       |
| 25 | The <i><scp>P</scp>seudomonas</i> type <scp>III</scp> effector HopQ1 activates cytokinin signaling and interferes with plant innate immunity. New Phytologist, 2014, 201, 585-598.                                       | 3.5 | 99        |
| 26 | Comparative genomics of Australian isolates of the wheat stem rust pathogen Puccinia graminis f. sp. tritici reveals extensive polymorphism in candidate effector genes. Frontiers in Plant Science, 2014, 5, 759.       | 1.7 | 98        |
| 27 | Fungal phytopathogens encode functional homologues of plant rapid alkalinization factor (RALF) peptides. Molecular Plant Pathology, 2017, 18, 811-824.   | 2.0 | 95        |
| 28 | The LysM receptor kinase CERK1 mediates bacterial perception in Arabidopsis. Plant Signaling and Behavior, 2009, 4, 539-541.   | 1.2 | 92        |
| 29 | The Ins and Outs of Rust Haustoria. PLoS Pathogens, 2014, 10, e1004329.  | 2.1 | 90        |
| 30 | NbCSPR underlies age-dependent immune responses to bacterial cold shock protein in <i>Nicotiana benthamiana</i> . Proceedings of the National Academy of Sciences of the United States of America, 2016, 113, 3389-3394. | 3.3 | 85        |
| 31 | Phosphoproteomic analysis of nuclei-enriched fractions from Arabidopsis thaliana. Journal of Proteomics, 2009, 72, 439-451.  | 1.2 | 84        |
| 32 | avrPto Enhances Growth and Necrosis Caused by Pseudomonas syringae pv. tomato in Tomato Lines Lacking Either Pto or Prf. Molecular Plant-Microbe Interactions, 2000, 13, 568-571.  | 1.4 | 81        |
| 33 | A draft genome sequence and functional screen reveals the repertoire of type III secreted proteins of Pseudomonas syringae pathovar tabaci 11528. BMC Genomics, 2009, 10, 395.   | 1.2 | 81        |
| 34 | Bacterial virulence effectors and their activities. Current Opinion in Plant Biology, 2010, 13, 388-393.   | 3.5 | 79        |
| 35 | A Patch of Surface-Exposed Residues Mediates Negative Regulation of Immune Signaling by Tomato Pto Kinase[W]. Plant Cell, 2004, 16, 2809-2821.   | 3.1 | 77        |
| 36 | Soybean Dwarf Luteovirus Contains the Third Variant Genome Type in the Luteovirus Group. Virology, 1994, 198, 671-679.   | 1.1 | 71        |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | The changing of the guard: the Pto/Prf receptor complex of tomato and pathogen recognition. Current Opinion in Plant Biology, 2014, 20, 69-74.  | 3.5 | 68        |
| 38 | <i>De Novo</i> Assembly and Phasing of Dikaryotic Genomes from Two Isolates of <i>Puccinia coronata</i> f. sp. <i>avenae</i> , the Causal Agent of Oat Crown Rust. MBio, 2018, 9, .                         | 1.8 | 57        |
| 39 | Efficient infection from cDNA clones of cucumber mosaic cucumovirus RNAs in a new plasmid vector. Journal of General Virology, 1995, 76, 459-464.   | 1.3 | 56        |
| 40 | TomatoPtoencodes a functionalN-myristoylation motif that is required for signal transduction inNicotiana benthamiana. Plant Journal, 2006, 45, 31-45.   | 2.8 | 55        |
| 41 | Harnessing the MinION: An example of how to establish longâ€read sequencing in a laboratory using challenging plant tissue from ⟨i⟩Eucalyptus pauciflora⟨/i⟩. Molecular Ecology Resources, 2019, 19, 77-89. | 2.2 | 53        |
| 42 | Early signal transduction events in specific plant disease resistance. Current Opinion in Plant Biology, 2003, 6, 300-306.  | 3.5 | 52        |
| 43 | The Tomato Prf Complex Is a Molecular Trap for Bacterial Effectors Based on Pto<br>Transphosphorylation. PLoS Pathogens, 2013, 9, e1003123.   | 2.1 | 49        |
| 44 | Plant Immunity: AvrPto Targets the Frontline. Current Biology, 2008, 18, R218-R220.   | 1.8 | 48        |
| 45 | Regulation of Tomato Prf by Pto-like Protein Kinases. Molecular Plant-Microbe Interactions, 2009, 22, 391-401.  | 1.4 | 45        |
| 46 | PlantÂNLRÂimmune receptor Tm-22Âactivation requires NB-ARCÂdomain-mediated self-association of CC domain. PLoS Pathogens, 2020, 16, e1008475.   | 2.1 | 44        |
| 47 | Genetic and molecular requirements for function of the Pto/Prf effector recognition complex in tomato and <i>Nicotiana benthamiana</i> . Plant Journal, 2007, 51, 978-990.                                  | 2.8 | 43        |
| 48 | High levels of cyclicâ€diâ€∢scp>GMP in plantâ€associated <scp><i>P</i></scp> <i>seudomonas</i> correlate with evasion of plant immunity. Molecular Plant Pathology, 2016, 17, 521-531.                      | 2.0 | 42        |
| 49 | Development of a Rapid in planta BiolD System as a Probe for Plasma Membrane-Associated Immunity Proteins. Frontiers in Plant Science, 2018, 9, 1882.   | 1.7 | 42        |
| 50 | Title is missing!. Molecular Breeding, 1998, 4, 23-31.  | 1.0 | 41        |
| 51 | Extraction of High Molecular Weight DNA from Fungal Rust Spores for Long Read Sequencing.<br>Methods in Molecular Biology, 2017, 1659, 49-57.   | 0.4 | 36        |
| 52 | The case for the defense: plants versus Pseudomonas syringae. Microbes and Infection, 2010, 12, 428-437.  | 1.0 | 35        |
| 53 | <i>Pseudomonas fluorescens</i> NZI7 repels grazing by <i>C. elegans</i> , a natural predator. ISME Journal, 2013, 7, 1126-1138.   | 4.4 | 34        |
| 54 | The N-Terminal Domain of the Tomato Immune Protein Prf Contains Multiple Homotypic and Pto Kinase Interaction Sites. Journal of Biological Chemistry, 2015, 290, 11258-11267.                               | 1.6 | 34        |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Distinct Life Histories Impact Dikaryotic Genome Evolution in the Rust Fungus Puccinia striiformis Causing Stripe Rust in Wheat. Genome Biology and Evolution, 2020, 12, 597-617.   | 1.1 | 34        |
| 56 | Pathogen Detection and Microbiome Analysis of Infected Wheat Using a Portable DNA Sequencer. Phytobiomes Journal, 2019, 3, 92-101.  | 1.4 | 33        |
| 57 | Physical separation of haplotypes in dikaryons allows benchmarking of phasing accuracy in Nanopore and HiFi assemblies with Hi-C data. Genome Biology, 2022, 23, 84.  | 3.8 | 31        |
| 58 | Long-read sequencing based clinical metagenomics for the detection and confirmation of Pneumocystis jirovecii directly from clinical specimens: A paradigm shift in mycological diagnostics. Medical Mycology, 2020, 58, 650-660. | 0.3 | 28        |
| 59 | The long and winding road: virulence effector proteins of plant pathogenic bacteria. Cellular and Molecular Life Sciences, 2010, 67, 3425-3434.   | 2.4 | 23        |
| 60 | Differential Suppression of Nicotiana benthamiana Innate Immune Responses by Transiently Expressed Pseudomonas syringae Type III Effectors. Frontiers in Plant Science, 2018, 9, 688.   | 1.7 | 21        |
| 61 | The Pto Kinase of Tomato, Which Regulates Plant Immunity, Is Repressed by Its Myristoylated N<br>Terminus. Journal of Biological Chemistry, 2006, 281, 26578-26586.   | 1.6 | 16        |
| 62 | Apoplastic Sugar Extraction and Quantification from Wheat Leaves Infected with Biotrophic Fungi. Methods in Molecular Biology, 2017, 1659, 125-134.   | 0.4 | 15        |
| 63 | Changing SERKs and priorities during plant life. Trends in Plant Science, 2015, 20, 531-533.  | 4.3 | 13        |
| 64 | A Chromosome Scale Assembly of an Australian <i>Puccinia striiformis</i> f. sp. <i>tritici</i> lsolate of the <i>PstS1</i> Lineage. Molecular Plant-Microbe Interactions, 2022, 35, 293-296.                                      | 1.4 | 12        |
| 65 | Blurred lines: integrating emerging technologies to advance plant biosecurity. Current Opinion in Plant Biology, 2020, 56, 127-134.   | 3.5 | 7         |
| 66 | A new method to visualize CEP hormone–CEP receptor interactions in vascular tissue <i>in vivo</i> Journal of Experimental Botany, 2021, 72, 6164-6174.  | 2.4 | 7         |
| 67 | Identification of Post-translational Modifications of Plant Protein Complexes. Journal of Visualized Experiments, 2014, , e51095.   | 0.2 | 5         |
| 68 | Dancing with the Stars: An Asterid NLR Family. Trends in Plant Science, 2017, 22, 1003-1005.  | 4.3 | 4         |
| 69 | Deciphering the mode of action and host recognition of bacterial type III effectors. Functional Plant Biology, 2010, 37, 926.   | 1.1 | 3         |
| 70 | Purification of Fungal Haustoria from Infected Plant Tissue by Flow Cytometry. Methods in Molecular Biology, 2014, 1127, 103-110.   | 0.4 | 2         |
| 71 | Inferring Species Compositions of Complex Fungal Communities from Long- and Short-Read Sequence Data. MBio, 2022, 13, e0244421.   | 1.8 | 2         |
| 72 | Pathogen effectors shed light on plant diseases. Functional Plant Biology, 2010, 37, iii.   | 1.1 | 1         |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | Plant pathology: Precision genome engineering keeps wheat disease at bay. Current Biology, 2022, 32, R382-R384. | 1.8 | 1         |