

# Yoshimitsu Takahashi

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9131734/publications.pdf>

Version: 2024-02-01

73  
papers

1,351  
citations

331670

21  
h-index

434195

31  
g-index

75  
all docs

75  
docs citations

75  
times ranked

2357  
citing authors

#	ARTICLE	IF	CITATIONS
1	Association of Sleep-disordered Breathing and Blood Pressure with Albuminuria: The Nagahama Study. <i>Annals of the American Thoracic Society</i> , 2022, 19, 451-461.	3.2	3
2	Differences between subjective and objective sleep duration according to actual sleep duration and sleep-disordered breathing: the Nagahama Study. <i>Journal of Clinical Sleep Medicine</i> , 2022, 18, 851-859.	2.6	7
3	Effectiveness and safety of a program for appropriate urinary catheter use in stroke care: A multicenter prospective study. <i>Journal of Evaluation in Clinical Practice</i> , 2022, 28, 542-549.	1.8	2
4	Night-time frequency of urination as a manifestation of sleep-disordered breathing: the Nagahama study. <i>Sleep Medicine</i> , 2021, 77, 288-294.	1.6	5
5	Effect of reminder letters after health checkups on the consultation behavior of participants with possible hypertension, hyperglycemia, and dyslipidemia: A retrospective cohort study using administrative claims data in Japan. <i>Journal of Occupational Health</i> , 2021, 63, e12231.	2.1	2
6	Data resource profile: JMDC claims database sourced from health insurance societies. <i>Journal of General and Family Medicine</i> , 2021, 22, 118-127.	0.8	78
7	Impact of sleep-disordered breathing on glucose metabolism among individuals with a family history of diabetes: the Nagahama study. <i>Journal of Clinical Sleep Medicine</i> , 2021, 17, 129-140.	2.6	1
8	The impact of exposure to desert dust on infants's™ symptoms and countermeasures to reduce the effects. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2020, 75, 1435-1445.	5.7	12
9	Non-motor symptoms depending on motor severity in Japanese patients with Parkinson's disease: A multicenter cross-sectional study. <i>Journal of the Neurological Sciences</i> , 2020, 412, 116641.	0.6	4
10	Relationship of low muscle mass and obesity with physical function in community dwelling older adults: Results from the Nagahama study. <i>Archives of Gerontology and Geriatrics</i> , 2020, 88, 103987.	3.0	7
11	Validation of the Japanese Transition Readiness Assessment Questionnaire. <i>Pediatrics International</i> , 2020, 62, 221-228.	0.5	13
12	Letter to the editor: Inspiratory muscle training did not improve exercise capacity and lung function in adult patients with Fontan circulation: A randomized controlled trial. <i>International Journal of Cardiology</i> , 2020, 318, 53.	1.7	0
13	Sleep disordered breathing and metabolic comorbidities across sex and menopausal status in East Asians: the Nagahama Study. <i>European Respiratory Journal</i> , 2020, 56, 1902251.	6.7	26
14	Trial of labor after cesarean delivery (TOLAC) in Japan: rates and complications. <i>Archives of Gynecology and Obstetrics</i> , 2020, 301, 995-1001.	1.7	26
15	Correlates of autonomic nervous system function in a general population with special reference to HbA1c: The Nagahama study. <i>Diabetes Research and Clinical Practice</i> , 2020, 163, 108126.	2.8	4
16	Association of physical performance and self-rated health with multimorbidity among older adults: Results from a nationwide survey in Japan. <i>Archives of Gerontology and Geriatrics</i> , 2019, 84, 103904.	3.0	22
17	Status of use of protease inhibitors for the prevention and treatment of pancreatitis after endoscopic retrograde cholangiopancreatography: An epidemiologic analysis of the evidence-practice gap using a health insurance claims database. <i>Drug Discoveries and Therapeutics</i> , 2019, 13, 137-144.	1.5	4
18	Inadequate Folic Acid Intake Among Women Taking Antiepileptic Drugs During Pregnancy in Japan: A Cross-Sectional Study. <i>Scientific Reports</i> , 2019, 9, 13497.	3.3	5

#	ARTICLE	IF	CITATIONS
19	Association of the spot urine sodium-to-potassium ratio with blood pressure is independent of urinary Na and K levels: The Nagahama study. <i>Hypertension Research</i> , 2019, 42, 1624-1630.	2.7	16
20	Stable Iodine Distribution Among Children After the 2011 Fukushima Nuclear Disaster in Japan: An Observational Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019, 104, 1658-1666.	3.6	10
21	Perspectives on End-of-Life Treatment among Patients with COPD: A Multicenter, Cross-sectional Study in Japan. <i>COPD: Journal of Chronic Obstructive Pulmonary Disease</i> , 2019, 16, 75-81.	1.6	7
22	Factors related to cervical cancer screening among women of childrearing age: a cross-sectional study of a nationally representative sample in Japan. <i>International Journal of Clinical Oncology</i> , 2019, 24, 313-322.	2.2	17
23	Clinical significance of an elevated ankle-brachial index differs depending on the amount of appendicular muscle mass: the J-SHIPP and Nagahama studies. <i>Hypertension Research</i> , 2018, 41, 354-362.	2.7	7
24	Subjective social status and trajectories of self-rated health status: a comparative analysis of Japan and the United States. <i>Journal of Public Health</i> , 2018, 40, 713-720.	1.8	11
25	Dietary habits associated with reduced insulin resistance: The Nagahama study. <i>Diabetes Research and Clinical Practice</i> , 2018, 141, 26-34.	2.8	18
26	Factors affecting longitudinal changes in cardio-ankle vascular index in a large general population. <i>Journal of Hypertension</i> , 2018, 36, 1147-1153.	0.5	36
27	Association of retinal vessel calibers and longitudinal changes in arterial stiffness. <i>Journal of Hypertension</i> , 2018, 36, 587-593.	0.5	15
28	Reduction in Gastroesophageal Reflux Disease Symptoms Is Associated with Miso Soup Intake in a Population-Based Cross-Sectional Study: The Nagahama Study. <i>Journal of Nutritional Science and Vitaminology</i> , 2018, 64, 367-373.	0.6	7
29	Association between socioeconomic factors and urinary sodium-to-potassium ratio: the Nagahama Study. <i>Hypertension Research</i> , 2018, 41, 973-980.	2.7	13
30	Impact of sleep characteristics and obesity on diabetes and hypertension across genders and menopausal status: the Nagahama study. <i>Sleep</i> , 2018, 41, .	1.1	48
31	Loneliness among mothers raising children under the age of 3 years and predictors with special reference to the use of SNS: a community-based cross-sectional study. <i>BMC Women's Health</i> , 2018, 18, 131.	2.0	24
32	Surveillance rates for hepatocellular carcinoma among patients with cirrhosis, chronic hepatitis B, and chronic hepatitis C based on Japanese claims database. <i>Hepatology Research</i> , 2017, 47, 283-292.	3.4	8
33	Prognostic Significance of Spot Urine Na/K for Longitudinal Changes in Blood Pressure and Renal Function: The Nagahama Study. <i>American Journal of Hypertension</i> , 2017, 30, 899-906.	2.0	17
34	Validity of spectral analysis based on heart rate variability from 1 minute or less ECG recordings. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2017, 40, 1004-1009.	1.2	19
35	Different inverse association of large high-density lipoprotein subclasses with exacerbation of insulin resistance and incidence of type 2 diabetes: The Nagahama study. <i>Diabetes Research and Clinical Practice</i> , 2017, 127, 123-131.	2.8	27
36	The causal effects of alcohol on lipoprotein subfraction and triglyceride levels using a Mendelian randomization analysis: The Nagahama study. <i>Atherosclerosis</i> , 2017, 257, 22-28.	0.8	25

#	ARTICLE	IF	CITATIONS
37	Combined association of clinical and lifestyle factors with non-restorative sleep: The Nagahama Study. PLoS ONE, 2017, 12, e0171849.	2.5	24
38	Vertebral Endplate Cyst as a Predictor of Nonunion After Lumbar Interbody Fusion. Spine, 2016, 41, E1216-E1222.	2.0	48
39	An anatomical investigation of clock face landmarks around the glenoid for shoulder arthroscopy orientation. Journal of Orthopaedic Science, 2016, 21, 727-731.	1.1	0
40	Effect of desert dust exposure on allergic symptoms. Annals of Allergy, Asthma and Immunology, 2016, 116, 425-430.e7.	1.0	26
41	Social network analysis of duplicative prescriptions: One-month analysis of medical facilities in Japan. Health Policy, 2016, 120, 334-341.	3.0	15
42	Synergistic association of elevated serum free fatty acid and glucose levels with large arterial stiffness in a general population: The Nagahama Study. Metabolism: Clinical and Experimental, 2016, 65, 66-72.	3.4	7
43	Association of cerebral white matter lesions with cognitive function and mood in Japanese elderly people: a population-based study. Brain and Behavior, 2015, 5, e00315.	2.2	24
44	Descriptive epidemiology of spot urine sodium-to-potassium ratio clarified close relationship with blood pressure level. Journal of Hypertension, 2015, 33, 2407-2413.	0.5	49
45	Knee Pain and Low Back Pain Additively Disturb Sleep in the General Population: A Cross-Sectional Analysis of the Nagahama Study. PLoS ONE, 2015, 10, e0140058.	2.5	20
46	Predicting failure to follow-up screened high blood pressure in Japan: a cohort study. Journal of Public Health, 2015, 37, 498-505.	1.8	9
47	Tooth Loss and Atherosclerosis. Journal of Dental Research, 2015, 94, 52S-58S.	5.2	29
48	Central blood pressure relates more strongly to retinal arteriolar narrowing than brachial blood pressure. Journal of Hypertension, 2015, 33, 323-329.	0.5	21
49	Association of Serum Free Fatty Acid Level With Reduced Reflection Pressure Wave Magnitude and Central Blood Pressure. Hypertension, 2014, 64, 1212-1218.	2.7	14
50	Birth cohort study on the effects of desert dust exposure on children's health: protocol of an adjunct study of the Japan Environment & Children's Study. BMJ Open, 2014, 4, e004863-e004863.	1.9	11
51	DEVELOPMENT AND VALIDATION OF A SHORT SCALE TO MEASURE HOW SOCIAL RELATIONSHIPS SUPPORT THE CONTINUOUS AND CONSCIOUS ENDEAVOUR TO LOSE WEIGHT. Journal of Biosocial Science, 2014, 46, 561-579.	1.2	1
52	Airflow limitation in smokers is associated with arterial stiffness: The Nagahama Study. Atherosclerosis, 2014, 232, 59-64.	0.8	21
53	Diagnostic accuracy of FDG-PET cancer screening in asymptomatic individuals: use of record linkage from the Osaka Cancer Registry. International Journal of Clinical Oncology, 2014, 19, 989-997.	2.2	9
54	Predictors of hyperglycaemic individuals who do not follow up with physicians after screening in Japan: A cohort study. Diabetes Research and Clinical Practice, 2014, 105, 176-184.	2.8	12

#	ARTICLE	IF	CITATIONS
55	Gastroesophageal Reflux Disease Symptoms and Dietary Behaviors are Significant Correlates of Short Sleep Duration in the General Population: The Nagahama Study. <i>Sleep</i> , 2014, 37, 1809-1815.	1.1	22
56	TEACCH-based group social skills training for children with high-functioning autism: a pilot randomized controlled trial. <i>BioPsychoSocial Medicine</i> , 2013, 7, 14.	2.1	31
57	Association of Longer QT Interval With Arterial Waveform and Lower Pulse Pressure Amplification: The Nagahama Study. <i>American Journal of Hypertension</i> , 2013, 26, 973-980.	2.0	6
58	Increased aortic wave reflection and smaller pulse pressure amplification in smokers and passive smokers confirmed by urinary cotinine levels: The Nagahama Study. <i>International Journal of Cardiology</i> , 2013, 168, 2673-2677.	1.7	14
59	Implementation of Mental Health Service Has an Impact on Retention in HIV Care: A Nested Case-Control Study in a Japanese HIV Care Facility. <i>PLoS ONE</i> , 2013, 8, e69603.	2.5	6
60	Does the Formation of Vertebral Endplate Cysts Predict Nonunion After Lumbar Interbody Fusion?. <i>Spine</i> , 2012, 37, E1197-E1202.	2.0	29
61	Inadequate Communication Between Patients With Unruptured Cerebral Aneurysms and Neurosurgeons. <i>Neurologia Medico-Chirurgica</i> , 2012, 52, 873-877.	2.2	4
62	THE RELATIONSHIP BETWEEN WEIGHT LOSS AND TIME AND RISK PREFERENCE PARAMETERS: A RANDOMIZED CONTROLLED TRIAL. <i>Journal of Biosocial Science</i> , 2011, 43, 481-503.	1.2	7
63	Measuring the Ability to Interpret Medical Information Among the Japanese Public and the Relationship With Inappropriate Purchasing Attitudes of Health-Related Goods. <i>Asia-Pacific Journal of Public Health</i> , 2011, 23, 386-398.	1.0	12
64	The relation between self-reported body weight and health-related quality of life: a cross-sectional study in Japan. <i>Journal of Public Health</i> , 2011, 33, 518-526.	1.8	14
65	Internet Use for Health-Related Information via Personal Computers and Cell Phones in Japan: A Cross-Sectional Population-Based Survey. <i>Journal of Medical Internet Research</i> , 2011, 13, e110.	4.3	85
66	Î2-Blocker Prescription and Outcomes in Hemodialysis Patients from The Japan Dialysis Outcomes and Practice Patterns Study. <i>Nephron Clinical Practice</i> , 2009, 113, c132-c139.	2.3	22
67	Human Infection with Highly Pathogenic Avian Influenza Virus (H5N1) in Northern Vietnam, 2004-2005. <i>Emerging Infectious Diseases</i> , 2009, 15, 19-23.	4.3	50
68	Association between a Polymorphism of Aminolevulinic Acid Dehydrogenase (ALAD) Gene and Blood Lead Levels in Japanese Subjects. <i>International Journal of Environmental Research and Public Health</i> , 2009, 6, 999-1009.	2.6	18
69	Potential Benefits and Harms of a Peer Support Social Network Service on the Internet for People With Depressive Tendencies: Qualitative Content Analysis and Social Network Analysis. <i>Journal of Medical Internet Research</i> , 2009, 11, e29.	4.3	106
70	Cost-effectiveness of gargling for the prevention of upper respiratory tract infections. <i>BMC Health Services Research</i> , 2008, 8, 258.	2.2	20
71	Influence of CYP11B2 Gene Polymorphism on the Prevalence of Hypertension and the Blood Pressure in Japanese Men: Interaction with Dietary Salt Intake. <i>Journal of Nutrigenetics and Nutrigenomics</i> , 2008, 1, 252-258.	1.3	7
72	Increasing the Number of SNP loci does not Necessarily Improve Prediction Power at Least in the Comparison of MTHFR SNP and Haplotypes. <i>Journal of Epidemiology</i> , 2008, 18, 243-250.	2.4	2

#	ARTICLE	IF	CITATIONS
73	Analysis of news of the Japanese asbestos panic: a supposedly resolved issue that turned out to be a time bomb. <i>Journal of Public Health</i> , 2007, 29, 62-69.	1.8	10