

Luisa Lina Villa

List of Publications by Citations

Source: <https://exaly.com/author-pdf/9131842/luisa-lina-villa-publications-by-citations.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

355
papers

19,072
citations

63
h-index

128
g-index

378
ext. papers

21,053
ext. citations

5.8
avg, IF

6.67
L-index

| # | Paper | IF | Citations |
|-----|---|------|-----------|
| 355 | Quadrivalent vaccine against human papillomavirus to prevent high-grade cervical lesions. <i>New England Journal of Medicine</i> , 2007 , 356, 1915-27 | 59.2 | 1580 |
| 354 | Prophylactic quadrivalent human papillomavirus (types 6, 11, 16, and 18) L1 virus-like particle vaccine in young women: a randomised double-blind placebo-controlled multicentre phase II efficacy trial. <i>Lancet Oncology, The</i> , 2005 , 6, 271-8 | 21.7 | 1185 |
| 353 | High sustained efficacy of a prophylactic quadrivalent human papillomavirus types 6/11/16/18 L1 virus-like particle vaccine through 5 years of follow-up. <i>British Journal of Cancer</i> , 2006 , 95, 1459-66 | 8.7 | 633 |
| 352 | Epidemiology of acquisition and clearance of cervical human papillomavirus infection in women from a high-risk area for cervical cancer. <i>Journal of Infectious Diseases</i> , 1999 , 180, 1415-23 | 7 | 457 |
| 351 | The impact of quadrivalent human papillomavirus (HPV; types 6, 11, 16, and 18) L1 virus-like particle vaccine on infection and disease due to oncogenic nonvaccine HPV types in generally HPV-naive women aged 16-26 years. <i>Journal of Infectious Diseases</i> , 2009 , 199, 926-35 | 7 | 445 |
| 350 | Impact of human papillomavirus (HPV)-6/11/16/18 vaccine on all HPV-associated genital diseases in young women. <i>Journal of the National Cancer Institute</i> , 2010 , 102, 325-39 | 9.7 | 422 |
| 349 | Identification and assessment of known and novel human papillomaviruses by polymerase chain reaction amplification, restriction fragment length polymorphisms, nucleotide sequence, and phylogenetic algorithms. <i>Journal of Infectious Diseases</i> , 1994 , 170, 1077-85 | 7 | 380 |
| 348 | Persistent human papillomavirus infection as a predictor of cervical intraepithelial neoplasia. <i>JAMA - Journal of the American Medical Association</i> , 2001 , 286, 3106-14 | 27.4 | 368 |
| 347 | Chapter 3: HPV type-distribution in women with and without cervical neoplastic diseases. <i>Vaccine</i> , 2006 , 24 Suppl 3, S3/26-34 | 4.1 | 340 |
| 346 | Incidence and clearance of genital human papillomavirus infection in men (HIM): a cohort study. <i>Lancet, The</i> , 2011 , 377, 932-40 | 40 | 336 |
| 345 | Induction of immune memory following administration of a prophylactic quadrivalent human papillomavirus (HPV) types 6/11/16/18 L1 virus-like particle (VLP) vaccine. <i>Vaccine</i> , 2007 , 25, 4931-9 | 4.1 | 316 |
| 344 | Planning cancer control in Latin America and the Caribbean. <i>Lancet Oncology, The</i> , 2013 , 14, 391-436 | 21.7 | 299 |
| 343 | Immunologic responses following administration of a vaccine targeting human papillomavirus Types 6, 11, 16, and 18. <i>Vaccine</i> , 2006 , 24, 5571-83 | 4.1 | 299 |
| 342 | Four year efficacy of prophylactic human papillomavirus quadrivalent vaccine against low grade cervical, vulvar, and vaginal intraepithelial neoplasia and anogenital warts: randomised controlled trial. <i>BMJ, The</i> , 2010 , 341, c3493 | 5.9 | 261 |
| 341 | Chapter 5: Updating the natural history of HPV and anogenital cancer. <i>Vaccine</i> , 2006 , 24 Suppl 3, S3/42-51.1 | 4.1 | 261 |
| 340 | The human papillomavirus infection in men study: human papillomavirus prevalence and type distribution among men residing in Brazil, Mexico, and the United States. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008 , 17, 2036-43 | 4 | 247 |
| 339 | A pooled analysis of continued prophylactic efficacy of quadrivalent human papillomavirus (Types 6/11/16/18) vaccine against high-grade cervical and external genital lesions. <i>Cancer Prevention Research</i> , 2009 , 2, 868-78 | 3.2 | 236 |

| | | | |
|-----|---|-----|-----|
| 338 | Human papillomavirus infections with multiple types and risk of cervical neoplasia. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006 , 15, 1274-80 | 4 | 234 |
| 337 | Molecular variants of human papillomavirus types 16 and 18 preferentially associated with cervical neoplasia. <i>Journal of General Virology</i> , 2000 , 81, 2959-2968 | 4.9 | 233 |
| 336 | An update of prophylactic human papillomavirus L1 virus-like particle vaccine clinical trial results. <i>Vaccine</i> , 2008 , 26 Suppl 10, K53-61 | 4.1 | 228 |
| 335 | Human papillomavirus infection and time to progression and regression of cervical intraepithelial neoplasia. <i>Journal of the National Cancer Institute</i> , 2003 , 95, 1336-43 | 9.7 | 227 |
| 334 | The impact of quadrivalent human papillomavirus (HPV; types 6, 11, 16, and 18) L1 virus-like particle vaccine on infection and disease due to oncogenic nonvaccine HPV types in sexually active women aged 16-26 years. <i>Journal of Infectious Diseases</i> , 2009 , 199, 936-44 | 7 | 221 |
| 333 | Incidence and clearance of oral human papillomavirus infection in men: the HIM cohort study. <i>Lancet, The</i> , 2013 , 382, 877-87 | 4.0 | 197 |
| 332 | Epidemiologic evidence and human papillomavirus infection as a necessary cause of cervical cancer. <i>Journal of the National Cancer Institute</i> , 1999 , 91, 506-11 | 9.7 | 176 |
| 331 | Evolution of human papillomavirus type 18: an ancient phylogenetic root in Africa and intratype diversity reflect coevolution with human ethnic groups. <i>Journal of Virology</i> , 1993 , 67, 6424-31 | 6.6 | 174 |
| 330 | CpG methylation of human papillomavirus type 16 DNA in cervical cancer cell lines and in clinical specimens: genomic hypomethylation correlates with carcinogenic progression. <i>Journal of Virology</i> , 2003 , 77, 6227-34 | 6.6 | 167 |
| 329 | Age-specific prevalence of and risk factors for anal human papillomavirus (HPV) among men who have sex with women and men who have sex with men: the HPV in men (HIM) study. <i>Journal of Infectious Diseases</i> , 2011 , 203, 49-57 | 7 | 166 |
| 328 | Cervical coinfection with human papillomavirus (HPV) types as a predictor of acquisition and persistence of HPV infection. <i>Journal of Infectious Diseases</i> , 2001 , 184, 1508-17 | 7 | 165 |
| 327 | Human papillomavirus as a prognostic factor in carcinoma of the penis. <i>Cancer</i> , 2001 , 91, 2315-2321 | 6.4 | 158 |
| 326 | Evaluation of quadrivalent HPV 6/11/16/18 vaccine efficacy against cervical and anogenital disease in subjects with serological evidence of prior vaccine type HPV infection. <i>Hum Vaccin</i> , 2009 , 5, 696-704 | | 156 |
| 325 | Chapter 12: Human papillomavirus technologies. <i>Journal of the National Cancer Institute Monographs</i> , 2003 , 80-8 | 4.8 | 148 |
| 324 | HPV antibody levels and clinical efficacy following administration of a prophylactic quadrivalent HPV vaccine. <i>Vaccine</i> , 2008 , 26, 6844-51 | 4.1 | 144 |
| 323 | High grade cervical lesions are caused preferentially by non-European variants of HPVs 16 and 18. <i>International Journal of Cancer</i> , 2007 , 120, 1763-8 | 7.5 | 144 |
| 322 | Prophylactic efficacy of a quadrivalent human papillomavirus (HPV) vaccine in women with virological evidence of HPV infection. <i>Journal of Infectious Diseases</i> , 2007 , 196, 1438-46 | 7 | 143 |
| 321 | The epidemiology of oral HPV infection among a multinational sample of healthy men. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011 , 20, 172-82 | 4 | 139 |

| | | | |
|-----|---|------|-----|
| 320 | Molecular variants of human papillomavirus type 16 from four continents suggest ancient pandemic spread of the virus and its coevolution with humankind. <i>Journal of Virology</i> , 1992 , 66, 2057-66 | 6.6 | 135 |
| 319 | Type-specific duration of human papillomavirus infection: implications for human papillomavirus screening and vaccination. <i>Journal of Infectious Diseases</i> , 2008 , 197, 1436-47 | 7 | 133 |
| 318 | Multiparameter calibration of a natural history model of cervical cancer. <i>American Journal of Epidemiology</i> , 2007 , 166, 137-50 | 3.8 | 122 |
| 317 | Viral load as a predictor of the risk of cervical intraepithelial neoplasia. <i>International Journal of Cancer</i> , 2003 , 103, 519-24 | 7.5 | 114 |
| 316 | HPV16 tumor associated macrophages suppress antitumor T cell responses. <i>Clinical Cancer Research</i> , 2009 , 15, 4391-400 | 12.9 | 105 |
| 315 | p53 as a New Prognostic Factor for Lymph Node Metastasis in Penile Carcinoma: Analysis of 82 Patients Treated with Amputation and Bilateral Lymphadenectomy. <i>Journal of Urology</i> , 2002 , 168, 81-86 | 2.5 | 105 |
| 314 | The role of inflammation in HPV carcinogenesis. <i>Carcinogenesis</i> , 2010 , 31, 1905-12 | 4.6 | 104 |
| 313 | Circumcision and sexual behavior: factors independently associated with human papillomavirus detection among men in the HIM study. <i>International Journal of Cancer</i> , 2009 , 124, 1251-7 | 7.5 | 104 |
| 312 | Human papillomavirus infection and reinfection in adult women: the role of sexual activity and natural immunity. <i>Cancer Research</i> , 2010 , 70, 8569-77 | 10.1 | 101 |
| 311 | Sequence variants of human papillomavirus type 16 in clinical samples permit verification and extension of epidemiological studies and construction of a phylogenetic tree. <i>Journal of Clinical Microbiology</i> , 1991 , 29, 1765-72 | 9.7 | 97 |
| 310 | Impact of baseline covariates on the immunogenicity of a quadrivalent (types 6, 11, 16, and 18) human papillomavirus virus-like-particle vaccine. <i>Journal of Infectious Diseases</i> , 2007 , 196, 1153-62 | 7 | 96 |
| 309 | Physical state and biological activity of human papillomavirus genomes in precancerous lesions of the female genital tract. <i>Journal of General Virology</i> , 1988 , 69 (Pt 1), 187-96 | 4.9 | 94 |
| 308 | Human papillomavirus DNA sequences in penile carcinomas in Brazil. <i>International Journal of Cancer</i> , 1986 , 37, 853-5 | 7.5 | 93 |
| 307 | Six-month incidence, persistence, and factors associated with persistence of anal human papillomavirus in men: the HPV in men study. <i>Journal of Infectious Diseases</i> , 2011 , 204, 1711-22 | 7 | 91 |
| 306 | Expression of a family of noncoding mitochondrial RNAs distinguishes normal from cancer cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009 , 106, 9430-4 | 11.5 | 86 |
| 305 | Worldwide genomic diversity of the high-risk human papillomavirus types 31, 35, 52, and 58, four close relatives of human papillomavirus type 16. <i>Journal of Virology</i> , 2005 , 79, 13630-40 | 6.6 | 85 |
| 304 | Clinicopathologic features and human papillomavirus dna prevalence of warty and squamous cell carcinoma of the penis. <i>American Journal of Surgical Pathology</i> , 2001 , 25, 673-8 | 6.7 | 85 |
| 303 | Epidemiologic correlates of cervical neoplasia and risk of human papillomavirus infection in asymptomatic women in Brazil. <i>Journal of the National Cancer Institute</i> , 1989 , 81, 332-40 | 9.7 | 84 |

| | | | |
|-----|---|------|----|
| 302 | Human papillomaviruses and cervical cancer. <i>Advances in Cancer Research</i> , 1997 , 71, 321-41 | 5.9 | 82 |
| 301 | Variation of human papillomavirus type 6 (HPV-6) and HPV-11 genomes sampled throughout the world. <i>Journal of Clinical Microbiology</i> , 1995 , 33, 1746-54 | 9.7 | 80 |
| 300 | p53 polymorphism in codon 72 and risk of human papillomavirus-induced cervical cancer: effect of inter-laboratory variation. <i>International Journal of Cancer</i> , 2000 , 87, 528-533 | 7.5 | 76 |
| 299 | ICTV Virus Taxonomy Profile: Papillomaviridae. <i>Journal of General Virology</i> , 2018 , 99, 989-990 | 4.9 | 76 |
| 298 | Methylation of the human papillomavirus-18 L1 gene: a biomarker of neoplastic progression?. <i>Virology</i> , 2006 , 349, 175-83 | 3.6 | 74 |
| 297 | Epidemiologic approaches to evaluating the potential for human papillomavirus type replacement postvaccination. <i>American Journal of Epidemiology</i> , 2013 , 178, 625-34 | 3.8 | 72 |
| 296 | Transmission of cervical human papillomavirus infection by sexual activity: differences between low and high oncogenic risk types. <i>Journal of Infectious Diseases</i> , 1995 , 172, 756-63 | 7 | 72 |
| 295 | Prevalence of and risk factors for anal human papillomavirus infection in men who have sex with women: a cross-national study. <i>Journal of Infectious Diseases</i> , 2010 , 201, 1498-508 | 7 | 68 |
| 294 | Prognostic significance of lymph node variables and human papillomavirus DNA in invasive vulvar carcinoma. <i>Gynecologic Oncology</i> , 2004 , 92, 856-65 | 4.9 | 65 |
| 293 | Dietary intake and risk of persistent human papillomavirus (HPV) infection: the Ludwig-McGill HPV Natural History Study. <i>Journal of Infectious Diseases</i> , 2003 , 188, 1508-16 | 7 | 64 |
| 292 | Design and methods of the Ludwig-McGill longitudinal study of the natural history of human papillomavirus infection and cervical neoplasia in Brazil. Ludwig-McGill Study Group. <i>Revista Panamericana De Salud Publica/Pan American Journal of Public Health</i> , 1999 , 6, 223-33 | 4.1 | 63 |
| 291 | Interleukin-10 production by tumor infiltrating macrophages plays a role in Human Papillomavirus 16 tumor growth. <i>BMC Immunology</i> , 2010 , 11, 27 | 3.7 | 62 |
| 290 | Human papillomavirus (HPV) 6, 11, 16, and 18 seroprevalence is associated with sexual practice and age: results from the multinational HPV Infection in Men Study (HIM Study). <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011 , 20, 990-1002 | 4 | 59 |
| 289 | Occurrence of cervical infection with multiple human papillomavirus types is associated with age and cytologic abnormalities. <i>Sexually Transmitted Diseases</i> , 2003 , 30, 581-7 | 2.4 | 59 |
| 288 | Advances in prevention of cervical cancer and other human papillomavirus-related diseases. <i>Pediatric Infectious Disease Journal</i> , 2006 , 25, S65-81, quiz S82 | 3.4 | 58 |
| 287 | Incidence and human papillomavirus (HPV) type distribution of genital warts in a multinational cohort of men: the HPV in men study. <i>Journal of Infectious Diseases</i> , 2011 , 204, 1886-92 | 7 | 56 |
| 286 | Production of human papillomavirus type 16 L1 virus-like particles by recombinant <i>Lactobacillus casei</i> cells. <i>Applied and Environmental Microbiology</i> , 2006 , 72, 745-52 | 4.8 | 56 |
| 285 | Expression of a novel non-coding mitochondrial RNA in human proliferating cells. <i>Nucleic Acids Research</i> , 2007 , 35, 7336-47 | 20.1 | 56 |

| | | | |
|-----|---|------|----|
| 284 | Differences in transformation activity between HPV-18 and HPV-16 map to the viral LCR-E6-E7 region. <i>Virology</i> , 1991 , 181, 374-7 | 3.6 | 56 |
| 283 | Human papillomavirus-16 and -18 in penile carcinomas: DNA methylation, chromosomal recombination and genomic variation. <i>International Journal of Cancer</i> , 2008 , 123, 1832-40 | 7.5 | 54 |
| 282 | Safety, immunogenicity, and efficacy of quadrivalent human papillomavirus (types 6, 11, 16, 18) L1 virus-like-particle vaccine in Latin American women. <i>International Journal of Cancer</i> , 2008 , 122, 1311-8 | 7.5 | 53 |
| 281 | Human papillomavirus virus (HPV) genotype- and age-specific analyses of external genital lesions among men in the HPV Infection in Men (HIM) Study. <i>Journal of Infectious Diseases</i> , 2015 , 211, 1060-7 | 7 | 50 |
| 280 | Worldwide genomic diversity of the human papillomaviruses-53, 56, and 66, a group of high-risk HPVs unrelated to HPV-16 and HPV-18. <i>Virology</i> , 2005 , 340, 95-104 | 3.6 | 50 |
| 279 | High-risk human papillomavirus in oral squamous cell carcinoma of young patients. <i>International Journal of Cancer</i> , 2012 , 130, 1726-32 | 7.5 | 49 |
| 278 | The prevalence of genital HPV and factors associated with oncogenic HPV among men having sex with men and men having sex with women and men: the HIM study. <i>Sexually Transmitted Diseases</i> , 2011 , 38, 932-40 | 2.4 | 49 |
| 277 | Prevalent serum antibody is not a marker of immune protection against acquisition of oncogenic HPV16 in men. <i>Cancer Research</i> , 2012 , 72, 676-85 | 10.1 | 49 |
| 276 | Human papillomavirus DNA and p53 status in penile carcinomas. <i>International Journal of Cancer</i> , 1998 , 76, 779-83 | 7.5 | 49 |
| 275 | Overview of the clinical development and results of a quadrivalent HPV (types 6, 11, 16, 18) vaccine. <i>International Journal of Infectious Diseases</i> , 2007 , 11 Suppl 2, S17-25 | 10.5 | 47 |
| 274 | Long-term persistence of oral human papillomavirus type 16: the HPV Infection in Men (HIM) study. <i>Cancer Prevention Research</i> , 2015 , 8, 190-6 | 3.2 | 46 |
| 273 | CHAPTER 7 Methods for detection of HPV infection and its clinical utility. <i>International Journal of Gynecology and Obstetrics</i> , 2006 , 94 Suppl 1, S71-S80 | 4 | 45 |
| 272 | Polymorphisms of the human leukocyte antigen DRB1 and DQB1 genes and the natural history of human papillomavirus infection. <i>Journal of Infectious Diseases</i> , 2002 , 186, 164-72 | 7 | 45 |
| 271 | Genital Human Papillomavirus Infection Progression to External Genital Lesions: The HIM Study. <i>European Urology</i> , 2016 , 69, 166-73 | 10.2 | 44 |
| 270 | Immunomarkers in gynecologic cytology: the search for the ideal 'biomolecular Papanicolaou test'. <i>Acta Cytologica</i> , 2012 , 56, 109-21 | 3 | 43 |
| 269 | Prophylactic HPV vaccines: reducing the burden of HPV-related diseases. <i>Vaccine</i> , 2006 , 24 Suppl 1, S23-8.1 | 8.1 | 43 |
| 268 | HPV prophylactic vaccination: The first years and what to expect from now. <i>Cancer Letters</i> , 2011 , 305, 106-12 | 9.9 | 42 |
| 267 | Seroprevalence of human papillomavirus (HPV) type 6 and 16 vary by anatomic site of HPV infection in men. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012 , 21, 1542-6 | 4 | 42 |

| | | | |
|-----|--|------|----|
| 266 | Diet and serum micronutrients in relation to cervical neoplasia and cancer among low-income Brazilian women. <i>International Journal of Cancer</i> , 2010 , 126, 703-14 | 7.5 | 42 |
| 265 | Squamous cell carcinoma of the vulva in Brazil: prognostic importance of host and viral variables. <i>Gynecologic Oncology</i> , 1999 , 74, 61-7 | 4.9 | 42 |
| 264 | HPV16 oncoproteins induce MMPs/RECK-TIMP-2 imbalance in primary keratinocytes: possible implications in cervical carcinogenesis. <i>PLoS ONE</i> , 2012 , 7, e33585 | 3.7 | 41 |
| 263 | Oncogenic potential diverge among human papillomavirus type 16 natural variants. <i>Virology</i> , 2012 , 432, 127-32 | 3.6 | 40 |
| 262 | Infection with human papillomaviruses of sexual partners of women having cervical intraepithelial neoplasia. <i>Brazilian Journal of Medical and Biological Research</i> , 2006 , 39, 177-87 | 2.8 | 40 |
| 261 | Human papillomavirus type-16 variants in Quechua aboriginals from Argentina. <i>Journal of Medical Virology</i> , 2003 , 69, 546-52 | 19.7 | 40 |
| 260 | E6 molecular variants of human papillomavirus (HPV) type 16: an updated and unified criterion for clustering and nomenclature. <i>Virology</i> , 2011 , 410, 201-15 | 3.6 | 39 |
| 259 | Allelic loss in human papillomavirus-positive and -negative vulvar squamous cell carcinomas. <i>American Journal of Pathology</i> , 1999 , 154, 1009-15 | 5.8 | 39 |
| 258 | Seroconversion Following Anal and Genital HPV Infection in Men:. <i>Papillomavirus Research (Amsterdam, Netherlands)</i> , 2015 , 1, 109-115 | 4.6 | 38 |
| 257 | Smoking and human papillomavirus (HPV) infection in the HPV in Men (HIM) study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012 , 21, 102-10 | 4 | 38 |
| 256 | Differential effect of tumor necrosis factor on proliferation of primary human keratinocytes and cell lines containing human papillomavirus types 16 and 18. <i>Molecular Carcinogenesis</i> , 1992 , 6, 5-9 | 5 | 38 |
| 255 | Epidemiological and functional implications of molecular variants of human papillomavirus. <i>Brazilian Journal of Medical and Biological Research</i> , 2006 , 39, 707-17 | 2.8 | 38 |
| 254 | Papillomavirus subtypes are natural and old taxa: phylogeny of human papillomavirus types 44 and 55 and 68a and -b. <i>Journal of Virology</i> , 2005 , 79, 6565-9 | 6.6 | 37 |
| 253 | Incidence, Duration, Persistence, and Factors Associated With High-risk Anal Human Papillomavirus Persistence Among HIV-negative Men Who Have Sex With Men: A Multinational Study. <i>Clinical Infectious Diseases</i> , 2016 , 62, 1367-1374 | 11.6 | 37 |
| 252 | Cutaneous human papillomavirus types detected on the surface of male external genital lesions: a case series within the HPV Infection in Men Study. <i>Journal of Clinical Virology</i> , 2013 , 58, 652-9 | 14.5 | 36 |
| 251 | Human papillomavirus prevalence among women with cervical intraepithelial neoplasia III and invasive cervical cancer from Goiânia, Brazil. <i>Memorias Do Instituto Oswaldo Cruz</i> , 2003 , 98, 181-4 | 2.6 | 36 |
| 250 | Genetic susceptibility to infection with human papillomavirus and development of cervical cancer in women in Brazil. <i>Mutation Research - Reviews in Mutation Research</i> , 2003 , 544, 375-83 | 7 | 36 |
| 249 | Differing prevalence of human papillomavirus RNA in penile dysplasias and carcinomas may reflect differing etiologies. <i>American Journal of Clinical Pathology</i> , 1992 , 97, 272-8 | 1.9 | 36 |

| | | | |
|-----|--|------|----|
| 248 | Recurring infection with ecologically distinct HPV types can explain high prevalence and diversity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017 , 114, 13573-13578 | 11.5 | 36 |
| 247 | Cervical cancer in Latin America and the Caribbean: the problem and the way to solutions. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012 , 21, 1409-13 | 4 | 35 |
| 246 | Consistent condom use reduces the genital human papillomavirus burden among high-risk men: the HPV infection in men study. <i>Journal of Infectious Diseases</i> , 2013 , 208, 373-84 | 7 | 35 |
| 245 | Viral origins of human cancer. <i>Current Medicinal Chemistry</i> , 2007 , 14, 2526-39 | 4.3 | 35 |
| 244 | Different P105 promoter activities among natural variants of human papillomavirus type 18. <i>Journal of Infectious Diseases</i> , 2005 , 191, 739-42 | 7 | 35 |
| 243 | High-throughput profiling of the humoral immune responses against thirteen human papillomavirus types by proteome microarrays. <i>Virology</i> , 2010 , 405, 31-40 | 3.6 | 34 |
| 242 | Higher expression and activity of metalloproteinases in human cervical carcinoma cell lines is associated with HPV presence. <i>Biochemistry and Cell Biology</i> , 2006 , 84, 713-9 | 3.6 | 34 |
| 241 | P16(INK4a) expression as a potential prognostic marker in cervical pre-neoplastic and neoplastic lesions. <i>Pathology Research and Practice</i> , 2006 , 202, 77-83 | 3.4 | 34 |
| 240 | Detection of oncogenic human papillomavirus in sporadic retinoblastoma. <i>Acta Ophthalmologica</i> , 2003 , 81, 396-8 | | 34 |
| 239 | Expression of mitochondrial non-coding RNAs (ncRNAs) is modulated by high risk human papillomavirus (HPV) oncogenes. <i>Journal of Biological Chemistry</i> , 2012 , 287, 21303-15 | 5.4 | 33 |
| 238 | The prevalence of human papillomavirus in the oropharynx in healthy individuals in a Brazilian population. <i>Journal of Medical Virology</i> , 2006 , 78, 614-8 | 19.7 | 33 |
| 237 | Relationship between human papillomavirus (HPV) genotyping and genital neoplasia in HIV-positive patients of Santos City, S ^o Paulo, Brazil. <i>International Journal of STD and AIDS</i> , 1999 , 10, 803-7 | 1.4 | 33 |
| 236 | B lymphocytes can be activated to act as antigen presenting cells to promote anti-tumor responses. <i>PLoS ONE</i> , 2018 , 13, e0199034 | 3.7 | 32 |
| 235 | Broad HPV distribution in the genital region of men from the HPV infection in men (HIM) study. <i>Virology</i> , 2013 , 443, 214-7 | 3.6 | 32 |
| 234 | Male circumcision and the incidence and clearance of genital human papillomavirus (HPV) infection in men: the HPV Infection in men (HIM) cohort study. <i>BMC Infectious Diseases</i> , 2014 , 14, 75 | 4 | 31 |
| 233 | HPV infection and cervical neoplasia: associated risk factors. <i>Infectious Agents and Cancer</i> , 2015 , 10, 16 | 3.5 | 31 |
| 232 | Impact of HPV infection on the development of head and neck cancer. <i>Brazilian Journal of Medical and Biological Research</i> , 2013 , 46, 217-26 | 2.8 | 31 |
| 231 | Test-retest reliability of a sexual behavior interview for men residing in Brazil, Mexico, and the United States: the HPV in Men (HIM) Study. <i>American Journal of Epidemiology</i> , 2009 , 170, 965-74 | 3.8 | 31 |

| | | | |
|-----|---|------|----|
| 230 | Dietary consumption of antioxidant nutrients and risk of incident cervical intraepithelial neoplasia. <i>Gynecologic Oncology</i> , 2010 , 118, 289-94 | 4.9 | 31 |
| 229 | Human papillomavirus type 33 polymorphisms and high-grade squamous intraepithelial lesions of the uterine cervix. <i>Journal of Infectious Diseases</i> , 2006 , 194, 886-94 | 7 | 31 |
| 228 | Detection of human papillomavirus in epithelial lesions of the conjunctiva. <i>Sao Paulo Medical Journal</i> , 2000 , 118, 125-30 | 1.6 | 31 |
| 227 | A school-based human papillomavirus vaccination program in barretos, Brazil: final results of a demonstrative study. <i>PLoS ONE</i> , 2013 , 8, e62647 | 3.7 | 31 |
| 226 | Diversity of beta-papillomavirus at anogenital and oral anatomic sites of men: The HIM Study. <i>Virology</i> , 2016 , 495, 33-41 | 3.6 | 31 |
| 225 | Low stringency-PCR (LS-PCR) allows entirely internally standardized DNA quantitation. <i>Nucleic Acids Research</i> , 1995 , 23, 192-3 | 20.1 | 30 |
| 224 | Methylation of the hsa-miR-124, SOX1, TERT, and LMX1A genes as biomarkers for precursor lesions in cervical cancer. <i>Gynecologic Oncology</i> , 2018 , 150, 545-551 | 4.9 | 30 |
| 223 | Histologic muscular history in steroid-treated and untreated patients with Duchenne dystrophy. <i>Neurology</i> , 2015 , 85, 1886-93 | 6.5 | 29 |
| 222 | Expression of human papillomavirus type 16 E7 oncoprotein alters keratinocytes expression profile in response to tumor necrosis factor-alpha. <i>Carcinogenesis</i> , 2010 , 31, 521-31 | 4.6 | 29 |
| 221 | HPV-18 confers resistance to TNF-alpha in organotypic cultures of human keratinocytes. <i>Virology</i> , 2004 , 328, 233-43 | 3.6 | 29 |
| 220 | Analysis of human papillomavirus prevalence and TP53 polymorphism in head and neck squamous cell carcinomas. <i>Cancer Genetics and Cytogenetics</i> , 2004 , 150, 44-9 | | 29 |
| 219 | Predictors of cervical coinfection with multiple human papillomavirus types. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2003 , 12, 1029-37 | 4 | 29 |
| 218 | Self-collection for high-risk HPV detection in Brazilian women using the careHPV [®] test. <i>Gynecologic Oncology</i> , 2013 , 131, 131-4 | 4.9 | 28 |
| 217 | Awareness and knowledge of HPV, cervical cancer, and vaccines in young women after first delivery in São Paulo, Brazil--a cross-sectional study. <i>BMC Women's Health</i> , 2010 , 10, 35 | 2.9 | 28 |
| 216 | Low prevalence of human papillomavirus in a geographic region with a high incidence of head and neck cancer. <i>American Journal of Surgery</i> , 1998 , 176, 428-9 | 2.7 | 28 |
| 215 | Interaction between polymorphisms of the human leukocyte antigen and HPV-16 variants on the risk of invasive cervical cancer. <i>BMC Cancer</i> , 2008 , 8, 246 | 4.8 | 26 |
| 214 | HPV type infection in different anogenital sites among HIV-positive Brazilian women. <i>Infectious Agents and Cancer</i> , 2008 , 3, 5 | 3.5 | 26 |
| 213 | Human papillomavirus type 16 variants in cervical cancer from an admixed population in Brazil. <i>Journal of Medical Virology</i> , 2008 , 80, 1639-45 | 19.7 | 26 |

| | | | |
|-----|---|-----|----|
| 212 | HPV Vaccine: Updates and Highlights. <i>Acta Cytologica</i> , 2019 , 63, 159-168 | 3 | 25 |
| 211 | Race and prevalence of human papillomavirus infection among men residing in Brazil, Mexico and the United States. <i>International Journal of Cancer</i> , 2012 , 131, E282-91 | 7.5 | 25 |
| 210 | Human papillomavirus type 16 viral load measurement as a predictor of infection clearance. <i>Journal of General Virology</i> , 2013 , 94, 1850-1857 | 4.9 | 25 |
| 209 | Prevalence of HPV infection by cervical cytologic status in Brazil. <i>International Journal of Gynecology and Obstetrics</i> , 2009 , 105, 21-4 | 4 | 25 |
| 208 | Correlation patterns of cancer relative frequencies with some socioeconomic and demographic indicators in Brazil: an ecologic study. <i>International Journal of Cancer</i> , 1988 , 41, 24-9 | 7.5 | 24 |
| 207 | Effect of Curcumin-Nanoemulsion Associated with Photodynamic Therapy in Cervical Carcinoma Cell Lines. <i>BioMed Research International</i> , 2018 , 2018, 4057959 | 3 | 24 |
| 206 | SOD2 immunoexpression predicts lymph node metastasis in penile cancer. <i>BMC Clinical Pathology</i> , 2015 , 15, 3 | 3 | 23 |
| 205 | Characterization of global transcription profile of normal and HPV-immortalized keratinocytes and their response to TNF treatment. <i>BMC Medical Genomics</i> , 2008 , 1, 29 | 3.7 | 23 |
| 204 | Male human papillomavirus prevalence and association with condom use in Brazil, Mexico, and the United States. <i>Journal of Infectious Diseases</i> , 2012 , 205, 1287-93 | 7 | 22 |
| 203 | Risk factors for incident condyloma in a multinational cohort of men: the HIM study. <i>Journal of Infectious Diseases</i> , 2012 , 205, 789-93 | 7 | 22 |
| 202 | Papilomavírus humano associado a lesões de cervice uterina. <i>Revista Da Sociedade Brasileira De Medicina Tropical</i> , 1999 , 32, 235-240 | 1.5 | 22 |
| 201 | Molecular variant analysis as an epidemiological tool to study persistence of cervical human papillomavirus infection. <i>Journal of the National Cancer Institute</i> , 1994 , 86, 1558-9 | 9.7 | 22 |
| 200 | MMP-9/RECK Imbalance: A Mechanism Associated with High-Grade Cervical Lesions and Genital Infection by Human Papillomavirus and Chlamydia trachomatis. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015 , 24, 1539-47 | 4 | 21 |
| 199 | Evaluation of human papillomavirus type replacement postvaccination must account for diagnostic artifacts: masking of HPV52 by HPV16 in anogenital specimens. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015 , 24, 286-90 | 4 | 21 |
| 198 | The Relation of HPV Infection and Expression of p53 and p16 Proteins in Esophageal Squamous Cells Carcinoma. <i>Journal of Cancer</i> , 2017 , 8, 1062-1070 | 4.5 | 21 |
| 197 | Reprogramming energy metabolism and inducing angiogenesis: co-expression of monocarboxylate transporters with VEGF family members in cervical adenocarcinomas. <i>BMC Cancer</i> , 2015 , 15, 835 | 4.8 | 21 |
| 196 | High genital prevalence of cutaneous human papillomavirus DNA on male genital skin: the HPV Infection in Men Study. <i>BMC Infectious Diseases</i> , 2014 , 14, 677 | 4 | 21 |
| 195 | Clustering of human papillomavirus (HPV) types in the male genital tract: the HPV in men (HIM) study. <i>Journal of Infectious Diseases</i> , 2011 , 204, 1500-4 | 7 | 21 |

| | | | |
|-----|---|------|----|
| 194 | Identification of genomic sequences of three novel human papillomavirus sequences in cervical smears of Amazonian Indians. <i>Journal of Infectious Diseases</i> , 1994 , 170, 1086-8 | 7 | 21 |
| 193 | POP-Brazil study protocol: a nationwide cross-sectional evaluation of the prevalence and genotype distribution of human papillomavirus (HPV) in Brazil. <i>BMJ Open</i> , 2018 , 8, e021170 | 3 | 20 |
| 192 | Prevalence, genotype profile and risk factors for multiple human papillomavirus cervical infection in unimmunized female adolescents in Goiânia, Brazil: a community-based study. <i>BMC Public Health</i> , 2013 , 13, 1041 | 4.1 | 20 |
| 191 | A prospective analysis of smoking and human papillomavirus infection among men in the HPV in Men Study. <i>International Journal of Cancer</i> , 2014 , 134, 2448-57 | 7.5 | 20 |
| 190 | Association of Chlamydia trachomatis infection and herpes simplex virus type 2 serostatus with genital human papillomavirus infection in men: the HPV in men study. <i>Sexually Transmitted Diseases</i> , 2013 , 40, 508-15 | 2.4 | 20 |
| 189 | Associations of dietary dark-green and deep-yellow vegetables and fruits with cervical intraepithelial neoplasia: modification by smoking. <i>British Journal of Nutrition</i> , 2011 , 105, 928-37 | 3.6 | 20 |
| 188 | Epidemiologic correlates of antibody response to human papillomavirus among women at low risk of cervical cancer. <i>International Journal of STD and AIDS</i> , 2003 , 14, 258-65 | 1.4 | 20 |
| 187 | Prevalence of HPV infection among sexually active adolescents and young adults in Brazil: The POP-Brazil Study. <i>Scientific Reports</i> , 2020 , 10, 4920 | 4.9 | 19 |
| 186 | Antiviral activity of curcumin-nanoemulsion associated with photodynamic therapy in vulvar cell lines transducing different variants of HPV-16. <i>Artificial Cells, Nanomedicine and Biotechnology</i> , 2020 , 48, 515-524 | 6.1 | 19 |
| 185 | HPV-transformed cells exhibit altered HMGB1-TLR4/MyD88-SARM1 signaling axis. <i>Scientific Reports</i> , 2018 , 8, 3476 | 4.9 | 19 |
| 184 | Local and systemic immunomodulatory mechanisms triggered by Human Papillomavirus transformed cells: a potential role for G-CSF and neutrophils. <i>Scientific Reports</i> , 2017 , 7, 9002 | 4.9 | 19 |
| 183 | Identification of novel cellular transcription factors that regulate early promoters of human papillomavirus types 18 and 16. <i>Journal of Infectious Diseases</i> , 2012 , 206, 867-74 | 7 | 19 |
| 182 | Associations between serum carotenoids and tocopherols and type-specific HPV persistence: the Ludwig-McGill cohort study. <i>International Journal of Cancer</i> , 2007 , 120, 672-80 | 7.5 | 19 |
| 181 | HPV genotype distribution in Brazilian women with and without cervical lesions: correlation to cytological data. <i>Virology Journal</i> , 2016 , 13, 138 | 6.1 | 18 |
| 180 | Endometrial endometrioid adenocarcinoma of the uterine corpus involving the cervix: some cases probably represent independent primaries. <i>International Journal of Gynecological Pathology</i> , 2010 , 29, 146-56 | 3.2 | 18 |
| 179 | Prevalence of human papillomavirus in archival samples obtained from patients with cervical pre-malignant and malignant lesions from Northeast Brazil. <i>BMC Research Notes</i> , 2010 , 3, 96 | 2.3 | 18 |
| 178 | Comparison of anal HPV natural history among men by country of residence: Brazil, Mexico, and the United States. <i>Journal of Infection</i> , 2017 , 75, 35-47 | 18.9 | 17 |
| 177 | The natural history of genital human papillomavirus among HIV-negative men having sex with men and men having sex with women. <i>Journal of Infectious Diseases</i> , 2015 , 212, 202-12 | 7 | 17 |

| | | | |
|-----|--|------|----|
| 176 | Diversity of human papillomavirus in the anal canal of men: the HIM Study. <i>Clinical Microbiology and Infection</i> , 2015 , 21, 502-9 | 9.5 | 17 |
| 175 | Value of HPV-DNA test in women with cytological diagnosis of atypical glandular cells (AGC). <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2011 , 159, 160-4 | 2.4 | 17 |
| 174 | Monitoring HPV vaccination. <i>Vaccine</i> , 2008 , 26 Suppl 1, A24-7 | 4.1 | 17 |
| 173 | Overexpression of ANXA1 in penile carcinomas positive for high-risk HPVs. <i>PLoS ONE</i> , 2013 , 8, e53260 | 3.7 | 17 |
| 172 | Sequential Acquisition of Anal Human Papillomavirus (HPV) Infection Following Genital Infection Among Men Who Have Sex With Women: The HPV Infection in Men (HIM) Study. <i>Journal of Infectious Diseases</i> , 2016 , 214, 1180-7 | 7 | 17 |
| 171 | Prevalence of human papillomavirus types and variants and p16(INK4a) expression in head and neck squamous cells carcinomas in São Paulo, Brazil. <i>Infectious Agents and Cancer</i> , 2016 , 11, 20 | 3.5 | 16 |
| 170 | Lactate transporters and vascular factors in HPV-induced squamous cell carcinoma of the uterine cervix. <i>BMC Cancer</i> , 2014 , 14, 751 | 4.8 | 16 |
| 169 | Association of HPV infection and Chlamydia trachomatis seropositivity in cases of cervical neoplasia in Midwest Brazil. <i>Journal of Medical Virology</i> , 2012 , 84, 1143-50 | 19.7 | 16 |
| 168 | Nucleotide and phylogenetic analysis of human papillomavirus types 6 and 11 isolated from recurrent respiratory papillomatosis in Brazil. <i>Infection, Genetics and Evolution</i> , 2013 , 16, 282-9 | 4.5 | 16 |
| 167 | Concordance of human papillomavirus types detected on the surface and in the tissue of genital lesions in men. <i>Journal of Medical Virology</i> , 2013 , 85, 1561-6 | 19.7 | 16 |
| 166 | Low prevalence of HPV in Brazilian children with retinoblastoma. <i>Journal of Medical Virology</i> , 2011 , 83, 115-8 | 19.7 | 16 |
| 165 | Comparative study of the expression of cellular cycle proteins in cervical intraepithelial lesions. <i>Pathology Research and Practice</i> , 2006 , 202, 731-7 | 3.4 | 16 |
| 164 | Global incidence trends in head and neck cancer for HPV-related and -unrelated subsites: A systematic review of population-based studies. <i>Oral Oncology</i> , 2021 , 115, 105177 | 4.4 | 16 |
| 163 | Can the careHPV test performed in mobile units replace cytology for screening in rural and remote areas?. <i>Cancer Cytopathology</i> , 2016 , 124, 581-8 | 3.9 | 16 |
| 162 | Innate immunity and HPV: friends or foes. <i>Clinics</i> , 2018 , 73, e549s | 2.3 | 16 |
| 161 | An analysis of HPV infection incidence and clearance by genotype and age in men: The HPV Infection in Men (HIM) Study. <i>Papillomavirus Research (Amsterdam, Netherlands)</i> , 2015 , 1, 126-135 | 4.6 | 15 |
| 160 | Co-infection of sexually transmitted pathogens and Human Papillomavirus in cervical samples of women of Brazil. <i>BMC Infectious Diseases</i> , 2017 , 17, 769 | 4 | 15 |
| 159 | Polymorphisms in genes involved in folate metabolism modify the association of dietary and circulating folate and vitamin B-6 with cervical neoplasia. <i>Journal of Nutrition</i> , 2013 , 143, 2007-14 | 4.1 | 15 |

| | | | |
|-----|---|------|----|
| 158 | Economic evaluation of strategies for managing women with equivocal cytological results in Brazil. <i>International Journal of Cancer</i> , 2011 , 129, 671-9 | 7.5 | 15 |
| 157 | Intraoperative autologous blood recovery in prostate cancer surgery: in vivo validation using a tumour marker. <i>Vox Sanguinis</i> , 2008 , 95, 308-12 | 3.1 | 15 |
| 156 | Modeling the time dependence of the association between human papillomavirus infection and cervical cancer precursor lesions. <i>American Journal of Epidemiology</i> , 2003 , 158, 878-86 | 3.8 | 15 |
| 155 | The Asian-American variant of human papillomavirus type 16 exhibits higher activation of MAPK and PI3K/AKT signaling pathways, transformation, migration and invasion of primary human keratinocytes. <i>Virology</i> , 2016 , 492, 145-54 | 3.6 | 15 |
| 154 | Male circumcision and prevalence of genital human papillomavirus infection in men: a multinational study. <i>BMC Infectious Diseases</i> , 2013 , 13, 18 | 4 | 14 |
| 153 | Variants of human papillomavirus types 16 and 18: histological findings in women referred for atypical glandular cells or adenocarcinoma in situ in cervical smear. <i>International Journal of Gynecological Pathology</i> , 2006 , 25, 393-7 | 3.2 | 14 |
| 152 | Estrogen and progesterone receptors in human papilloma virus-related cervical neoplasia. <i>Brazilian Journal of Medical and Biological Research</i> , 2004 , 37, 83-8 | 2.8 | 14 |
| 151 | Epidemiologic Evaluation of Human Papillomavirus Type Competition and the Potential for Type Replacement Post-Vaccination. <i>PLoS ONE</i> , 2016 , 11, e0166329 | 3.7 | 14 |
| 150 | Seroprevalence and Associated Factors of 9-Valent Human Papillomavirus (HPV) Types among Men in the Multinational HIM Study. <i>PLoS ONE</i> , 2016 , 11, e0167173 | 3.7 | 14 |
| 149 | Polymorphism in the promoter region of the Toll-like receptor 9 gene and cervical human papillomavirus infection. <i>Journal of General Virology</i> , 2013 , 94, 1858-1864 | 4.9 | 13 |
| 148 | Deregulated Expression of Superoxide Dismutase-2 Correlates with Different Stages of Cervical Neoplasia. <i>Disease Markers</i> , 2011 , 30, 275-281 | 3.2 | 13 |
| 147 | Persistence and clearance of HPV from the penis of men infected and non-infected with HIV. <i>Journal of Medical Virology</i> , 2011 , 83, 127-31 | 19.7 | 13 |
| 146 | Use of the normalized absorbance ratio as an internal standardization approach to minimize measurement error in enzyme-linked immunosorbent assays for diagnosis of human papillomavirus infection. <i>Journal of Clinical Microbiology</i> , 2010 , 48, 791-6 | 9.7 | 13 |
| 145 | Human papillomavirus-specific genotypes in cervical lesions of women referred for smears with atypical glandular cells or adenocarcinoma in situ. <i>International Journal of Gynecological Pathology</i> , 2009 , 28, 272-8 | 3.2 | 13 |
| 144 | Viral load of episomal and integrated forms of human papillomavirus type 33 in high-grade squamous intraepithelial lesions of the uterine cervix. <i>International Journal of Cancer</i> , 2007 , 121, 2674-81 | 7.5 | 13 |
| 143 | Genetic susceptibility to HPV infection and cervical cancer. <i>Brazilian Journal of Medical and Biological Research</i> , 1999 , 32, 915-22 | 2.8 | 13 |
| 142 | Human papillomavirus type 16 variants isolated from vulvar Bowenoid papulosis. <i>Journal of Medical Virology</i> , 1993 , 41, 49-54 | 19.7 | 13 |
| 141 | HPV vaccination: the beginning of the end of cervical cancer? - A Review. <i>Memorias Do Instituto Oswaldo Cruz</i> , 2009 , 104, 1-10 | 2.6 | 13 |

| | | | |
|-----|---|------|----|
| 140 | Strong SOD2 expression and HPV-16/18 positivity are independent events in cervical cancer. <i>Oncotarget</i> , 2018 , 9, 21630-21640 | 3.3 | 13 |
| 139 | Impact of human papillomavirus status on survival and recurrence in a geographic region with a low prevalence of HPV-related cancer: A retrospective cohort study. <i>Head and Neck</i> , 2020 , 42, 93-102 | 4.2 | 13 |
| 138 | Comparison of the Natural History of Genital HPV Infection among Men by Country: Brazil, Mexico, and the United States. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2017 , 26, 1043-1052 | 4 | 12 |
| 137 | Human Papillomavirus and Genital Disease in Men: What We Have Learned from the HIM Study. <i>Acta Cytologica</i> , 2019 , 63, 109-117 | 3 | 12 |
| 136 | HPV infection and p53 and p16 expression in esophageal cancer: are they prognostic factors?. <i>Infectious Agents and Cancer</i> , 2017 , 12, 54 | 3.5 | 12 |
| 135 | Concordance of Beta-papillomavirus across anogenital and oral anatomic sites of men: The HIM Study. <i>Virology</i> , 2017 , 510, 55-59 | 3.6 | 12 |
| 134 | Circulating biomarkers of iron storage and clearance of incident human papillomavirus infection. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012 , 21, 859-65 | 4 | 12 |
| 133 | Racial differences in the incidence and clearance of human papilloma virus (HPV): the HPV in men (HIM) study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2013 , 22, 1762-70 | 4 | 12 |
| 132 | Human papillomavirus type 16 molecular variants in Guarani Indian women from Misiones, Argentina. <i>International Journal of Infectious Diseases</i> , 2007 , 11, 76-81 | 10.5 | 12 |
| 131 | A Low-Cost HPV Immunochromatographic Assay to Detect High-Grade Cervical Intraepithelial Neoplasia. <i>PLoS ONE</i> , 2016 , 11, e0164892 | 3.7 | 12 |
| 130 | Human papillomavirus infection in men residing in Brazil, Mexico, and the USA. <i>Salud Publica De Mexico</i> , 2008 , 50, 408-18 | 1.7 | 12 |
| 129 | HPV-Mediated Resistance to TNF and TRAIL Is Characterized by Global Alterations in Apoptosis Regulatory Factors, Dysregulation of Death Receptors, and Induction of ROS/RNS. <i>International Journal of Molecular Sciences</i> , 2019 , 20, | 6.3 | 11 |
| 128 | Acquisition, Persistence, and Clearance of Human Papillomavirus Infection Among Male Virgins Residing in Brazil, Mexico, and the United States. <i>Journal of Infectious Diseases</i> , 2018 , 217, 767-776 | 7 | 11 |
| 127 | Impact of Serum Antibodies to HPV Serotypes 6, 11, 16, and 18 to Risks of Subsequent Genital HPV Infections in Men: The HIM Study. <i>Cancer Research</i> , 2016 , 76, 6066-6075 | 10.1 | 11 |
| 126 | Men who purchase sex, who are they? An interurban comparison. <i>Journal of Urban Health</i> , 2013 , 90, 1166-80 | 5.8 | 11 |
| 125 | Analysis of human kallikrein 7 expression as a potential biomarker in cervical neoplasia. <i>International Journal of Cancer</i> , 2010 , 127, 485-90 | 7.5 | 11 |
| 124 | Deregulated expression of superoxide dismutase-2 correlates with different stages of cervical neoplasia. <i>Disease Markers</i> , 2011 , 30, 275-81 | 3.2 | 11 |
| 123 | Seroprevalence of cutaneous human papillomaviruses (HPVs) among men in the multinational HPV Infection in Men study. <i>Journal of General Virology</i> , 2016 , 97, 3291-3301 | 4.9 | 11 |

| | | | |
|-----|--|-----|----|
| 122 | Cervical Infection with Cutaneous Beta and Mucosal Alpha Papillomaviruses. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2017 , 26, 1312-1320 | 4 | 10 |
| 121 | HPV-16 E7 expression up-regulates phospholipase D activity and promotes rapamycin resistance in a pRB-dependent manner. <i>BMC Cancer</i> , 2018 , 18, 485 | 4.8 | 10 |
| 120 | Indoleamine 2,3-dioxygenase and tryptophan 2,3-dioxygenase expression in HPV infection, SILs, and cervical cancer. <i>Cancer Cytopathology</i> , 2019 , 127, 586-597 | 3.9 | 10 |
| 119 | Prognostic value of DNA and mRNA e6/e7 of human papillomavirus in the evolution of cervical intraepithelial neoplasia grade 2. <i>Biomarker Insights</i> , 2014 , 9, 15-22 | 3.5 | 10 |
| 118 | A comparative analysis of clinical and molecular factors with the stage of cervical cancer in a Brazilian cohort. <i>PLoS ONE</i> , 2013 , 8, e57810 | 3.7 | 10 |
| 117 | Does human papillomavirus play a role in endometrial carcinogenesis?. <i>International Journal of Gynecological Pathology</i> , 2009 , 28, 322-7 | 3.2 | 10 |
| 116 | An approach to human papillomavirus identification using low stringency single specific primer PCR. <i>Molecular and Cellular Probes</i> , 1995 , 9, 45-8 | 3.3 | 10 |
| 115 | Differences in Transcriptional Activity of Human Papillomavirus Type 6 Molecular Variants in Recurrent Respiratory Papillomatosis. <i>PLoS ONE</i> , 2015 , 10, e0132325 | 3.7 | 10 |
| 114 | HPV-6 Molecular Variants Association With the Development of Genital Warts in Men: The HIM Study. <i>Journal of Infectious Diseases</i> , 2017 , 215, 559-565 | 7 | 10 |
| 113 | Dietary intake of selected nutrients and persistence of HPV infection in men. <i>International Journal of Cancer</i> , 2017 , 141, 757-765 | 7.5 | 9 |
| 112 | Cervical Infection With Vaccine-Associated Human Papillomavirus (HPV) Genotypes as a Predictor of Acquisition and Clearance of Other HPV Infections. <i>Journal of Infectious Diseases</i> , 2016 , 214, 676-84 | 7 | 9 |
| 111 | Human Papillomavirus and Anal Cancer: Prevalence, Genotype Distribution, and Prognosis Aspects from Midwestern Region of Brazil. <i>Journal of Oncology</i> , 2019 , 2019, 6018269 | 4.5 | 9 |
| 110 | Determination of HPV prevalence in oral/oropharyngeal mucosa samples in a rural district of São Paulo. <i>Brazilian Journal of Otorhinolaryngology</i> , 2013 , 79, 599-602 | 1.6 | 9 |
| 109 | Low frequency of p53 mutations in cervical carcinomas among Brazilian women. <i>Brazilian Journal of Medical and Biological Research</i> , 2001 , 34, 727-33 | 2.8 | 9 |
| 108 | HPV-11 variability, persistence and progression to genital warts in men: the HIM study. <i>Journal of General Virology</i> , 2017 , 98, 2339-2342 | 4.9 | 9 |
| 107 | The differential role of HTRA1 in HPV-positive and HPV-negative cervical cell line proliferation. <i>BMC Cancer</i> , 2016 , 16, 840 | 4.8 | 9 |
| 106 | Swainsonine, an alpha-mannosidase inhibitor, may worsen cervical cancer progression through the increase in myeloid derived suppressor cells population. <i>PLoS ONE</i> , 2019 , 14, e0213184 | 3.7 | 8 |
| 105 | Reproductive and genital health and risk of cervical human papillomavirus infection: results from the Ludwig-McGill cohort study. <i>BMC Infectious Diseases</i> , 2016 , 16, 116 | 4 | 8 |

| | | | |
|-----|---|------|---|
| 104 | Human Papillomavirus (HPV) L1 Serum Antibodies and the Risk of Subsequent Oral HPV Acquisition in Men: The HIM Study. <i>Journal of Infectious Diseases</i> , 2016 , 214, 45-8 | 7 | 8 |
| 103 | Country-specific HPV-related genital disease among men residing in Brazil, Mexico and The United States: The HIM study. <i>International Journal of Cancer</i> , 2017 , 140, 337-345 | 7.5 | 8 |
| 102 | Risk of Human Papillomavirus (HPV) Infection and Cervical Neoplasia after Pregnancy. <i>BMC Pregnancy and Childbirth</i> , 2015 , 15, 244 | 3.2 | 8 |
| 101 | Assessment of new technologies for cervical cancer screening. <i>Lancet Oncology, The</i> , 2008 , 9, 910-1 | 21.7 | 8 |
| 100 | Re: Human papillomavirus type 16 and 18 variants: race-related distribution and persistence. <i>Journal of the National Cancer Institute</i> , 2007 , 99, 653-4; author reply 654-5 | 9.7 | 8 |
| 99 | CHAPTER 1 Biology of genital human papillomaviruses. <i>International Journal of Gynecology and Obstetrics</i> , 2006 , 94 Suppl 1, S3-S7 | 4 | 8 |
| 98 | Molecular evidence of tumour cell removal from salvaged blood after irradiation and leucocyte depletion. <i>Transfusion Medicine</i> , 2004 , 14, 151-5 | 1.3 | 8 |
| 97 | Past, present, and future of HPV research: highlights from the 19th International Papillomavirus Conference-HPV2001. <i>Virus Research</i> , 2002 , 89, 163-73 | 6.4 | 8 |
| 96 | Vaccines against papillomavirus infections and disease. <i>Salud Publica De Mexico</i> , 2003 , 45 Suppl 3, S443-8. | 8.7 | 8 |
| 95 | Juvenile-onset recurrent respiratory papillomatosis with pulmonary involvement and carcinomatous transformation. <i>Autopsy and Case Reports</i> , 2018 , 8, e2018035 | 0.6 | 8 |
| 94 | The association between body mass index and anal canal human papillomavirus prevalence and persistence: the HIM study. <i>Human Vaccines and Immunotherapeutics</i> , 2019 , 15, 1911-1919 | 4.4 | 7 |
| 93 | HPV16 E6 regulates annexin 1 (ANXA1) protein expression in cervical carcinoma cell lines. <i>Virology</i> , 2016 , 496, 35-41 | 3.6 | 7 |
| 92 | High specific immune response to a bivalent anti-HPV vaccine in HIV-1-infected men in Sã Paulo, Brazil. <i>Papillomavirus Research (Amsterdam, Netherlands)</i> , 2016 , 2, 17-20 | 4.6 | 7 |
| 91 | Critical Analyses of the Introduction of Liquid-Based Cytology in a Public Health Service of the State of Sã Paulo, Brazil. <i>Acta Cytologica</i> , 2015 , 59, 273-7 | 3 | 7 |
| 90 | HPV 16 Is Related to the Progression of Cervical Intraepithelial Neoplasia Grade 2: A Case Series. <i>Obstetrics and Gynecology International</i> , 2013 , 2013, 328909 | 2 | 7 |
| 89 | Accuracy of p53 codon 72 polymorphism status determined by multiple laboratory methods: a latent class model analysis. <i>PLoS ONE</i> , 2013 , 8, e56430 | 3.7 | 7 |
| 88 | Association between HPV types and species groups and cervical neoplasia from a high-risk area for cervical cancer, Goiãia, Brazil. <i>International Journal of Gynecological Pathology</i> , 2011 , 30, 288-94 | 3.2 | 7 |
| 87 | Construction of a cDNA clone corresponding to mouse alpha 1(IV) procollagen. <i>Nucleic Acids Research</i> , 1984 , 12, 2035-46 | 20.1 | 7 |

| | | | |
|----|---|------|---|
| 86 | The contribution of Latin American research to HPV epidemiology and natural history knowledge. <i>Brazilian Journal of Medical and Biological Research</i> , 2020 , 53, e9560 | 2.8 | 7 |
| 85 | Association between human Papillomavirus and colorectal adenocarcinoma and its influence on tumor staging and degree of cell differentiation. <i>Arquivos Brasileiros De Cirurgia Digestiva: ABCD = Brazilian Archives of Digestive Surgery</i> , 2014 , 27, 172-6 | 1.7 | 7 |
| 84 | Human Papillomavirus Prevalence Among 88 Male Virgins Residing in Brazil, Mexico, and the United States. <i>Journal of Infectious Diseases</i> , 2016 , 214, 1188-91 | 7 | 7 |
| 83 | Cutaneous beta human papillomaviruses and the development of male external genital lesions: A case-control study nested within the HIM Study. <i>Virology</i> , 2016 , 497, 314-322 | 3.6 | 7 |
| 82 | Factors influencing HPV vaccine delivery by healthcare professionals at public health posts in Sã Paulo, Brazil. <i>International Journal of Gynecology and Obstetrics</i> , 2017 , 136, 33-39 | 4 | 6 |
| 81 | High-Risk HPV Testing in Primary Screening for Cervical Cancer in the Public Health System, Sã Paulo, Brazil. <i>Cancer Prevention Research</i> , 2019 , 12, 539-546 | 3.2 | 6 |
| 80 | Role of histological findings and pathologic diagnosis for detection of human papillomavirus infection in men. <i>Journal of Medical Virology</i> , 2015 , 87, 1777-87 | 19.7 | 6 |
| 79 | “HOSE WHO LOVE, VACCINATE” PARENTAL PERCEPTIONS OF HPV VACCINATION. <i>Journal of Human Growth and Development</i> , 2015 , 25, 341 | 1.5 | 6 |
| 78 | HPV-58 molecular variants exhibit different transcriptional activity. <i>Intervirology</i> , 2011 , 54, 146-50 | 2.5 | 6 |
| 77 | Opportunity for catch-up HPV vaccination in young women after first delivery. <i>Journal of Epidemiology and Community Health</i> , 2010 , 64, 610-5 | 5.1 | 6 |
| 76 | Evaluation of HPV Molecular Tests in Primary Screening for Cervical Cancer in Brazil. <i>Open Journal of Obstetrics and Gynecology</i> , 2014 , 04, 470-478 | 0.1 | 6 |
| 75 | Targeted Phage Display-based Pulmonary Vaccination in Mice and Non-human Primates. <i>Med</i> , 2021 , 2, 321-342 | 31.7 | 6 |
| 74 | HPV-related external genital lesions among men residing in Brazil. <i>Brazilian Journal of Infectious Diseases</i> , 2017 , 21, 376-385 | 2.8 | 5 |
| 73 | Recurrence of Genital Infections With 9 Human Papillomavirus (HPV) Vaccine Types (6, 11, 16, 18, 31, 33, 45, 52, and 58) Among Men in the HPV Infection in Men (HIM) Study. <i>Journal of Infectious Diseases</i> , 2018 , 218, 1219-1227 | 7 | 5 |
| 72 | Human papillomavirus is not associated to non-small cell lung cancer: data from a prospective cross-sectional study. <i>Infectious Agents and Cancer</i> , 2019 , 14, 18 | 3.5 | 5 |
| 71 | Determinants of baseline seroreactivity to human papillomavirus type 16 in the Ludwig-McGill cohort study. <i>BMC Infectious Diseases</i> , 2014 , 14, 578 | 4 | 5 |
| 70 | No association between endogenous retinoic acid and human papillomavirus clearance or incident cervical lesions in Brazilian women. <i>Cancer Prevention Research</i> , 2010 , 3, 1007-14 | 3.2 | 5 |
| 69 | p53 as a New Prognostic Factor for Lymph Node Metastasis in Penile Carcinoma: Analysis of 82 Patients Treated with Amputation and Bilateral Lymphadenectomy. <i>Journal of Urology</i> , 2002 , 81-86 | 2.5 | 5 |

| | | | |
|----|---|------|---|
| 68 | Human papillomavirus (HPV) 16 E6 oncoprotein targets the Toll-like receptor pathway. <i>Journal of General Virology</i> , 2018 , 99, 667-675 | 4.9 | 5 |
| 67 | Role of epstein-barr virus in the severity of recurrent respiratory papillomatosis. <i>Laryngoscope</i> , 2020 , 130, E611-E618 | 3.6 | 5 |
| 66 | Factors Associated With Persistence and Clearance of High-Risk Oral Human Papillomavirus (HPV) Among Participants in the HPV Infection in Men (HIM) Study. <i>Clinical Infectious Diseases</i> , 2021 , 73, e3227-e3234 ¹¹⁶ | 11.6 | 5 |
| 65 | Attendance for diagnostic colposcopy among high-risk human papillomavirus positive women in a Brazilian feasibility study. <i>International Journal of Gynecology and Obstetrics</i> , 2021 , 152, 72-77 | 4 | 5 |
| 64 | Prevalence of human papillomavirus 6 and 11 variants in recurrent respiratory papillomatosis. <i>Journal of Medical Virology</i> , 2021 , 93, 3835-3840 | 19.7 | 5 |
| 63 | Factors associated with HPV and other self-reported STI coinfections among sexually active Brazilian young adults: cross-sectional nationwide study. <i>BMJ Open</i> , 2019 , 9, e027438 | 3 | 4 |
| 62 | Oral HPV prevalence assessment by Linear Array vs. SPF PCR-DEIA-LiPA system in the HPV Infection in Men (HIM) study. <i>Papillomavirus Research (Amsterdam, Netherlands)</i> , 2020 , 9, 100199 | 4.6 | 4 |
| 61 | High p16 immunoexpression is not HPV dependent in oral leukoplakia. <i>Archives of Oral Biology</i> , 2020 , 115, 104738 | 2.8 | 4 |
| 60 | Assessment of the performance of algorithms for cervical cancer screening: evidence from the Ludwig-McGill cohort study. <i>Gynecologic Oncology</i> , 2013 , 128, 415-9 | 4.9 | 4 |
| 59 | Validation of dot blot hybridization and denaturing high performance liquid chromatography as reliable methods for TP53 codon 72 genotyping in molecular epidemiologic studies. <i>BMC Genetics</i> , 2010 , 11, 44 | 2.6 | 4 |
| 58 | Resultados do exame an omo-patol gico e "Polymerase Chain Reaction (PCR)" na forma clinica e subclinica da infec o anal pelo Papilomavirus Humano (HPV): estudo em quatro grupos de pacientes. <i>Revista Brasileira De Coloproctologia</i> , 2006 , 26, 406-413 | | 4 |
| 57 | Vaccines against rotavirus and human papillomavirus (HPV). <i>Jornal De Pediatria</i> , 2006 , 82, S25-34 | 2.6 | 4 |
| 56 | Identifica o do papilomav rus humano em doentes com carcinoma de c lulas escamosas do canal anal e sua rela o com o grau de diferencia o celular e estadiamento. <i>Revista Brasileira De Coloproctologia</i> , 2011 , 31, 8-16 | | 4 |
| 55 | Oral human papillomavirus prevalence and type distribution by country (Brazil, Mexico and the United States) and age among HPV infection in men study participants. <i>International Journal of Cancer</i> , 2020 , 146, 3026-3033 | 7.5 | 4 |
| 54 | Seroprevalence of human papillomavirus 6, 11, 16, and 18 in young primiparous women in Sao Paulo, Brazil. <i>International Journal of Gynecological Cancer</i> , 2010 , 20, 1405-10 | 3.5 | 4 |
| 53 | Prevalence of high risk HPV DNA in esophagus is high in Brazil but not related to esophageal squamous cell carcinoma. <i>Histology and Histopathology</i> , 2018 , 33, 357-363 | 1.4 | 4 |
| 52 | Human Papillomavirus and students in Brazil: an assessment of knowledge of a common infection - preliminary report. <i>Brazilian Journal of Otorhinolaryngology</i> , 2017 , 83, 120-125 | 1.6 | 3 |
| 51 | Viral carcinogenesis: virus implicated in cancer. <i>BMC Proceedings</i> , 2013 , 7 Suppl 2, K11 | 2.3 | 3 |

| | | | |
|----|---|-----|---|
| 50 | Prevalence of human papillomavirus infection in squamous cell carcinoma of the anal canal in a Northeast City in Brazil: viral genotyping and clinical aspects. <i>Applied Cancer Research</i> , 2017 , 37, | 1.6 | 3 |
| 49 | HPV vaccines in Brazil and the world. <i>BMC Proceedings</i> , 2014 , 8, | 2.3 | 3 |
| 48 | Biomarkers of oxidant load and type-specific clearance of prevalent oncogenic human papillomavirus infection: markers of immune response?. <i>International Journal of Cancer</i> , 2012 , 131, 219-285 | 7.5 | 3 |
| 47 | Identification of a novel allele, DRB1*1340, in two Brazilian individuals. <i>Tissue Antigens</i> , 2000 , 56, 194-6 | | 3 |
| 46 | DNA ligation quality control by competitive PCR. <i>Trends in Genetics</i> , 1996 , 12, 341-2 | 8.5 | 3 |
| 45 | Mechanism of rho- induction in <i>Saccharomyces cerevisiae</i> by guanidine hydrochloride. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 1980 , 71, 147-53 | 3.3 | 3 |
| 44 | Seroprevalence of Cutaneous Human Papillomaviruses and the Risk of External Genital Lesions in Men: A Nested Case-Control Study. <i>PLoS ONE</i> , 2016 , 11, e0167174 | 3.7 | 3 |
| 43 | Sex differences in the prevalence and determinants of HPV-related external genital lesions in young adults: a national cross-sectional survey in Brazil. <i>BMC Infectious Diseases</i> , 2020 , 20, 683 | 4 | 3 |
| 42 | Effectiveness of a universal vaccination program with an HPV quadrivalent vaccine in young Brazilian women. <i>Vaccine</i> , 2021 , 39, 1840-1845 | 4.1 | 3 |
| 41 | Dysregulation of Transcription Factor Networks Unveils Different Pathways in Human Papillomavirus 16-Positive Squamous Cell Carcinoma and Adenocarcinoma of the Uterine Cervix. <i>Frontiers in Oncology</i> , 2021 , 11, 626187 | 5.3 | 3 |
| 40 | Genital Wart Recurrence Among Men Residing in Brazil, Mexico, and the United States. <i>Journal of Infectious Diseases</i> , 2019 , 219, 703-710 | 7 | 3 |
| 39 | Temporal variation and identification of factors associated with endogenous retinoic acid isomers in serum from Brazilian women. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2004 , 13, 1693-703 | 4 | 3 |
| 38 | Influence of Prior Knowledge of Human Papillomavirus Status on the Performance of Cytology Screening. <i>American Journal of Clinical Pathology</i> , 2018 , 149, 316-323 | 1.9 | 2 |
| 37 | Variants in immune-related genes and genital HPV 16 persistence in men. <i>Papillomavirus Research (Amsterdam, Netherlands)</i> , 2019 , 7, 11-14 | 4.6 | 2 |
| 36 | Age-related variation in sexual behaviours among heterosexual men residing in Brazil, Mexico and the USA. <i>Journal of Family Planning and Reproductive Health Care</i> , 2014 , 40, 261-9 | | 2 |
| 35 | Cervical human papillomavirus detection is not affected by menstrual phase. <i>Sexually Transmitted Infections</i> , 2013 , 89, 202-6 | 2.8 | 2 |
| 34 | Lack of agreement between cervicography and cytology and the effect of human papillomavirus infection and viral load. <i>Journal of Lower Genital Tract Disease</i> , 2006 , 10, 229-37 | 3.6 | 2 |
| 33 | Molecular evidence of tumour cell removal from salvaged blood after irradiation and leucocyte depletion âThe search must go on. <i>Transfusion Medicine</i> , 2006 , 16, 215-216 | 1.3 | 2 |

| | | | |
|----|--|-----|---|
| 32 | Monitoring human cytomegalovirus viral load in peripheral blood leukocytes of renal transplant recipients by a simple limiting dilution-PCR assay. <i>Brazilian Journal of Medical and Biological Research</i> , 1999 , 32, 1515-23 | 2.8 | 2 |
| 31 | A novel, internally competitive polymerase chain reaction for quantification of human cytomegalovirus DNA in human leukocytes. <i>Molecular and Cellular Probes</i> , 1999 , 13, 407-13 | 3.3 | 2 |
| 30 | Vaginal microbiome components as correlates of cervical human papillomavirus infection. <i>Journal of Infectious Diseases</i> , 2021 , | 7 | 2 |
| 29 | The impact of socioeconomic status on HPV infection among young Brazilians in a nationwide multicenter study. <i>Preventive Medicine Reports</i> , 2021 , 21, 101301 | 2.6 | 2 |
| 28 | Distribution and factors associated with salivary secretory leukocyte protease inhibitor concentrations. <i>Oral Diseases</i> , 2016 , 22, 781-790 | 3.5 | 2 |
| 27 | Diversity of human papillomavirus typing among women population living in rural and remote areas of Brazilian territory. <i>Papillomavirus Research (Amsterdam, Netherlands)</i> , 2019 , 8, 100186 | 4.6 | 1 |
| 26 | Lack of Association between Human Papillomavirus Types 6 and 11 Genetic Variants and Cervical Abnormalities: The Ludwig-McGill Cohort Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2019 , 28, 1086-1088 | 4 | 1 |
| 25 | Cutaneous HPV and alpha-mucosal 9-valent HPV sero-status associations. <i>Papillomavirus Research (Amsterdam, Netherlands)</i> , 2017 , 4, 54-57 | 4.6 | 1 |
| 24 | Síndrome de Cowden: relato de um caso. <i>Anais Brasileiros De Dermatologia</i> , 2002 , 77, 711-720 | 1.6 | 1 |
| 23 | Induction of cytoplasmic petite in yeast by guanidine hydrochloride: combined treatment with other inducing agents. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 1980 , 71, 67-75 | 3.3 | 1 |
| 22 | Biomarkers of human papillomavirus (HPV)-driven head and neck cancer in Latin America and Europe study: Study design and HPV DNA/p16 status. <i>Head and Neck</i> , 2021 , | 4.2 | 1 |
| 21 | Vaccines against papillomavirus infections and disease. <i>Revista Chilena De Infectologia</i> , 2006 , 23, 157-63 | 0 | 1 |
| 20 | Recurring infection with ecologically distinct human papillomavirus (HPV) types explains high prevalence and diversity | | 1 |
| 19 | Sequential acquisition of human papillomavirus infection between genital and oral anatomic sites in males. <i>International Journal of Cancer</i> , 2021 , 149, 1483-1494 | 7.5 | 1 |
| 18 | Human papillomavirus vaccination in national immunization programs: impact and perspectives 2018 , 97, 81 | 0.1 | 1 |
| 17 | Absence of human papillomavirus in cancer of the oral cavity and oropharynx in a Brazilian population. <i>European Journal of Cancer Prevention</i> , 2021 , 30, 350 | 2 | 1 |
| 16 | Behavioral factors associated with multiple-type HPV genital infections: data from a cross-sectional study in young women in Brazil. <i>Reproductive Health</i> , 2021 , 18, 201 | 3.5 | 0 |
| 15 | Introduction of HPV prophylactic vaccines: a new challenge for Public Health in the 21st century. <i>Revista Brasileira De Epidemiologia</i> , 2008 , 11, 516-516 | 1.3 | 0 |

| | | | |
|----|---|------|---|
| 14 | Local and Systemic STAT3 and p65 NF-KappaB Expression as Progression Markers and Functional Targets for Patients With Cervical Cancer. <i>Frontiers in Oncology</i> , 2020 , 10, 587132 | 5.3 | o |
| 13 | Seroprevalence of Chlamydia trachomatis, herpes simplex 2, Epstein-Barr virus, hepatitis C and associated factors among a cohort of men ages 18-70 years from three countries. <i>PLoS ONE</i> , 2021 , 16, e0253005 | 3.7 | o |
| 12 | Prevalence of oral HPV infection in unvaccinated young adults in Brazil. <i>Oral Oncology</i> , 2021 , 120, 105396 | 4.4 | o |
| 11 | Prevalence and persistence of HPV-16 molecular variants in the anal canal of men: The HIM study.. <i>Journal of Clinical Virology</i> , 2022 , 149, 105128 | 14.5 | o |
| 10 | Differences in Factors Associated With High- and Low-Risk Oral Human Papillomavirus Genotypes in Men. <i>Journal of Infectious Diseases</i> , 2021 , 223, 2099-2107 | 7 | |
| 9 | Papillomavirus from the bench to the clinics. <i>Journal of Oncology</i> , 2012 , 2012, 437438 | 4.5 | |
| 8 | Correlation between cervical HPV DNA detection and HPV16 seroreactivity measured with L1-only and L1+L2 viral capsid antigens. <i>Journal of Medical Microbiology</i> , 2020 , 69, 960-970 | 3.2 | |
| 7 | Human papillomavirus and anogenital cancers in northern Brazil. <i>Memorias Do Instituto Oswaldo Cruz</i> , 1992 , 87, 445-7 | 2.6 | |
| 6 | Molecular analysis of RAS genes mutations in patients with cervical adenocarcinoma.. <i>Journal of Clinical Oncology</i> , 2015 , 33, e22222-e22222 | 2.2 | |
| 5 | Human Papillomavirus Research in Latin America 2017 , 389-409 | | |
| 4 | Laboratory Methods for Detection of Human Papillomavirus Infection 2009 , 23-30 | | |
| 3 | HPV and Cervical Cancer 2013 , 83-98 | | |
| 2 | The Role of External Genital Lesions in Human Immunodeficiency Virus Seroconversion Among Men Participating in a Multinational Study. <i>Sexually Transmitted Diseases</i> , 2022 , 49, 55-58 | 2.4 | |
| 1 | TLR4 and SARM1 modulate survival and chemoresistance in an HPV-positive cervical cancer cell line.. <i>Scientific Reports</i> , 2022 , 12, 6714 | 4.9 | |