

# Luisa Lina Villa

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/9131842/luisa-lina-villa-publications-by-year.pdf>

**Version:** 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

355  
papers

19,072  
citations

63  
h-index

128  
g-index

378  
ext. papers

21,053  
ext. citations

5.8  
avg, IF

6.67  
L-index

#	Paper	IF	Citations
355	The Role of External Genital Lesions in Human Immunodeficiency Virus Seroconversion Among Men Participating in a Multinational Study. <i>Sexually Transmitted Diseases</i> , <b>2022</b> , 49, 55-58	2.4	
354	Prevalence and persistence of HPV-16 molecular variants in the anal canal of men: The HIM study.. <i>Journal of Clinical Virology</i> , <b>2022</b> , 149, 105128	14.5	0
353	TLR4 and SARM1 modulate survival and chemoresistance in an HPV-positive cervical cancer cell line.. <i>Scientific Reports</i> , <b>2022</b> , 12, 6714	4.9	
352	Differences in Factors Associated With High- and Low-Risk Oral Human Papillomavirus Genotypes in Men. <i>Journal of Infectious Diseases</i> , <b>2021</b> , 223, 2099-2107	7	
351	Biomarkers of human papillomavirus (HPV)-driven head and neck cancer in Latin America and Europe study: Study design and HPV DNA/p16 status. <i>Head and Neck</i> , <b>2021</b> ,	4.2	1
350	Vaginal microbiome components as correlates of cervical human papillomavirus infection. <i>Journal of Infectious Diseases</i> , <b>2021</b> ,	7	2
349	Behavioral factors associated with multiple-type HPV genital infections: data from a cross-sectional study in young women in Brazil. <i>Reproductive Health</i> , <b>2021</b> , 18, 201	3.5	0
348	Factors Associated With Persistence and Clearance of High-Risk Oral Human Papillomavirus (HPV) Among Participants in the HPV Infection in Men (HIM) Study. <i>Clinical Infectious Diseases</i> , <b>2021</b> , 73, e3227-e3234	11.6	5
347	Effectiveness of a universal vaccination program with an HPV quadrivalent vaccine in young Brazilian women. <i>Vaccine</i> , <b>2021</b> , 39, 1840-1845	4.1	3
346	The impact of socioeconomic status on HPV infection among young Brazilians in a nationwide multicenter study. <i>Preventive Medicine Reports</i> , <b>2021</b> , 21, 101301	2.6	2
345	Targeted Phage Display-based Pulmonary Vaccination in Mice and Non-human Primates. <i>Med</i> , <b>2021</b> , 2, 321-342	31.7	6
344	Global incidence trends in head and neck cancer for HPV-related and -unrelated subsites: A systematic review of population-based studies. <i>Oral Oncology</i> , <b>2021</b> , 115, 105177	4.4	16
343	Dysregulation of Transcription Factor Networks Unveils Different Pathways in Human Papillomavirus 16-Positive Squamous Cell Carcinoma and Adenocarcinoma of the Uterine Cervix. <i>Frontiers in Oncology</i> , <b>2021</b> , 11, 626187	5.3	3
342	Seroprevalence of Chlamydia trachomatis, herpes simplex 2, Epstein-Barr virus, hepatitis C and associated factors among a cohort of men ages 18-70 years from three countries. <i>PLoS ONE</i> , <b>2021</b> , 16, e0253005	3.7	0
341	Sequential acquisition of human papillomavirus infection between genital and oral anatomic sites in males. <i>International Journal of Cancer</i> , <b>2021</b> , 149, 1483-1494	7.5	1
340	Attendance for diagnostic colposcopy among high-risk human papillomavirus positive women in a Brazilian feasibility study. <i>International Journal of Gynecology and Obstetrics</i> , <b>2021</b> , 152, 72-77	4	5
339	Prevalence of human papillomavirus 6 and 11 variants in recurrent respiratory papillomatosis. <i>Journal of Medical Virology</i> , <b>2021</b> , 93, 3835-3840	19.7	5

338	Absence of human papillomavirus in cancer of the oral cavity and oropharynx in a Brazilian population. <i>European Journal of Cancer Prevention</i> , <b>2021</b> , 30, 350	2	1
337	Prevalence of oral HPV infection in unvaccinated young adults in Brazil. <i>Oral Oncology</i> , <b>2021</b> , 120, 105396	4.4	0
336	Oral HPV prevalence assessment by Linear Array vs. SPF PCR-DEIA-LiPA system in the HPV Infection in Men (HIM) study. <i>Papillomavirus Research (Amsterdam, Netherlands)</i> , <b>2020</b> , 9, 100199	4.6	4
335	High p16 immunoexpression is not HPV dependent in oral leukoplakia. <i>Archives of Oral Biology</i> , <b>2020</b> , 115, 104738	2.8	4
334	Prevalence of HPV infection among sexually active adolescents and young adults in Brazil: The POP-Brazil Study. <i>Scientific Reports</i> , <b>2020</b> , 10, 4920	4.9	19
333	Antiviral activity of curcumin-nanoemulsion associated with photodynamic therapy in vulvar cell lines transducing different variants of HPV-16. <i>Artificial Cells, Nanomedicine and Biotechnology</i> , <b>2020</b> , 48, 515-524	6.1	19
332	The contribution of Latin American research to HPV epidemiology and natural history knowledge. <i>Brazilian Journal of Medical and Biological Research</i> , <b>2020</b> , 53, e9560	2.8	7
331	Correlation between cervical HPV DNA detection and HPV16 seroreactivity measured with L1-only and L1+L2 viral capsid antigens. <i>Journal of Medical Microbiology</i> , <b>2020</b> , 69, 960-970	3.2	
330	Oral human papillomavirus prevalence and type distribution by country (Brazil, Mexico and the United States) and age among HPV infection in men study participants. <i>International Journal of Cancer</i> , <b>2020</b> , 146, 3026-3033	7.5	4
329	Role of epstein-barr virus in the severity of recurrent respiratory papillomatosis. <i>Laryngoscope</i> , <b>2020</b> , 130, E611-E618	3.6	5
328	Sex differences in the prevalence and determinants of HPV-related external genital lesions in young adults: a national cross-sectional survey in Brazil. <i>BMC Infectious Diseases</i> , <b>2020</b> , 20, 683	4	3
327	Local and Systemic STAT3 and p65 NF-KappaB Expression as Progression Markers and Functional Targets for Patients With Cervical Cancer. <i>Frontiers in Oncology</i> , <b>2020</b> , 10, 587132	5.3	0
326	Impact of human papillomavirus status on survival and recurrence in a geographic region with a low prevalence of HPV-related cancer: A retrospective cohort study. <i>Head and Neck</i> , <b>2020</b> , 42, 93-102	4.2	13
325	Diversity of human papillomavirus typing among women population living in rural and remote areas of Brazilian territory. <i>Papillomavirus Research (Amsterdam, Netherlands)</i> , <b>2019</b> , 8, 100186	4.6	1
324	HPV-Mediated Resistance to TNF and TRAIL Is Characterized by Global Alterations in Apoptosis Regulatory Factors, Dysregulation of Death Receptors, and Induction of ROS/RNS. <i>International Journal of Molecular Sciences</i> , <b>2019</b> , 20,	6.3	11
323	Factors associated with HPV and other self-reported STI coinfections among sexually active Brazilian young adults: cross-sectional nationwide study. <i>BMJ Open</i> , <b>2019</b> , 9, e027438	3	4
322	High-Risk HPV Testing in Primary Screening for Cervical Cancer in the Public Health System, São Paulo, Brazil. <i>Cancer Prevention Research</i> , <b>2019</b> , 12, 539-546	3.2	6
321	The association between body mass index and anal canal human papillomavirus prevalence and persistence: the HIM study. <i>Human Vaccines and Immunotherapeutics</i> , <b>2019</b> , 15, 1911-1919	4.4	7

320	Lack of Association between Human Papillomavirus Types 6 and 11 Genetic Variants and Cervical Abnormalities: The Ludwig-McGill Cohort Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2019</b> , 28, 1086-1088	4	1
319	Swainsonine, an alpha-mannosidase inhibitor, may worsen cervical cancer progression through the increase in myeloid derived suppressor cells population. <i>PLoS ONE</i> , <b>2019</b> , 14, e0213184	3-7	8
318	HPV Vaccine: Updates and Highlights. <i>Acta Cytologica</i> , <b>2019</b> , 63, 159-168	3	25
317	Human Papillomavirus and Genital Disease in Men: What We Have Learned from the HIM Study. <i>Acta Cytologica</i> , <b>2019</b> , 63, 109-117	3	12
316	Variants in immune-related genes and genital HPV 16 persistence in men. <i>Papillomavirus Research (Amsterdam, Netherlands)</i> , <b>2019</b> , 7, 11-14	4.6	2
315	Human papillomavirus is not associated to non-small cell lung cancer: data from a prospective cross-sectional study. <i>Infectious Agents and Cancer</i> , <b>2019</b> , 14, 18	3-5	5
314	Indoleamine 2,3-dioxygenase and tryptophan 2,3-dioxygenase expression in HPV infection, SILs, and cervical cancer. <i>Cancer Cytopathology</i> , <b>2019</b> , 127, 586-597	3-9	10
313	Human Papillomavirus and Anal Cancer: Prevalence, Genotype Distribution, and Prognosis Aspects from Midwestern Region of Brazil. <i>Journal of Oncology</i> , <b>2019</b> , 2019, 6018269	4-5	9
312	Genital Wart Recurrence Among Men Residing in Brazil, Mexico, and the United States. <i>Journal of Infectious Diseases</i> , <b>2019</b> , 219, 703-710	7	3
311	HPV-transformed cells exhibit altered HMGB1-TLR4/MyD88-SARM1 signaling axis. <i>Scientific Reports</i> , <b>2018</b> , 8, 3476	4-9	19
310	Acquisition, Persistence, and Clearance of Human Papillomavirus Infection Among Male Virgins Residing in Brazil, Mexico, and the United States. <i>Journal of Infectious Diseases</i> , <b>2018</b> , 217, 767-776	7	11
309	HPV-16 E7 expression up-regulates phospholipase D activity and promotes rapamycin resistance in a pRB-dependent manner. <i>BMC Cancer</i> , <b>2018</b> , 18, 485	4.8	10
308	Influence of Prior Knowledge of Human Papillomavirus Status on the Performance of Cytology Screening. <i>American Journal of Clinical Pathology</i> , <b>2018</b> , 149, 316-323	1-9	2
307	B lymphocytes can be activated to act as antigen presenting cells to promote anti-tumor responses. <i>PLoS ONE</i> , <b>2018</b> , 13, e0199034	3-7	32
306	Recurrence of Genital Infections With 9 Human Papillomavirus (HPV) Vaccine Types (6, 11, 16, 18, 31, 33, 45, 52, and 58) Among Men in the HPV Infection in Men (HIM) Study. <i>Journal of Infectious Diseases</i> , <b>2018</b> , 218, 1219-1227	7	5
305	POP-Brazil study protocol: a nationwide cross-sectional evaluation of the prevalence and genotype distribution of human papillomavirus (HPV) in Brazil. <i>BMJ Open</i> , <b>2018</b> , 8, e021170	3	20
304	Strong SOD2 expression and HPV-16/18 positivity are independent events in cervical cancer. <i>Oncotarget</i> , <b>2018</b> , 9, 21630-21640	3-3	13
303	Human papillomavirus (HPV) 16 E6 oncoprotein targets the Toll-like receptor pathway. <i>Journal of General Virology</i> , <b>2018</b> , 99, 667-675	4-9	5

302	ICTV Virus Taxonomy Profile: Papillomaviridae. <i>Journal of General Virology</i> , <b>2018</b> , 99, 989-990	4.9	76
301	Human papillomavirus vaccination in national immunization programs: impact and perspectives <b>2018</b> , 97, 81	0.1	1
300	Innate immunity and HPV: friends or foes. <i>Clinics</i> , <b>2018</b> , 73, e549s	2.3	16
299	Juvenile-onset recurrent respiratory papillomatosis with pulmonary involvement and carcinomatous transformation. <i>Autopsy and Case Reports</i> , <b>2018</b> , 8, e2018035	0.6	8
298	Effect of Curcumin-Nanoemulsion Associated with Photodynamic Therapy in Cervical Carcinoma Cell Lines. <i>BioMed Research International</i> , <b>2018</b> , 2018, 4057959	3	24
297	Methylation of the hsa-miR-124, SOX1, TERT, and LMX1A genes as biomarkers for precursor lesions in cervical cancer. <i>Gynecologic Oncology</i> , <b>2018</b> , 150, 545-551	4.9	30
296	Prevalence of high risk HPV DNA in esophagus is high in Brazil but not related to esophageal squamous cell carcinoma. <i>Histology and Histopathology</i> , <b>2018</b> , 33, 357-363	1.4	4
295	Human Papillomavirus and students in Brazil: an assessment of knowledge of a common infection - preliminary report. <i>Brazilian Journal of Otorhinolaryngology</i> , <b>2017</b> , 83, 120-125	1.6	3
294	Factors influencing HPV vaccine delivery by healthcare professionals at public health posts in São Paulo, Brazil. <i>International Journal of Gynecology and Obstetrics</i> , <b>2017</b> , 136, 33-39	4	6
293	HPV-related external genital lesions among men residing in Brazil. <i>Brazilian Journal of Infectious Diseases</i> , <b>2017</b> , 21, 376-385	2.8	5
292	Dietary intake of selected nutrients and persistence of HPV infection in men. <i>International Journal of Cancer</i> , <b>2017</b> , 141, 757-765	7.5	9
291	Comparison of the Natural History of Genital HPV Infection among Men by Country: Brazil, Mexico, and the United States. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2017</b> , 26, 1043-1052	4	12
290	Cervical Infection with Cutaneous Beta and Mucosal Alpha Papillomaviruses. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2017</b> , 26, 1312-1320	4	10
289	Comparison of anal HPV natural history among men by country of residence: Brazil, Mexico, and the United States. <i>Journal of Infection</i> , <b>2017</b> , 75, 35-47	18.9	17
288	HPV infection and p53 and p16 expression in esophageal cancer: are they prognostic factors?. <i>Infectious Agents and Cancer</i> , <b>2017</b> , 12, 54	3.5	12
287	Co-infection of sexually transmitted pathogens and Human Papillomavirus in cervical samples of women of Brazil. <i>BMC Infectious Diseases</i> , <b>2017</b> , 17, 769	4	15
286	The Relation of HPV Infection and Expression of p53 and p16 Proteins in Esophageal Squamous Cells Carcinoma. <i>Journal of Cancer</i> , <b>2017</b> , 8, 1062-1070	4.5	21
285	Local and systemic immunomodulatory mechanisms triggered by Human Papillomavirus transformed cells: a potential role for G-CSF and neutrophils. <i>Scientific Reports</i> , <b>2017</b> , 7, 9002	4.9	19

284	Concordance of Beta-papillomavirus across anogenital and oral anatomic sites of men: The HIM Study. <i>Virology</i> , <b>2017</b> , 510, 55-59	3.6	12
283	Cutaneous HPV and alpha-mucosal 9-valent HPV sero-status associations. <i>Papillomavirus Research (Amsterdam, Netherlands)</i> , <b>2017</b> , 4, 54-57	4.6	1
282	Prevalence of human papillomavirus infection in squamous cell carcinoma of the anal canal in a Northeast City in Brazil: viral genotyping and clinical aspects. <i>Applied Cancer Research</i> , <b>2017</b> , 37,	1.6	3
281	Country-specific HPV-related genital disease among men residing in Brazil, Mexico and The United States: The HIM study. <i>International Journal of Cancer</i> , <b>2017</b> , 140, 337-345	7.5	8
280	Recurring infection with ecologically distinct HPV types can explain high prevalence and diversity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2017</b> , 114, 13573-13578	11.5	36
279	HPV-11 variability, persistence and progression to genital warts in men: the HIM study. <i>Journal of General Virology</i> , <b>2017</b> , 98, 2339-2342	4.9	9
278	Human Papillomavirus Research in Latin America <b>2017</b> , 389-409		
277	HPV-6 Molecular Variants Association With the Development of Genital Warts in Men: The HIM Study. <i>Journal of Infectious Diseases</i> , <b>2017</b> , 215, 559-565	7	10
276	Genital Human Papillomavirus Infection Progression to External Genital Lesions: The HIM Study. <i>European Urology</i> , <b>2016</b> , 69, 166-73	10.2	44
275	Impact of Serum Antibodies to HPV Serotypes 6, 11, 16, and 18 to Risks of Subsequent Genital HPV Infections in Men: The HIM Study. <i>Cancer Research</i> , <b>2016</b> , 76, 6066-6075	10.1	11
274	HPV genotype distribution in Brazilian women with and without cervical lesions: correlation to cytological data. <i>Virology Journal</i> , <b>2016</b> , 13, 138	6.1	18
273	Cervical Infection With Vaccine-Associated Human Papillomavirus (HPV) Genotypes as a Predictor of Acquisition and Clearance of Other HPV Infections. <i>Journal of Infectious Diseases</i> , <b>2016</b> , 214, 676-84	7	9
272	HPV16 E6 regulates annexin 1 (ANXA1) protein expression in cervical carcinoma cell lines. <i>Virology</i> , <b>2016</b> , 496, 35-41	3.6	7
271	Reproductive and genital health and risk of cervical human papillomavirus infection: results from the Ludwig-McGill cohort study. <i>BMC Infectious Diseases</i> , <b>2016</b> , 16, 116	4	8
270	Prevalence of human papillomavirus types and variants and p16(INK4a) expression in head and neck squamous cells carcinomas in Sã Paulo, Brazil. <i>Infectious Agents and Cancer</i> , <b>2016</b> , 11, 20	3.5	16
269	High specific immune response to a bivalent anti-HPV vaccine in HIV-1-infected men in Sã Paulo, Brazil. <i>Papillomavirus Research (Amsterdam, Netherlands)</i> , <b>2016</b> , 2, 17-20	4.6	7
268	Human Papillomavirus (HPV) L1 Serum Antibodies and the Risk of Subsequent Oral HPV Acquisition in Men: The HIM Study. <i>Journal of Infectious Diseases</i> , <b>2016</b> , 214, 45-8	7	8
267	A Low-Cost HPV Immunochromatographic Assay to Detect High-Grade Cervical Intraepithelial Neoplasia. <i>PLoS ONE</i> , <b>2016</b> , 11, e0164892	3.7	12

266	Epidemiologic Evaluation of Human Papillomavirus Type Competition and the Potential for Type Replacement Post-Vaccination. <i>PLoS ONE</i> , <b>2016</b> , 11, e0166329	3.7	14
265	Seroprevalence and Associated Factors of 9-Valent Human Papillomavirus (HPV) Types among Men in the Multinational HIM Study. <i>PLoS ONE</i> , <b>2016</b> , 11, e0167173	3.7	14
264	Seroprevalence of Cutaneous Human Papillomaviruses and the Risk of External Genital Lesions in Men: A Nested Case-Control Study. <i>PLoS ONE</i> , <b>2016</b> , 11, e0167174	3.7	3
263	Seroprevalence of cutaneous human papillomaviruses (HPVs) among men in the multinational HPV Infection in Men study. <i>Journal of General Virology</i> , <b>2016</b> , 97, 3291-3301	4.9	11
262	Can the careHPV test performed in mobile units replace cytology for screening in rural and remote areas?. <i>Cancer Cytopathology</i> , <b>2016</b> , 124, 581-8	3.9	16
261	The differential role of HTRA1 in HPV-positive and HPV-negative cervical cell line proliferation. <i>BMC Cancer</i> , <b>2016</b> , 16, 840	4.8	9
260	The Asian-American variant of human papillomavirus type 16 exhibits higher activation of MAPK and PI3K/AKT signaling pathways, transformation, migration and invasion of primary human keratinocytes. <i>Virology</i> , <b>2016</b> , 492, 145-54	3.6	15
259	Diversity of beta-papillomavirus at anogenital and oral anatomic sites of men: The HIM Study. <i>Virology</i> , <b>2016</b> , 495, 33-41	3.6	31
258	Incidence, Duration, Persistence, and Factors Associated With High-risk Anal Human Papillomavirus Persistence Among HIV-negative Men Who Have Sex With Men: A Multinational Study. <i>Clinical Infectious Diseases</i> , <b>2016</b> , 62, 1367-1374	11.6	37
257	Distribution and factors associated with salivary secretory leukocyte protease inhibitor concentrations. <i>Oral Diseases</i> , <b>2016</b> , 22, 781-790	3.5	2
256	Sequential Acquisition of Anal Human Papillomavirus (HPV) Infection Following Genital Infection Among Men Who Have Sex With Women: The HPV Infection in Men (HIM) Study. <i>Journal of Infectious Diseases</i> , <b>2016</b> , 214, 1180-7	7	17
255	Human Papillomavirus Prevalence Among 88 Male Virgins Residing in Brazil, Mexico, and the United States. <i>Journal of Infectious Diseases</i> , <b>2016</b> , 214, 1188-91	7	7
254	Cutaneous beta human papillomaviruses and the development of male external genital lesions: A case-control study nested within the HIM Study. <i>Virology</i> , <b>2016</b> , 497, 314-322	3.6	7
253	SOD2 immunoexpression predicts lymph node metastasis in penile cancer. <i>BMC Clinical Pathology</i> , <b>2015</b> , 15, 3	3	23
252	The natural history of genital human papillomavirus among HIV-negative men having sex with men and men having sex with women. <i>Journal of Infectious Diseases</i> , <b>2015</b> , 212, 202-12	7	17
251	Histologic muscular history in steroid-treated and untreated patients with Duchenne dystrophy. <i>Neurology</i> , <b>2015</b> , 85, 1886-93	6.5	29
250	An analysis of HPV infection incidence and clearance by genotype and age in men: The HPV Infection in Men (HIM) Study. <i>Papillomavirus Research (Amsterdam, Netherlands)</i> , <b>2015</b> , 1, 126-135	4.6	15
249	Diversity of human papillomavirus in the anal canal of men: the HIM Study. <i>Clinical Microbiology and Infection</i> , <b>2015</b> , 21, 502-9	9.5	17

248	MMP-9/RECK Imbalance: A Mechanism Associated with High-Grade Cervical Lesions and Genital Infection by Human Papillomavirus and Chlamydia trachomatis. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2015</b> , 24, 1539-47	4	21
247	Evaluation of human papillomavirus type replacement postvaccination must account for diagnostic artifacts: masking of HPV52 by HPV16 in anogenital specimens. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2015</b> , 24, 286-90	4	21
246	HPV infection and cervical neoplasia: associated risk factors. <i>Infectious Agents and Cancer</i> , <b>2015</b> , 10, 16	3.5	31
245	Reprogramming energy metabolism and inducing angiogenesis: co-expression of monocarboxylate transporters with VEGF family members in cervical adenocarcinomas. <i>BMC Cancer</i> , <b>2015</b> , 15, 835	4.8	21
244	Role of histological findings and pathologic diagnosis for detection of human papillomavirus infection in men. <i>Journal of Medical Virology</i> , <b>2015</b> , 87, 1777-87	19.7	6
243	“HOSE WHO LOVE, VACCINATE” PARENTAL PERCEPTIONS OF HPV VACCINATION. <i>Journal of Human Growth and Development</i> , <b>2015</b> , 25, 341	1.5	6
242	Risk of Human Papillomavirus (HPV) Infection and Cervical Neoplasia after Pregnancy. <i>BMC Pregnancy and Childbirth</i> , <b>2015</b> , 15, 244	3.2	8
241	Seroconversion Following Anal and Genital HPV Infection in Men:. <i>Papillomavirus Research (Amsterdam, Netherlands)</i> , <b>2015</b> , 1, 109-115	4.6	38
240	Critical Analyses of the Introduction of Liquid-Based Cytology in a Public Health Service of the State of Sõ Paulo, Brazil. <i>Acta Cytologica</i> , <b>2015</b> , 59, 273-7	3	7
239	Human papillomavirus virus (HPV) genotype- and age-specific analyses of external genital lesions among men in the HPV Infection in Men (HIM) Study. <i>Journal of Infectious Diseases</i> , <b>2015</b> , 211, 1060-7	7	50
238	Long-term persistence of oral human papillomavirus type 16: the HPV Infection in Men (HIM) study. <i>Cancer Prevention Research</i> , <b>2015</b> , 8, 190-6	3.2	46
237	Differences in Transcriptional Activity of Human Papillomavirus Type 6 Molecular Variants in Recurrent Respiratory Papillomatosis. <i>PLoS ONE</i> , <b>2015</b> , 10, e0132325	3.7	10
236	Molecular analysis of RAS genes mutations in patients with cervical adenocarcinoma.. <i>Journal of Clinical Oncology</i> , <b>2015</b> , 33, e22222-e22222	2.2	
235	Male circumcision and the incidence and clearance of genital human papillomavirus (HPV) infection in men: the HPV Infection in men (HIM) cohort study. <i>BMC Infectious Diseases</i> , <b>2014</b> , 14, 75	4	31
234	Prognostic value of DNA and mRNA e6/e7 of human papillomavirus in the evolution of cervical intraepithelial neoplasia grade 2. <i>Biomarker Insights</i> , <b>2014</b> , 9, 15-22	3.5	10
233	Age-related variation in sexual behaviours among heterosexual men residing in Brazil, Mexico and the USA. <i>Journal of Family Planning and Reproductive Health Care</i> , <b>2014</b> , 40, 261-9		2
232	A prospective analysis of smoking and human papillomavirus infection among men in the HPV In Men Study. <i>International Journal of Cancer</i> , <b>2014</b> , 134, 2448-57	7.5	20
231	Lactate transporters and vascular factors in HPV-induced squamous cell carcinoma of the uterine cervix. <i>BMC Cancer</i> , <b>2014</b> , 14, 751	4.8	16



230	Determinants of baseline seroreactivity to human papillomavirus type 16 in the Ludwig-McGill cohort study. <i>BMC Infectious Diseases</i> , <b>2014</b> , 14, 578	4	5
229	High genital prevalence of cutaneous human papillomavirus DNA on male genital skin: the HPV Infection in Men Study. <i>BMC Infectious Diseases</i> , <b>2014</b> , 14, 677	4	21
228	HPV vaccines in Brazil and the world. <i>BMC Proceedings</i> , <b>2014</b> , 8,	2.3	3
227	Association between human Papillomavirus and colorectal adenocarcinoma and its influence on tumor staging and degree of cell differentiation. <i>Arquivos Brasileiros De Cirurgia Digestiva: ABCD = Brazilian Archives of Digestive Surgery</i> , <b>2014</b> , 27, 172-6	1.7	7
226	Evaluation of HPV Molecular Tests in Primary Screening for Cervical Cancer in Brazil. <i>Open Journal of Obstetrics and Gynecology</i> , <b>2014</b> , 04, 470-478	0.1	6
225	Broad HPV distribution in the genital region of men from the HPV infection in men (HIM) study. <i>Virology</i> , <b>2013</b> , 443, 214-7	3.6	32
224	Viral carcinogenesis: virus implicated in cancer. <i>BMC Proceedings</i> , <b>2013</b> , 7 Suppl 2, K11	2.3	3
223	Self-collection for high-risk HPV detection in Brazilian women using the careHPV test. <i>Gynecologic Oncology</i> , <b>2013</b> , 131, 131-4	4.9	28
222	Men who purchase sex, who are they? An interurban comparison. <i>Journal of Urban Health</i> , <b>2013</b> , 90, 1166-80	6.80	11
221	Planning cancer control in Latin America and the Caribbean. <i>Lancet Oncology, The</i> , <b>2013</b> , 14, 391-436	21.7	299
220	Polymorphism in the promoter region of the Toll-like receptor 9 gene and cervical human papillomavirus infection. <i>Journal of General Virology</i> , <b>2013</b> , 94, 1858-1864	4.9	13
219	Prevalence, genotype profile and risk factors for multiple human papillomavirus cervical infection in unimmunized female adolescents in Goiânia, Brazil: a community-based study. <i>BMC Public Health</i> , <b>2013</b> , 13, 1041	4.1	20
218	Cutaneous human papillomavirus types detected on the surface of male external genital lesions: a case series within the HPV Infection in Men Study. <i>Journal of Clinical Virology</i> , <b>2013</b> , 58, 652-9	14.5	36
217	Male circumcision and prevalence of genital human papillomavirus infection in men: a multinational study. <i>BMC Infectious Diseases</i> , <b>2013</b> , 13, 18	4	14
216	Human papillomavirus type 16 viral load measurement as a predictor of infection clearance. <i>Journal of General Virology</i> , <b>2013</b> , 94, 1850-1857	4.9	25
215	Nucleotide and phylogenetic analysis of human papillomavirus types 6 and 11 isolated from recurrent respiratory papillomatosis in Brazil. <i>Infection, Genetics and Evolution</i> , <b>2013</b> , 16, 282-9	4.5	16
214	Assessment of the performance of algorithms for cervical cancer screening: evidence from the Ludwig-McGill cohort study. <i>Gynecologic Oncology</i> , <b>2013</b> , 128, 415-9	4.9	4
213	Incidence and clearance of oral human papillomavirus infection in men: the HIM cohort study. <i>Lancet, The</i> , <b>2013</b> , 382, 877-87	40	197

212	Association of Chlamydia trachomatis infection and herpes simplex virus type 2 serostatus with genital human papillomavirus infection in men: the HPV in men study. <i>Sexually Transmitted Diseases</i> , <b>2013</b> , 40, 508-15	2.4	20
211	Polymorphisms in genes involved in folate metabolism modify the association of dietary and circulating folate and vitamin B-6 with cervical neoplasia. <i>Journal of Nutrition</i> , <b>2013</b> , 143, 2007-14	4.1	15
210	Epidemiologic approaches to evaluating the potential for human papillomavirus type replacement postvaccination. <i>American Journal of Epidemiology</i> , <b>2013</b> , 178, 625-34	3.8	72
209	Consistent condom use reduces the genital human papillomavirus burden among high-risk men: the HPV infection in men study. <i>Journal of Infectious Diseases</i> , <b>2013</b> , 208, 373-84	7	35
208	Racial differences in the incidence and clearance of human papilloma virus (HPV): the HPV in men (HIM) study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2013</b> , 22, 1762-70	4	12
207	Cervical human papillomavirus detection is not affected by menstrual phase. <i>Sexually Transmitted Infections</i> , <b>2013</b> , 89, 202-6	2.8	2
206	HPV 16 Is Related to the Progression of Cervical Intraepithelial Neoplasia Grade 2: A Case Series. <i>Obstetrics and Gynecology International</i> , <b>2013</b> , 2013, 328909	2	7
205	Concordance of human papillomavirus types detected on the surface and in the tissue of genital lesions in men. <i>Journal of Medical Virology</i> , <b>2013</b> , 85, 1561-6	19.7	16
204	Determination of HPV prevalence in oral/oropharyngeal mucosa samples in a rural district of São Paulo. <i>Brazilian Journal of Otorhinolaryngology</i> , <b>2013</b> , 79, 599-602	1.6	9
203	Impact of HPV infection on the development of head and neck cancer. <i>Brazilian Journal of Medical and Biological Research</i> , <b>2013</b> , 46, 217-26	2.8	31
202	Accuracy of p53 codon 72 polymorphism status determined by multiple laboratory methods: a latent class model analysis. <i>PLoS ONE</i> , <b>2013</b> , 8, e56430	3.7	7
201	A comparative analysis of clinical and molecular factors with the stage of cervical cancer in a Brazilian cohort. <i>PLoS ONE</i> , <b>2013</b> , 8, e57810	3.7	10
200	Overexpression of ANXA1 in penile carcinomas positive for high-risk HPVs. <i>PLoS ONE</i> , <b>2013</b> , 8, e53260	3.7	17
199	A school-based human papillomavirus vaccination program in barretos, Brazil: final results of a demonstrative study. <i>PLoS ONE</i> , <b>2013</b> , 8, e62647	3.7	31
198	HPV and Cervical Cancer <b>2013</b> , 83-98		
197	High-risk human papillomavirus in oral squamous cell carcinoma of young patients. <i>International Journal of Cancer</i> , <b>2012</b> , 130, 1726-32	7.5	49
196	Oncogenic potential diverge among human papillomavirus type 16 natural variants. <i>Virology</i> , <b>2012</b> , 432, 127-32	3.6	40
195	Cervical cancer in Latin America and the Caribbean: the problem and the way to solutions. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2012</b> , 21, 1409-13	4	35

194	Smoking and human papillomavirus (HPV) infection in the HPV in Men (HIM) study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2012</b> , 21, 102-10	4	38
193	Circulating biomarkers of iron storage and clearance of incident human papillomavirus infection. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2012</b> , 21, 859-65	4	12
192	Immunomarkers in gynecologic cytology: the search for the ideal 'biomolecular Papanicolaou test'. <i>Acta Cytologica</i> , <b>2012</b> , 56, 109-21	3	43
191	HPV16 oncoproteins induce MMPs/RECK-TIMP-2 imbalance in primary keratinocytes: possible implications in cervical carcinogenesis. <i>PLoS ONE</i> , <b>2012</b> , 7, e33585	3.7	41
190	Papillomavirus from the bench to the clinics. <i>Journal of Oncology</i> , <b>2012</b> , 2012, 437438	4.5	
189	Association of HPV infection and Chlamydia trachomatis seropositivity in cases of cervical neoplasia in Midwest Brazil. <i>Journal of Medical Virology</i> , <b>2012</b> , 84, 1143-50	19.7	16
188	Biomarkers of oxidant load and type-specific clearance of prevalent oncogenic human papillomavirus infection: markers of immune response?. <i>International Journal of Cancer</i> , <b>2012</b> , 131, 219-28 <sup>5</sup>	7.5	3
187	Race and prevalence of human papillomavirus infection among men residing in Brazil, Mexico and the United States. <i>International Journal of Cancer</i> , <b>2012</b> , 131, E282-91	7.5	25
186	Male human papillomavirus prevalence and association with condom use in Brazil, Mexico, and the United States. <i>Journal of Infectious Diseases</i> , <b>2012</b> , 205, 1287-93	7	22
185	Identification of novel cellular transcription factors that regulate early promoters of human papillomavirus types 18 and 16. <i>Journal of Infectious Diseases</i> , <b>2012</b> , 206, 867-74	7	19
184	Seroprevalence of human papillomavirus (HPV) type 6 and 16 vary by anatomic site of HPV infection in men. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2012</b> , 21, 1542-6	4	42
183	Risk factors for incident condyloma in a multinational cohort of men: the HIM study. <i>Journal of Infectious Diseases</i> , <b>2012</b> , 205, 789-93	7	22
182	Prevalent serum antibody is not a marker of immune protection against acquisition of oncogenic HPV16 in men. <i>Cancer Research</i> , <b>2012</b> , 72, 676-85	10.1	49
181	Expression of mitochondrial non-coding RNAs (ncRNAs) is modulated by high risk human papillomavirus (HPV) oncogenes. <i>Journal of Biological Chemistry</i> , <b>2012</b> , 287, 21303-15	5.4	33
180	HPV-58 molecular variants exhibit different transcriptional activity. <i>Intervirology</i> , <b>2011</b> , 54, 146-50	2.5	6
179	HPV prophylactic vaccination: The first years and what to expect from now. <i>Cancer Letters</i> , <b>2011</b> , 305, 106-12	9.9	42
178	Value of HPV-DNA test in women with cytological diagnosis of atypical glandular cells (AGC). <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , <b>2011</b> , 159, 160-4	2.4	17
177	Incidence and clearance of genital human papillomavirus infection in men (HIM): a cohort study. <i>Lancet, The</i> , <b>2011</b> , 377, 932-40	40	336

176	Deregulated Expression of Superoxide Dismutase-2 Correlates with Different Stages of Cervical Neoplasia. <i>Disease Markers</i> , <b>2011</b> , 30, 275-281	3.2	13
175	Association between HPV types and species groups and cervical neoplasia from a high-risk area for cervical cancer, Goiânia, Brazil. <i>International Journal of Gynecological Pathology</i> , <b>2011</b> , 30, 288-94	3.2	7
174	E6 molecular variants of human papillomavirus (HPV) type 16: an updated and unified criterion for clustering and nomenclature. <i>Virology</i> , <b>2011</b> , 410, 201-15	3.6	39
173	Incidence and human papillomavirus (HPV) type distribution of genital warts in a multinational cohort of men: the HPV in men study. <i>Journal of Infectious Diseases</i> , <b>2011</b> , 204, 1886-92	7	56
172	Low prevalence of HPV in Brazilian children with retinoblastoma. <i>Journal of Medical Virology</i> , <b>2011</b> , 83, 115-8	19.7	16
171	Persistence and clearance of HPV from the penis of men infected and non-infected with HIV. <i>Journal of Medical Virology</i> , <b>2011</b> , 83, 127-31	19.7	13
170	Economic evaluation of strategies for managing women with equivocal cytological results in Brazil. <i>International Journal of Cancer</i> , <b>2011</b> , 129, 671-9	7.5	15
169	Associations of dietary dark-green and deep-yellow vegetables and fruits with cervical intraepithelial neoplasia: modification by smoking. <i>British Journal of Nutrition</i> , <b>2011</b> , 105, 928-37	3.6	20
168	The epidemiology of oral HPV infection among a multinational sample of healthy men. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2011</b> , 20, 172-82	4	139
167	Age-specific prevalence of and risk factors for anal human papillomavirus (HPV) among men who have sex with women and men who have sex with men: the HPV in men (HIM) study. <i>Journal of Infectious Diseases</i> , <b>2011</b> , 203, 49-57	7	166
166	Human papillomavirus (HPV) 6, 11, 16, and 18 seroprevalence is associated with sexual practice and age: results from the multinational HPV Infection in Men Study (HIM Study). <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2011</b> , 20, 990-1002	4	59
165	The prevalence of genital HPV and factors associated with oncogenic HPV among men having sex with men and men having sex with women and men: the HIM study. <i>Sexually Transmitted Diseases</i> , <b>2011</b> , 38, 932-40	2.4	49
164	Six-month incidence, persistence, and factors associated with persistence of anal human papillomavirus in men: the HPV in men study. <i>Journal of Infectious Diseases</i> , <b>2011</b> , 204, 1711-22	7	91
163	Clustering of human papillomavirus (HPV) types in the male genital tract: the HPV in men (HIM) study. <i>Journal of Infectious Diseases</i> , <b>2011</b> , 204, 1500-4	7	21
162	Identificação do papilomavírus humano em doentes com carcinoma de células escamosas do canal anal e sua relação com o grau de diferenciação celular e estadiamento. <i>Revista Brasileira De Coloproctologia</i> , <b>2011</b> , 31, 8-16		4
161	Deregulated expression of superoxide dismutase-2 correlates with different stages of cervical neoplasia. <i>Disease Markers</i> , <b>2011</b> , 30, 275-81	3.2	11
160	Human papillomavirus infection and reinfection in adult women: the role of sexual activity and natural immunity. <i>Cancer Research</i> , <b>2010</b> , 70, 8569-77	10.1	101
159	No association between endogenous retinoic acid and human papillomavirus clearance or incident cervical lesions in Brazilian women. <i>Cancer Prevention Research</i> , <b>2010</b> , 3, 1007-14	3.2	5

158	Prevalence of and risk factors for anal human papillomavirus infection in men who have sex with women: a cross-national study. <i>Journal of Infectious Diseases</i> , <b>2010</b> , 201, 1498-508	7	68
157	Opportunity for catch-up HPV vaccination in young women after first delivery. <i>Journal of Epidemiology and Community Health</i> , <b>2010</b> , 64, 610-5	5.1	6
156	Use of the normalized absorbance ratio as an internal standardization approach to minimize measurement error in enzyme-linked immunosorbent assays for diagnosis of human papillomavirus infection. <i>Journal of Clinical Microbiology</i> , <b>2010</b> , 48, 791-6	9.7	13
155	Four year efficacy of prophylactic human papillomavirus quadrivalent vaccine against low grade cervical, vulvar, and vaginal intraepithelial neoplasia and anogenital warts: randomised controlled trial. <i>BMJ, The</i> , <b>2010</b> , 341, c3493	5.9	261
154	Impact of human papillomavirus (HPV)-6/11/16/18 vaccine on all HPV-associated genital diseases in young women. <i>Journal of the National Cancer Institute</i> , <b>2010</b> , 102, 325-39	9.7	422
153	The role of inflammation in HPV carcinogenesis. <i>Carcinogenesis</i> , <b>2010</b> , 31, 1905-12	4.6	104
152	Expression of human papillomavirus type 16 E7 oncoprotein alters keratinocytes expression profile in response to tumor necrosis factor-alpha. <i>Carcinogenesis</i> , <b>2010</b> , 31, 521-31	4.6	29
151	Endometrial endometrioid adenocarcinoma of the uterine corpus involving the cervix: some cases probably represent independent primaries. <i>International Journal of Gynecological Pathology</i> , <b>2010</b> , 29, 146-56	3.2	18
150	Interleukin-10 production by tumor infiltrating macrophages plays a role in Human Papillomavirus 16 tumor growth. <i>BMC Immunology</i> , <b>2010</b> , 11, 27	3.7	62
149	Prevalence of human papillomavirus in archival samples obtained from patients with cervical pre-malignant and malignant lesions from Northeast Brazil. <i>BMC Research Notes</i> , <b>2010</b> , 3, 96	2.3	18
148	High-throughput profiling of the humoral immune responses against thirteen human papillomavirus types by proteome microarrays. <i>Virology</i> , <b>2010</b> , 405, 31-40	3.6	34
147	Dietary consumption of antioxidant nutrients and risk of incident cervical intraepithelial neoplasia. <i>Gynecologic Oncology</i> , <b>2010</b> , 118, 289-94	4.9	31
146	Diet and serum micronutrients in relation to cervical neoplasia and cancer among low-income Brazilian women. <i>International Journal of Cancer</i> , <b>2010</b> , 126, 703-14	7.5	42
145	Analysis of human kallikrein 7 expression as a potential biomarker in cervical neoplasia. <i>International Journal of Cancer</i> , <b>2010</b> , 127, 485-90	7.5	11
144	Validation of dot blot hybridization and denaturing high performance liquid chromatography as reliable methods for TP53 codon 72 genotyping in molecular epidemiologic studies. <i>BMC Genetics</i> , <b>2010</b> , 11, 44	2.6	4
143	Awareness and knowledge of HPV, cervical cancer, and vaccines in young women after first delivery in Sõ Paulo, Brazil--a cross-sectional study. <i>BMC Women's Health</i> , <b>2010</b> , 10, 35	2.9	28
142	Seroprevalence of human papillomavirus 6, 11, 16, and 18 in young primiparous women in Sao Paulo, Brazil. <i>International Journal of Gynecological Cancer</i> , <b>2010</b> , 20, 1405-10	3.5	4
141	HPV16 tumor associated macrophages suppress antitumor T cell responses. <i>Clinical Cancer Research</i> , <b>2009</b> , 15, 4391-400	12.9	105

140	The impact of quadrivalent human papillomavirus (HPV; types 6, 11, 16, and 18) L1 virus-like particle vaccine on infection and disease due to oncogenic nonvaccine HPV types in generally HPV-naive women aged 16-26 years. <i>Journal of Infectious Diseases</i> , <b>2009</b> , 199, 926-35	7	445
139	Expression of a family of noncoding mitochondrial RNAs distinguishes normal from cancer cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2009</b> , 106, 9430-4	11.5	86
138	Test-retest reliability of a sexual behavior interview for men residing in Brazil, Mexico, and the United States: the HPV in Men (HIM) Study. <i>American Journal of Epidemiology</i> , <b>2009</b> , 170, 965-74	3.8	31
137	A pooled analysis of continued prophylactic efficacy of quadrivalent human papillomavirus (Types 6/11/16/18) vaccine against high-grade cervical and external genital lesions. <i>Cancer Prevention Research</i> , <b>2009</b> , 2, 868-78	3.2	236
136	Evaluation of quadrivalent HPV 6/11/16/18 vaccine efficacy against cervical and anogenital disease in subjects with serological evidence of prior vaccine type HPV infection. <i>Hum Vaccin</i> , <b>2009</b> , 5, 696-704		156
135	The impact of quadrivalent human papillomavirus (HPV; types 6, 11, 16, and 18) L1 virus-like particle vaccine on infection and disease due to oncogenic nonvaccine HPV types in sexually active women aged 16-26 years. <i>Journal of Infectious Diseases</i> , <b>2009</b> , 199, 936-44	7	221
134	Circumcision and sexual behavior: factors independently associated with human papillomavirus detection among men in the HIM study. <i>International Journal of Cancer</i> , <b>2009</b> , 124, 1251-7	7.5	104
133	Prevalence of HPV infection by cervical cytologic status in Brazil. <i>International Journal of Gynecology and Obstetrics</i> , <b>2009</b> , 105, 21-4	4	25
132	Human papillomavirus-specific genotypes in cervical lesions of women referred for smears with atypical glandular cells or adenocarcinoma in situ. <i>International Journal of Gynecological Pathology</i> , <b>2009</b> , 28, 272-8	3.2	13
131	Does human papillomavirus play a role in endometrial carcinogenesis?. <i>International Journal of Gynecological Pathology</i> , <b>2009</b> , 28, 322-7	3.2	10
130	HPV vaccination: the beginning of the end of cervical cancer? - A Review. <i>Memorias Do Instituto Oswaldo Cruz</i> , <b>2009</b> , 104, 1-10	2.6	13
129	Laboratory Methods for Detection of Human Papillomavirus Infection <b>2009</b> , 23-30		
128	Intraoperative autologous blood recovery in prostate cancer surgery: in vivo validation using a tumour marker. <i>Vox Sanguinis</i> , <b>2008</b> , 95, 308-12	3.1	15
127	Interaction between polymorphisms of the human leukocyte antigen and HPV-16 variants on the risk of invasive cervical cancer. <i>BMC Cancer</i> , <b>2008</b> , 8, 246	4.8	26
126	HPV type infection in different anogenital sites among HIV-positive Brazilian women. <i>Infectious Agents and Cancer</i> , <b>2008</b> , 3, 5	3.5	26
125	An update of prophylactic human papillomavirus L1 virus-like particle vaccine clinical trial results. <i>Vaccine</i> , <b>2008</b> , 26 Suppl 10, K53-61	4.1	228
124	HPV antibody levels and clinical efficacy following administration of a prophylactic quadrivalent HPV vaccine. <i>Vaccine</i> , <b>2008</b> , 26, 6844-51	4.1	144
123	Monitoring HPV vaccination. <i>Vaccine</i> , <b>2008</b> , 26 Suppl 1, A24-7	4.1	17

122	Assessment of new technologies for cervical cancer screening. <i>Lancet Oncology, The</i> , <b>2008</b> , 9, 910-1	21.7	8
121	The human papillomavirus infection in men study: human papillomavirus prevalence and type distribution among men residing in Brazil, Mexico, and the United States. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2008</b> , 17, 2036-43	4	247
120	Type-specific duration of human papillomavirus infection: implications for human papillomavirus screening and vaccination. <i>Journal of Infectious Diseases</i> , <b>2008</b> , 197, 1436-47	7	133
119	Characterization of global transcription profile of normal and HPV-immortalized keratinocytes and their response to TNF treatment. <i>BMC Medical Genomics</i> , <b>2008</b> , 1, 29	3.7	23
118	Human papillomavirus type 16 variants in cervical cancer from an admixed population in Brazil. <i>Journal of Medical Virology</i> , <b>2008</b> , 80, 1639-45	19.7	26
117	Safety, immunogenicity, and efficacy of quadrivalent human papillomavirus (types 6, 11, 16, 18) L1 virus-like-particle vaccine in Latin American women. <i>International Journal of Cancer</i> , <b>2008</b> , 122, 1311-8	7.5	53
116	Human papillomavirus-16 and -18 in penile carcinomas: DNA methylation, chromosomal recombination and genomic variation. <i>International Journal of Cancer</i> , <b>2008</b> , 123, 1832-40	7.5	54
115	Human papillomavirus infection in men residing in Brazil, Mexico, and the USA. <i>Salud Publica De Mexico</i> , <b>2008</b> , 50, 408-18	1.7	12
114	Introduction of HPV prophylactic vaccines: a new challenge for Public Health in the 21st century. <i>Revista Brasileira De Epidemiologia</i> , <b>2008</b> , 11, 516-516	1.3	0
113	Associations between serum carotenoids and tocopherols and type-specific HPV persistence: the Ludwig-McGill cohort study. <i>International Journal of Cancer</i> , <b>2007</b> , 120, 672-80	7.5	19
112	High grade cervical lesions are caused preferentially by non-European variants of HPVs 16 and 18. <i>International Journal of Cancer</i> , <b>2007</b> , 120, 1763-8	7.5	144
111	Viral load of episomal and integrated forms of human papillomavirus type 33 in high-grade squamous intraepithelial lesions of the uterine cervix. <i>International Journal of Cancer</i> , <b>2007</b> , 121, 2674-81	7.5	13
110	Expression of a novel non-coding mitochondrial RNA in human proliferating cells. <i>Nucleic Acids Research</i> , <b>2007</b> , 35, 7336-47	20.1	56
109	Re: Human papillomavirus type 16 and 18 variants: race-related distribution and persistence. <i>Journal of the National Cancer Institute</i> , <b>2007</b> , 99, 653-4; author reply 654-5	9.7	8
108	Impact of baseline covariates on the immunogenicity of a quadrivalent (types 6, 11, 16, and 18) human papillomavirus virus-like-particle vaccine. <i>Journal of Infectious Diseases</i> , <b>2007</b> , 196, 1153-62	7	96
107	Viral origins of human cancer. <i>Current Medicinal Chemistry</i> , <b>2007</b> , 14, 2526-39	4.3	35
106	Prophylactic efficacy of a quadrivalent human papillomavirus (HPV) vaccine in women with virological evidence of HPV infection. <i>Journal of Infectious Diseases</i> , <b>2007</b> , 196, 1438-46	7	143
105	Quadrivalent vaccine against human papillomavirus to prevent high-grade cervical lesions. <i>New England Journal of Medicine</i> , <b>2007</b> , 356, 1915-27	59.2	1580

104	Multiparameter calibration of a natural history model of cervical cancer. <i>American Journal of Epidemiology</i> , <b>2007</b> , 166, 137-50	3.8	122
103	Induction of immune memory following administration of a prophylactic quadrivalent human papillomavirus (HPV) types 6/11/16/18 L1 virus-like particle (VLP) vaccine. <i>Vaccine</i> , <b>2007</b> , 25, 4931-9	4.1	316
102	Human papillomavirus type 16 molecular variants in Guarani Indian women from Misiones, Argentina. <i>International Journal of Infectious Diseases</i> , <b>2007</b> , 11, 76-81	10.5	12
101	Overview of the clinical development and results of a quadrivalent HPV (types 6, 11, 16, 18) vaccine. <i>International Journal of Infectious Diseases</i> , <b>2007</b> , 11 Suppl 2, S17-25	10.5	47
100	Methylation of the human papillomavirus-18 L1 gene: a biomarker of neoplastic progression?. <i>Virology</i> , <b>2006</b> , 349, 175-83	3.6	74
99	The prevalence of human papillomavirus in the oropharynx in healthy individuals in a Brazilian population. <i>Journal of Medical Virology</i> , <b>2006</b> , 78, 614-8	19.7	33
98	Human papillomavirus type 33 polymorphisms and high-grade squamous intraepithelial lesions of the uterine cervix. <i>Journal of Infectious Diseases</i> , <b>2006</b> , 194, 886-94	7	31
97	Human papillomavirus infections with multiple types and risk of cervical neoplasia. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2006</b> , 15, 1274-80	4	234
96	Production of human papillomavirus type 16 L1 virus-like particles by recombinant <i>Lactobacillus casei</i> cells. <i>Applied and Environmental Microbiology</i> , <b>2006</b> , 72, 745-52	4.8	56
95	High sustained efficacy of a prophylactic quadrivalent human papillomavirus types 6/11/16/18 L1 virus-like particle vaccine through 5 years of follow-up. <i>British Journal of Cancer</i> , <b>2006</b> , 95, 1459-66	8.7	633
94	Higher expression and activity of metalloproteinases in human cervical carcinoma cell lines is associated with HPV presence. <i>Biochemistry and Cell Biology</i> , <b>2006</b> , 84, 713-9	3.6	34
93	CHAPTER 1 Biology of genital human papillomaviruses. <i>International Journal of Gynecology and Obstetrics</i> , <b>2006</b> , 94 Suppl 1, S3-S7	4	8
92	CHAPTER 7 Methods for detection of HPV infection and its clinical utility. <i>International Journal of Gynecology and Obstetrics</i> , <b>2006</b> , 94 Suppl 1, S71-S80	4	45
91	Prophylactic HPV vaccines: reducing the burden of HPV-related diseases. <i>Vaccine</i> , <b>2006</b> , 24 Suppl 1, S23-8	4.1	43
90	Immunologic responses following administration of a vaccine targeting human papillomavirus Types 6, 11, 16, and 18. <i>Vaccine</i> , <b>2006</b> , 24, 5571-83	4.1	299
89	Chapter 3: HPV type-distribution in women with and without cervical neoplastic diseases. <i>Vaccine</i> , <b>2006</b> , 24 Suppl 3, S3/26-34	4.1	340
88	Chapter 5: Updating the natural history of HPV and anogenital cancer. <i>Vaccine</i> , <b>2006</b> , 24 Suppl 3, S3/42-51	4.1	261
87	Resultados do exame anômo-patolôgico e "Polymerase Chain Reaction (PCR)" na forma clinica e subclinica da infecçã anal pelo Papilomavirus Humano (HPV): estudo em quatro grupos de pacientes. <i>Revista Brasileira De Coloproctologia</i> , <b>2006</b> , 26, 406-413		4



86	Infection with human papillomaviruses of sexual partners of women having cervical intraepithelial neoplasia. <i>Brazilian Journal of Medical and Biological Research</i> , <b>2006</b> , 39, 177-87	2.8	40
85	Variants of human papillomavirus types 16 and 18: histological findings in women referred for atypical glandular cells or adenocarcinoma in situ in cervical smear. <i>International Journal of Gynecological Pathology</i> , <b>2006</b> , 25, 393-7	3.2	14
84	Advances in prevention of cervical cancer and other human papillomavirus-related diseases. <i>Pediatric Infectious Disease Journal</i> , <b>2006</b> , 25, S65-81, quiz S82	3.4	58
83	Lack of agreement between cervicography and cytology and the effect of human papillomavirus infection and viral load. <i>Journal of Lower Genital Tract Disease</i> , <b>2006</b> , 10, 229-37	3.6	2
82	Vaccines against rotavirus and human papillomavirus (HPV). <i>Jornal De Pediatria</i> , <b>2006</b> , 82, S25-34	2.6	4
81	Molecular evidence of tumour cell removal from salvaged blood after irradiation and leucocyte depletion – the search must go on. <i>Transfusion Medicine</i> , <b>2006</b> , 16, 215-216	1.3	2
80	P16(INK4a) expression as a potential prognostic marker in cervical pre-neoplastic and neoplastic lesions. <i>Pathology Research and Practice</i> , <b>2006</b> , 202, 77-83	3.4	34
79	Comparative study of the expression of cellular cycle proteins in cervical intraepithelial lesions. <i>Pathology Research and Practice</i> , <b>2006</b> , 202, 731-7	3.4	16
78	Epidemiological and functional implications of molecular variants of human papillomavirus. <i>Brazilian Journal of Medical and Biological Research</i> , <b>2006</b> , 39, 707-17	2.8	38
77	Vaccines against papillomavirus infections and disease. <i>Revista Chilena De Infectologia</i> , <b>2006</b> , 23, 157-63	0	1
76	Prophylactic quadrivalent human papillomavirus (types 6, 11, 16, and 18) L1 virus-like particle vaccine in young women: a randomised double-blind placebo-controlled multicentre phase II efficacy trial. <i>Lancet Oncology</i> , <b>2005</b> , 6, 271-8	21.7	1185
75	Worldwide genomic diversity of the human papillomaviruses-53, 56, and 66, a group of high-risk HPVs unrelated to HPV-16 and HPV-18. <i>Virology</i> , <b>2005</b> , 340, 95-104	3.6	50
74	Different P105 promoter activities among natural variants of human papillomavirus type 18. <i>Journal of Infectious Diseases</i> , <b>2005</b> , 191, 739-42	7	35
73	Worldwide genomic diversity of the high-risk human papillomavirus types 31, 35, 52, and 58, four close relatives of human papillomavirus type 16. <i>Journal of Virology</i> , <b>2005</b> , 79, 13630-40	6.6	85
72	Papillomavirus subtypes are natural and old taxa: phylogeny of human papillomavirus types 44 and 55 and 68a and -b. <i>Journal of Virology</i> , <b>2005</b> , 79, 6565-9	6.6	37
71	Estrogen and progesterone receptors in human papilloma virus-related cervical neoplasia. <i>Brazilian Journal of Medical and Biological Research</i> , <b>2004</b> , 37, 83-8	2.8	14
70	Molecular evidence of tumour cell removal from salvaged blood after irradiation and leucocyte depletion. <i>Transfusion Medicine</i> , <b>2004</b> , 14, 151-5	1.3	8
69	HPV-18 confers resistance to TNF-alpha in organotypic cultures of human keratinocytes. <i>Virology</i> , <b>2004</b> , 328, 233-43	3.6	29

68	Prognostic significance of lymph node variables and human papillomavirus DNA in invasive vulvar carcinoma. <i>Gynecologic Oncology</i> , <b>2004</b> , 92, 856-65	4.9	65
67	Analysis of human papillomavirus prevalence and TP53 polymorphism in head and neck squamous cell carcinomas. <i>Cancer Genetics and Cytogenetics</i> , <b>2004</b> , 150, 44-9		29
66	Temporal variation and identification of factors associated with endogenous retinoic acid isomers in serum from Brazilian women. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2004</b> , 13, 1693-703	4	3
65	Epidemiologic correlates of antibody response to human papillomavirus among women at low risk of cervical cancer. <i>International Journal of STD and AIDS</i> , <b>2003</b> , 14, 258-65	1.4	20
64	Chapter 12: Human papillomavirus technologies. <i>Journal of the National Cancer Institute Monographs</i> , <b>2003</b> , 80-8	4.8	148
63	Occurrence of cervical infection with multiple human papillomavirus types is associated with age and cytologic abnormalities. <i>Sexually Transmitted Diseases</i> , <b>2003</b> , 30, 581-7	2.4	59
62	Human papillomavirus prevalence among women with cervical intraepithelial neoplasia III and invasive cervical cancer from Goiânia, Brazil. <i>Memorias Do Instituto Oswaldo Cruz</i> , <b>2003</b> , 98, 181-4	2.6	36
61	Human papillomavirus infection and time to progression and regression of cervical intraepithelial neoplasia. <i>Journal of the National Cancer Institute</i> , <b>2003</b> , 95, 1336-43	9.7	227
60	Viral load as a predictor of the risk of cervical intraepithelial neoplasia. <i>International Journal of Cancer</i> , <b>2003</b> , 103, 519-24	7.5	114
59	Human papillomavirus type-16 variants in Quechua aboriginals from Argentina. <i>Journal of Medical Virology</i> , <b>2003</b> , 69, 546-52	19.7	40
58	Detection of oncogenic human papillomavirus in sporadic retinoblastoma. <i>Acta Ophthalmologica</i> , <b>2003</b> , 81, 396-8		34
57	CpG methylation of human papillomavirus type 16 DNA in cervical cancer cell lines and in clinical specimens: genomic hypomethylation correlates with carcinogenic progression. <i>Journal of Virology</i> , <b>2003</b> , 77, 6227-34	6.6	167
56	Genetic susceptibility to infection with human papillomavirus and development of cervical cancer in women in Brazil. <i>Mutation Research - Reviews in Mutation Research</i> , <b>2003</b> , 544, 375-83	7	36
55	Dietary intake and risk of persistent human papillomavirus (HPV) infection: the Ludwig-McGill HPV Natural History Study. <i>Journal of Infectious Diseases</i> , <b>2003</b> , 188, 1508-16	7	64
54	Modeling the time dependence of the association between human papillomavirus infection and cervical cancer precursor lesions. <i>American Journal of Epidemiology</i> , <b>2003</b> , 158, 878-86	3.8	15
53	Vaccines against papillomavirus infections and disease. <i>Salud Publica De Mexico</i> , <b>2003</b> , 45 Suppl 3, S443-8.7		8
52	Predictors of cervical coinfection with multiple human papillomavirus types. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2003</b> , 12, 1029-37	4	29
51	Síndrome de Cowden: relato de um caso. <i>Anais Brasileiros De Dermatologia</i> , <b>2002</b> , 77, 711-720	1.6	1

50	Polymorphisms of the human leukocyte antigen DRB1 and DQB1 genes and the natural history of human papillomavirus infection. <i>Journal of Infectious Diseases</i> , <b>2002</b> , 186, 164-72	7	45
49	Past, present, and future of HPV research: highlights from the 19th International Papillomavirus Conference-HPV2001. <i>Virus Research</i> , <b>2002</b> , 89, 163-73	6.4	8
48	p53 as a New Prognostic Factor for Lymph Node Metastasis in Penile Carcinoma: Analysis of 82 Patients Treated with Amputation and Bilateral Lymphadenectomy. <i>Journal of Urology</i> , <b>2002</b> , 168, 81-86	2.5	105
47	p53 as a New Prognostic Factor for Lymph Node Metastasis in Penile Carcinoma: Analysis of 82 Patients Treated with Amputation and Bilateral Lymphadenectomy. <i>Journal of Urology</i> , <b>2002</b> , 81-86	2.5	5
46	Clinicopathologic features and human papillomavirus dna prevalence of warty and squamous cell carcinoma of the penis. <i>American Journal of Surgical Pathology</i> , <b>2001</b> , 25, 673-8	6.7	85
45	Human papillomavirus as a prognostic factor in carcinoma of the penis. <i>Cancer</i> , <b>2001</b> , 91, 2315-2321	6.4	158
44	Persistent human papillomavirus infection as a predictor of cervical intraepithelial neoplasia. <i>JAMA - Journal of the American Medical Association</i> , <b>2001</b> , 286, 3106-14	27.4	368
43	Cervical coinfection with human papillomavirus (HPV) types as a predictor of acquisition and persistence of HPV infection. <i>Journal of Infectious Diseases</i> , <b>2001</b> , 184, 1508-17	7	165
42	Low frequency of p53 mutations in cervical carcinomas among Brazilian women. <i>Brazilian Journal of Medical and Biological Research</i> , <b>2001</b> , 34, 727-33	2.8	9
41	p53 polymorphism in codon 72 and risk of human papillomavirus-induced cervical cancer: effect of inter-laboratory variation. <i>International Journal of Cancer</i> , <b>2000</b> , 87, 528-533	7.5	76
40	Identification of a novel allele, DRB1*1340, in two Brazilian individuals. <i>Tissue Antigens</i> , <b>2000</b> , 56, 194-6		3
39	Detection of human papillomavirus in epithelial lesions of the conjunctiva. <i>Sao Paulo Medical Journal</i> , <b>2000</b> , 118, 125-30	1.6	31
38	Molecular variants of human papillomavirus types 16 and 18 preferentially associated with cervical neoplasia. <i>Journal of General Virology</i> , <b>2000</b> , 81, 2959-2968	4.9	233
37	Papilomavírus humano associado a lesões de cívice uterina. <i>Revista Da Sociedade Brasileira De Medicina Tropical</i> , <b>1999</b> , 32, 235-240	1.5	22
36	Monitoring human cytomegalovirus viral load in peripheral blood leukocytes of renal transplant recipients by a simple limiting dilution-PCR assay. <i>Brazilian Journal of Medical and Biological Research</i> , <b>1999</b> , 32, 1515-23	2.8	2
35	Genetic susceptibility to HPV infection and cervical cancer. <i>Brazilian Journal of Medical and Biological Research</i> , <b>1999</b> , 32, 915-22	2.8	13
34	Epidemiologic evidence and human papillomavirus infection as a necessary cause of cervical cancer. <i>Journal of the National Cancer Institute</i> , <b>1999</b> , 91, 506-11	9.7	176
33	Relationship between human papillomavirus (HPV) genotyping and genital neoplasia in HIV-positive patients of Santos City, Sã Paulo, Brazil. <i>International Journal of STD and AIDS</i> , <b>1999</b> , 10, 803-7	1.4	33

32	Epidemiology of acquisition and clearance of cervical human papillomavirus infection in women from a high-risk area for cervical cancer. <i>Journal of Infectious Diseases</i> , <b>1999</b> , 180, 1415-23	7	457
31	Squamous cell carcinoma of the vulva in Brazil: prognostic importance of host and viral variables. <i>Gynecologic Oncology</i> , <b>1999</b> , 74, 61-7	4.9	42
30	Allelic loss in human papillomavirus-positive and -negative vulvar squamous cell carcinomas. <i>American Journal of Pathology</i> , <b>1999</b> , 154, 1009-15	5.8	39
29	A novel, internally competitive polymerase chain reaction for quantification of human cytomegalovirus DNA in human leukocytes. <i>Molecular and Cellular Probes</i> , <b>1999</b> , 13, 407-13	3.3	2
28	Design and methods of the Ludwig-McGill longitudinal study of the natural history of human papillomavirus infection and cervical neoplasia in Brazil. Ludwig-McGill Study Group. <i>Revista Panamericana De Salud Publica/Pan American Journal of Public Health</i> , <b>1999</b> , 6, 223-33	4.1	63
27	Human papillomavirus DNA and p53 status in penile carcinomas. <i>International Journal of Cancer</i> , <b>1998</b> , 76, 779-83	7.5	49
26	Low prevalence of human papillomavirus in a geographic region with a high incidence of head and neck cancer. <i>American Journal of Surgery</i> , <b>1998</b> , 176, 428-9	2.7	28
25	Human papillomaviruses and cervical cancer. <i>Advances in Cancer Research</i> , <b>1997</b> , 71, 321-41	5.9	82
24	DNA ligation quality control by competitive PCR. <i>Trends in Genetics</i> , <b>1996</b> , 12, 341-2	8.5	3
23	Transmission of cervical human papillomavirus infection by sexual activity: differences between low and high oncogenic risk types. <i>Journal of Infectious Diseases</i> , <b>1995</b> , 172, 756-63	7	72
22	Low stringency-PCR (LS-PCR) allows entirely internally standardized DNA quantitation. <i>Nucleic Acids Research</i> , <b>1995</b> , 23, 192-3	20.1	30
21	An approach to human papillomavirus identification using low stringency single specific primer PCR. <i>Molecular and Cellular Probes</i> , <b>1995</b> , 9, 45-8	3.3	10
20	Variation of human papillomavirus type 6 (HPV-6) and HPV-11 genomes sampled throughout the world. <i>Journal of Clinical Microbiology</i> , <b>1995</b> , 33, 1746-54	9.7	80
19	Identification of genomic sequences of three novel human papillomavirus sequences in cervical smears of Amazonian Indians. <i>Journal of Infectious Diseases</i> , <b>1994</b> , 170, 1086-8	7	21
18	Molecular variant analysis as an epidemiological tool to study persistence of cervical human papillomavirus infection. <i>Journal of the National Cancer Institute</i> , <b>1994</b> , 86, 1558-9	9.7	22
17	Identification and assessment of known and novel human papillomaviruses by polymerase chain reaction amplification, restriction fragment length polymorphisms, nucleotide sequence, and phylogenetic algorithms. <i>Journal of Infectious Diseases</i> , <b>1994</b> , 170, 1077-85	7	380
16	Human papillomavirus type 16 variants isolated from vulvar Bowenoid papulosis. <i>Journal of Medical Virology</i> , <b>1993</b> , 41, 49-54	19.7	13
15	Evolution of human papillomavirus type 18: an ancient phylogenetic root in Africa and intratype diversity reflect coevolution with human ethnic groups. <i>Journal of Virology</i> , <b>1993</b> , 67, 6424-31	6.6	174

14	Differing prevalence of human papillomavirus RNA in penile dysplasias and carcinomas may reflect differing etiologies. <i>American Journal of Clinical Pathology</i> , <b>1992</b> , 97, 272-8	1.9	36
13	Differential effect of tumor necrosis factor on proliferation of primary human keratinocytes and cell lines containing human papillomavirus types 16 and 18. <i>Molecular Carcinogenesis</i> , <b>1992</b> , 6, 5-9	5	38
12	Molecular variants of human papillomavirus type 16 from four continents suggest ancient pandemic spread of the virus and its coevolution with humankind. <i>Journal of Virology</i> , <b>1992</b> , 66, 2057-66	6.6	135
11	Human papillomavirus and anogenital cancers in northern Brazil. <i>Memorias Do Instituto Oswaldo Cruz</i> , <b>1992</b> , 87, 445-7	2.6	
10	Differences in transformation activity between HPV-18 and HPV-16 map to the viral LCR-E6-E7 region. <i>Virology</i> , <b>1991</b> , 181, 374-7	3.6	56
9	Sequence variants of human papillomavirus type 16 in clinical samples permit verification and extension of epidemiological studies and construction of a phylogenetic tree. <i>Journal of Clinical Microbiology</i> , <b>1991</b> , 29, 1765-72	9.7	97
8	Epidemiologic correlates of cervical neoplasia and risk of human papillomavirus infection in asymptomatic women in Brazil. <i>Journal of the National Cancer Institute</i> , <b>1989</b> , 81, 332-40	9.7	84
7	Correlation patterns of cancer relative frequencies with some socioeconomic and demographic indicators in Brazil: an ecologic study. <i>International Journal of Cancer</i> , <b>1988</b> , 41, 24-9	7.5	24
6	Physical state and biological activity of human papillomavirus genomes in precancerous lesions of the female genital tract. <i>Journal of General Virology</i> , <b>1988</b> , 69 ( Pt 1), 187-96	4.9	94
5	Human papillomavirus DNA sequences in penile carcinomas in Brazil. <i>International Journal of Cancer</i> , <b>1986</b> , 37, 853-5	7.5	93
4	Construction of a cDNA clone corresponding to mouse alpha 1(IV) procollagen. <i>Nucleic Acids Research</i> , <b>1984</b> , 12, 2035-46	20.1	7
3	Induction of cytoplasmic petite in yeast by guanidine hydrochloride: combined treatment with other inducing agents. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , <b>1980</b> , 71, 67-75	3.3	1
2	Mechanism of rho- induction in <i>Saccharomyces cerevisiae</i> by guanidine hydrochloride. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , <b>1980</b> , 71, 147-53	3.3	3
1	Recurring infection with ecologically distinct human papillomavirus (HPV) types explains high prevalence and diversity		1