

Berit Andersen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9132044/publications.pdf>

Version: 2024-02-01

115
papers

2,431
citations

249298

26
h-index

286692

43
g-index

124
all docs

124
docs citations

124
times ranked

2351
citing authors

#	ARTICLE	IF	CITATIONS
1	Clinical utility of p16/Ki67 dual-stain cytology for detection of cervical intraepithelial neoplasia grade two or worse in women with a transformation zone type 3: A cross-sectional study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2023, 130, 202-209.	1.1	6
2	Making decisions on your own: Self-administered decision aids about colorectal cancer screening – A systematic review and meta-analyses. <i>Patient Education and Counseling</i> , 2022, 105, 534-546.	1.0	6
3	Varying fecal immunochemical test screening cutoffs by age and gender: a way to increase detection rates and reduce the number of colonoscopies. <i>Gastrointestinal Endoscopy</i> , 2022, 95, 540-549.	0.5	6
4	Targeted Next Generation Sequencing for Human Papillomavirus Genotyping in Cervical Liquid-Based Cytology Samples. <i>Cancers</i> , 2022, 14, 652.	1.7	8
5	Early detection of colorectal neoplasia: application of a blood-based serological protein test on subjects undergoing population-based screening. <i>British Journal of Cancer</i> , 2022, , .	2.9	4
6	Cervical intraepithelial neoplasia in women with transformation zone type 3: cervical biopsy versus large loop excision. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2022, 129, 2132-2140.	1.1	10
7	The relative effectiveness of fecal immunochemical test-based colorectal cancer screening to detect adenomas and cancer in different demographic and socioeconomic groups. A nationwide cohort study. <i>European Journal of Cancer Prevention</i> , 2022, Publish Ahead of Print, .	0.6	1
8	Histological outcomes in HPV-screened elderly women in Denmark. <i>PLoS ONE</i> , 2021, 16, e0246902.	1.1	9
9	Balancing risks: Qualitative study of attitudes, motivations and intentions about attending for mammography during the COVID-19 pandemic. <i>Scandinavian Journal of Public Health</i> , 2021, 49, 700-706.	1.2	16
10	Gaps between recommendations and their implementation: A register-based study of follow-up after abnormalities in cervical cancer screening. <i>Preventive Medicine</i> , 2021, 146, 106468.	1.6	4
11	Cervical cancer prevention among older women – challenges in screening, diagnostic workup and treatment. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2021, 100, 1364-1368.	1.3	8
12	Perceptions of cervical cancer prevention among a group of ethnic minority women in Denmark – A qualitative study. <i>PLoS ONE</i> , 2021, 16, e0250816.	1.1	2
13	Variations in pathways and resource use in follow-up after abnormal mammography screening: a nationwide register-based study. <i>Breast Cancer Research and Treatment</i> , 2021, 189, 551-560.	1.1	1
14	The SWIM study: Ethnic minority women's ideas and preferences for a tailored intervention to promote national cancer screening programmes – A qualitative interview study. <i>Health Expectations</i> , 2021, 24, 1692-1700.	1.1	8
15	Prevalence of self-reported abdominal symptoms among 50–74-years-old men and women eligible for colorectal cancer screening – a cross-sectional study. <i>BMC Cancer</i> , 2021, 21, 910.	1.1	2
16	The optimal cut-off value in fit-based colorectal cancer screening: An observational study. <i>Cancer Medicine</i> , 2021, 10, 1872-1879.	1.3	17
17	Adherence to follow-up after the exit cervical cancer screening test at age 60–64: A nationwide register-based study. <i>Cancer Medicine</i> , 2021, 11, 224.	1.3	5
18	The LEAD trial – The effectiveness of a decision aid on decision making among citizens with lower educational attainment who have not participated in FIT-based colorectal cancer screening in Denmark: A randomised controlled trial. <i>Patient Education and Counseling</i> , 2020, 103, 359-368.	1.0	19

#	ARTICLE	IF	CITATIONS
19	Implementation of p16/Ki67 dual stain cytology in a Danish routine screening laboratory: Importance of adequate training and experience. <i>Cancer Medicine</i> , 2020, 9, 8235-8242.	1.3	8
20	<p>â€œI Want the Whole Packageâ€™. Elderly Patientsâ€™ Preferences for Follow-Up After Abnormal Cervical Test Results: A Qualitative Study</p>. <i>Patient Preference and Adherence</i> , 2020, Volume 14, 1185-1193.	0.8	9
21	HrHPV testing vs liquid-based cytology in cervical cancer screening among women aged 50 and older: a prospective study. <i>International Journal of Gynecological Cancer</i> , 2020, 30, 1678-1683.	1.2	6
22	Urine collection in cervical cancer screening â€“ analytical comparison of two HPV DNA assays. <i>BMC Infectious Diseases</i> , 2020, 20, 926.	1.3	30
23	Low attendance by non-native women to human papillomavirus vaccination and cervical cancer screening â€“ A Danish nationwide register-based cohort study. <i>Preventive Medicine Reports</i> , 2020, 19, 101106.	0.8	9
24	Perceptions about cancer and barriers towards cancer screening among ethnic minority women in a deprived area in Denmark â€“ a qualitative study. <i>BMC Public Health</i> , 2020, 20, 921.	1.2	22
25	Answer to: Letter to the editor regarding â€“Potential for prevention: a cohort study of colonoscopies and removal of adenomas in a FIT-based colorectal cancer screening programmeâ€™. <i>Scandinavian Journal of Gastroenterology</i> , 2020, 55, 761-761.	0.6	0
26	The association between health literacy and colorectal cancer screening uptake in a publicly funded screening program in Denmark: Cross-sectional study. <i>Preventive Medicine Reports</i> , 2020, 19, 101132.	0.8	9
27	Validity and reliability of State-Trait Anxiety Inventory in Danish women aged 45 years and older with abnormal cervical screening results. <i>BMC Medical Research Methodology</i> , 2020, 20, 89.	1.4	32
28	Expanding the upper age limit for cervical cancer screening: a protocol for a nationwide non-randomised intervention study. <i>BMJ Open</i> , 2020, 10, e039636.	0.8	7
29	Effectiveness of a decision aid for colorectal cancer screening on components of informed choice according to educational attainment: A randomised controlled trial. <i>PLoS ONE</i> , 2020, 15, e0241703.	1.1	10
30	Potential for prevention: a cohort study of colonoscopies and removal of adenomas in a FIT-based colorectal cancer screening programme. <i>Scandinavian Journal of Gastroenterology</i> , 2019, 54, 1008-1014.	0.6	6
31	The performance indicator of colonic intubation (PICI) in a FIT-based colorectal cancer screening program. <i>Scandinavian Journal of Gastroenterology</i> , 2019, 54, 1176-1181.	0.6	2
32	Knowledge, attitudes, and worries among different health literacy groups before receiving first invitation to colorectal cancer screening: Cross-sectional study. <i>Preventive Medicine Reports</i> , 2019, 14, 100876.	0.8	14
33	Sense & sensibility: Decision-making and sources of information in mothers who decline HPV vaccination of their adolescent daughters. <i>Vaccine: X</i> , 2019, 2, 100020.	0.9	13
34	HPV-prevalence in elderly women in Denmark. <i>Gynecologic Oncology</i> , 2019, 154, 118-123.	0.6	23
35	A stitch in time saves nine: Perceptions about colorectal cancer screening after a non-cancer colonoscopy result. Qualitative study. <i>Patient Education and Counseling</i> , 2019, 102, 1373-1379.	1.0	8
36	Data quality and colonoscopy performance indicators in the prevalent round of a FIT-based colorectal cancer screening program. <i>Scandinavian Journal of Gastroenterology</i> , 2019, 54, 471-477.	0.6	4

#	ARTICLE	IF	CITATIONS
37	Answer to: "Does the National Danish Colorectal Cancer Screening Programme a success?" Cancer Epidemiology, 2019, 58, 200.	0.8	0
38	<p><p>Non-Adherence To Childhood HPV Vaccination Is Associated With Non-Participation In Cervical Cancer Screening " A Nationwide Danish Register-Based Cohort Study</p></p>. Clinical Epidemiology, 2019, Volume 11, 969-980.	1.5	10
39	Quality indicators for screening colonoscopy and colonoscopist performance and the subsequent risk of interval colorectal cancer: a systematic review. JBI Database of Systematic Reviews and Implementation Reports, 2019, 17, 2265-2300.	1.7	22
40	Direct notification of cervical cytology results to women improves follow-up in cervical cancer screening - A cluster-randomised trial. Preventive Medicine Reports, 2019, 13, 118-125.	0.8	4
41	Effectiveness of Colorectal Cancer Screening in Detecting Earlier-Stage Disease" A Nationwide Cohort Study in Denmark. Gastroenterology, 2018, 155, 99-106.	0.6	58
42	Strong association between cervical and breast cancer screening behaviour among Danish women; A register-based cohort study. Preventive Medicine Reports, 2018, 12, 349-354.	0.8	9
43	The LEAD trial - the effectiveness of a decision aid on decision making among citizens with lower educational attainment who have not participated in FIT-based colorectal cancer screening in Denmark: study protocol for a randomized controlled trial. Trials, 2018, 19, 543.	0.7	3
44	Waiting for diagnostic colonoscopy: a qualitative exploration of screening participants's experiences in a FIT-based colorectal cancer screening program. Patient Preference and Adherence, 2018, Volume 12, 845-852.	0.8	9
45	Colonoscopy-related complications in a nationwide immunochemical fecal occult blood test-based colorectal cancer screening program. Clinical Epidemiology, 2018, Volume 10, 1649-1655.	1.5	25
46	Three years of colorectal cancer screening in Denmark. Cancer Epidemiology, 2018, 57, 39-44.	0.8	57
47	Differences in diagnostic activity in general practice and findings for individuals invited to the danish screening programme for colorectal cancer: a population-based cohort study. Scandinavian Journal of Primary Health Care, 2018, 36, 281-290.	0.6	3
48	HPV self-sampling in cervical cancer screening: the effect of different invitation strategies in various socioeconomic groups - a randomized controlled trial. Clinical Epidemiology, 2018, Volume 10, 1027-1036.	1.5	20
49	Triage for selection to colonoscopy?. European Journal of Surgical Oncology, 2018, 44, 1539-1541.	0.5	9
50	The value of using the faecal immunochemical test in general practice on patients presenting with non-alarm symptoms of colorectal cancer. British Journal of Cancer, 2018, 119, 471-479.	2.9	59
51	Good concordance of HPV detection between cervico-vaginal self-samples and general practitioner-collected samples using the Cobas 4800 HPV DNA test. BMC Infectious Diseases, 2018, 18, 348.	1.3	33
52	Preventing cervical cancer using HPV self-sampling: direct mailing of test-kits increases screening participation more than timely opt-in procedures - a randomized controlled trial. BMC Cancer, 2018, 18, 273.	1.1	55
53	Non-participation in breast cancer screening among previous cancer patients. Journal of Cancer Research and Clinical Oncology, 2018, 144, 1959-1966.	1.2	3
54	Cervical screening in Denmark " a success followed by stagnation. Acta OncolÃ³gica, 2018, 57, 354-361.	0.8	38

#	ARTICLE	IF	CITATIONS
55	Pelvic inflammatory disease risk following negative results from chlamydia nucleic acid amplification tests (NAATs) versus non-NAATs in Denmark: A retrospective cohort. <i>PLoS Medicine</i> , 2018, 15, e1002483.	3.9	7
56	Developing a Self-Administered Decision Aid for Fecal Immunochemical Testâ€‘Based Colorectal Cancer Screening Tailored to Citizens With Lower Educational Attainment: Qualitative Study. <i>JMIR Formative Research</i> , 2018, 2, e9.	0.7	4
57	Danish method study on cervical screening in women offered HPV vaccination as girls (Trial23): a study protocol. <i>BMJ Open</i> , 2018, 8, e020294.	0.8	6
58	Serological biomarkers in triage of FIT-positive subjects?. <i>Scandinavian Journal of Gastroenterology</i> , 2017, 52, 742-744.	0.6	11
59	Quality indicators for screening colonoscopies and colonoscopist performance and the subsequent risk of interval bowel cancer: a systematic review protocol. <i>JB Database of Systematic Reviews and Implementation Reports</i> , 2017, 15, 1991-1997.	1.7	2
60	Effectiveness of self-administered decision aids for people invited to participate in colorectal cancer screening: a systematic review protocol. <i>JB Database of Systematic Reviews and Implementation Reports</i> , 2017, 15, 1552-1560.	1.7	1
61	Impact of GP reminders on follow-up of abnormal cervical cytology: a beforeâ€‘after study in Danish general practice. <i>British Journal of General Practice</i> , 2017, 67, e580-e587.	0.7	12
62	The influence of total hysterectomy in a cervical cancer screening population: a register-based cross-sectional study. <i>BMC Health Services Research</i> , 2017, 17, 423.	0.9	2
63	P3.25â€‘...Quantification of the risk of pelvic inflammatory disease following a <i>chlamydia trachomatis</i> test by diagnostic test type. , 2017, , .		0
64	Comparison of the population excess fraction of Chlamydia trachomatis infection on pelvic inflammatory disease at 12-months in the presence and absence of chlamydia testing and treatment: Systematic review and retrospective cohort analysis. <i>PLoS ONE</i> , 2017, 12, e0171551.	1.1	11
65	Satisfaction, discomfort, obligations, and concerns in population-based breast cancer screening: cross-sectional study in a Danish population. <i>BMC Health Services Research</i> , 2017, 17, 489.	0.9	7
66	Sociodemographic characteristics of nonparticipants in the Danish colorectal cancer screening program: a nationwide cross-sectional study. <i>Clinical Epidemiology</i> , 2017, Volume 9, 345-354.	1.5	38
67	Validity of data in the Danish Colorectal Cancer Screening Database. <i>Clinical Epidemiology</i> , 2017, Volume 9, 105-111.	1.5	46
68	An adverse event in a well-established cervical cancer screening program: an observational study of 19,000 females unsubscribed to the program. <i>Journal of Healthcare Leadership</i> , 2016, Volume 8, 61-69.	1.5	3
69	Study protocol of the CHOICE trial: a three-armed, randomized, controlled trial of home-based HPV self-sampling for non-participants in an organized cervical cancer screening program. <i>BMC Cancer</i> , 2016, 16, 835.	1.1	13
70	Screening for genital chlamydia infection. <i>The Cochrane Library</i> , 2016, 2016, CD010866.	1.5	47
71	Implementation of immunochemical faecal occult blood test in general practice: a study protocol using a cluster-randomised stepped-wedge design. <i>BMC Cancer</i> , 2016, 16, 445.	1.1	2
72	Changes in chlamydia control activities in Europe between 2007 and 2012: a cross-national survey. <i>European Journal of Public Health</i> , 2016, 26, 382-388.	0.1	22

#	ARTICLE	IF	CITATIONS
73	Psychiatric morbidity and non-participation in breast cancer screening. <i>Breast</i> , 2016, 25, 38-44.	0.9	33
74	Social support and non-participation in breast cancer screening: a Danish cohort study. <i>Journal of Public Health</i> , 2016, 38, 335-342.	1.0	26
75	Making decisions about colorectal cancer screening. A qualitative study among citizens with lower educational attainment. <i>European Journal of Public Health</i> , 2016, 26, 176-181.	0.1	17
76	Protocol Outlines for Parts 1 and 2 of the Prospective Endoscopy III Study for the Early Detection of Colorectal Cancer: Validation of a Concept Based on Blood Biomarkers. <i>JMIR Research Protocols</i> , 2016, 5, e182.	0.5	15
77	Old habits die hard: a case study on how new ways of teaching colonoscopy affect the habitus of experienced clinicians. <i>International Journal of Medical Education</i> , 2016, 7, 297-308.	0.6	7
78	Chlamydia trachomatis infection in young adults – association with concurrent partnerships and short gap length between partners. <i>Infectious Diseases</i> , 2015, 47, 838-845.	1.4	7
79	Non-participation in breast cancer screening for women with chronic diseases and multimorbidity: a population-based cohort study. <i>BMC Cancer</i> , 2015, 15, 798.	1.1	30
80	Genital Chlamydia Prevalence in Europe and Non-European High Income Countries: Systematic Review and Meta-Analysis. <i>PLoS ONE</i> , 2015, 10, e0115753.	1.1	57
81	Impact of opportunistic testing in a systematic cervical cancer screening program: a nationwide registry study. <i>BMC Public Health</i> , 2015, 15, 681.	1.2	23
82	Sexual behaviour among young Danes aged 15–29 years: a cross-sectional study of core indicators. <i>Sexually Transmitted Infections</i> , 2015, 91, 171-177.	0.8	23
83	Self-assessed health, perceived stress and non-participation in breast cancer screening: A Danish cohort study. <i>Preventive Medicine</i> , 2015, 81, 392-398.	1.6	13
84	Distance to screening site and non-participation in screening for breast cancer: a population-based study. <i>Journal of Public Health</i> , 2014, 36, 292-299.	1.0	28
85	P3.391 – Concurrent Partners. A Predictor of Chlamydia. <i>Sexually Transmitted Infections</i> , 2013, 89, A271.3-A271.	0.8	2
86	Existing data sources for clinical epidemiology: the Danish Quality Database of Mammography Screening. <i>Clinical Epidemiology</i> , 2013, 5, 81.	1.5	20
87	P3.015 – Estimating the Population Prevalence of Chlamydia in Europe: Systematic Review and Meta-Analysis. <i>Sexually Transmitted Infections</i> , 2013, 89, A152.2-A152.	0.8	0
88	Young Danes' experiences with unsafe sex. <i>Danish Medical Journal</i> , 2013, 60, A4566.	0.5	2
89	Chlamydia control activities in Europe: cross-sectional survey. <i>European Journal of Public Health</i> , 2012, 22, 556-561.	0.1	43
90	The association between general practitioners' attitudes towards breast cancer screening and women's screening participation. <i>BMC Cancer</i> , 2012, 12, 254.	1.1	24

#	ARTICLE	IF	CITATIONS
91	Identifying specific non-attending groups in breast cancer screening - population-based registry study of participation and socio-demography. BMC Cancer, 2012, 12, 518.	1.1	60
92	Screening for Chlamydia trachomatis. BMJ, The, 2012, 345, e4231-e4231.	3.0	2
93	P2-S1.10 Identifying key elements describing sexual behaviour in the Danish Population: a Qualitative Study. Sexually Transmitted Infections, 2011, 87, A223-A223.	0.8	0
94	Chlamydia infection, pelvic inflammatory disease, ectopic pregnancy and infertility: cross-national study. Sexually Transmitted Infections, 2011, 87, 601-608.	0.8	67
95	Impact of intensified testing for urogenital Chlamydia trachomatis infections: a randomised study with 9-year follow-up. Sexually Transmitted Infections, 2011, 87, 156-161.	0.8	31
96	Chlamydia trachomatis Infection and Risk of Ectopic Pregnancy. Sexually Transmitted Diseases, 2007, 34, 59.	0.8	5
97	Prediction of Costs, Effectiveness, and Disease Control of a Population-Based Program Using Home Sampling for Diagnosis of Urogenital Chlamydia trachomatis Infections. Sexually Transmitted Diseases, 2006, 33, 407-415.	0.8	35
98	Mycoplasma genitalium: prevalence and behavioural risk factors in the general population. Sexually Transmitted Infections, 2006, 83, 237-241.	0.8	114
99	Psychosocial impact of Chlamydia trachomatis testing in general practice. British Journal of General Practice, 2006, 56, 587-93.	0.7	16
100	Ectopic Pregnancies and Reproductive Capacity After Chlamydia trachomatis Positive and Negative Test Results: A Historical Follow-Up Study. Sexually Transmitted Diseases, 2005, 32, 377-381.	0.8	35
101	Opportunistic screening of young men for urogenital Chlamydia trachomatis infection in general practice. Scandinavian Journal of Infectious Diseases, 2005, 37, 35-39.	1.5	14
102	A comparison of sexual behaviour and attitudes of healthy adolescents in a Danish high school in 1982, 1996, and 2001. Population Health Metrics, 2004, 2, 5.	1.3	8
103	Managing partners of people diagnosed with Chlamydia trachomatis: a comparison of two partner testing methods. Sexually Transmitted Infections, 2003, 79, 358-361.	0.8	33
104	Value of Self-Reportable Screening Criteria to Identify Asymptomatic Individuals in the General Population for Urogenital Chlamydia trachomatis Infection Screening. Clinical Infectious Diseases, 2003, 36, 837-844.	2.9	10
105	Reasons for Chlamydia trachomatis testing and the associated age-specific prevalences. Scandinavian Journal of Clinical and Laboratory Investigation, 2003, 63, 339-345.	0.6	13
106	Population-Based Strategies for Outreach Screening of Urogenital Chlamydia trachomatis Infections: A Randomized, Controlled Trial. Journal of Infectious Diseases, 2002, 185, 252-258.	1.9	113
107	Diagnosis of Urogenital Chlamydia trachomatis Infections by Home-obtained, Mailed Samples: Do we Need a Telephone Hotline for Information and Advice?. Scandinavian Journal of Infectious Diseases, 2002, 34, 262-266.	1.5	5
108	Effectiveness of a mass media campaign to recruit young adults for testing of Chlamydia trachomatis by use of home obtained and mailed samples. Sexually Transmitted Infections, 2001, 77, 416-418.	0.8	29

#	ARTICLE	IF	CITATIONS
109	Home Sampling versus Conventional Swab Sampling for Screening of Chlamydia trachomatis in Women: A Cluster-Randomized 1-Year Follow-up Study. <i>Clinical Infectious Diseases</i> , 2000, 31, 951-957.	2.9	168
110	Impact of menstrual cycle on the diagnostic performance of LCR, TMA, and PCE for detection of Chlamydia trachomatis in home obtained and mailed vaginal flush and urine samples. <i>Sexually Transmitted Infections</i> , 1999, 75, 228-230.	0.8	23
111	Urogenital Chlamydia trachomatis infections in general practice: diagnosis, treatment, follow-up and contact tracing. <i>Family Practice</i> , 1998, 15, 223-228.	0.8	17
112	Efficacy of home sampling for screening of Chlamydia trachomatis: randomised study. <i>BMJ: British Medical Journal</i> , 1998, 317, 26-27.	2.4	91
113	Home sampling versus conventional contact tracing for detecting Chlamydia trachomatis infection in male partners of infected women: randomised study. <i>BMJ: British Medical Journal</i> , 1998, 316, 350-351.	2.4	54
114	Diagnosis of urogenital Chlamydia trachomatis infection in women based on mailed samples obtained at home: multipractice comparative study. <i>BMJ: British Medical Journal</i> , 1996, 313, 1186-1189.	2.4	97
115	Colorectal cancer mortality after randomized implementation of FIT-based screening - a nationwide cohort study. <i>Journal of Medical Screening</i> , 0, , 096914132211022.	1.1	4