

Klaus Holzmann

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9133313/klaus-holzmann-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

69
papers

1,929
citations

29
h-index

41
g-index

78
ext. papers

2,170
ext. citations

4.9
avg, IF

4.13
L-index

#	Paper	IF	Citations
69	The C-Circle Biomarker Is Secreted by Alternative-Lengthening-of-Telomeres Positive Cancer Cells inside Exosomes and Provides a Blood-Based Diagnostic for ALT Activity. <i>Cancers</i> , 2021 , 13,	6.6	2
68	Targeting fibroblast growth factor receptors to combat aggressive ependymoma. <i>Acta Neuropathologica</i> , 2021 , 142, 339-360	14.3	4
67	Prevalence and potentially prognostic value of C-circles associated with alternative lengthening of telomeres in canine appendicular osteosarcoma. <i>Veterinary and Comparative Oncology</i> , 2021 , 19, 222-237	7.5	1
66	Micronucleus assays with the human derived liver cell line (Huh6): A promising approach to reduce the use of laboratory animals in genetic toxicology. <i>Food and Chemical Toxicology</i> , 2021 , 154, 112355	4.7	0
65	Interaction of FGF9 with FGFR3-IIIb/IIIc, a putative driver of growth and aggressive behaviour of hepatocellular carcinoma. <i>Liver International</i> , 2020 , 40, 2279-2290	7.9	8
64	Hot Spot TERT Promoter Mutations Are Rare in Sporadic Pancreatic Neuroendocrine Neoplasms and Associated with Telomere Length and Epigenetic Expression Patterns. <i>Cancers</i> , 2020 , 12,	6.6	1
63	Long interspersed element-1 ribonucleoprotein particles protect telomeric ends in alternative lengthening of telomeres dependent cells. <i>Neoplasia</i> , 2020 , 22, 61-75	6.4	6
62	Low doses of widely consumed cannabinoids (cannabidiol and cannabidivarin) cause DNA damage and chromosomal aberrations in human-derived cells. <i>Archives of Toxicology</i> , 2019 , 93, 179-188	5.8	40
61	FGF8 induces therapy resistance in neoadjuvantly radiated rectal cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , 2019 , 145, 77-86	4.9	10
60	FGF2 and EGF induce epithelial-mesenchymal transition in malignant pleural mesothelioma cells via a MAPKinase/MMP1 signal. <i>Carcinogenesis</i> , 2018 , 39, 534-545	4.6	18
59	Impact of extended working periods on genomic and telomeric DNA and on inflammatory markers: Results of an intervention study with office workers and carpenters. <i>Mutation Research - Genetic Toxicology and Environmental Mutagenesis</i> , 2018 , 836, 78-81	3	2
58	High tRNA Transferase NSUN2 Gene Expression is Associated with Poor Prognosis in Head and Neck Squamous Carcinoma. <i>Cancer Investigation</i> , 2018 , 36, 246-253	2.1	38
57	Comprehensive immunohistochemical analysis of histone deacetylases in pancreatic neuroendocrine tumors: HDAC5 as a predictor of poor clinical outcome. <i>Human Pathology</i> , 2017 , 65, 41-52	3.7	36
56	Irinotecan Upregulates Fibroblast Growth Factor Receptor 3 Expression in Colorectal Cancer Cells, Which Mitigates Irinotecan-Induced Apoptosis. <i>Translational Oncology</i> , 2017 , 10, 332-339	4.9	9
55	Alternative lengthening of telomeres does exist in various canine sarcomas. <i>Molecular Carcinogenesis</i> , 2017 , 56, 923-935	5	6
54	MNS16A tandem repeat minisatellite of human telomerase gene: functional studies in colorectal, lung and prostate cancer. <i>Oncotarget</i> , 2017 , 8, 28021-28027	3.3	6
53	Epigenetic Regulation of Telomere Maintenance for Therapeutic Interventions in Gliomas. <i>Genes</i> , 2017 , 8,	4.2	19

52	FGF5 is expressed in melanoma and enhances malignancy and. <i>Oncotarget</i> , 2017 , 8, 87750-87762	3.3	17
51	LINE-1 induces hTERT and ensures telomere maintenance in tumour cell lines. <i>Oncogene</i> , 2016 , 35, 94-104	4.2	38
50	Epithelial splicing regulatory protein 1 and 2 paralogues correlate with splice signatures and favorable outcome in human colorectal cancer. <i>Oncotarget</i> , 2016 , 7, 73800-73816	3.3	22
49	Fibroblast growth factor receptor 4 induced resistance to radiation therapy in colorectal cancer. <i>Oncotarget</i> , 2016 , 7, 69976-69990	3.3	21
48	Telomere Transcripts Target Telomerase in Human Cancer Cells. <i>Genes</i> , 2016 , 7,	4.2	13
47	Autocrine fibroblast growth factor 18 signaling mediates Wnt-dependent stimulation of CD44-positive human colorectal adenoma cells. <i>Molecular Carcinogenesis</i> , 2015 , 54, 789-799	5	16
46	Fibroblast growth factor receptor 3 isoforms: Novel therapeutic targets for hepatocellular carcinoma?. <i>Hepatology</i> , 2015 , 62, 1767-78	11.2	29
45	Canine and human sarcomas exhibit predominant FGFR1 expression and impaired viability after inhibition of signaling. <i>Molecular Carcinogenesis</i> , 2015 , 54, 841-52	5	9
44	Fibroblast growth factor receptor 4: a putative key driver for the aggressive phenotype of hepatocellular carcinoma. <i>Carcinogenesis</i> , 2014 , 35, 2331-8	4.6	29
43	Fibroblast growth factor receptor inhibition is active against mesothelioma and synergizes with radio- and chemotherapy. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2014 , 190, 763-72	10.2	45
42	Is fibroblast growth factor receptor 4 a suitable target of cancer therapy?. <i>Current Pharmaceutical Design</i> , 2014 , 20, 2881-98	3.3	38
41	Major vault protein supports glioblastoma survival and migration by upregulating the EGFR/PI3K signalling axis. <i>Oncotarget</i> , 2013 , 4, 1904-18	3.3	37
40	Expression of telomeres in astrocytoma WHO grade 2 to 4: TERRA level correlates with telomere length, telomerase activity, and advanced clinical grade. <i>Translational Oncology</i> , 2012 , 5, 56-65	4.9	57
39	The major vault protein mediates resistance to epidermal growth factor receptor inhibition in human hepatoma cells. <i>Cancer Letters</i> , 2012 , 319, 164-172	9.9	22
38	The combined use of known antiviral reverse transcriptase inhibitors AZT and DDI induce anticancer effects at low concentrations. <i>Neoplasia</i> , 2012 , 14, 44-53	6.4	17
37	Alternative Splicing of Fibroblast Growth Factor Receptor IgIII Loops in Cancer. <i>Journal of Nucleic Acids</i> , 2012 , 2012, 950508	2.3	56
36	Differential effects of polymorphic alleles of FGF receptor 4 on colon cancer growth and metastasis. <i>Cancer Research</i> , 2012 , 72, 5767-77	10.1	37
35	Up-regulation of the fibroblast growth factor 8 subfamily in human hepatocellular carcinoma for cell survival and neoangiogenesis. <i>Hepatology</i> , 2011 , 53, 854-64	11.2	91

34	Fibroblast growth factor receptors as therapeutic targets in human melanoma: synergism with BRAF inhibition. <i>Journal of Investigative Dermatology</i> , 2011 , 131, 2087-95	4.3	54
33	MNS16A tandem repeats minisatellite of human telomerase gene: a risk factor for colorectal cancer. <i>Carcinogenesis</i> , 2011 , 32, 866-71	4.6	32
32	Fibroblast growth factor receptor 3-IIIc mediates colorectal cancer growth and migration. <i>British Journal of Cancer</i> , 2010 , 102, 1145-56	8.7	55
31	Daytime levels of melatonin in patients with age-related macular degeneration. <i>Acta Ophthalmologica</i> , 2009 , 87, 89-93	3.7	16
30	Microscopic analysis of adenoviral decontamination using GFP adenovirus with comparable sensitivity to flow cytometry. <i>Methods in Molecular Biology</i> , 2009 , 515, 125-35	1.4	2
29	FGF5 as an oncogenic factor in human glioblastoma multiforme: autocrine and paracrine activities. <i>Oncogene</i> , 2008 , 27, 4180-90	9.2	66
28	New cellular tools reveal complex epithelial-mesenchymal interactions in hepatocarcinogenesis. <i>British Journal of Cancer</i> , 2008 , 99, 151-9	8.7	33
27	Fibroblast growth factor receptor-mediated signals contribute to the malignant phenotype of non-small cell lung cancer cells: therapeutic implications and synergism with epidermal growth factor receptor inhibition. <i>Molecular Cancer Therapeutics</i> , 2008 , 7, 3408-19	6.1	88
26	A bicistronic baculovirus vector for transient and stable protein expression in mammalian cells. <i>Analytical Biochemistry</i> , 2008 , 380, 146-8	3.1	4
25	FGF18 in colorectal tumour cells: autocrine and paracrine effects. <i>Carcinogenesis</i> , 2008 , 29, 15-24	4.6	54
24	Assessing 12(S)-lipoxygenase inhibitory activity using colorectal cancer cells overexpressing the enzyme. <i>Food and Chemical Toxicology</i> , 2007 , 45, 508-14	4.7	20
23	Oncogenic c-H-ras deregulates survivin expression: an improvement for survival. <i>FEBS Letters</i> , 2007 , 581, 4921-6	3.8	8
22	The major vault protein is responsive to and interferes with interferon-gamma-mediated STAT1 signals. <i>Journal of Cell Science</i> , 2006 , 119, 459-69	5.3	66
21	Cellular functions of vaults and their involvement in multidrug resistance. <i>Current Drug Targets</i> , 2006 , 7, 923-34	3	81
20	Prostaglandin E(2) stimulates progression-related gene expression in early colorectal adenoma cells. <i>British Journal of Cancer</i> , 2006 , 94, 1718-25	8.7	21
19	Monitoring viral decontamination procedures with green fluorescent protein-expressing adenovirus. <i>Analytical Biochemistry</i> , 2006 , 355, 310-2	3.1	8
18	Whole genome amplification for CGH analysis: Linker-adaptor PCR as the method of choice for difficult and limited samples. <i>Cytometry</i> , 2004 , 61, 26-34		18
17	Genetic damage following introduction of DNA in <i>Phycomyces</i> . <i>Fungal Genetics and Biology</i> , 2004 , 41, 168-80	3.9	32

16	SP-transcription factors are involved in basal MVP promoter activity and its stimulation by HDAC inhibitors. <i>Biochemical and Biophysical Research Communications</i> , 2004 , 317, 235-43	3-4	23
15	Chromosomal imbalances in primary and metastatic melanomas: over-representation of essential telomerase genes. <i>Melanoma Research</i> , 2003 , 13, 483-92	3-3	56
14	Detection and quantification of transcripts for the catalytic subunit TERT and the RNA component of telomerase in rat tissue. <i>Analytical Biochemistry</i> , 2003 , 317, 120-3	3-1	4
13	A <i>Penicillium chrysogenum</i> gene (<i>aox</i>) identified by specific induction upon shifting pH encodes for a protein which shows high homology to fungal alcohol oxidases. <i>Current Genetics</i> , 2002 , 40, 339-44	2-9	17
12	A small upstream open reading frame causes inhibition of human major vault protein expression from a ubiquitous mRNA splice variant. <i>FEBS Letters</i> , 2001 , 494, 99-104	3-8	9
11	Elevated Plasma Levels of Crosslinked Fibrinogen Gamma-chain Dimer Indicate Cancer-related Fibrin Deposition and Fibrinolysis. <i>Thrombosis and Haemostasis</i> , 2001 , 85, 494-501	7	41
10	A human common nuclear matrix protein homologous to eukaryotic translation initiation factor 4A. <i>Biochemical and Biophysical Research Communications</i> , 2000 , 267, 339-44	3-4	25
9	hNMP 200: a novel human common nuclear matrix protein combining structural and regulatory functions. <i>Experimental Cell Research</i> , 2000 , 261, 166-79	4-2	29
8	Reassembling proteins and chaperones in human nuclear matrix protein fractions. <i>Journal of Cellular Biochemistry</i> , 1999 , 74, 145-151	4-7	43
7	Similarity between nuclear matrix proteins of various cells revealed by an improved isolation method. <i>Journal of Cellular Biochemistry</i> , 1998 , 71, 363-74	4-7	40
6	A novel spliced transcript of human CLAPS2 encoding a protein alternative to clathrin adaptor protein AP17. <i>Gene</i> , 1998 , 220, 39-44	3-8	1
5	Identification and characterization of the ubiquitously occurring nuclear matrix protein NMP 238. <i>Biochemical and Biophysical Research Communications</i> , 1998 , 252, 39-45	3-4	37
4	Cloning, subcellular localization and functional expression of human RNase HIII. <i>Biological Chemistry</i> , 1998 , 379, 1407-12	4-5	21
3	Identification of human common nuclear-matrix proteins as heterogeneous nuclear ribonucleoproteins H and H _U by sequencing and mass spectrometry. <i>FEBS Journal</i> , 1997 , 244, 479-86		31
2	Cloning and characterization of the gene for the thermostable xylanase XynA from <i>Thermomyces lanuginosus</i> . <i>Journal of Biotechnology</i> , 1996 , 49, 211-8	3-7	63
1	Molecular characterization and functional analysis in <i>Aspergillus nidulans</i> of the 5' region of the <i>Penicillium chrysogenum</i> isopenicillin N synthetase gene. <i>Journal of Biotechnology</i> , 1991 , 17, 67-80	3-7	30