Ahmed Ashour

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9135070/publications.pdf

Version: 2024-02-01

471509 552781 36 730 17 26 citations h-index g-index papers 36 36 36 1097 docs citations times ranked citing authors all docs

#	Article	IF	Citations
1	FOXM1 regulates expression of eukaryotic elongation factor 2 kinase and promotes proliferation, invasion and tumorgenesis of human triple negative breast cancer cells. Oncotarget, 2016, 7, 16619-16635.	1.8	84
2	Calendulaglycoside A showing potential activity against SARS-CoV-2 main protease: Molecular docking, molecular dynamics, and SAR studies. Journal of Traditional and Complementary Medicine, 2022, 12, 16-34.	2.7	64
3	Bioassay-guided isolation of a new cytotoxic ceramide from Cyperus rotundus L South African Journal of Botany, 2021, 139, 210-216.	2.5	56
4	Molecular docking reveals the potential of <i>Cleome amblyocarpa</i> isolated compounds to inhibit COVID-19 virus main protease. New Journal of Chemistry, 2020, 44, 16752-16758.	2.8	48
5	Multiple Biological Effects of Olive Oil Byâ€products such as Leaves, Stems, Flowers, Olive Milled Waste, Fruit Pulp, and Seeds of the Olive Plant on Skin. Phytotherapy Research, 2015, 29, 877-886.	5.8	34
6	Acetylcholine esterase inhibitors and melanin synthesis inhibitors from Salvia officinalis. Phytomedicine, 2016, 23, 1005-1011.	5.3	32
7	Corncobs as a Potential Source of Functional Chemicals. Molecules, 2013, 18, 13823-13830.	3.8	29
8	<i>In silico</i> study of natural compounds from sesame against COVID-19 by targeting M ^{pro} , PL ^{pro} and RdRp. RSC Advances, 2021, 11, 22398-22408.	3.6	29
9	Lucidumol C, a new cytotoxic lanostanoid triterpene from Ganoderma lingzhi against human cancer cells. Journal of Natural Medicines, 2016, 70, 661-666.	2.3	28
10	FOXM1 transcriptionally regulates expression of integrin \hat{l}^21 in triple-negative breast cancer. Breast Cancer Research and Treatment, 2017, 163, 485-493.	2.5	25
11	Lucidumol D, a new lanostane-type triterpene from fruiting bodies of Reishi (<i>Ganoderma) Tj ETQq1 1 0.7843</i>	14 rgBT /O	verlock 10 Tf
12	Rational design and synthesis of topoisomerase I and II inhibitors based on oleanolic acid moiety for new anti-cancer drugs. Bioorganic and Medicinal Chemistry, 2014, 22, 211-220.	3.0	24
13	A structure–activity relationship study on antiosteoclastogenesis effect of triterpenoids from the leaves of loquat (Eriobotrya japonica). Phytomedicine, 2015, 22, 498-503.	5.3	23
14	Melanogenesis inhibitors from <i>Coix lacryma</i> - <i>jobi</i> seeds in B16-F10 melanoma cells. Natural Product Research, 2017, 31, 2712-2718.	1.8	21
15	New cytotoxic lanostanoid triterpenes from Ganoderma lingzhi. Phytochemistry Letters, 2016, 17, 64-70.	1.2	18
16	Isolation of cytotoxic active compounds from Reichardia tingitana with investigation of apoptosis mechanistic induction: In silico, in vitro, and SAR studies. South African Journal of Botany, 2022, 144, 115-123.	2.5	18
17	Unravelling the antifungal and antiprotozoal activities and LC-MS/MS quantification of steroidal saponins isolated from <i>Panicum turgidum </i> . RSC Advances, 2022, 12, 2980-2991.	3.6	18
18	Anti-allergic activity of polyphenolic compounds isolated from olive mill wastes. Journal of Functional Foods, 2019, 58, 207-217.	3.4	17

#	Article	IF	CITATIONS
19	Characterization of Angiotensin-Converting Enzyme Inhibitory Activity of X-Hyp-Gly-Type Tripeptides: Importance of Collagen-Specific Prolyl Hydroxylation. Journal of Agricultural and Food Chemistry, 2018, 66, 8737-8743.	5.2	16
20	New isoindolinones from the fruiting bodies of the fungus Hericium erinaceus. Phytochemistry Letters, 2019, 32, 10-14.	1.2	14
21	Biological Activities of Extracts from Different Parts of <i>Cryptomeria japonica </i> . Natural Product Communications, 2016, 11, 1934578X1601100.	0.5	13
22	A new cycloartane triterpene and other phytoconstituents from the aerial parts of <i>Euphorbia dendroides</i> . Natural Product Research, 2022, 36, 828-836.	1.8	11
23	Partial contribution of Rho-kinase inhibition to the bioactivity of Ganoderma lingzhi and its isolated compounds: insights on discovery of natural Rho-kinase inhibitors. Journal of Natural Medicines, 2017, 71, 380-388.	2.3	10
24	Targeting eukaryotic elongation factor-2 kinase suppresses the growth and peritoneal metastasis of ovarian cancer. Cellular Signalling, 2021, 81, 109938.	3.6	10
25	<i>Lycium schweinfurthii</i> : new secondary metabolites and their cytotoxic activities. Natural Product Research, 2022, 36, 5134-5141.	1.8	10
26	A new glucoside with a potent α-glucosidase inhibitory activity from <i>Lycium schweinfurthii</i> . Natural Product Research, 2021, 35, 976-983.	1.8	9
27	Biological Activities of Oleanolic Acid Derivatives from <i>Calendula officinalis</i> Seeds. Phytotherapy Research, 2016, 30, 835-841.	5.8	8
28	Two new polyhydroxylated steroids from Egyptian soft coral <i>Heteroxenia fuscescens</i> (Fam.;) Tj ETQq0 0 0	rgBT /Ove	rlock 10 Tf 5
29	Melanin Synthesis Inhibitors from Olea europeae. Records of Natural Products, 2019, 14, 139-143.	1.3	8
30	Rho-kinase inhibitors from adlay seeds. Natural Product Research, 2018, 32, 1955-1959.	1.8	5
31	<i>Diadema setosum</i> : isolation of bioactive secondary metabolites with cytotoxic activity toward human cervical cancer. Natural Product Research, 2022, 36, 1118-1122.	1.8	4
32	Melanin Biosynthesis Inhibitory Activity of Compounds Isolated from Unused Parts of & Cosmetics Dermatological Sciences and Applications, 2013, 03, 40-43.	0.2	4
33	A new aliphatic ester of hydroxysalicylic acid from fermented Carica papaya L. preparation with a potential hair growth stimulating activity. Natural Product Research, 2020, 34, 1750-1755.	1.8	3
34	ANTIOXIDANT AND ANTI-LIPASE COMPOUNDS ISOLATED FROM HEARTWOOD OF YAKUSHIMA NATIVE CEDAR (Cryptomeria japonica). Journal of Wood Chemistry and Technology, 2019, 39, 305-312.	1.7	2
35	Biotransformation of Khellin to Khellol by Aspergillus Niger and the Evaluation of their Biological Activities. The Open Bioactive Compounds Journal, 2013, 4, 1-3.	0.8	2
36	α-Glucosidase Inhibitory Activity of Resin From Sakhalin fir Tree (Abies sachalinensis) and its Bioactive Compounds. Natural Product Communications, 2019, 14, 1934578X1985846.	0.5	0