

# SÃ©bastien Vergez

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9135237/publications.pdf>

Version: 2024-02-01

77  
papers

2,531  
citations

257101

24  
h-index

214527

47  
g-index

81  
all docs

81  
docs citations

81  
times ranked

4228  
citing authors

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Features of Mild-to-Moderate COVID-19 Patients With Dysphonia. <i>Journal of Voice</i> , 2022, 36, 249-255.  | 0.6 | 83        |
| 2  | Functional and oncological outcomes of salvage transoral robotic surgery: a comparative study. <i>European Archives of Oto-Rhino-Laryngology</i> , 2022, 279, 457-466.   | 0.8 | 4         |
| 3  | Is Transoral Robotic Surgery the Best Surgical Treatment for Lingual Thyroid?: A Case-Report and Literature Review. <i>Annals of Otology, Rhinology and Laryngology</i> , 2022, 131, 000348942110072.                  | 0.6 | 3         |
| 4  | The external pudendal artery free flap in women: Anatomical study of a novel flap for buccopharyngeal reconstruction. <i>Annals of Anatomy</i> , 2022, 239, 151828.  | 1.0 | 1         |
| 5  | Airway management during transoral robotic surgery for head and neck cancers: a French GETTEC group survey. <i>European Archives of Oto-Rhino-Laryngology</i> , 2022, 279, 3619-3627.                                  | 0.8 | 5         |
| 6  | Risk Factors for Pharyngocutaneous Fistula After Total Pharyngolaryngectomy. <i>Ear, Nose and Throat Journal</i> , 2021, 100, 746S-752S.   | 0.4 | 7         |
| 7  | Tracheostomy During the COVID-19 Pandemic: Comparison of International Perioperative Care Protocols and Practices in 26 Countries. <i>Otolaryngology - Head and Neck Surgery</i> , 2021, 164, 1136-1147.               | 1.1 | 57        |
| 8  | Synchronous primary neoplasia in patients with oropharyngeal cancer: Impact of tumor HPV status. A GETTEC multicentric study. <i>Oral Oncology</i> , 2021, 112, 105041.  | 0.8 | 11        |
| 9  | Upfront surgery or definitive radiotherapy for patients with p16-negative oropharyngeal squamous cell carcinoma. A GETTEC multicentric study. <i>European Journal of Surgical Oncology</i> , 2021, 47, 367-374.        | 0.5 | 9         |
| 10 | Mucoepidermoid carcinoma of salivary glands: A French Network of Rare Head and Neck Tumors (REFCOR) prospective study of 292 cases. <i>European Journal of Surgical Oncology</i> , 2021, 47, 1376-1383.                | 0.5 | 17        |
| 11 | Oropharyngeal cancer: First relapse description and prognostic factor of salvage treatment according to p16 status, a GETTEC multicentric study. <i>European Journal of Cancer</i> , 2021, 143, 168-177.               | 1.3 | 13        |
| 12 | Do practitioners assess sinonasal adenocarcinoma extension similarly? Interdisciplinary concordance in 21 cases. <i>Clinical Otolaryngology</i> , 2021, 46, 665-669.   | 0.6 | 4         |
| 13 | Contribution of narrow band imaging in delineation of laryngopharyngeal superficial cancer spread: a prospective study. <i>European Archives of Oto-Rhino-Laryngology</i> , 2021, 278, 1491-1497.                      | 0.8 | 3         |
| 14 | Distinct Outcomes of Oropharyngeal Squamous Cell Carcinoma Patients after Distant Failure According to p16 Status: Implication in Therapeutic Options. <i>Current Oncology</i> , 2021, 28, 1673-1680.                  | 0.9 | 6         |
| 15 | Upfront surgery or definitive radiotherapy for p16+ oropharyngeal cancer. A GETTEC multicentric study. <i>European Journal of Surgical Oncology</i> , 2021, 47, 1389-1397.   | 0.5 | 9         |
| 16 | History of tonsillectomy and risk of oropharyngeal cancer. <i>Oral Oncology</i> , 2021, 117, 105302.   | 0.8 | 3         |
| 17 | PD-1 blockade restores helper activity of tumor-infiltrating, exhausted PD-1hiCD39+ CD4 T cells. <i>JCI Insight</i> , 2021, 6, .   | 2.3 | 64        |
| 18 | Multicentre evaluation of the interest in planned surgery for mandibular reconstruction with fibula free flap: a retrospective cohort study. <i>European Archives of Oto-Rhino-Laryngology</i> , 2021, 278, 3451-3457. | 0.8 | 2         |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Closure of radial forearm free flap donor site: A comparative study between keystone flap and skin graft. <i>Head and Neck</i> , 2020, 42, 217-223.  | 0.9 | 17        |
| 20 | Equivalence Randomized Trial to Compare Treatment on the Basis of Sentinel Node Biopsy Versus Neck Node Dissection in Operable T1-T2N0 Oral and Oropharyngeal Cancer. <i>Journal of Clinical Oncology</i> , 2020, 38, 4010-4018.               | 0.8 | 101       |
| 21 | Management of cN0 low-grade mucoepidermoid carcinomas of salivary glands: Prospective multicentre study of 152 cases of the French Network of Rare Head and Neck Tumors (REFCOR). <i>Clinical Otolaryngology</i> , 2020, 45, 926-931.          | 0.6 | 6         |
| 22 | Oral and oropharyngeal cancer surgery with free-flap reconstruction in the elderly: Factors associated with long-term quality of life, patient needs and concerns. A GETTEC cross-sectional study. <i>Surgical Oncology</i> , 2020, 35, 81-88. | 0.8 | 18        |
| 23 | Guidelines of the French Society of Otorhinolaryngology and Head and Neck Surgery (SFORL), part I: Primary treatment of pleomorphic adenoma. <i>European Annals of Otorhinolaryngology, Head and Neck Diseases</i> , 2020, 138, 269-274.       | 0.4 | 13        |
| 24 | Locoregional control, progression-free survival and morbidity rates in N3 head and neck cancer patients with low primary tumour burden: A 301-patient study. <i>Clinical Otolaryngology</i> , 2020, 45, 877-884.                               | 0.6 | 6         |
| 25 | Tracheostomy in the COVID-19 era: global and multidisciplinary guidance. <i>Lancet Respiratory Medicine</i> , 2020, 8, 717-725.  | 5.2 | 312       |
| 26 | Management of the irradiated N0-neck during salvage pharyngo-laryngeal surgery. <i>European Journal of Surgical Oncology</i> , 2020, 46, 1059-1065.  | 0.5 | 1         |
| 27 | Clinical and epidemiological characteristics of 1420 European patients with mild-to-moderate coronavirus disease 2019. <i>Journal of Internal Medicine</i> , 2020, 288, 335-344.   | 2.7 | 627       |
| 28 | Consensus on resectability in N3 head and neck squamous cell carcinomas: GETTEC recommendations. <i>Oral Oncology</i> , 2020, 106, 104733.   | 0.8 | 4         |
| 29 | Dual Relief of T-lymphocyte Proliferation and Effector Function Underlies Response to PD-1 Blockade in Epithelial Malignancies. <i>Cancer Immunology Research</i> , 2020, 8, 869-882.  | 1.6 | 16        |
| 30 | Should a neck dissection be performed on patients with cN0 adenoid cystic carcinoma? A REFCOR propensity score matching study. <i>European Journal of Cancer</i> , 2020, 130, 250-258.   | 1.3 | 19        |
| 31 | Circumferential pharyngectomy in laryngectomised patient and pharyngeal reconstruction by tubed free flap. <i>European Archives of Oto-Rhino-Laryngology</i> , 2020, 277, 2641-2645.   | 0.8 | 0         |
| 32 | Protocoles thérapeutiques des cancers parotidiens, submandibulaires. , 2020, , 59-70.  |     | 0         |
| 33 | Surgery or Radiotherapy of the Primary Tumor in T1-2 Head and Neck Squamous Cell Carcinoma with Resectable N3 Nodes: A Multicenter GETTEC Study. <i>Annals of Surgical Oncology</i> , 2019, 26, 3673-3680.                                     | 0.7 | 2         |
| 34 | Head and neck cancer during pregnancy. <i>Head and Neck</i> , 2019, 41, 3719-3732.   | 0.9 | 7         |
| 35 | Acute febrile torticollis. <i>European Annals of Otorhinolaryngology, Head and Neck Diseases</i> , 2019, 136, 515-516.   | 0.4 | 1         |
| 36 | The super thin external pudendal artery (STEPSA) free flap for oropharyngeal reconstruction – A case report. <i>Microsurgery</i> , 2019, 39, 758-762.  | 0.6 | 4         |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Definitive radiochemotherapy or initial surgery for oropharyngeal cancer. <i>Strahlentherapie Und Onkologie</i> , 2019, 195, 496-503.  | 1.0 | 12        |
| 38 | Salivary duct carcinoma: Prospective multicenter study of 61 cases of the Réseau d'Expertise Française des Cancers ORL Rares. <i>Head and Neck</i> , 2019, 41, 584-591.  | 0.9 | 19        |
| 39 | Cutaneous Squamous Cell Carcinoma Tumour Size is Associated with Sentinel Lymph Node Metastasis in a Cohort of 69 Patients. <i>Acta Dermato-Venereologica</i> , 2019, 99, 1241-1245.   | 0.6 | 7         |
| 40 | Torticollis aiguë subaiguë. <i>Annales Francaises D'Oto-Rhino-Laryngologie Et De Pathologie Cervico-Faciale</i> , 2019, 136, 499-500.  | 0.0 | 0         |
| 41 | Multicenter assessment of exclusive endoscopic endonasal approach for the treatment of 53 olfactory neuroblastomas. <i>Head and Neck</i> , 2018, 40, 1000-1007.  | 0.9 | 19        |
| 42 | <i>RREB1</i> fusion in biphenotypic oropharyngeal sarcoma: New entity or part of the spectrum of biphenotypic sinonasal sarcomas?. <i>Genes Chromosomes and Cancer</i> , 2018, 57, 203-210.  | 1.5 | 26        |
| 43 | Transoral robotic resection of benign tumors of the upper aerodigestive tract: Experience of the French group of GETTEC. <i>Head and Neck</i> , 2018, 40, 2043-2049.   | 0.9 | 8         |
| 44 | Tracheotomy in the intensive care unit: guidelines from a French expert panel. <i>Annals of Intensive Care</i> , 2018, 8, 37.  | 2.2 | 63        |
| 45 | Tracheotomy in the intensive care unit: Guidelines from a French expert panel: The French Intensive Care Society and the French Society of Anaesthesia and Intensive Care Medicine. <i>Anaesthesia, Critical Care &amp; Pain Medicine</i> , 2018, 37, 281-294. | 0.6 | 37        |
| 46 | Oncological and functional outcomes of trans-oral robotic surgery for pyriform sinus carcinoma: A French GETTEC group study. <i>Oral Oncology</i> , 2018, 86, 165-170.   | 0.8 | 32        |
| 47 | Nasal fibroscopy as a routine screening procedure of sinonasal adenocarcinoma of woodworkers: French longitudinal case study. <i>Head and Neck</i> , 2018, 40, 2193-2198.  | 0.9 | 2         |
| 48 | Clinical characteristics and prognostic factors of sinonasal undifferentiated carcinoma: a multicenter study. <i>International Forum of Allergy and Rhinology</i> , 2018, 8, 1065-1072.  | 1.5 | 30        |
| 49 | Oncologic outcomes with transoral robotic surgery for supraglottic squamous cell carcinoma: Results of the French Robotic Surgery Group of GETTEC. <i>Head and Neck</i> , 2018, 40, 2050-2059.   | 0.9 | 28        |
| 50 | Impact of HPV-associated p16-expression and other clinical factors on therapeutic decision-making in patients with oropharyngeal cancer: A GETTEC multicentric study. <i>European Journal of Surgical Oncology</i> , 2018, 44, 1908-1913.                      | 0.5 | 14        |
| 51 | Comparison of Single and Double Venous Anastomoses in Head and Neck Oncologic Reconstruction Using Free Flaps: A Meta-Analysis. <i>Plastic and Reconstructive Surgery</i> , 2016, 137, 1583-1594.  | 0.7 | 43        |
| 52 | Management of laryngoceles by transoral robotic surgery. <i>European Archives of Oto-Rhino-Laryngology</i> , 2016, 273, 3813-3817.   | 0.8 | 12        |
| 53 | Clinical outcomes with transoral robotic surgery for supraglottic squamous cell carcinoma: Experience of a French evaluation cooperative subgroup of GETTEC. <i>Head and Neck</i> , 2016, 38, E1097-101.   | 0.9 | 47        |
| 54 | Adipose stromal cells improve healing of vocal fold scar: Morphological and functional evidences. <i>Laryngoscope</i> , 2016, 126, E278-85.  | 1.1 | 17        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Management of surgical margins after endoscopic laser surgery for early glottic cancers: a multicentric evaluation in French-speaking European countries. <i>European Archives of Oto-Rhino-Laryngology</i> , 2015, 272, 1465-1469.  | 0.8 | 11        |
| 56 | Our experience with respiratory epithelial adenomatoid hamartomas of the olfactory cleft. <i>European Archives of Oto-Rhino-Laryngology</i> , 2015, 272, 2867-2870.  | 0.8 | 11        |
| 57 | Intensity-modulated radiotherapy for laryngeal and hypopharyngeal cancer. <i>Strahlentherapie Und Onkologie</i> , 2015, 191, 225-233.  | 1.0 | 17        |
| 58 | Multicentric evaluation of strategies for treatment of T1a glottic carcinomas. <i>European Archives of Oto-Rhino-Laryngology</i> , 2015, 272, 143-148.   | 0.8 | 8         |
| 59 | A comparative immunohistochemistry study of diagnostic tools in salivary gland tumors: usefulness of mammaglobin, gross cystic disease fluid protein 15, and p63 cytoplasmic staining for the diagnosis of mammary analog secretory carcinoma?. <i>Journal of Oral Pathology and Medicine</i> , 2015, 44, 244-251. | 1.4 | 30        |
| 60 | Is neuroendocrine differentiation useful to discriminate primary sinonasal intestinal-type adenocarcinomas from metastatic colorectal adenocarcinomas?. <i>Journal of Clinical Pathology</i> , 2015, 68, 79-82.  | 1.0 | 4         |
| 61 | Long-term oncological outcome after endoscopic surgery for olfactory esthesioneuroblastoma. <i>Acta Oto-Laryngologica</i> , 2014, 134, 1259-1264.  | 0.3 | 16        |
| 62 | Multicenter Study to Assess Endoscopic Resection of 159 Sinonasal Adenocarcinomas. <i>Annals of Surgical Oncology</i> , 2014, 21, 1384-1390.   | 0.7 | 60        |
| 63 | Gene expression profiling on pre- and post-erlotinib tumors from patients with head and neck squamous cell carcinoma. <i>Head and Neck</i> , 2013, 35, 809-818.  | 0.9 | 5         |
| 64 | The Role of Radiation Therapy in Pediatric Mucoepidermoid Carcinomas of the Salivary Glands. <i>Journal of Pediatrics</i> , 2013, 162, 839-843.  | 0.9 | 37        |
| 65 | Initial staging of squamous cell carcinoma of the oral cavity, larynx and pharynx (excluding) Tj ETQq1 1 0.784314 rgBT /Overlock 10 T 5<br><i>Otorhinolaryngology, Head and Neck Diseases</i> , 2013, 130, 39-45.  | 0.4 | 42        |
| 66 | Fatal Neck Necrotizing Cellulitis in a Patient with Riedel's Thyroiditis. <i>Thyroid</i> , 2013, 23, 904-905.  | 2.4 | 3         |
| 67 | Initial Multi-institutional Experience with Transoral Robotic Surgery. <i>Otolaryngology - Head and Neck Surgery</i> , 2012, 147, 475-481.   | 1.1 | 64        |
| 68 | Endoscopic vs Transfacial Resection of Sinonasal Adenocarcinomas. <i>Otolaryngology - Head and Neck Surgery</i> , 2012, 146, 848-853.  | 1.1 | 25        |
| 69 | Qualit  de vie de patients trait s de cancers pharyngolaryng s avanc s. <i>Annales Francaises D'Oto-Rhino-Laryngologie Et De Pathologie Cervico-Faciale</i> , 2011, 128, 259-265.  | 0.0 | 0         |
| 70 | Quality of life in patients treated for advanced hypopharyngeal or laryngeal cancer. <i>European Annals of Otorhinolaryngology, Head and Neck Diseases</i> , 2011, 128, 218-223.   | 0.4 | 38        |
| 71 | Brachytherapy in Lip Carcinoma: Long-Term Results. <i>International Journal of Radiation Oncology Biology Physics</i> , 2011, 81, e839-e843.   | 0.4 | 37        |
| 72 | Transoral minimally invasive robotic surgery for carcinoma of the pharynx and the larynx. <i>Anti-Cancer Drugs</i> , 2011, 22, 591-595.  | 0.7 | 12        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | Respiratory complications after supracricoid partial laryngectomy. <i>European Archives of Oto-Rhino-Laryngology</i> , 2010, 267, 1415-1421.  | 0.8 | 15        |
| 74 | Langerhans Cell Histiocytosis of the Thyroid is a Rare Entity, but an Association with a Papillary Thyroid Carcinoma is Often Described. <i>Endocrine Pathology</i> , 2010, 21, 274-276.  | 5.2 | 30        |
| 75 | Postoperative Radiotherapy in Head and Neck Mucosal Melanoma. <i>JAMA Otolaryngology</i> , 2010, 136, 1219.   | 1.5 | 111       |
| 76 | Preclinical and Clinical Evidence that Deoxy-2-[18F]fluoro-D-glucose Positron Emission Tomography with Computed Tomography Is a Reliable Tool for the Detection of Early Molecular Responses to Erlotinib in Head and Neck Cancer. <i>Clinical Cancer Research</i> , 2010, 16, 4434-4445. | 3.2 | 27        |
| 77 | Lymph node management in clinically node-negative patients with papillary thyroid carcinoma. <i>European Journal of Surgical Oncology</i> , 2010, 36, 777-782.  | 0.5 | 47        |