

Sbastien Vergez

List of Publications by Citations

Source: <https://exaly.com/author-pdf/9135237/sebastien-vergez-publications-by-citations.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

79
papers

1,593
citations

20
h-index

38
g-index

81
ext. papers

2,151
ext. citations

4
avg, IF

4.13
L-index

#	Paper	IF	Citations
79	Clinical and epidemiological characteristics of 1420 European patients with mild-to-moderate coronavirus disease 2019. <i>Journal of Internal Medicine</i> , 2020 , 288, 335-344	10.8	411
78	Tracheostomy in the COVID-19 era: global and multidisciplinary guidance. <i>Lancet Respiratory Medicine</i> , 2020 , 8, 717-725	35.1	212
77	Postoperative radiotherapy in head and neck mucosal melanoma: a GETTEC study. <i>JAMA Otolaryngology</i> , 2010 , 136, 1219-25		86
76	Initial multi-institutional experience with transoral robotic surgery. <i>Otolaryngology - Head and Neck Surgery</i> , 2012 , 147, 475-81	5.5	58
75	Features of Mild-to-Moderate COVID-19 Patients With Dysphonia. <i>Journal of Voice</i> , 2020 ,	1.9	45
74	Multicenter study to assess endoscopic resection of 159 sinonasal adenocarcinomas. <i>Annals of Surgical Oncology</i> , 2014 , 21, 1384-90	3.1	42
73	Clinical outcomes with transoral robotic surgery for supraglottic squamous cell carcinoma: Experience of a French evaluation cooperative subgroup of GETTEC. <i>Head and Neck</i> , 2016 , 38 Suppl 1, E1097-101	4.2	41
72	Equivalence Randomized Trial to Compare Treatment on the Basis of Sentinel Node Biopsy Versus Neck Node Dissection in Operable T1-T2N0 Oral and Oropharyngeal Cancer. <i>Journal of Clinical Oncology</i> , 2020 , 38, 4010-4018	2.2	40
71	Lymph node management in clinically node-negative patients with papillary thyroid carcinoma. <i>European Journal of Surgical Oncology</i> , 2010 , 36, 777-82	3.6	39
70	Tracheotomy in the intensive care unit: guidelines from a French expert panel. <i>Annals of Intensive Care</i> , 2018 , 8, 37	8.9	36
69	Comparison of Single and Double Venous Anastomoses in Head and Neck Oncologic Reconstruction Using Free Flaps: A Meta-Analysis. <i>Plastic and Reconstructive Surgery</i> , 2016 , 137, 1583-1594	2.7	30
68	Quality of life in patients treated for advanced hypopharyngeal or laryngeal cancer. <i>European Annals of Otorhinolaryngology, Head and Neck Diseases</i> , 2011 , 128, 218-23	2.2	29
67	The role of radiation therapy in pediatric mucoepidermoid carcinomas of the salivary glands. <i>Journal of Pediatrics</i> , 2013 , 162, 839-43	3.6	28
66	Initial staging of squamous cell carcinoma of the oral cavity, larynx and pharynx (excluding nasopharynx). Part I: Locoregional extension assessment: 2012 SFORL guidelines. <i>European Annals of Otorhinolaryngology, Head and Neck Diseases</i> , 2013 , 130, 39-45	2.2	28
65	Brachytherapy in lip carcinoma: long-term results. <i>International Journal of Radiation Oncology Biology Physics</i> , 2011 , 81, e839-43	4	28
64	Tracheostomy During the COVID-19 Pandemic: Comparison of International Perioperative Care Protocols and Practices in 26 Countries. <i>Otolaryngology - Head and Neck Surgery</i> , 2021 , 164, 1136-1147	5.5	28
63	A comparative immunohistochemistry study of diagnostic tools in salivary gland tumors: usefulness of mammaglobin, gross cystic disease fluid protein 15, and p63 cytoplasmic staining for the diagnosis of mammary analog secretory carcinoma?. <i>Journal of Oral Pathology and Medicine</i> , 2015 , 44, 244-51	3.3	24

62	Oncological and functional outcomes of trans-oral robotic surgery for pyriform sinus carcinoma: A French GETTEC group study. <i>Oral Oncology</i> , 2018 , 86, 165-170	4.4	23
61	Preclinical and clinical evidence that Deoxy-2-[18F]fluoro-D-glucose positron emission tomography with computed tomography is a reliable tool for the detection of early molecular responses to erlotinib in head and neck cancer. <i>Clinical Cancer Research</i> , 2010 , 16, 4434-45	12.9	22
60	Langerhans cell histiocytosis of the thyroid is a rare entity, but an association with a papillary thyroid carcinoma is often described. <i>Endocrine Pathology</i> , 2010 , 21, 274-6	4.2	20
59	Tracheotomy in the intensive care unit: Guidelines from a French expert panel: The French Intensive Care Society and the French Society of Anaesthesia and Intensive Care Medicine. <i>Anaesthesia, Critical Care & Pain Medicine</i> , 2018 , 37, 281-294	3	19
58	Adipose stromal cells improve healing of vocal fold scar: Morphological and functional evidences. <i>Laryngoscope</i> , 2016 , 126, E278-85	3.6	16
57	Long-term oncological outcome after endoscopic surgery for olfactory esthesioneuroblastoma. <i>Acta Oto-Laryngologica</i> , 2014 , 134, 1259-64	1.6	16
56	Endoscopic vs transfacial resection of sinonasal adenocarcinomas. <i>Otolaryngology - Head and Neck Surgery</i> , 2012 , 146, 848-53	5.5	16
55	Oncologic outcomes with transoral robotic surgery for supraglottic squamous cell carcinoma: Results of the French Robotic Surgery Group of GETTEC. <i>Head and Neck</i> , 2018 , 40, 2050-2059	4.2	15
54	Clinical characteristics and prognostic factors of sinonasal undifferentiated carcinoma: a multicenter study. <i>International Forum of Allergy and Rhinology</i> , 2018 , 8, 1065-1072	6.3	15
53	Intensity-modulated radiotherapy for laryngeal and hypopharyngeal cancer: minimization of late dysphagia without jeopardizing tumor control. <i>Strahlentherapie Und Onkologie</i> , 2015 , 191, 225-33	4.3	14
52	Multicenter assessment of exclusive endoscopic endonasal approach for the treatment of 53 olfactory neuroblastomas. <i>Head and Neck</i> , 2018 , 40, 1000-1007	4.2	14
51	PD-1 blockade restores helper activity of tumor-infiltrating, exhausted PD-1hiCD39+ CD4 T cells. <i>JCI Insight</i> , 2021 , 6,	9.9	12
50	RREB1-MKL2 fusion in biphenotypic "oropharyngeal" sarcoma: New entity or part of the spectrum of biphenotypic sinonasal sarcomas?. <i>Genes Chromosomes and Cancer</i> , 2018 , 57, 203-210	5	11
49	Impact of HPV-associated p16-expression and other clinical factors on therapeutic decision-making in patients with oropharyngeal cancer: A GETTEC multicentric study. <i>European Journal of Surgical Oncology</i> , 2018 , 44, 1908-1913	3.6	11
48	Respiratory complications after supracricoid partial laryngectomy. <i>European Archives of Oto-Rhino-Laryngology</i> , 2010 , 267, 1415-21	3.5	11
47	Dual Relief of T-lymphocyte Proliferation and Effector Function Underlies Response to PD-1 Blockade in Epithelial Malignancies. <i>Cancer Immunology Research</i> , 2020 , 8, 869-882	12.5	11
46	Transoral minimally invasive robotic surgery for carcinoma of the pharynx and the larynx: a new approach. <i>Anti-Cancer Drugs</i> , 2011 , 22, 591-5	2.4	10
45	Salivary duct carcinoma: Prospective multicenter study of 61 cases of the Réseau d'Expertise Français des Cancers ORL Rares. <i>Head and Neck</i> , 2019 , 41, 584-591	4.2	10

44	Management of surgical margins after endoscopic laser surgery for early glottic cancers: a multicentric evaluation in French-speaking European countries. <i>European Archives of Oto-Rhino-Laryngology</i> , 2015 , 272, 1465-9	3.5	9
43	Our experience with respiratory epithelial adenomatoid hamartomas of the olfactory cleft. <i>European Archives of Oto-Rhino-Laryngology</i> , 2015 , 272, 2867-70	3.5	9
42	Management of laryngoceles by transoral robotic surgery. <i>European Archives of Oto-Rhino-Laryngology</i> , 2016 , 273, 3813-3817	3.5	9
41	Transoral robotic resection of benign tumors of the upper aerodigestive tract: Experience of the French group of GETTEC. <i>Head and Neck</i> , 2018 , 40, 2043-2049	4.2	8
40	Should a neck dissection be performed on patients with cN0 adenoid cystic carcinoma? A REFCOR propensity score matching study. <i>European Journal of Cancer</i> , 2020 , 130, 250-258	7.5	8
39	Definitive radiochemotherapy or initial surgery for oropharyngeal cancer : To what extent can p16 expression be used in the decision process?. <i>Strahlentherapie Und Onkologie</i> , 2019 , 195, 496-503	4.3	7
38	Multicentric evaluation of strategies for treatment of T1a glottic carcinomas. <i>European Archives of Oto-Rhino-Laryngology</i> , 2015 , 272, 143-8	3.5	7
37	Mucoepidermoid carcinoma of salivary glands: A French Network of Rare Head and Neck Tumors (REFCOR) prospective study of 292 cases. <i>European Journal of Surgical Oncology</i> , 2021 , 47, 1376-1383	3.6	6
36	Gene expression profiling on pre- and post-erlotinib tumors from patients with head and neck squamous cell carcinoma. <i>Head and Neck</i> , 2013 , 35, 809-18	4.2	5
35	Oral and oropharyngeal cancer surgery with free-flap reconstruction in the elderly: Factors associated with long-term quality of life, patient needs and concerns. A GETTEC cross-sectional study. <i>Surgical Oncology</i> , 2020 , 35, 81-88	2.5	5
34	Closure of radial forearm free flap donor site: A comparative study between keystone flap and skin graft. <i>Head and Neck</i> , 2020 , 42, 217-223	4.2	5
33	Is neuroendocrine differentiation useful to discriminate primary sinonasal intestinal-type adenocarcinomas from metastatic colorectal adenocarcinomas?. <i>Journal of Clinical Pathology</i> , 2015 , 68, 79-82	3.9	4
32	Distinct Outcomes of Oropharyngeal Squamous Cell Carcinoma Patients after Distant Failure According to p16 Status: Implication in Therapeutic Options. <i>Current Oncology</i> , 2021 , 28, 1673-1680	2.8	4
31	Upfront surgery or definitive radiotherapy for patients with p16-negative oropharyngeal squamous cell carcinoma. A GETTEC multicentric study. <i>European Journal of Surgical Oncology</i> , 2021 , 47, 367-374	3.6	4
30	Risk Factors for Pharyngocutaneous Fistula After Total Pharyngolaryngectomy. <i>Ear, Nose and Throat Journal</i> , 2021 , 100, 746S-752S	1	3
29	Fatal neck necrotizing cellulitis in a patient with Riedel's thyroiditis. <i>Thyroid</i> , 2013 , 23, 904-5	6.2	3
28	Is Transoral Robotic Surgery the Best Surgical Treatment for Lingual Thyroid? A Case-Report and Literature Review. <i>Annals of Otology, Rhinology and Laryngology</i> , 2022 , 131, 39-51	2.1	3
27	Synchronous primary neoplasia in patients with oropharyngeal cancer: Impact of tumor HPV status. A GETTEC multicentric study. <i>Oral Oncology</i> , 2021 , 112, 105041	4.4	3

26	Oropharyngeal cancer: First relapse description and prognostic factor of salvage treatment according to p16 status, a GETTEC multicentric study. <i>European Journal of Cancer</i> , 2021 , 143, 168-177	7.5	3
25	Consensus on resectability in N3 head and neck squamous cell carcinomas: GETTEC recommendations. <i>Oral Oncology</i> , 2020 , 106, 104733	4.4	2
24	Surgery or Radiotherapy of the Primary Tumor in T1-2 Head and Neck Squamous Cell Carcinoma with Resectable N3 Nodes: A Multicenter GETTEC Study. <i>Annals of Surgical Oncology</i> , 2019 , 26, 3673-3680	3.1	2
23	The super thin external pudendal artery (STEPA) free flap for oropharyngeal reconstruction - A case report. <i>Microsurgery</i> , 2019 , 39, 758-762	2.1	2
22	Head and neck cancer during pregnancy. <i>Head and Neck</i> , 2019 , 41, 3719-3732	4.2	1
21	Airway management during transoral robotic surgery for head and neck cancers: a French GETTEC group survey.. <i>European Archives of Oto-Rhino-Laryngology</i> , 2022 , 1	3.5	1
20	Cutaneous Squamous Cell Carcinoma Tumour Size is Associated with Sentinel Lymph Node Metastasis in a Cohort of 69 Patients. <i>Acta Dermato-Venereologica</i> , 2019 , 99, 1241-1245	2.2	1
19	Locoregional control, progression-free survival and morbidity rates in N3 head and neck cancer patients with low primary tumour burden: A 301-patient study. <i>Clinical Otolaryngology</i> , 2020 , 45, 877-884	1.8	1
18	Functional and oncological outcomes of salvage transoral robotic surgery: a comparative study. <i>European Archives of Oto-Rhino-Laryngology</i> , 2021 , 1	3.5	1
17	Upfront surgery or definitive radiotherapy for p16+ oropharyngeal cancer. A GETTEC multicentric study. <i>European Journal of Surgical Oncology</i> , 2021 , 47, 1389-1397	3.6	1
16	Management of the irradiated N0-neck during salvage pharyngo-laryngeal surgery. <i>European Journal of Surgical Oncology</i> , 2020 , 46, 1059-1065	3.6	0
15	Management of cN0 low-grade mucoepidermoid carcinomas of salivary glands: Prospective multicentre study of 152 cases of the French Network of Rare Head and Neck Tumors (REFCOR). <i>Clinical Otolaryngology</i> , 2020 , 45, 926-931	1.8	0
14	Guidelines of the French Society of Otorhinolaryngology-Head and Neck Surgery (SFORL), part I: Primary treatment of pleomorphic adenoma. <i>European Annals of Otorhinolaryngology, Head and Neck Diseases</i> , 2021 , 138, 269-274	2.2	0
13	History of tonsillectomy and risk of oropharyngeal cancer. <i>Oral Oncology</i> , 2021 , 117, 105302	4.4	0
12	Do practitioners assess sinonasal adenocarcinoma extension similarly? Interdisciplinary concordance in 21 cases. <i>Clinical Otolaryngology</i> , 2021 , 46, 665-669	1.8	0
11	Contribution of narrow band imaging in delineation of laryngopharyngeal superficial cancer spread: a prospective study. <i>European Archives of Oto-Rhino-Laryngology</i> , 2021 , 278, 1491-1497	3.5	0
10	Nasal fibroscopy as a routine screening procedure of sinonasal adenocarcinoma of woodworkers: French longitudinal case study. <i>Head and Neck</i> , 2018 , 40, 2193-2198	4.2	0
9	The external pudendal artery free flap in women: Anatomical study of a novel flap for buccopharyngeal reconstruction. <i>Annals of Anatomy</i> , 2022 , 239, 151828	2.9	0

8	Multicentre evaluation of the interest in planned surgery for mandibular reconstruction with fibula free flap: a retrospective cohort study. <i>European Archives of Oto-Rhino-Laryngology</i> , 2021 , 278, 3451-3457	3.5	○
7	Acute febrile torticollis. <i>European Annals of Otorhinolaryngology, Head and Neck Diseases</i> , 2019 , 136, 515-516	2.2	
6	Bilan initial des carcinomes épidermoïdes de la cavité buccale, du larynx et du pharynx (cavum exclu). Partie I : bilan d'extension locorégional, recommandations de la SFORL 2012. <i>Annales Françaises d'Oto-Rhino-Laryngologie Et De Pathologie Cervico-Faciale</i> , 2013 , 130, 40-46		○
5	Qualité de vie de patients traités de cancers pharyngolaryngés avancés. <i>Annales Françaises d'Oto-Rhino-Laryngologie Et De Pathologie Cervico-Faciale</i> , 2011 , 128, 259-265		○
4	Protocoles thérapeutiques des cancers parotidiens, submandibulaires 2020 , 59-70		
3	Torticollis aiguë fébrile. <i>Annales Françaises d'Oto-Rhino-Laryngologie Et De Pathologie Cervico-Faciale</i> , 2019 , 136, 499-500		○
2	Circumferential pharyngectomy in laryngectomised patient and pharyngeal reconstruction by tubed free flap. <i>European Archives of Oto-Rhino-Laryngology</i> , 2020 , 277, 2641-2645	3.5	
1	Navigation chirurgicale dans le traitement des lithiases parotidiennes. <i>Annales Françaises d'Oto-Rhino-Laryngologie Et De Pathologie Cervico-Faciale</i> , 2022 , 139, 153-156		○