

Roel C H Vermeulen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9135917/publications.pdf>

Version: 2024-02-01

697
papers

29,013
citations

6254

80
h-index

15730

125
g-index

707
all docs

707
docs citations

707
times ranked

32234
citing authors

#	ARTICLE	IF	CITATIONS
1	Prediction of acute myeloid leukaemia risk in healthy individuals. <i>Nature</i> , 2018, 559, 400-404.	27.8	617
2	Hematotoxicity in Workers Exposed to Low Levels of Benzene. <i>Science</i> , 2004, 306, 1774-1776.	12.6	533
3	The exposome and health: Where chemistry meets biology. <i>Science</i> , 2020, 367, 392-396.	12.6	499
4	High-Resolution Air Pollution Mapping with Google Street View Cars: Exploiting Big Data. <i>Environmental Science & Technology</i> , 2017, 51, 6999-7008.	10.0	474
5	Carcinogenicity of diesel-engine and gasoline-engine exhausts and some nitroarenes. <i>Lancet Oncology</i> , 2012, 13, 663-664.	10.7	395
6	The Diesel Exhaust in Miners Study: A Nested Case-Control Study of Lung Cancer and Diesel Exhaust. <i>Journal of the National Cancer Institute</i> , 2012, 104, 855-868.	6.3	360
7	Considerations of circadian impact for defining 'shift work' in cancer studies: IARC Working Group Report. <i>Occupational and Environmental Medicine</i> , 2011, 68, 154-162.	2.8	319
8	Genome-wide association analysis identifies new lung cancer susceptibility loci in never-smoking women in Asia. <i>Nature Genetics</i> , 2012, 44, 1330-1335.	21.4	286
9	Chromosomal aberration frequency in lymphocytes predicts the risk of cancer: results from a pooled cohort study of 22 358 subjects in 11 countries. <i>Carcinogenesis</i> , 2008, 29, 1178-1183.	2.8	279
10	The Diesel Exhaust in Miners Study: A Cohort Mortality Study With Emphasis on Lung Cancer. <i>Journal of the National Cancer Institute</i> , 2012, 104, 869-883.	6.3	272
11	Health consequences of electric lighting practices in the modern world: A report on the National Toxicology Program's workshop on shift work at night, artificial light at night, and circadian disruption. <i>Science of the Total Environment</i> , 2017, 607-608, 1073-1084.	8.0	266
12	Dynamics of smoking-induced genome-wide methylation changes with time since smoking cessation. <i>Human Molecular Genetics</i> , 2015, 24, 2349-2359.	2.9	261
13	Environmental factors shaping the gut microbiome in a Dutch population. <i>Nature</i> , 2022, 604, 732-739.	27.8	239
14	Meta-analysis on shift work and risks of specific obesity types. <i>Obesity Reviews</i> , 2018, 19, 28-40.	6.5	234
15	Human population studies with cytogenetic biomarkers: Review of the literature and future perspectives. <i>Environmental and Molecular Mutagenesis</i> , 2005, 45, 258-270.	2.2	222
16	The exposome in practice: Design of the EXPOsOMICS project. <i>International Journal of Hygiene and Environmental Health</i> , 2017, 220, 142-151.	4.3	219
17	Biological dust exposure in the workplace is a risk factor for chronic obstructive pulmonary disease. <i>Thorax</i> , 2005, 60, 645-651.	5.6	214
18	Sleep characteristics across the lifespan in 1.1 million people from the Netherlands, United Kingdom and United States: a systematic review and meta-analysis. <i>Nature Human Behaviour</i> , 2021, 5, 113-122.	12.0	193

#	ARTICLE	IF	CITATIONS
19	Assessing Exposure and Health Consequences of Chemicals in Drinking Water: Current State of Knowledge and Research Needs. <i>Environmental Health Perspectives</i> , 2014, 122, 213-221.	6.0	189
20	Genome-wide association study identifies multiple risk loci for chronic lymphocytic leukemia. <i>Nature Genetics</i> , 2013, 45, 868-876.	21.4	179
21	A comparison of linear regression, regularization, and machine learning algorithms to develop Europe-wide spatial models of fine particles and nitrogen dioxide. <i>Environment International</i> , 2019, 130, 104934.	10.0	177
22	Is Pesticide Use Related to Parkinson Disease? Some Clues to Heterogeneity in Study Results. <i>Environmental Health Perspectives</i> , 2012, 120, 340-347.	6.0	175
23	Prenatal Phthalate, Perfluoroalkyl Acid, and Organochlorine Exposures and Term Birth Weight in Three Birth Cohorts: Multi-Pollutant Models Based on Elastic Net Regression. <i>Environmental Health Perspectives</i> , 2016, 124, 365-372.	6.0	173
24	Conceptual model for assessment of dermal exposure. <i>Occupational and Environmental Medicine</i> , 1999, 56, 765-773.	2.8	171
25	Association Between Soft Drink Consumption and Mortality in 10 European Countries. <i>JAMA Internal Medicine</i> , 2019, 179, 1479.	5.1	169
26	The Relationship Between Shift Work and Metabolic Risk Factors. <i>American Journal of Preventive Medicine</i> , 2016, 50, e147-e157.	3.0	163
27	Occupational Exposure to Formaldehyde, Hematotoxicity, and Leukemia-Specific Chromosome Changes in Cultured Myeloid Progenitor Cells. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010, 19, 80-88.	2.5	160
28	Sleep Quality, Sleep Duration, and the Risk of Coronary Heart Disease: A Prospective Cohort Study With 60,586 Adults. <i>Journal of Clinical Sleep Medicine</i> , 2018, 14, 109-117.	2.6	160
29	The potential role of lung microbiota in lung cancer attributed to household coal burning exposures. <i>Environmental and Molecular Mutagenesis</i> , 2014, 55, 643-651.	2.2	158
30	The COVID-19 pandemic and global environmental change: Emerging research needs. <i>Environment International</i> , 2021, 146, 106272.	10.0	157
31	Personal and Indoor PM _{2.5} Exposure from Burning Solid Fuels in Vented and Unvented Stoves in a Rural Region of China with a High Incidence of Lung Cancer. <i>Environmental Science & Technology</i> , 2014, 48, 8456-8464.	10.0	152
32	A Systematic Comparison of Linear Regression-Based Statistical Methods to Assess Exposome-Health Associations. <i>Environmental Health Perspectives</i> , 2016, 124, 1848-1856.	6.0	151
33	Exposure to Diesel Motor Exhaust and Lung Cancer Risk in a Pooled Analysis from Case-Control Studies in Europe and Canada. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2011, 183, 941-948.	5.6	150
34	Genome-wide association study identifies multiple susceptibility loci for diffuse large B cell lymphoma. <i>Nature Genetics</i> , 2014, 46, 1233-1238.	21.4	147
35	Occupational Exposure to Dusts, Gases, and Fumes and Incidence of Chronic Obstructive Pulmonary Disease in the Swiss Cohort Study on Air Pollution and Lung and Heart Diseases in Adults. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2012, 185, 1292-1300.	5.6	146
36	The Exposome: Molecules to Populations. <i>Annual Review of Pharmacology and Toxicology</i> , 2019, 59, 107-127.	9.4	144

#	ARTICLE	IF	CITATIONS
37	Chromosomal Aberrations and Cancer Risk: Results of a Cohort Study from Central Europe. <i>American Journal of Epidemiology</i> , 2006, 165, 36-43.	3.4	143
38	STrengthening the Reporting of OBServational studies in Epidemiology – Molecular Epidemiology (STROBE-ME): An Extension of the STROBE Statement. <i>PLoS Medicine</i> , 2011, 8, e1001117.	8.4	143
39	Long-Term Exposure to Ultrafine Particles and Incidence of Cardiovascular and Cerebrovascular Disease in a Prospective Study of a Dutch Cohort. <i>Environmental Health Perspectives</i> , 2018, 126, 127007.	6.0	140
40	Prediagnostic body fat and risk of death from amyotrophic lateral sclerosis. <i>Neurology</i> , 2013, 80, 829-838.	1.1	138
41	Assessment of occupational exposures in a general population: comparison of different methods. <i>Occupational and Environmental Medicine</i> , 1999, 56, 145-151.	2.8	135
42	Reproducibility and Correlations of Multiplex Cytokine Levels in Asymptomatic Persons. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008, 17, 3450-3456.	2.5	134
43	Performance in Omics Analyses of Blood Samples in Long-Term Storage: Opportunities for the Exploitation of Existing Biobanks in Environmental Health Research. <i>Environmental Health Perspectives</i> , 2013, 121, 480-487.	6.0	132
44	Impaired lung function and lung cancer incidence in a cohort of Swedish construction workers. <i>Thorax</i> , 2007, 62, 51-56.	5.6	121
45	Exposure to perfluorinated compounds and human semen quality in arctic and European populations. <i>Human Reproduction</i> , 2012, 27, 2532-2540.	0.9	121
46	Environmental exposure to pesticides and the risk of Parkinson's disease in the Netherlands. <i>Environment International</i> , 2017, 107, 100-110.	10.0	121
47	Exposure-Response Estimates for Diesel Engine Exhaust and Lung Cancer Mortality Based on Data from Three Occupational Cohorts. <i>Environmental Health Perspectives</i> , 2014, 122, 172-177.	6.0	120
48	Discovery of Novel Biomarkers by Microarray Analysis of Peripheral Blood Mononuclear Cell Gene Expression in Benzene-Exposed Workers. <i>Environmental Health Perspectives</i> , 2005, 113, 801-807.	6.0	117
49	Blood serum concentrations of perfluorinated compounds in men from Greenlandic Inuit and European populations. <i>Chemosphere</i> , 2012, 88, 1269-1275.	8.2	116
50	Use of Chemical Pesticides in Ethiopia: A Cross-Sectional Comparative Study on Knowledge, Attitude and Practice of Farmers and Farm Workers in Three Farming Systems. <i>Annals of Occupational Hygiene</i> , 2016, 60, 551-566.	1.9	116
51	Dermal exposure to cyclophosphamide in hospitals during preparation, nursing and cleaning activities. <i>International Archives of Occupational and Environmental Health</i> , 2005, 78, 403-412.	2.3	115
52	t(14;18) Translocation: A Predictive Blood Biomarker for Follicular Lymphoma. <i>Journal of Clinical Oncology</i> , 2014, 32, 1347-1355.	1.6	115
53	Risk factors for positive and negative COVID-19 tests: a cautious and in-depth analysis of UK biobank data. <i>International Journal of Epidemiology</i> , 2020, 49, 1454-1467.	1.9	115
54	Risk of lung cancer associated with domestic use of coal in Xuanwei, China: retrospective cohort study. <i>BMJ</i> , 2012, 345, e5414-e5414.	6.0	113

#	ARTICLE	IF	CITATIONS
55	Deciphering the complex: Methodological overview of statistical models to derive OMICS-based biomarkers. <i>Environmental and Molecular Mutagenesis</i> , 2013, 54, 542-557.	2.2	113
56	Smoking and risk for amyotrophic lateral sclerosis: Analysis of the EPIC cohort. <i>Annals of Neurology</i> , 2009, 65, 378-385.	5.3	111
57	DNA methylation and exposure to ambient air pollution in two prospective cohorts. <i>Environment International</i> , 2017, 108, 127-136.	10.0	110
58	Postulating a dermal pathway for exposure to anti-neoplastic drugs among hospital workers. Applying a conceptual model to the results of three workplace surveys. <i>Annals of Occupational Hygiene</i> , 2000, 44, 551-560.	1.9	108
59	Application of OMICS technologies in occupational and environmental health research; current status and projections. <i>Occupational and Environmental Medicine</i> , 2010, 67, 136-143.	2.8	107
60	Lung cancer and socioeconomic status in a pooled analysis of case-control studies. <i>PLoS ONE</i> , 2018, 13, e0192999.	2.5	107
61	Modeling Human Metabolism of Benzene Following Occupational and Environmental Exposures. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006, 15, 2246-2252.	2.5	105
62	Long-Term Exposure to Ambient Air Pollution and Incidence of Postmenopausal Breast Cancer in 15 European Cohorts within the ESCAPE Project. <i>Environmental Health Perspectives</i> , 2017, 125, 107005.	6.0	104
63	Mapping Air Pollution with Google Street View Cars: Efficient Approaches with Mobile Monitoring and Land Use Regression. <i>Environmental Science & Technology</i> , 2018, 52, 12563-12572.	10.0	103
64	Using urinary biomarkers to elucidate dose-related patterns of human benzene metabolism. <i>Carcinogenesis</i> , 2006, 27, 772-781.	2.8	102
65	Pulmonary Ventilatory Defects and Occupational Exposures in a Population-based Study in Spain. <i>American Journal of Respiratory and Critical Care Medicine</i> , 1998, 157, 512-517.	5.6	97
66	Is Previous Respiratory Disease a Risk Factor for Lung Cancer?. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2014, 190, 549-559.	5.6	97
67	Genome-wide Association Study Identifies Five Susceptibility Loci for Follicular Lymphoma outside the HLA Region. <i>American Journal of Human Genetics</i> , 2014, 95, 462-471.	6.2	96
68	Prenatal exposure to environmental chemical contaminants and asthma and eczema in school-age children. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2015, 70, 653-660.	5.7	96
69	Global Gene Expression Profiling of a Population Exposed to a Range of Benzene Levels. <i>Environmental Health Perspectives</i> , 2011, 119, 628-640.	6.0	94
70	Meta-analysis of genome-wide association studies discovers multiple loci for chronic lymphocytic leukemia. <i>Nature Communications</i> , 2016, 7, 10933.	12.8	94
71	Biomarkers of ambient air pollution and lung cancer: a systematic review. <i>Occupational and Environmental Medicine</i> , 2012, 69, 619-627.	2.8	92
72	Occupational Benzene Exposure and the Risk of Lymphoma Subtypes: A Meta-analysis of Cohort Studies Incorporating Three Study Quality Dimensions. <i>Environmental Health Perspectives</i> , 2011, 119, 159-167.	6.0	91

#	ARTICLE	IF	CITATIONS
73	Imputation and subset-based association analysis across different cancer types identifies multiple independent risk loci in the TERT-CLPTM1L region on chromosome 5p15.33. <i>Human Molecular Genetics</i> , 2014, 23, 6616-6633.	2.9	90
74	The association between different night shiftwork factors and breast cancer: a case-control study. <i>British Journal of Cancer</i> , 2013, 109, 2472-2480.	6.4	89
75	Toward Greater Implementation of the Exposome Research Paradigm within Environmental Epidemiology. <i>Annual Review of Public Health</i> , 2017, 38, 315-327.	17.4	88
76	Oxidative stress and inflammation mediate the effect of air pollution on cardiovascular disease: A prospective study in nonsmokers. <i>Environmental and Molecular Mutagenesis</i> , 2018, 59, 234-246.	2.2	88
77	COVID-19 mortality in the UK Biobank cohort: revisiting and evaluating risk factors. <i>European Journal of Epidemiology</i> , 2021, 36, 299-309.	5.7	88
78	High-resolution metabolomics of occupational exposure to trichloroethylene. <i>International Journal of Epidemiology</i> , 2016, 45, 1517-1527.	1.9	87
79	IARC Monographs: 40 Years of Evaluating Carcinogenic Hazards to Humans. <i>Environmental Health Perspectives</i> , 2015, 123, 507-514.	6.0	86
80	Transient receptor potential genes, smoking, occupational exposures and cough in adults. <i>Respiratory Research</i> , 2012, 13, 26.	3.6	84
81	Evidence That Humans Metabolize Benzene via Two Pathways. <i>Environmental Health Perspectives</i> , 2009, 117, 946-952.	6.0	83
82	Evaluating the mechanistic evidence and key data gaps in assessing the potential carcinogenicity of carbon nanotubes and nanofibers in humans. <i>Critical Reviews in Toxicology</i> , 2017, 47, 1-58.	3.9	83
83	Systems biology of human benzene exposure. <i>Chemico-Biological Interactions</i> , 2010, 184, 86-93.	4.0	82
84	Comparison of exposure assessment methods for occupational carcinogens in a multi-centre lung cancer case-control study. <i>Occupational and Environmental Medicine</i> , 2011, 68, 148-153.	2.8	82
85	Medical History, Lifestyle, Family History, and Occupational Risk Factors for Chronic Lymphocytic Leukemia/Small Lymphocytic Lymphoma: The InterLymph Non-Hodgkin Lymphoma Subtypes Project. <i>Journal of the National Cancer Institute Monographs</i> , 2014, 2014, 41-51.	2.1	82
86	Endotoxin exposure and lung cancer risk: a systematic review and meta-analysis of the published literature on agriculture and cotton textile workers. <i>Cancer Causes and Control</i> , 2010, 21, 523-555.	1.8	80
87	Impact of occupational carcinogens on lung cancer risk in a general population. <i>International Journal of Epidemiology</i> , 2012, 41, 711-721.	1.9	79
88	Decreased levels of CXC-chemokines in serum of benzene-exposed workers identified by array-based proteomics. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 17041-17046.	7.1	76
89	Disinfectant use as a risk factor for atopic sensitization and symptoms consistent with asthma: an epidemiological study. <i>European Respiratory Journal</i> , 1996, 9, 1407-1413.	6.7	75
90	Genome-wide association analysis implicates dysregulation of immunity genes in chronic lymphocytic leukaemia. <i>Nature Communications</i> , 2017, 8, 14175.	12.8	75

#	ARTICLE	IF	CITATIONS
91	Land Use Regression Models for Ultrafine Particles in Six European Areas. <i>Environmental Science & Technology</i> , 2017, 51, 3336-3345.	10.0	75
92	Searching for early breast cancer biomarkers by serum protein profiling of pre-diagnostic serum; a nested case-control study. <i>BMC Cancer</i> , 2011, 11, 381.	2.6	73
93	Perturbation of metabolic pathways mediates the association of air pollutants with asthma and cardiovascular diseases. <i>Environment International</i> , 2018, 119, 334-345.	10.0	73
94	Association between mitochondrial DNA copy number, blood cell counts, and occupational benzene exposure. <i>Environmental and Molecular Mutagenesis</i> , 2008, 49, 453-457.	2.2	72
95	<scp>G</scp>enetic variants associated with longer telomere length are associated with increased lung cancer risk among never-smoking women in Asia: a report from the female lung cancer consortium in Asia. <i>International Journal of Cancer</i> , 2015, 137, 311-319.	5.1	72
96	Ambient air pollution and primary liver cancer incidence in four European cohorts within the ESCAPE project. <i>Environmental Research</i> , 2017, 154, 226-233.	7.5	72
97	Particulate matter air pollution, physical activity and systemic inflammation in Taiwanese adults. <i>International Journal of Hygiene and Environmental Health</i> , 2018, 221, 41-47.	4.3	72
98	Exposure-Response Analyses of Asbestos and Lung Cancer Subtypes in a Pooled Analysis of Case-Control Studies. <i>Epidemiology</i> , 2017, 28, 288-299.	2.7	71
99	DREAM: A Method for Semi-quantitative Dermal Exposure Assessment. <i>Annals of Occupational Hygiene</i> , 2003, 47, 71-87.	1.9	70
100	A Meta-analysis of Asbestos and Lung Cancer: Is Better Quality Exposure Assessment Associated with Steeper Slopes of the Exposure-Response Relationships?. <i>Environmental Health Perspectives</i> , 2011, 119, 1547-1555.	6.0	70
101	Exploring causality of the association between smoking and Parkinson's disease. <i>International Journal of Epidemiology</i> , 2019, 48, 912-925.	1.9	70
102	Occupational Dermal Exposure to Cyclophosphamide in Dutch Hospitals: A Pilot Study. <i>Annals of Occupational Hygiene</i> , 2004, 48, 237-44.	1.9	68
103	Pesticides and other occupational exposures are associated with airway obstruction: the LifeLines cohort study. <i>Occupational and Environmental Medicine</i> , 2014, 71, 88-96.	2.8	68
104	Polycyclic Aromatic Hydrocarbon Exposure in Household Air Pollution from Solid Fuel Combustion among the Female Population of Xuanwei and Fuyuan Counties, China. <i>Environmental Science & Technology</i> , 2014, 48, 14632-14641.	10.0	68
105	Radio-frequency electromagnetic field (RF-EMF) exposure levels in different European outdoor urban environments in comparison with regulatory limits. <i>Environment International</i> , 2014, 68, 49-54.	10.0	68
106	Comparison of Ultrafine Particle and Black Carbon Concentration Predictions from a Mobile and Short-Term Stationary Land-Use Regression Model. <i>Environmental Science & Technology</i> , 2016, 50, 12894-12902.	10.0	68
107	SYN-JEM: A Quantitative Job-Exposure Matrix for Five Lung Carcinogens. <i>Annals of Occupational Hygiene</i> , 2016, 60, 795-811.	1.9	67
108	Air pollution and risk of urinary bladder cancer in a case-control study in Spain. <i>Occupational and Environmental Medicine</i> , 2008, 65, 56-60.	2.8	66

#	ARTICLE	IF	CITATIONS
109	Plasma Cytokines and Future Risk of Non-Hodgkin Lymphoma (NHL): A Case-Control Study Nested in the Italian European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010, 19, 1577-1584.	2.5	66
110	An international prospective cohort study of mobile phone users and health (Cosmos): Design considerations and enrolment. <i>Cancer Epidemiology</i> , 2011, 35, 37-43.	1.9	66
111	Long-term exposure to ambient air pollution and incidence of brain tumor: the European Study of Cohorts for Air Pollution Effects (ESCAPE). <i>Neuro-Oncology</i> , 2018, 20, 420-432.	1.2	66
112	Effects of exposure to water disinfection by-products in a swimming pool: A metabolome-wide association study. <i>Environment International</i> , 2018, 111, 60-70.	10.0	66
113	Top 10 Research Priorities in Spatial Lifecourse Epidemiology. <i>Environmental Health Perspectives</i> , 2019, 127, 74501.	6.0	66
114	Infection with Hepatitis B and C Viruses and Risk of Lymphoid Malignancies in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011, 20, 208-214.	2.5	64
115	Changes in the peripheral blood transcriptome associated with occupational benzene exposure identified by cross-comparison on two microarray platforms. <i>Genomics</i> , 2009, 93, 343-349.	2.9	63
116	Phthalates, perfluoroalkyl acids, metals and organochlorines and reproductive function: a multipollutant assessment in Greenlandic, Polish and Ukrainian men. <i>Occupational and Environmental Medicine</i> , 2015, 72, 385-393.	2.8	63
117	Occupational trichloroethylene exposure and kidney cancer risk: a meta-analysis. <i>Occupational and Environmental Medicine</i> , 2012, 69, 858-867.	2.8	62
118	Performance of Prediction Algorithms for Modeling Outdoor Air Pollution Spatial Surfaces. <i>Environmental Science & Technology</i> , 2019, 53, 1413-1421.	10.0	62
119	The impact of new research technologies on our understanding of environmental causes of disease: the concept of clinical vulnerability. <i>Environmental Health</i> , 2009, 8, 54.	4.0	61
120	The impact of ambient air pollution on the human blood metabolome. <i>Environmental Research</i> , 2017, 156, 341-348.	7.5	61
121	Occupational exposure to pesticides is associated with differential DNA methylation. <i>Occupational and Environmental Medicine</i> , 2018, 75, 427-435.	2.8	61
122	Polymorphisms in genes involved in DNA double-strand break repair pathway and susceptibility to benzene-induced hematotoxicity. <i>Carcinogenesis</i> , 2006, 27, 2083-2089.	2.8	60
123	Leukocyte polycyclic aromatic hydrocarbonâ€“DNA adduct formation and colorectal adenoma. <i>Carcinogenesis</i> , 2007, 28, 1426-1429.	2.8	60
124	Quantifying urban street configuration for improvements in air pollution models. <i>Atmospheric Environment</i> , 2013, 72, 1-9.	4.1	60
125	The human circulating miRNome reflects multiple organ disease risks in association with short-term exposure to traffic-related air pollution. <i>Environment International</i> , 2018, 113, 26-34.	10.0	60
126	Prenatal exposure to endocrine disrupting chemicals and risk of being born small for gestational age: Pooled analysis of seven European birth cohorts. <i>Environment International</i> , 2018, 115, 267-278.	10.0	60

#	ARTICLE	IF	CITATIONS
127	Chromosome-wide aneuploidy study (CWAS) in workers exposed to an established leukemogen, benzene. <i>Carcinogenesis</i> , 2011, 32, 605-612.	2.8	59
128	Spatial and temporal variability of personal environmental exposure to radio frequency electromagnetic fields in children in Europe. <i>Environment International</i> , 2018, 117, 204-214.	10.0	59
129	Ascertainment of hand dermatitis using a symptom-based questionnaire; applicability in an industrial population. <i>Contact Dermatitis</i> , 2000, 42, 202-206.	1.4	58
130	A genome-wide association study of marginal zone lymphoma shows association to the HLA region. <i>Nature Communications</i> , 2015, 6, 5751.	12.8	58
131	A cross-sectional study of changes in markers of immunological effects and lung health due to exposure to multi-walled carbon nanotubes. <i>Nanotoxicology</i> , 2017, 11, 395-404.	3.0	58
132	Association between physical activity and risk of hepatobiliary cancers: A multinational cohort study. <i>Journal of Hepatology</i> , 2019, 70, 885-892.	3.7	58
133	STrengthening the Reporting of OBservational studies in Epidemiology "Molecular Epidemiology (STROBE-ME): An extension of the STROBE statement. <i>European Journal of Clinical Investigation</i> , 2012, 42, 1-16.	3.4	57
134	Inflammatory markers in relation to long-term air pollution. <i>Environment International</i> , 2015, 81, 1-7.	10.0	57
135	Air pollution and incidence of cancers of the stomach and the upper aerodigestive tract in the European Study of Cohorts for Air Pollution Effects (ESCAPE). <i>International Journal of Cancer</i> , 2018, 143, 1632-1643.	5.1	57
136	Spatial Lifecourse Epidemiology Reporting Standards (ISLE-ReSt) statement. <i>Health and Place</i> , 2020, 61, 102243.	3.3	57
137	Polymorphisms in Cytokine and Cellular Adhesion Molecule Genes and Susceptibility to Hematotoxicity among Workers Exposed to Benzene. <i>Cancer Research</i> , 2005, 65, 9574-9581.	0.9	56
138	Coal Use, Stove Improvement, and Adult Pneumonia Mortality in Xuanwei, China: A Retrospective Cohort Study. <i>Environmental Health Perspectives</i> , 2009, 117, 261-266.	6.0	56
139	Validating self-reported mobile phone use in adults using a newly developed smartphone application. <i>Occupational and Environmental Medicine</i> , 2015, 72, 812-818.	2.8	56
140	Occupational exposures and 20-year incidence of COPD: the European Community Respiratory Health Survey. <i>Thorax</i> , 2018, 73, 1008-1015.	5.6	56
141	Particulate matter air pollution components and incidence of cancers of the stomach and the upper aerodigestive tract in the European Study of Cohorts of Air Pollution Effects (ESCAPE). <i>Environment International</i> , 2018, 120, 163-171.	10.0	56
142	Genetic polymorphisms and benzene metabolism in humans exposed to a wide Range of air concentrations. <i>Pharmacogenetics and Genomics</i> , 2007, 17, 789-801.	1.5	55
143	Geospatial modelling of electromagnetic fields from mobile phone base stations. <i>Science of the Total Environment</i> , 2013, 445-446, 202-209.	8.0	55
144	Welding and Lung Cancer in a Pooled Analysis of Case-Control Studies. <i>American Journal of Epidemiology</i> , 2013, 178, 1513-1525.	3.4	55

#	ARTICLE	IF	CITATIONS
145	Use of portable exposure meters for comparing mobile phone base station radiation in different types of areas in the cities of Basel and Amsterdam. <i>Science of the Total Environment</i> , 2014, 468-469, 1028-1033.	8.0	55
146	Occupational pesticide exposure and respiratory health: a large-scale cross-sectional study in three commercial farming systems in Ethiopia. <i>Thorax</i> , 2017, 72, 498.1-499.	5.6	55
147	Timing of HPV16-E6 antibody seroconversion before OPSCC: findings from the HPVC3 consortium. <i>Annals of Oncology</i> , 2019, 30, 1335-1343.	1.2	55
148	Long-Term Air Pollution Exposure and Amyotrophic Lateral Sclerosis in Netherlands: A Population-based Case-control Study. <i>Environmental Health Perspectives</i> , 2017, 125, 097023.	6.0	54
149	Human benzene metabolism following occupational and environmental exposures. <i>Chemico-Biological Interactions</i> , 2010, 184, 189-195.	4.0	53
150	The Diesel Exhaust in Miners Study: I. Overview of the Exposure Assessment Process. <i>Annals of Occupational Hygiene</i> , 2010, 54, 728-46.	1.9	53
151	The Diesel Exhaust in Miners Study: IV. Estimating Historical Exposures to Diesel Exhaust in Underground Non-metal Mining Facilities. <i>Annals of Occupational Hygiene</i> , 2010, 54, 774-88.	1.9	53
152	The MOBI-Kids Study Protocol: Challenges in Assessing Childhood and Adolescent Exposure to Electromagnetic Fields from Wireless Telecommunication Technologies and Possible Association with Brain Tumor Risk. <i>Frontiers in Public Health</i> , 2014, 2, 124.	2.7	53
153	Detailed Exposure Assessment for a Molecular Epidemiology Study of Benzene in Two Shoe Factories in China. <i>Annals of Occupational Hygiene</i> , 2004, 48, 105-16.	1.9	52
154	Occupational benzene exposure and the risk of chronic myeloid leukemia: A meta-analysis of cohort studies incorporating study quality dimensions. <i>American Journal of Industrial Medicine</i> , 2012, 55, 779-785.	2.1	52
155	Genetically predicted longer telomere length is associated with increased risk of B-cell lymphoma subtypes. <i>Human Molecular Genetics</i> , 2016, 25, 1663-1676.	2.9	52
156	Constituents of Household Air Pollution and Risk of Lung Cancer among Never-Smoking Women in Xuanwei and Fuyuan, China. <i>Environmental Health Perspectives</i> , 2019, 127, 97001.	6.0	52
157	Blood pressure and risk of cancer in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2020, 146, 2680-2693.	5.1	52
158	A Case-Control Study of the Protective Effect of Alcohol, Coffee, and Cigarette Consumption on Parkinson Disease Risk: Time-Since-Cessation Modifies the Effect of Tobacco Smoking. <i>PLoS ONE</i> , 2014, 9, e95297.	2.5	52
159	Combining a Job-Exposure Matrix with Exposure Measurements to Assess Occupational Exposure to Benzene in a Population Cohort in Shanghai, China. <i>Annals of Occupational Hygiene</i> , 2012, 56, 80-91.	1.9	51
160	A systematic comparison of statistical methods to detect interactions in exposome-health associations. <i>Environmental Health</i> , 2017, 16, 74.	4.0	51
161	Environmental risk factors of type 2 diabetes—an exposome approach. <i>Diabetologia</i> , 2022, 65, 263-274.	6.3	51
162	Smoky coal, tobacco smoking, and lung cancer risk in Xuanwei, China. <i>Lung Cancer</i> , 2014, 84, 31-35.	2.0	50

#	ARTICLE	IF	CITATIONS
163	A retrospective cohort study of cause-specific mortality and incidence of hematopoietic malignancies in Chinese benzene-exposed workers. <i>International Journal of Cancer</i> , 2015, 137, 2184-2197.	5.1	50
164	Chromosome-wide aneuploidy study of cultured circulating myeloid progenitor cells from workers occupationally exposed to formaldehyde. <i>Carcinogenesis</i> , 2015, 36, 160-167.	2.8	50
165	Association between GWAS-identified lung adenocarcinoma susceptibility loci and EGFR mutations in never-smoking Asian women, and comparison with findings from Western populations. <i>Human Molecular Genetics</i> , 2016, 26, ddw414.	2.9	50
166	Calibration of polydimethylsiloxane and polyurethane foam passive air samplers for measuring semi volatile organic compounds using a novel exposure chamber design. <i>Chemosphere</i> , 2019, 227, 435-443.	8.2	50
167	Large-scale evaluation of candidate genes identifies associations between DNA repair and genomic maintenance and development of benzene hematotoxicity. <i>Carcinogenesis</i> , 2009, 30, 50-58.	2.8	49
168	Immunologic profile of excessive body weight. <i>Biomarkers</i> , 2011, 16, 243-251.	1.9	49
169	Physical activity and risk of Amyotrophic Lateral Sclerosis in a prospective cohort study. <i>European Journal of Epidemiology</i> , 2016, 31, 255-266.	5.7	49
170	Shedding Some Light in the Dark – A Comparison of Personal Measurements with Satellite-Based Estimates of Exposure to Light at Night among Children in the Netherlands. <i>Environmental Health Perspectives</i> , 2019, 127, 67001.	6.0	49
171	Occupational exposure to trichloroethylene is associated with a decline in lymphocyte subsets and soluble CD27 and CD30 markers. <i>Carcinogenesis</i> , 2010, 31, 1592-1596.	2.8	48
172	The Diesel Exhaust in Miners Study: II. Exposure Monitoring Surveys and Development of Exposure Groups. <i>Annals of Occupational Hygiene</i> , 2010, 54, 747-61.	1.9	48
173	Flexible Meta-Regression to Assess the Shape of the Benzene – Leukemia Exposure – Response Curve. <i>Environmental Health Perspectives</i> , 2010, 118, 526-532.	6.0	48
174	Modelling of occupational respirable crystalline silica exposure for quantitative exposure assessment in community-based case-control studies. <i>Journal of Environmental Monitoring</i> , 2011, 13, 3262.	2.1	48
175	The intake of grain fibers modulates cytokine levels in blood. <i>Biomarkers</i> , 2011, 16, 504-510.	1.9	48
176	Heterogeneity in coal composition and implications for lung cancer risk in Xuanwei and Fuyuan counties, China. <i>Environment International</i> , 2014, 68, 94-104.	10.0	48
177	Occupational exposures and Parkinson's disease mortality in a prospective Dutch cohort. <i>Occupational and Environmental Medicine</i> , 2015, 72, 448-455.	2.8	48
178	A case-control study of hormonal exposures as etiologic factors for ALS in women. <i>Neurology</i> , 2017, 89, 1283-1290.	1.1	48
179	Robustness of intra urban land-use regression models for ultrafine particles and black carbon based on mobile monitoring. <i>Environmental Research</i> , 2017, 159, 500-508.	7.5	48
180	Acute changes in DNA methylation in relation to 24-h personal air pollution exposure measurements: A panel study in four European countries. <i>Environment International</i> , 2018, 120, 11-21.	10.0	48

#	ARTICLE	IF	CITATIONS
181	Occupational Asbestos Exposure and Risk of Pleural Mesothelioma, Lung Cancer, and Laryngeal Cancer in the Prospective Netherlands Cohort Study. <i>Journal of Occupational and Environmental Medicine</i> , 2014, 56, 6-19.	1.7	47
182	A life course approach to explore the biological embedding of socioeconomic position and social mobility through circulating inflammatory markers. <i>Scientific Reports</i> , 2016, 6, 25170.	3.3	47
183	Parental occupational exposure to benzene and the risk of childhood cancer: A census-based cohort study. <i>Environment International</i> , 2017, 108, 84-91.	10.0	47
184	Incidence and mortality for respiratory cancer and traffic-related air pollution in São Paulo, Brazil. <i>Environmental Research</i> , 2019, 170, 243-251.	7.5	47
185	Dermal exposure assessment. <i>Annals of Occupational Hygiene</i> , 2000, 44, 493-499.	1.9	46
186	Leukemia-related chromosomal loss detected in hematopoietic progenitor cells of benzene-exposed workers. <i>Leukemia</i> , 2012, 26, 2494-2498.	7.2	46
187	Mitochondrial DNA copy number and future risk of B-cell lymphoma in a nested case-control study in the prospective EPIC cohort. <i>Blood</i> , 2014, 124, 530-535.	1.4	46
188	Occupational exposure and amyotrophic lateral sclerosis in a prospective cohort. <i>Occupational and Environmental Medicine</i> , 2017, 74, 578-585.	2.8	46
189	Cord Blood Metabolic Signatures of Birth Weight: A Population-Based Study. <i>Journal of Proteome Research</i> , 2018, 17, 1235-1247.	3.7	46
190	Occupational exposure to NDMA and NMor in the European rubber industry. <i>Journal of Environmental Monitoring</i> , 2007, 9, 253.	2.1	45
191	Occupational exposure to organic dust increases lung cancer risk in the general population. <i>Thorax</i> , 2012, 67, 111-116.	5.6	45
192	Association of Occupational Pesticide Exposure With Accelerated Longitudinal Decline in Lung Function. <i>American Journal of Epidemiology</i> , 2014, 179, 1323-1330.	3.4	45
193	Indoor concentrations of nitrogen dioxide and sulfur dioxide from burning solid fuels for cooking and heating in Yunnan Province, China. <i>Indoor Air</i> , 2016, 26, 776-783.	4.3	45
194	Multicentre, cross-cultural, population-based, case-control study of physical activity as risk factor for amyotrophic lateral sclerosis. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2018, 89, 797-803.	1.9	45
195	Metabolic perturbations prior to hepatocellular carcinoma diagnosis: Findings from a prospective observational cohort study. <i>International Journal of Cancer</i> , 2021, 148, 609-625.	5.1	45
196	Long-term trends in occupational exposure: Are they real? What causes them? What shall we do with them?. <i>Annals of Occupational Hygiene</i> , 2000, 44, 325-327.	1.9	44
197	The Diesel Exhaust in Miners Study: III. Interrelations between Respirable Elemental Carbon and Gaseous and Particulate Components of Diesel Exhaust derived from Area Sampling in Underground Non-metal Mining Facilities. <i>Annals of Occupational Hygiene</i> , 2010, 54, 762-73.	1.9	44
198	Outdoor air pollution and risk for kidney parenchyma cancer in 14 European cohorts. <i>International Journal of Cancer</i> , 2017, 140, 1528-1537.	5.1	44

#	ARTICLE	IF	CITATIONS
199	Respirable Crystalline Silica Exposure, Smoking, and Lung Cancer Subtype Risks. A Pooled Analysis of Case-Control Studies. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2020, 202, 412-421.	5.6	44
200	Strengthening the Reporting of Observational studies in Epidemiology – Molecular Epidemiology STROBE-ME: an extension of the STROBE statement. <i>Journal of Clinical Epidemiology</i> , 2011, 64, 1350-1363.	5.0	43
201	Systematic review of methods used to assess exposure to pesticides in occupational epidemiology studies, 1993–2017. <i>Occupational and Environmental Medicine</i> , 2020, 77, 357-367.	2.8	43
202	Go slow to go fast: a plea for sustained scientific rigour in air pollution research during the COVID-19 pandemic. <i>European Respiratory Journal</i> , 2020, 56, 2001361.	6.7	43
203	Cause-specific mortality of Dutch chlorophenoxy herbicide manufacturing workers. <i>Occupational and Environmental Medicine</i> , 2010, 67, 24-31.	2.8	42
204	Comparison of expert and job-exposure matrix-based retrospective exposure assessment of occupational carcinogens in the Netherlands Cohort Study. <i>Occupational and Environmental Medicine</i> , 2012, 69, 745-751.	2.8	42
205	A longitudinal study of atrazine and 2,4-D exposure and oxidative stress markers among Iowa corn farmers. <i>Environmental and Molecular Mutagenesis</i> , 2017, 58, 30-38.	2.2	42
206	Adductomic signatures of benzene exposure provide insights into cancer induction. <i>Carcinogenesis</i> , 2018, 39, 661-668.	2.8	42
207	Impact of short-term traffic-related air pollution on the metabolome – Results from two metabolome-wide experimental studies. <i>Environment International</i> , 2019, 123, 124-131.	10.0	42
208	Use of Omicron™ technologies to study humans exposed to benzene. <i>Chemico-Biological Interactions</i> , 2005, 153-154, 123-127.	4.0	41
209	Diabetes and the risk of non-Hodgkin's lymphoma and multiple myeloma in the European Prospective Investigation into Cancer and Nutrition. <i>Haematologica</i> , 2008, 93, 842-850.	3.5	41
210	Occupation and Risk of Non-Hodgkin Lymphoma and Its Subtypes: A Pooled Analysis from the InterLymph Consortium. <i>Environmental Health Perspectives</i> , 2016, 124, 396-405.	6.0	41
211	Biological marks of early-life socioeconomic experience is detected in the adult inflammatory transcriptome. <i>Scientific Reports</i> , 2016, 6, 38705.	3.3	41
212	Assessment of personal exposure from radiofrequency-electromagnetic fields in Australia and Belgium using on-body calibrated exposimeters. <i>Environmental Research</i> , 2016, 151, 547-563.	7.5	41
213	Changes in DNA methylation induced by multi-walled carbon nanotube exposure in the workplace. <i>Nanotoxicology</i> , 2017, 11, 1195-1210.	3.0	41
214	Parental occupational exposure to pesticides, animals and organic dust and risk of childhood leukemia and central nervous system tumors: Findings from the International Childhood Cancer Cohort Consortium (I4C). <i>International Journal of Cancer</i> , 2020, 146, 943-952.	5.1	41
215	Preventing heart failure: a position paper of the Heart Failure Association in collaboration with the European Association of Preventive Cardiology. <i>European Journal of Heart Failure</i> , 2022, 24, 143-168.	7.1	41
216	Albumin Adducts of Electrophilic Benzene Metabolites in Benzene-Exposed and Control Workers. <i>Environmental Health Perspectives</i> , 2007, 115, 28-34.	6.0	40

#	ARTICLE	IF	CITATIONS
217	Stability and reproducibility of simultaneously detected plasma and serum cytokine levels in asymptomatic subjects. <i>Biomarkers</i> , 2010, 15, 140-148.	1.9	40
218	Development of an Exposure Measurement Database on Five Lung Carcinogens (ExpoSYN) for Quantitative Retrospective Occupational Exposure Assessment. <i>Annals of Occupational Hygiene</i> , 2012, 56, 70-9.	1.9	40
219	Occupational extremely low-frequency magnetic field exposure and selected cancer outcomes in a prospective Dutch cohort. <i>Cancer Causes and Control</i> , 2014, 25, 203-214.	1.8	40
220	Prediagnostic transcriptomic markers of Chronic lymphocytic leukemia reveal perturbations 10 years before diagnosis. <i>Annals of Oncology</i> , 2014, 25, 1065-1072.	1.2	40
221	Comparison of hematological alterations and markers of B-cell activation in workers exposed to benzene, formaldehyde and trichloroethylene. <i>Carcinogenesis</i> , 2016, 37, 692-700.	2.8	40
222	Novel application of statistical methods for analysis of multiple toxicants identifies DDT as a risk factor for early child behavioral problems. <i>Environmental Research</i> , 2016, 151, 91-100.	7.5	40
223	Occupational Exposure to Multi-Walled Carbon Nanotubes During Commercial Production Synthesis and Handling. <i>Annals of Occupational Hygiene</i> , 2016, 60, 305-317.	1.9	40
224	Risk of Bias Assessments and Evidence Syntheses for Observational Epidemiologic Studies of Environmental and Occupational Exposures: Strengths and Limitations. <i>Environmental Health Perspectives</i> , 2020, 128, 95002.	6.0	40
225	Shift workers have a similar diet quality but higher energy intake than day workers. <i>Scandinavian Journal of Work, Environment and Health</i> , 2016, 42, 459-468.	3.4	40
226	Guidelines to Evaluate Human Observational Studies for Quantitative Risk Assessment. <i>Environmental Health Perspectives</i> , 2008, 116, 1700-1705.	6.0	39
227	Occupational exposure to extremely low-frequency magnetic fields and the risk of ALS: A systematic review and meta-analysis. <i>Bioelectromagnetics</i> , 2018, 39, 156-163.	1.6	39
228	Parkinson's disease and long-term exposure to outdoor air pollution: A matched case-control study in the Netherlands. <i>Environment International</i> , 2019, 129, 28-34.	10.0	39
229	Effect Modification of the Association of Cumulative Exposure and Cancer Risk by Intensity of Exposure and Time Since Exposure Cessation: A Flexible Method Applied to Cigarette Smoking and Lung Cancer in the SYNERGY Study. <i>American Journal of Epidemiology</i> , 2014, 179, 290-298.	3.4	38
230	Modelling indoor electromagnetic fields (EMF) from mobile phone base stations for epidemiological studies. <i>Environment International</i> , 2014, 67, 22-26.	10.0	38
231	Household fuel use and adverse pregnancy outcomes in a Ghanaian cohort study. <i>Reproductive Health</i> , 2020, 17, 29.	3.1	38
232	Modelling nationwide spatial variation of ultrafine particles based on mobile monitoring. <i>Environment International</i> , 2021, 154, 106569.	10.0	38
233	Household air pollution and lung cancer in China: a review of studies in Xuanwei. <i>Chinese Journal of Cancer</i> , 2014, 33, 471-5.	4.9	37
234	Night work and breast cancer risk in a general population prospective cohort study in The Netherlands. <i>European Journal of Epidemiology</i> , 2014, 29, 577-584.	5.7	37

#	ARTICLE	IF	CITATIONS
235	Characterization of Changes in Gene Expression and Biochemical Pathways at Low Levels of Benzene Exposure. PLoS ONE, 2014, 9, e91828.	2.5	36
236	Occupational asbestos exposure and risk of esophageal, gastric and colorectal cancer in the prospective Netherlands Cohort Study. International Journal of Cancer, 2014, 135, 1970-1977.	5.1	36
237	Outdoor and indoor sources of residential radiofrequency electromagnetic fields, personal cell phone and cordless phone use, and cognitive function in 5-6 years old children. Environmental Research, 2016, 150, 364-374.	7.5	36
238	Cardiovascular effects among workers exposed to multiwalled carbon nanotubes. Occupational and Environmental Medicine, 2018, 75, 351-358.	2.8	36
239	Plasma 25-hydroxyvitamin D concentration and lymphoma risk: results of the European Prospective Investigation into Cancer and Nutrition. American Journal of Clinical Nutrition, 2013, 98, 827-838.	4.7	35
240	Land use regression models for the oxidative potential of fine particles (PM 2.5) in five European areas. Environmental Research, 2018, 160, 247-255.	7.5	35
241	Land use regression models for ultrafine particles, fine particles, and black carbon in Southern California. Science of the Total Environment, 2020, 699, 134234.	8.0	35
242	Use of OctoChrome fluorescence in situ hybridization to detect specific aneuploidy among all 24 chromosomes in benzene-exposed workers. Chemico-Biological Interactions, 2005, 153-154, 117-122.	4.0	34
243	A Database of Exposures in the Rubber Manufacturing Industry: Design and Quality Control. Annals of Occupational Hygiene, 2005, 49, 691-701.	1.9	34
244	Consumption of meat and dairy and lymphoma risk in the European Prospective Investigation into Cancer and Nutrition. International Journal of Cancer, 2011, 128, 623-634.	5.1	34
245	Serum concentrations of polybrominated diphenyl ethers (PBDEs) and a polybrominated biphenyl (PBB) in men from Greenland, Poland and Ukraine. Environment International, 2013, 61, 8-16.	10.0	34
246	Alterations in leukocyte telomere length in workers occupationally exposed to benzene. Environmental and Molecular Mutagenesis, 2014, 55, 673-678.	2.2	34
247	Genome-wide interaction study of gene-by-occupational exposure and effects on FEV1 levels. Journal of Allergy and Clinical Immunology, 2015, 136, 1664-1672.e14.	2.9	34
248	Lung cancer risk among bricklayers in a pooled analysis of case-control studies. International Journal of Cancer, 2015, 136, 360-371.	5.1	34
249	Assessment of residential environmental exposure to pesticides from agricultural fields in the Netherlands. Journal of Exposure Science and Environmental Epidemiology, 2018, 28, 173-181.	3.9	34
250	DNA methylation and associated gene expression in blood prior to lung cancer diagnosis in the Norwegian Women and Cancer cohort. Scientific Reports, 2018, 8, 16714.	3.3	34
251	KIM-1 as a Blood-Based Marker for Early Detection of Kidney Cancer: A Prospective Nested Case-Control Study. Clinical Cancer Research, 2018, 24, 5594-5601.	7.0	34
252	HLA Class I and II Diversity Contributes to the Etiologic Heterogeneity of Non-Hodgkin Lymphoma Subtypes. Cancer Research, 2018, 78, 4086-4096.	0.9	34

#	ARTICLE	IF	CITATIONS
253	EXPOsOMICS: final policy workshop and stakeholder consultation. BMC Public Health, 2018, 18, 260.	2.9	34
254	Diesel Engine Exhaust Exposure, Smoking, and Lung Cancer Subtype Risks. A Pooled Exposureâ€“Response Analysis of 14 Caseâ€“Control Studies. American Journal of Respiratory and Critical Care Medicine, 2020, 202, 402-411.	5.6	34
255	Exposure to atrazine and selected non-persistent pesticides among corn farmers during a growing season. Journal of Exposure Science and Environmental Epidemiology, 2009, 19, 544-554.	3.9	33
256	Physical activity and lymphoid neoplasms in the European Prospective Investigation into Cancer and nutrition (EPIC). European Journal of Cancer, 2011, 47, 748-760.	2.8	33
257	Occupational exposure to formaldehyde and alterations in lymphocyte subsets. American Journal of Industrial Medicine, 2013, 56, 252-257.	2.1	33
258	Single molecule quantitation and sequencing of rare translocations using microfluidic nested digital PCR. Nucleic Acids Research, 2013, 41, e159-e159.	14.5	33
259	Performance of GPS-devices for environmental exposure assessment. Journal of Exposure Science and Environmental Epidemiology, 2013, 23, 498-505.	3.9	33
260	Prediagnostic Serum Organochlorine Concentrations and Metastatic Prostate Cancer: A Nested Caseâ€“Control Study in the Norwegian Janus Serum Bank Cohort. Environmental Health Perspectives, 2015, 123, 867-872.	6.0	33
261	New frontiers for environmental epidemiology in a changing world. Environment International, 2017, 104, 155-162.	10.0	33
262	Profiling the Serum Albumin Cys34 Adductome of Solid Fuel Users in Xuanwei and Fuyuan, China. Environmental Science & Technology, 2017, 51, 46-57.	10.0	33
263	Is There an Association Between Ambient Air Pollution and Bladder Cancer Incidence? Analysis of 15 European Cohorts. European Urology Focus, 2018, 4, 113-120.	3.1	33
264	Performance of variable selection methods for assessing the health effects of correlated exposures in caseâ€“control studies. Occupational and Environmental Medicine, 2018, 75, 522-529.	2.8	33
265	Headache, tinnitus and hearing loss in the international Cohort Study of Mobile Phone Use and Health (COSMOS) in Sweden and Finland. International Journal of Epidemiology, 2019, 48, 1567-1579.	1.9	33
266	Short-term exposure to traffic-related air pollution reveals a compound-specific circulating miRNA profile indicating multiple disease risks. Environment International, 2019, 128, 193-200.	10.0	33
267	Occupational Exposure to Nano-Objects and Their Agglomerates and Aggregates Across Various Life Cycle Stages; A Broad-Scale Exposure Study. Annals of Occupational Hygiene, 2015, 59, 681-704.	1.9	32
268	Occupational exposure to magnetic fields and electric shocks and risk of ALS: The Swiss National Cohort. Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration, 2015, 16, 80-85.	1.7	32
269	Acute changes in serum immune markers due to swimming in a chlorinated pool. Environment International, 2017, 105, 1-11.	10.0	32
270	Occupational exposure to pesticides are associated with fixed airflow obstruction in middle-age. Thorax, 2017, 72, 990-997.	5.6	32

#	ARTICLE	IF	CITATIONS
271	Lung cancer risk by geologic coal deposits: A case-control study of female never-smokers from Xuanwei and Fuyuan, China. <i>International Journal of Cancer</i> , 2019, 144, 2918-2927.	5.1	32
272	Long-term effect of mobile phone use on sleep quality: Results from the cohort study of mobile phone use and health (COSMOS). <i>Environment International</i> , 2020, 140, 105687.	10.0	32
273	Lung cancer among coal miners, ore miners and quarrymen: smoking-adjusted risk estimates from the synergy pooled analysis of case-control studies. <i>Scandinavian Journal of Work, Environment and Health</i> , 2015, 41, 467-477.	3.4	32
274	Dermal exposure assessment in occupational epidemiologic research. <i>Scandinavian Journal of Work, Environment and Health</i> , 2002, 28, 371-385.	3.4	32
275	Chromosome Translocations in Workers Exposed to Benzene. <i>Journal of the National Cancer Institute Monographs</i> , 2008, 2008, 74-77.	2.1	31
276	Elevated urinary levels of kidney injury molecule-1 among Chinese factory workers exposed to trichloroethylene. <i>Carcinogenesis</i> , 2012, 33, 1538-1541.	2.8	31
277	Measurements of intermediate-frequency electric and magnetic fields in households. <i>Environmental Research</i> , 2017, 154, 160-170.	7.5	31
278	Maternal cell phone use during pregnancy and child behavioral problems in five birth cohorts. <i>Environment International</i> , 2017, 104, 122-131.	10.0	31
279	Night shift work exposure profile and obesity: Baseline results from a Chinese night shift worker cohort. <i>PLoS ONE</i> , 2018, 13, e0196989.	2.5	31
280	Driver mutations among never smoking female lung cancer tissues in China identify unique EGFR and KRAS mutation pattern associated with household coal burning. <i>Respiratory Medicine</i> , 2013, 107, 1755-1762.	2.9	30
281	Night shift work and abnormal liver function: is non-alcohol fatty liver a necessary mediator?. <i>Occupational and Environmental Medicine</i> , 2019, 76, 83-89.	2.8	30
282	A call for urgent action to safeguard our planet and our health in line with the helsinki declaration. <i>Environmental Research</i> , 2021, 193, 110600.	7.5	30
283	Multiple biomarkers study in painters in a shipyard in Korea. <i>Mutation Research - Genetic Toxicology and Environmental Mutagenesis</i> , 2003, 540, 89-98.	1.7	29
284	Accuracy of a semiquantitative method for Dermal Exposure Assessment (DREAM). <i>Occupational and Environmental Medicine</i> , 2005, 62, 623-632.	2.8	29
285	Polycyclic Aromatic Hydrocarbon Exposure, Urinary Mutagenicity, and DNA Adducts in Rubber Manufacturing Workers. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008, 17, 1452-1459.	2.5	29
286	Do young adults with childhood asthma avoid occupational exposures at first hire?. <i>European Respiratory Journal</i> , 2011, 37, 1043-1049.	6.7	29
287	Electric shocks at work in Europe: development of a job exposure matrix. <i>Occupational and Environmental Medicine</i> , 2013, 70, 261-267.	2.8	29
288	Occupational exposure to pesticides and endotoxin and Parkinson disease in the Netherlands. <i>Occupational and Environmental Medicine</i> , 2014, 71, 757-764.	2.8	29

#	ARTICLE	IF	CITATIONS
289	Outdoor, indoor, and personal black carbon exposure from cookstoves burning solid fuels. <i>Indoor Air</i> , 2016, 26, 784-795.	4.3	29
290	Occupational exposure to indoor air pollution among bakery workers in Ethiopia; A comparison of electric and biomass cookstoves. <i>Environmental Pollution</i> , 2018, 233, 690-697.	7.5	29
291	Blood Metal Levels and Amyotrophic Lateral Sclerosis Risk: A Prospective Cohort. <i>Annals of Neurology</i> , 2021, 89, 125-133.	5.3	29
292	An annotation database for chemicals of emerging concern in exposome research. <i>Environment International</i> , 2021, 152, 106511.	10.0	29
293	Spatio-temporal variation of outdoor and indoor pesticide air concentrations in homes near agricultural fields. <i>Atmospheric Environment</i> , 2021, 262, 118612.	4.1	29
294	Exposure to inhalable dust and its cyclohexane soluble fraction since the 1970s in the rubber manufacturing industry in the European Union. <i>Occupational and Environmental Medicine</i> , 2008, 65, 384-391.	2.8	28
295	Plasma dioxin levels and cause-specific mortality in an occupational cohort of workers exposed to chlorophenoxy herbicides, chlorophenols and contaminants. <i>Occupational and Environmental Medicine</i> , 2012, 69, 113-118.	2.8	28
296	Body mass index in young school-age children in relation to organochlorine compounds in early life: a prospective study. <i>International Journal of Obesity</i> , 2014, 38, 919-925.	3.4	28
297	Personal exposure to radio-frequency electromagnetic fields in Europe: Is there a generation gap?. <i>Environment International</i> , 2018, 121, 216-226.	10.0	28
298	Genetic overlap between autoimmune diseases and non-Hodgkin lymphoma subtypes. <i>Genetic Epidemiology</i> , 2019, 43, 844-863.	1.3	28
299	Anthropometric and reproductive factors and risk of esophageal and gastric cancer by subtype and subsite: Results from the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>International Journal of Cancer</i> , 2020, 146, 929-942.	5.1	28
300	Mutagenic profile of rubber dust and fume exposure in two rubber tire companies. <i>Mutation Research - Genetic Toxicology and Environmental Mutagenesis</i> , 2000, 468, 165-171.	1.7	27
301	Lung cancer risk at low cumulative asbestos exposure: meta-regression of the exposure-response relationship. <i>Cancer Causes and Control</i> , 2013, 24, 1-12.	1.8	27
302	Occupational exposure to trichloroethylene and risk of non-Hodgkin lymphoma and its major subtypes: a pooled interLymph analysis. <i>Occupational and Environmental Medicine</i> , 2013, 70, 795-802.	2.8	27
303	Alterations in serum immunoglobulin levels in workers occupationally exposed to trichloroethylene. <i>Carcinogenesis</i> , 2013, 34, 799-802.	2.8	27
304	Interactions between SERPINA1PIMZ genotype, occupational exposure and lung function decline. <i>Occupational and Environmental Medicine</i> , 2014, 71, 234-240.	2.8	27
305	Mitochondrial DNA Copy Number and Chronic Lymphocytic Leukemia/Small Lymphocytic Lymphoma Risk in Two Prospective Studies. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015, 24, 148-153.	2.5	27
306	Patterns of cellular phone use among young people in 12 countries: Implications for RF exposure. <i>Environment International</i> , 2017, 107, 65-74.	10.0	27

#	ARTICLE	IF	CITATIONS
307	Immunoreactivity to metal and silica associates with sarcoidosis in Dutch patients. <i>Respiratory Research</i> , 2020, 21, 141.	3.6	27
308	The Diesel Exhaust in Miners Study: V. Evaluation of the Exposure Assessment Methods. <i>Annals of Occupational Hygiene</i> , 2012, 56, 389-400.	1.9	26
309	Serum metabolomic perturbations among workers exposed to 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD). <i>Environmental and Molecular Mutagenesis</i> , 2013, 54, 558-565.	2.2	26
310	Inside the black box: starting to uncover the underlying decision rules used in a one-by-one expert assessment of occupational exposure in case-control studies. <i>Occupational and Environmental Medicine</i> , 2013, 70, 203-210.	2.8	26
311	Maternal cell phone and cordless phone use during pregnancy and behaviour problems in 5-year-old children. <i>Journal of Epidemiology and Community Health</i> , 2013, 67, 432-438.	3.7	26
312	Blood Erythrocyte Concentrations of Cadmium and Lead and the Risk of B-Cell Non-Hodgkin's Lymphoma and Multiple Myeloma: A Nested Case-Control Study. <i>PLoS ONE</i> , 2013, 8, e81892.	2.5	26
313	Calibrating a population-based job-exposure matrix using inspection measurements to estimate historical occupational exposure to lead for a population-based cohort in Shanghai, China. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2014, 24, 9-16.	3.9	26
314	Prediagnostic telomere length and risk of B-cell lymphoma-Results from the EPIC cohort study. <i>International Journal of Cancer</i> , 2014, 135, 2910-2917.	5.1	26
315	Environmental Radiofrequency Electromagnetic Fields Exposure at Home, Mobile and Cordless Phone Use, and Sleep Problems in 7-Year-Old Children. <i>PLoS ONE</i> , 2015, 10, e0139869.	2.5	26
316	Lung Cancer Mortality Among Women in Xuan Wei, China. <i>Asia-Pacific Journal of Public Health</i> , 2015, 27, NP392-NP401.	1.0	26
317	A multivariate approach to investigate the combined biological effects of multiple exposures. <i>Journal of Epidemiology and Community Health</i> , 2018, 72, 564-571.	3.7	26
318	Association between alcohol exposure and the risk of amyotrophic lateral sclerosis in the Euro-MOTOR study. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2019, 90, 11-19.	1.9	26
319	Benzene Exposure Response and Risk of Myeloid Neoplasms in Chinese Workers: A Multicenter Case-Cohort Study. <i>Journal of the National Cancer Institute</i> , 2019, 111, 465-474.	6.3	26
320	The Helsinki Declaration 2020: Europe that protects. <i>Lancet Planetary Health</i> , The, 2020, 4, e503-e505.	11.4	26
321	Circulating Soluble CD30 and Future Risk of Lymphoma; Evidence from Two Prospective Studies in the General Population. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011, 20, 1925-1927.	2.5	25
322	Occupational exposure to trichloroethylene and serum concentrations of IL-6, IL-10, and TNF- α . <i>Environmental and Molecular Mutagenesis</i> , 2013, 54, 450-454.	2.2	25
323	Impact of input data uncertainty on environmental exposure assessment models: A case study for electromagnetic field modelling from mobile phone base stations. <i>Environmental Research</i> , 2014, 135, 148-155.	7.5	25
324	Effects of physical exercise on markers of inflammation in breast cancer patients during adjuvant chemotherapy. <i>Breast Cancer Research and Treatment</i> , 2018, 168, 421-431.	2.5	25

#	ARTICLE	IF	CITATIONS
325	EVALUATION OF SPECIFIC ABSORPTION RATE IN THE FAR-FIELD, NEAR-TO-FAR FIELD AND NEAR-FIELD REGIONS FOR INTEGRATIVE RADIOFREQUENCY EXPOSURE ASSESSMENT. <i>Radiation Protection Dosimetry</i> , 2020, 190, 459-472.	0.8	25
326	A multi-omic analysis of birthweight in newborn cord blood reveals new underlying mechanisms related to cholesterol metabolism. <i>Metabolism: Clinical and Experimental</i> , 2020, 110, 154292.	3.4	25
327	Serum levels of <i>hsa-miR-16</i> , <i>hsa-miR-29a-3p</i> , <i>hsa-miR-150</i> , <i>hsa-miR-155</i> and <i>hsa-miR-223</i> and subsequent risk of chronic lymphocytic leukemia in the EPIC study. <i>International Journal of Cancer</i> , 2020, 147, 1315-1324.	5.1	25
328	Lifetime Occupational Exposure to Dusts, Gases and Fumes Is Associated with Bronchitis Symptoms and Higher Diffusion Capacity in COPD Patients. <i>PLoS ONE</i> , 2014, 9, e88426.	2.5	25
329	Bulky DNA Adducts in White Blood Cells: A Pooled Analysis of 3,600 Subjects. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010, 19, 3174-3181.	2.5	24
330	Occupation and risk of lymphoma: a multicentre prospective cohort study (EPIC). <i>Occupational and Environmental Medicine</i> , 2011, 68, 77-81.	2.8	24
331	Early diagnostic protein biomarkers for breast cancer: how far have we come?. <i>Breast Cancer Research and Treatment</i> , 2012, 134, 1-12.	2.5	24
332	Dietary Intakes and Risk of Lymphoid and Myeloid Leukemia in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Nutrition and Cancer</i> , 2014, 66, 14-28.	2.0	24
333	Occupational Exposure to Benzene and Non-Hodgkin Lymphoma in a Population-Based Cohort: The Shanghai Women's Health Study. <i>Environmental Health Perspectives</i> , 2015, 123, 971-977.	6.0	24
334	Personal exposure to UFP in different micro-environments and time of day. <i>Building and Environment</i> , 2017, 122, 237-246.	6.9	24
335	Blood transcriptional and microRNA responses to short-term exposure to disinfection by-products in a swimming pool. <i>Environment International</i> , 2018, 110, 42-50.	10.0	24
336	Use and Reliability of Exposure Assessment Methods in Occupational Case-Control Studies in the General Population: Past, Present, and Future. <i>Annals of Work Exposures and Health</i> , 2018, 62, 1047-1063.	1.4	24
337	Human exposure to trichloroethylene is associated with increased variability of blood DNA methylation that is enriched in genes and pathways related to autoimmune disease and cancer. <i>Epigenetics</i> , 2019, 14, 1112-1124.	2.7	24
338	Diet, Physical Activity, and Daylight Exposure Patterns in Night-Shift Workers and Day Workers. <i>Annals of Work Exposures and Health</i> , 2019, 63, 9-21.	1.4	24
339	Occupational exposure to extremely low-frequency magnetic fields and cardiovascular disease mortality in a prospective cohort study. <i>Occupational and Environmental Medicine</i> , 2013, 70, 402-407.	2.8	23
340	Using GPS-derived speed patterns for recognition of transport modes in adults. <i>International Journal of Health Geographics</i> , 2014, 13, 40.	2.5	23
341	Soluble B-cell activation marker of sCD27 and sCD30 and future risk of B-cell lymphomas: A nested case-control study and meta-analyses. <i>International Journal of Cancer</i> , 2016, 138, 2357-2367.	5.1	23
342	A Method for Semi-quantitative Assessment of Exposure to Pesticides of Applicators and Re-entry Workers: An Application in Three Farming Systems in Ethiopia. <i>Annals of Occupational Hygiene</i> , 2016, 60, 669-683.	1.9	23

#	ARTICLE	IF	CITATIONS
343	Anthropometry and the Risk of Lung Cancer in EPIC. <i>American Journal of Epidemiology</i> , 2016, 184, 129-139.	3.4	23
344	Modeled and Perceived Exposure to Radiofrequency Electromagnetic Fields From Mobile-Phone Base Stations and the Development of Symptoms Over Time in a General Population Cohort. <i>American Journal of Epidemiology</i> , 2017, 186, 210-219.	3.4	23
345	Nighttime eating and breast cancer among Chinese women in Hong Kong. <i>Breast Cancer Research</i> , 2017, 19, 31.	5.0	23
346	Quartz in ash, and air in a high lung cancer incidence area in China. <i>Environmental Pollution</i> , 2017, 221, 318-325.	7.5	23
347	Neurobehavioural symptoms and acute pesticide poisoning: a cross-sectional study among male pesticide applicators selected from three commercial farming systems in Ethiopia. <i>Occupational and Environmental Medicine</i> , 2018, 75, 283-289.	2.8	23
348	ExpoApp: An integrated system to assess multiple personal environmental exposures. <i>Environment International</i> , 2019, 126, 494-503.	10.0	23
349	DNA methylation profiling implicates exposure to PCBs in the pathogenesis of B-cell chronic lymphocytic leukemia. <i>Environment International</i> , 2019, 126, 24-36.	10.0	23
350	A metabolomic study of red and processed meat intake and acylcarnitine concentrations in human urine and blood. <i>American Journal of Clinical Nutrition</i> , 2020, 112, 381-388.	4.7	23
351	Biological monitoring of carbon disulphide and phthalate exposure in the contemporary rubber industry. <i>International Archives of Occupational and Environmental Health</i> , 2005, 78, 663-669.	2.3	22
352	Polymorphisms in innate immunity genes and lung cancer risk in Xuanwei, China. <i>Environmental and Molecular Mutagenesis</i> , 2009, 50, 285-290.	2.2	22
353	Diesel engine exhaust classified as a human lung carcinogen. How will this affect occupational exposures?. <i>Occupational and Environmental Medicine</i> , 2012, 69, 691-693.	2.8	22
354	The Nightingale study: rationale, study design and baseline characteristics of a prospective cohort study on shift work and breast cancer risk among nurses. <i>BMC Cancer</i> , 2014, 14, 47.	2.6	22
355	Occupational exposure to diesel engine exhaust and alterations in lymphocyte subsets. <i>Occupational and Environmental Medicine</i> , 2015, 72, 354-359.	2.8	22
356	Association of Selenoprotein and Selenium Pathway Genotypes with Risk of Colorectal Cancer and Interaction with Selenium Status. <i>Nutrients</i> , 2019, 11, 935.	4.1	22
357	The respiratory tract microbiome and its relationship to lung cancer and environmental exposures found in rural china. <i>Environmental and Molecular Mutagenesis</i> , 2019, 60, 617-623.	2.2	22
358	Radiofrequency electromagnetic fields, screen time, and emotional and behavioural problems in 5-year-old children. <i>International Journal of Hygiene and Environmental Health</i> , 2019, 222, 188-194.	4.3	22
359	Education, biological ageing, all-cause and cause-specific mortality and morbidity: UK biobank cohort study. <i>EClinicalMedicine</i> , 2020, 29-30, 100658.	7.1	22
360	Narrative review of citizen science in environmental epidemiology: Setting the stage for co-created research projects in environmental epidemiology. <i>Environment International</i> , 2021, 152, 106470.	10.0	22

#	ARTICLE	IF	CITATIONS
361	Developing the building blocks to elucidate the impact of the urban exposome on cardiometabolic-pulmonary disease. <i>Environmental Epidemiology</i> , 2021, 5, e162.	3.0	22
362	Respiratory symptoms and occupation: a cross-sectional study of the general population. <i>Environmental Health</i> , 2002, 1, 5.	4.0	21
363	Variability of Task-based Dermal Exposure Measurements from a Variety of Workplaces. <i>Annals of Occupational Hygiene</i> , 2004, 48, 187-96.	1.9	21
364	Occupational Exposure to Vapors, Gases, Dusts, and Fumes Is Associated with Small Airways Obstruction. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2014, 189, 487-490.	5.6	21
365	Exposure to polybrominated diphenyl ethers and male reproductive function in Greenland, Poland and Ukraine. <i>Reproductive Toxicology</i> , 2014, 43, 1-7.	2.9	21
366	Occupational Exposure to Electric Shocks and Magnetic Fields and Amyotrophic Lateral Sclerosis in Sweden. <i>Epidemiology</i> , 2015, 26, 824-830.	2.7	21
367	Residential exposure to RF-EMF from mobile phone base stations: Model predictions versus personal and home measurements. <i>Science of the Total Environment</i> , 2016, 550, 987-993.	8.0	21
368	Occupational exposure to diesel engine exhaust and alterations in immune/inflammatory markers: a cross-sectional molecular epidemiology study in China. <i>Carcinogenesis</i> , 2017, 38, 1104-1111.	2.8	21
369	Recall of mobile phone usage and laterality in young people: The multinational Mobi-Expo study. <i>Environmental Research</i> , 2018, 165, 150-157.	7.5	21
370	DNA Methylome Marks of Exposure to Particulate Matter at Three Time Points in Early Life. <i>Environmental Science & Technology</i> , 2018, 52, 5427-5437.	10.0	21
371	Modeled and perceived RF-EMF, noise and air pollution and symptoms in a population cohort. Is perception key in predicting symptoms?. <i>Science of the Total Environment</i> , 2018, 639, 75-83.	8.0	21
372	Occupational exposure to solvents and lung function decline: A population based study. <i>Thorax</i> , 2019, 74, 650-658.	5.6	21
373	Prenatal Exposure to Multiple Air Pollutants, Mediating Molecular Mechanisms, and Shifts in Birthweight. <i>Environmental Science & Technology</i> , 2020, 54, 14502-14513.	10.0	21
374	Radio-frequency electromagnetic field exposure and contribution of sources in the general population: an organ-specific integrative exposure assessment. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2021, 31, 999-1007.	3.9	21
375	Dermal Exposure, Handwashing, and Hand Dermatitis in the Rubber Manufacturing Industry. <i>Epidemiology</i> , 2001, 12, 350-354.	2.7	20
376	Improved methods for urinary atrazine mercapturate analysis—Assessment of an enzyme-linked immunosorbent assay (ELISA) and a novel liquid chromatography—mass spectrometry (LC—MS) method utilizing online solid phase extraction (SPE). <i>Analytica Chimica Acta</i> , 2006, 572, 180-189.	5.4	20
377	Decreased numbers of CD4+ naive and effector memory T cells, and CD8+ na ⁺ ve T cells, are associated with trichloroethylene exposure. <i>Frontiers in Oncology</i> , 2012, 1, 53.	2.8	20
378	Anthropometric characteristics and risk of lymphoid and myeloid leukemia in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Causes and Control</i> , 2013, 24, 427-438.	1.8	20

#	ARTICLE	IF	CITATIONS
379	The population-based Occupational and Environmental Health Prospective Cohort Study (AMIGO) in the Netherlands. <i>BMJ Open</i> , 2014, 4, e005858.	1.9	20
380	Using softwareâ€modified smartphones to validate selfâ€reported mobile phone use in young people: A pilot study. <i>Bioelectromagnetics</i> , 2015, 36, 538-543.	1.6	20
381	Occupational exposure to solvents, metals and welding fumes and risk of Parkinson's disease. <i>Parkinsonism and Related Disorders</i> , 2015, 21, 635-639.	2.2	20
382	Measuring personal exposure from 900MHz mobile phone base stations in Australia and Belgium using a novel personal distributed exposimeter. <i>Environment International</i> , 2016, 92-93, 388-397.	10.0	20
383	Estimation of quantitative levels of diesel exhaust exposure and the health impact in the contemporary Australian mining industry. <i>Occupational and Environmental Medicine</i> , 2017, 74, 282-289.	2.8	20
384	Effects of personalised exposure on self-rated electromagnetic hypersensitivity and sensibility â€ A double-blind randomised controlled trial. <i>Environment International</i> , 2017, 99, 255-262.	10.0	20
385	Occupational extremely low frequency magnetic fields (ELF-MF) exposure and hematolymphopietic cancers â€ Swiss National Cohort analysis and updated meta-analysis. <i>Environmental Research</i> , 2018, 164, 467-474.	7.5	20
386	Peritoneal mesothelioma and asbestos exposure: a population-based caseâ€control study in Lombardy, Italy. <i>Occupational and Environmental Medicine</i> , 2019, 76, 545-553.	2.8	20
387	Associations of Electric Shock and Extremely Low-Frequency Magnetic Field Exposure With the Risk of Amyotrophic Lateral Sclerosis. <i>American Journal of Epidemiology</i> , 2019, 188, 796-805.	3.4	20
388	The mediating effect of immune markers on the association between ambient air pollution and adult-onset asthma. <i>Scientific Reports</i> , 2019, 9, 8818.	3.3	20
389	Ischaemic heart disease and stroke mortality by specific coal type among non-smoking women with substantial indoor air pollution exposure in China. <i>International Journal of Epidemiology</i> , 2020, 49, 56-68.	1.9	20
390	Polyphenol intake and differentiated thyroid cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>International Journal of Cancer</i> , 2020, 146, 1841-1850.	5.1	20
391	Effect modification of the association between total cigarette smoking and ALS risk by intensity, duration and time-since-quitting: Euro-MOTOR. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2020, 91, 33-39.	1.9	20
392	Early-life exposure to multiple persistent organic pollutants and metals and birth weight: Pooled analysis in four Flemish birth cohorts. <i>Environment International</i> , 2020, 145, 106149.	10.0	20
393	Clinical presentation of young people (10â€24 years old) with brain tumors: results from the international MOBI-Kids study. <i>Journal of Neuro-Oncology</i> , 2020, 147, 427-440.	2.9	20
394	Prospective Identification of Elevated Circulating CDCP1 in Patients Years before Onset of Lung Cancer. <i>Cancer Research</i> , 2021, 81, 3738-3748.	0.9	20
395	Novel Biomarkers of Habitual Alcohol Intake and Associations With Risk of Pancreatic and Liver Cancers and Liver Disease Mortality. <i>Journal of the National Cancer Institute</i> , 2021, 113, 1542-1550.	6.3	20
396	Utilizing a Biology-Driven Approach to Map the Exposome in Health and Disease: An Essential Investment to Drive the Next Generation of Environmental Discovery. <i>Environmental Health Perspectives</i> , 2021, 129, 85001.	6.0	20

#	ARTICLE	IF	CITATIONS
397	High-risk subtypes of chronic lymphocytic leukemia are detectable as early as 16 years prior to diagnosis. <i>Blood</i> , 2022, 139, 1557-1563.	1.4	20
398	Machine learning approaches to characterize the obesogenic urban exposome. <i>Environment International</i> , 2022, 158, 107015.	10.0	20
399	Mutagenic exposure in the rubber manufacturing industry: an industry wide survey. <i>Mutation Research - Genetic Toxicology and Environmental Mutagenesis</i> , 2001, 490, 27-34.	1.7	19
400	Urothelial cell DNA adducts in rubber workers. <i>Environmental and Molecular Mutagenesis</i> , 2002, 39, 306-313.	2.2	19
401	Exposure related mutagens in urine of rubber workers associated with inhalable particulate and dermal exposure. <i>Occupational and Environmental Medicine</i> , 2003, 60, 97-103.	2.8	19
402	Dermal exposure assessment to benzene and toluene using charcoal cloth pads. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2005, 15, 47-50.	3.9	19
403	Assessment of dermal exposure to benzene and toluene in shoe manufacturing by activated carbon cloth patches. <i>Journal of Environmental Monitoring</i> , 2006, 8, 1143.	2.1	19
404	JEMs and Incompatible Occupational Coding Systems: Effect of Manual and Automatic Recoding of Job Codes on Exposure Assignment. <i>Annals of Occupational Hygiene</i> , 2013, 57, 107-14.	1.9	19
405	Occupational exposures and risk of dementia-related mortality in the prospective Netherlands Cohort Study. <i>American Journal of Industrial Medicine</i> , 2015, 58, 625-635.	2.1	19
406	Validity of at home model predictions as a proxy for personal exposure to radiofrequency electromagnetic fields from mobile phone base stations. <i>Environmental Research</i> , 2015, 142, 221-226.	7.5	19
407	Context-sensitive ecological momentary assessments; integrating real-time exposure measurements, data-analytics and health assessment using a smartphone application. <i>Environment International</i> , 2017, 103, 8-12.	10.0	19
408	Toxicokinetics of a urinary metabolite of tebuconazole following controlled oral and dermal administration in human volunteers. <i>Archives of Toxicology</i> , 2019, 93, 2545-2553.	4.2	19
409	Incidence, Prevalence, and Geographical Clustering of Motor Neuron Disease in the Netherlands. <i>Neurology</i> , 2021, 96, .	1.1	19
410	Association between genetic variants in VEGF, ERCC3 and occupational benzene haematotoxicity. <i>Occupational and Environmental Medicine</i> , 2009, 66, 848-853.	2.8	18
411	Determinants of urinary 1-hydroxypyrene glucuronide in South Korean children. <i>International Archives of Occupational and Environmental Health</i> , 2009, 82, 961-968.	2.3	18
412	STrengthening the reporting of OBservational studies in Epidemiology - Molecular Epidemiology (STROBE-ME): an extension of the STROBE statement. <i>European Journal of Epidemiology</i> , 2011, 26, 797-810.	5.7	18
413	Combustion-derived nanoparticle exposure and household solid fuel use in Xuanwei and Fuyuan, China. <i>International Journal of Environmental Health Research</i> , 2012, 22, 571-581.	2.7	18
414	Occupational Risk Factors for Chronic Respiratory Disease in a New Zealand Population Using Lifetime Occupational History. <i>Journal of Occupational and Environmental Medicine</i> , 2014, 56, 270-280.	1.7	18

#	ARTICLE	IF	CITATIONS
415	Occupational prestige, social mobility and the association with lung cancer in men. <i>BMC Cancer</i> , 2016, 16, 395.	2.6	18
416	Maternal occupational exposure and oral clefts in offspring. <i>Environmental Health</i> , 2017, 16, 83.	4.0	18
417	DNA Methylation in Inflammatory Pathways Modifies the Association between BMI and Adult-Onset Non-Atopic Asthma. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 600.	2.6	18
418	microRNA expression profiles and personal monitoring of exposure to particulate matter. <i>Environmental Pollution</i> , 2020, 263, 114392.	7.5	18
419	Epigenetic aging biomarkers and occupational exposure to benzene, trichloroethylene and formaldehyde. <i>Environment International</i> , 2022, 158, 106871.	10.0	18
420	Transcriptomic changes in the nasal epithelium associated with diesel engine exhaust exposure. <i>Environment International</i> , 2020, 137, 105506.	10.0	18
421	Getting out of crises: Environmental, social-ecological and evolutionary research is needed to avoid future risks of pandemics. <i>Environment International</i> , 2022, 158, 106915.	10.0	18
422	Historical limitations of determinant based exposure groupings in the rubber manufacturing industry. <i>Occupational and Environmental Medicine</i> , 2005, 62, 793-799.	2.8	17
423	Risk factors for chronic mucus hypersecretion in individuals with and without COPD: influence of smoking and job exposure on CMH. <i>Occupational and Environmental Medicine</i> , 2014, 71, 346-352.	2.8	17
424	Gene-expression profiling of buccal epithelium among non-smoking women exposed to household air pollution from smoky coal. <i>Carcinogenesis</i> , 2015, 36, bgv150.	2.8	17
425	Effects of occupational exposure to carbon black on peripheral white blood cell counts and lymphocyte subsets. <i>Environmental and Molecular Mutagenesis</i> , 2016, 57, 615-622.	2.2	17
426	A Multi-Band Body-Worn Distributed Radio-Frequency Exposure Meter: Design, On-Body Calibration and Study of Body Morphology. <i>Sensors</i> , 2018, 18, 272.	3.8	17
427	Antibody Responses to <i>Fusobacterium nucleatum</i> Proteins in Prediagnostic Blood Samples are not Associated with Risk of Developing Colorectal Cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2019, 28, 1552-1555.	2.5	17
428	Associations of Maternal Cell-Phone Use During Pregnancy With Pregnancy Duration and Fetal Growth in 4 Birth Cohorts. <i>American Journal of Epidemiology</i> , 2019, 188, 1270-1280.	3.4	17
429	Multicentre, population-based, case-control study of particulates, combustion products and amyotrophic lateral sclerosis risk. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2019, 90, 854-860.	1.9	17
430	Gallstones and incident colorectal cancer in a large pan-European cohort study. <i>International Journal of Cancer</i> , 2019, 145, 1510-1516.	5.1	17
431	Genome-wide interaction study of gene-by-occupational exposures on respiratory symptoms. <i>Environment International</i> , 2019, 122, 263-269.	10.0	17
432	Haem iron intake and risk of lung cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>European Journal of Clinical Nutrition</i> , 2019, 73, 1122-1132.	2.9	17

#	ARTICLE	IF	CITATIONS
433	Plasma polyphenols associated with lower high-sensitivity C-reactive protein concentrations: a cross-sectional study within the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>British Journal of Nutrition</i> , 2020, 123, 198-208.	2.3	17
434	Inherited variants at 3q13.33 and 3p24.1 are associated with risk of diffuse large B-cell lymphoma and implicate immune pathways. <i>Human Molecular Genetics</i> , 2020, 29, 70-79.	2.9	17
435	Inflammatory potential of the diet and risk of colorectal cancer in the European Prospective Investigation into Cancer and Nutrition study. <i>International Journal of Cancer</i> , 2020, 147, 1027-1039.	5.1	17
436	Alcohol Consumption and Risk of Parkinson's Disease: Data From a Large Prospective European Cohort. <i>Movement Disorders</i> , 2020, 35, 1258-1263.	3.9	17
437	Short-term personal and outdoor exposure to ultrafine and fine particulate air pollution in association with blood pressure and lung function in healthy adults. <i>Environmental Research</i> , 2021, 194, 110579.	7.5	17
438	Occupational exposures and incidence of chronic bronchitis and related symptoms over two decades: the European Community Respiratory Health Survey. <i>Occupational and Environmental Medicine</i> , 2019, 76, oemed-2018-105274.	2.8	17
439	Wireless phone use in childhood and adolescence and neuroepithelial brain tumours: Results from the international MOBI-Kids study. <i>Environment International</i> , 2022, 160, 107069.	10.0	17
440	A report of cytokine polymorphisms and COPD risk in Xuan Wei, China. <i>International Journal of Hygiene and Environmental Health</i> , 2008, 211, 352-356.	4.3	16
441	Polymorphisms in genes involved in innate immunity and susceptibility to benzene-induced hematotoxicity. <i>Experimental and Molecular Medicine</i> , 2011, 43, 375.	7.7	16
442	Sensitivity Analyses of Exposure Estimates from a Quantitative Job-exposure Matrix (SYN-JEM) for Use in Community-based Studies. <i>Annals of Occupational Hygiene</i> , 2012, 57, 98-106.	1.9	16
443	Occupation and risk of lymphoid and myeloid leukaemia in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Occupational and Environmental Medicine</i> , 2013, 70, 464-470.	2.8	16
444	Prediagnostic immunoglobulin E levels and risk of chronic lymphocytic leukemia, other lymphomas and multiple myeloma-results of the European Prospective Investigation into Cancer and Nutrition. <i>Carcinogenesis</i> , 2014, 35, 2716-2722.	2.8	16
445	Parkinson's Disease Case Ascertainment in the EPIC Cohort: The NeuroEPIC4PD Study. <i>Neurodegenerative Diseases</i> , 2015, 15, 331-338.	1.4	16
446	Critical issues in ALS case-control studies: the case of the Euro-MOTOR study. <i>Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration</i> , 2017, 18, 411-418.	1.7	16
447	Methodological issues in a prospective study on plasma concentrations of persistent organic pollutants and pancreatic cancer risk within the EPIC cohort. <i>Environmental Research</i> , 2019, 169, 417-433.	7.5	16
448	Mitochondrial DNA Copy-Number Variation and Pancreatic Cancer Risk in the Prospective EPIC Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020, 29, 681-686.	2.5	16
449	Plasma concentrations of persistent organic pollutants and pancreatic cancer risk. <i>International Journal of Epidemiology</i> , 2022, 51, 479-490.	1.9	16
450	Trends in exposure to inhalable particulate and dermal contamination in the rubber manufacturing industry: effectiveness of control measures implemented over a nine-year period. <i>Annals of Occupational Hygiene</i> , 2000, 44, 343-354.	1.9	15

#	ARTICLE	IF	CITATIONS
451	Does apartment's distance to an in-built transformer room predict magnetic field exposure levels?. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2013, 23, 554-558.	3.9	15
452	Residential exposure to extremely low frequency electromagnetic fields and the risk of ALS. <i>Neurology</i> , 2014, 83, 1767-1769.	1.1	15
453	Extremely Low Frequency Magnetic Field Exposure and Parkinson's Disease: A Systematic Review and Meta-Analysis of the Data. <i>International Journal of Environmental Research and Public Health</i> , 2015, 12, 7348-7356.	2.6	15
454	What input data are needed to accurately model electromagnetic fields from mobile phone base stations?. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2015, 25, 53-57.	3.9	15
455	Lung Cancer Among Firefighters. <i>Journal of Occupational and Environmental Medicine</i> , 2016, 58, 1137-1143.	1.7	15
456	Biomarker Dynamics in B-cell Lymphoma: A Longitudinal Prospective Study of Plasma Samples Up to 25 Years before Diagnosis. <i>Cancer Research</i> , 2017, 77, 1408-1415.	0.9	15
457	Associations Between Genome-wide Gene Expression and Ambient Nitrogen Oxides. <i>Epidemiology</i> , 2017, 28, 320-328.	2.7	15
458	Prediagnostic plasma concentrations of organochlorines and risk of B-cell non-Hodgkin lymphoma in enviromarkers: a nested case-control study. <i>Environmental Health</i> , 2017, 16, 9.	4.0	15
459	Lupus-related single nucleotide polymorphisms and risk of diffuse large B-cell lymphoma. <i>Lupus Science and Medicine</i> , 2017, 4, e000187.	2.7	15
460	Non-occupational physical activity levels of shift workers compared with non-shift workers. <i>Occupational and Environmental Medicine</i> , 2017, 74, 328-335.	2.8	15
461	Occupational exposure to diesel engine exhaust and serum cytokine levels. <i>Environmental and Molecular Mutagenesis</i> , 2018, 59, 144-150.	2.2	15
462	Two high-risk susceptibility loci at 6p25.3 and 14q32.13 for Waldenström macroglobulinemia. <i>Nature Communications</i> , 2018, 9, 4182.	12.8	15
463	Tuberculosis infection and lung adenocarcinoma: Mendelian randomization and pathway analysis of genome-wide association study data from never-smoking Asian women. <i>Genomics</i> , 2020, 112, 1223-1232.	2.9	15
464	Laryngeal Cancer Risks in Workers Exposed to Lung Carcinogens: Exposure-Effect Analyses Using a Quantitative Job Exposure Matrix. <i>Epidemiology</i> , 2020, 31, 145-154.	2.7	15
465	A New Pipeline for the Normalization and Pooling of Metabolomics Data. <i>Metabolites</i> , 2021, 11, 631.	2.9	15
466	Trends in exposure to inhalable particulate and dermal contamination in the rubber manufacturing industry: effectiveness of control measures implemented over a nine-year period. <i>Annals of Occupational Hygiene</i> , 2000, 44, 343-54.	1.9	15
467	Applying the exposome concept to working life health. <i>Environmental Epidemiology</i> , 2022, 6, e185.	3.0	15
468	Mixed-Effects Modeling Framework for Amsterdam and Copenhagen for Outdoor NO ₂ Concentrations Using Measurements Sampled with Google Street View Cars. <i>Environmental Science & Technology</i> , 2022, 56, 7174-7184.	10.0	15

#	ARTICLE	IF	CITATIONS
469	Bulky DNA Adduct Formation and Risk of Bladder Cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007, 16, 2155-2159.	2.5	14
470	Chromosome damage and cancer risk in the workplace: The example of cytogenetic surveillance in Croatia. <i>Toxicology Letters</i> , 2007, 172, 4-11.	0.8	14
471	STrengthening the Reporting of OBservational studies in Epidemiology: Molecular Epidemiology STROBE-ME. An extension of the STROBE statement. <i>Journal of Epidemiology and Community Health</i> , 2012, 66, 844-854.	3.7	14
472	Circulating immune/inflammation markers in Chinese workers occupationally exposed to formaldehyde. <i>Carcinogenesis</i> , 2015, 36, 852-857.	2.8	14
473	Radiofrequency exposure levels in Amsterdam schools. <i>Bioelectromagnetics</i> , 2017, 38, 397-400.	1.6	14
474	An international prospective cohort study of mobile phone users and health (COSMOS): Factors affecting validity of self-reported mobile phone use. <i>International Journal of Hygiene and Environmental Health</i> , 2018, 221, 1-8.	4.3	14
475	Urine collection methods for non-toilet-trained children in biological monitoring studies: Validation of a disposable diaper for characterization of tebuconazole exposure. <i>Toxicology Letters</i> , 2018, 298, 201-206.	0.8	14
476	Metabolome-wide association study of occupational exposure to benzene. <i>Carcinogenesis</i> , 2021, 42, 1326-1336.	2.8	14
477	Cumulative Occupational Exposures and Lung-Function Decline in Two Large General-Population Cohorts. <i>Annals of the American Thoracic Society</i> , 2021, 18, 238-246.	3.2	14
478	Pesticide Exposure of Residents Living Close to Agricultural Fields in the Netherlands: Protocol for an Observational Study. <i>JMIR Research Protocols</i> , 2021, 10, e27883.	1.0	14
479	Quantitative assessment of multiple pesticides in silicone wristbands of children/guardian pairs living in agricultural areas in South Africa. <i>Science of the Total Environment</i> , 2022, 812, 152330.	8.0	14
480	Temporal, personal and spatial variability in dermal exposure. <i>Annals of Occupational Hygiene</i> , 2001, 45, 257-73.	1.9	14
481	Risk of Central Nervous System Tumors in Children Related to Parental Occupational Pesticide Exposures in three European Case-Control Studies. <i>Journal of Occupational and Environmental Medicine</i> , 2016, 58, 1046-1052.	1.7	13
482	Evolving DNA methylation and gene expression markers of B-cell chronic lymphocytic leukemia are present in pre-diagnostic blood samples more than 10 years prior to diagnosis. <i>BMC Genomics</i> , 2017, 18, 728.	2.8	13
483	Pre-diagnostic blood immune markers, incidence and progression of B-cell lymphoma and multiple myeloma: Univariate and functionally informed multivariate analyses. <i>International Journal of Cancer</i> , 2018, 143, 1335-1347.	5.1	13
484	Identification of gene expression predictors of occupational benzene exposure. <i>PLoS ONE</i> , 2018, 13, e0205427.	2.5	13
485	Association between low-grade inflammation and Breast cancer and B-cell Myeloma and Non-Hodgkin Lymphoma: findings from two prospective cohorts. <i>Scientific Reports</i> , 2018, 8, 10805.	3.3	13
486	Pre-diagnostic serum concentrations of organochlorines and risk of acute myeloid leukemia: A nested case-control study in the Norwegian Janus Serum Bank Cohort. <i>Environment International</i> , 2019, 125, 229-235.	10.0	13

#	ARTICLE	IF	CITATIONS
487	Lipid Trait Variants and the Risk of Non-Hodgkin Lymphoma Subtypes: A Mendelian Randomization Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020, 29, 1074-1078.	2.5	13
488	Radiofrequency electromagnetic fields from mobile communication: Description of modeled dose in brain regions and the body in European children and adolescents. <i>Environmental Research</i> , 2021, 193, 110505.	7.5	13
489	Network Analysis to Identify Communities Among Multiple Exposure Biomarkers Measured at Birth in Three Flemish General Population Samples. <i>Frontiers in Public Health</i> , 2021, 9, 590038.	2.7	13
490	Prevalent diabetes and risk of total, colorectal, prostate and breast cancers in an ageing population: meta-analysis of individual participant data from cohorts of the CHANCES consortium. <i>British Journal of Cancer</i> , 2021, 124, 1882-1890.	6.4	13
491	Personal exposure assessment of pesticides in residents: The association between hand wipes and urinary biomarkers. <i>Environmental Research</i> , 2021, 199, 111282.	7.5	13
492	Meta-Analysis of Lung Cancer Risk from Exposure to Diesel Exhaust: Vermeulen et al. Respond. <i>Environmental Health Perspectives</i> , 2014, 122, A230-A231.	6.0	13
493	A Multipollutant Approach to Estimating Causal Effects of Air Pollution Mixtures on Overall Mortality in a Large, Prospective Cohort. <i>Epidemiology</i> , 2022, 33, 514-522.	2.7	13
494	Lymphocyte toxicity and T cell receptor excision circles in workers exposed to benzene. <i>Chemico-Biological Interactions</i> , 2005, 153-154, 111-115.	4.0	12
495	Evaluation of 2 self-administered questionnaires to ascertain dermatitis among metal workers and its relation with exposure to metalworking fluids. <i>Contact Dermatitis</i> , 2007, 56, 311-317.	1.4	12
496	Measurement of urine pH for epidemiological studies on bladder cancer. <i>European Journal of Epidemiology</i> , 2007, 22, 91-98.	5.7	12
497	Lung cancer risk among bakers, pastry cooks and confectionary makers: the SYNERGY study. <i>Occupational and Environmental Medicine</i> , 2013, 70, 810-814.	2.8	12
498	RE: The Diesel Exhaust in Miners Study (DEMS): A Nested Case-Control Study of Lung Cancer and Diesel Exhaust. <i>Journal of the National Cancer Institute</i> , 2014, 106, dju205-dju205.	6.3	12
499	Somatic symptom reports in the general population: Application of a bi-factor model to the analysis of change. <i>Journal of Psychosomatic Research</i> , 2015, 79, 378-383.	2.6	12
500	Extremely low-frequency magnetic field exposure, electrical shocks and risk of Parkinson's disease. <i>International Archives of Occupational and Environmental Health</i> , 2015, 88, 227-234.	2.3	12
501	The Validity and Applicability of Using a Generic Exposure Assessment Model for Occupational Exposure to Nano-Objects and Their Aggregates and Agglomerates. <i>Annals of Occupational Hygiene</i> , 2016, 60, 1039-1048.	1.9	12
502	Trends in exposure to respirable crystalline silica (1986-2014) in Australian mining. <i>American Journal of Industrial Medicine</i> , 2017, 60, 673-678.	2.1	12
503	The Use of High-Resolution Metabolomics in Occupational Exposure and Health Research. <i>Annals of Work Exposures and Health</i> , 2017, 61, 395-397.	1.4	12
504	Ischemic Heart Disease Mortality and Diesel Exhaust and Respirable Dust Exposure in the Diesel Exhaust in Miners Study. <i>American Journal of Epidemiology</i> , 2018, 187, 2623-2632.	3.4	12

#	ARTICLE	IF	CITATIONS
505	Diesel Exhaust, Respirable Dust, and Ischemic Heart Disease: An Application of the Parametric g-formula. <i>Epidemiology</i> , 2019, 30, 177-185.	2.7	12
506	Agnostic Cys34-Albumin adductomics and DNA methylation: Implication of N-acetylcysteine in lung carcinogenesis years before diagnosis. <i>International Journal of Cancer</i> , 2020, 146, 3294-3303.	5.1	12
507	Personal black carbon and ultrafine particles exposures among high school students in urban China. <i>Environmental Pollution</i> , 2020, 265, 114825.	7.5	12
508	Blood polyphenol concentrations and differentiated thyroid carcinoma in women from the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>American Journal of Clinical Nutrition</i> , 2021, 113, 162-171.	4.7	12
509	Associations between dietary amino acid intakes and blood concentration levels. <i>Clinical Nutrition</i> , 2021, 40, 3772-3779.	5.0	12
510	Exposure to widespread drinking water chemicals, blood inflammation markers, and colorectal cancer. <i>Environment International</i> , 2021, 157, 106873.	10.0	12
511	Coal combustion and lung cancer risk in XuanWei: a possible role of silica?. <i>Medicina Del Lavoro</i> , 2011, 102, 362-7.	0.4	12
512	Carcinogen biomonitoring in human exposures and laboratory research: validation and application to human occupational exposures. <i>Toxicology Letters</i> , 2002, 134, 39-49.	0.8	11
513	Quality of Evidence Must Guide Risk Assessment of Asbestos. <i>Annals of Occupational Hygiene</i> , 2012, 56, 879-87.	1.9	11
514	2-Naphthol levels and genotoxicity in rubber workers. <i>Toxicology Letters</i> , 2012, 213, 45-48.	0.8	11
515	Global gene expression response of a population exposed to benzene: A pilot study exploring the use of RNA-sequencing technology. <i>Environmental and Molecular Mutagenesis</i> , 2013, 54, 566-573.	2.2	11
516	Omics in population studies: A molecular epidemiology perspective. <i>Environmental and Molecular Mutagenesis</i> , 2013, 54, 455-460.	2.2	11
517	Parental occupational exposure and risk of childhood central nervous system tumors: a pooled analysis of case-control studies from Germany, France, and the UK. <i>Cancer Causes and Control</i> , 2014, 25, 1603-1613.	1.8	11
518	Lag Times between Lymphoproliferative Disorder and Clinical Diagnosis of Chronic Lymphocytic Leukemia: A Prospective Analysis Using Plasma Soluble CD23. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015, 24, 538-545.	2.5	11
519	Sleep Duration across the Adult Lifecourse and Risk of Lung Cancer Mortality: A Cohort Study in Xuanwei, China. <i>Cancer Prevention Research</i> , 2017, 10, 327-336.	1.5	11
520	Antibody Responses to <i>Helicobacter pylori</i> and Risk of Developing Colorectal Cancer in a European Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020, 29, 1475-1481.	2.5	11
521	Estimated whole-brain and lobe-specific radiofrequency electromagnetic fields doses and brain volumes in preadolescents. <i>Environment International</i> , 2020, 142, 105808.	10.0	11
522	Lung cancer risk in painters: results from the SYNERGY pooled case-control study consortium. <i>Occupational and Environmental Medicine</i> , 2021, 78, 269-278.	2.8	11

#	ARTICLE	IF	CITATIONS
523	Preventing heart failure: a position paper of the Heart Failure Association in collaboration with the European Association of Preventive Cardiology. <i>European Journal of Preventive Cardiology</i> , 2022, 29, 275-300.	1.8	11
524	Pesticides in doormat and floor dust from homes close to treated fields: Spatio-temporal variance and determinants of occurrence and concentrations. <i>Environmental Pollution</i> , 2022, 301, 119024.	7.5	11
525	Occupational Exposure to Formaldehyde, Hematotoxicity and Leukemia-Specific Chromosome Changes in Cultured Myeloid Progenitor Cells – Response. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010, 19, 1884-1885.	2.5	10
526	Commentary. <i>Epidemiology</i> , 2012, 23, 900-901.	2.7	10
527	Hierarchical Regression for Multiple Comparisons in a Case-Control Study of Occupational Risks for Lung Cancer. <i>PLoS ONE</i> , 2012, 7, e38944.	2.5	10
528	Search for Breast Cancer Biomarkers in Fractionated Serum Samples by Protein Profiling With SELDI-TOF MS. <i>Journal of Clinical Laboratory Analysis</i> , 2012, 26, 1-9.	2.1	10
529	Human leukocyte antigen class II variants and adult-onset asthma: does occupational allergen exposure play a role?. <i>European Respiratory Journal</i> , 2014, 44, 1234-1242.	6.7	10
530	A comparison of exposure assessment approaches: lung cancer and occupational asbestos exposure in a population-based case-control study. <i>Occupational and Environmental Medicine</i> , 2014, 71, 282-288.	2.8	10
531	Is diesel equipment in the workplace safe or not?: Table 1. <i>Occupational and Environmental Medicine</i> , 2016, 73, oemed-2016-103977.	2.8	10
532	Evaluation of Automatically Assigned Job-Specific Interview Modules. <i>Annals of Occupational Hygiene</i> , 2016, 60, 885-899.	1.9	10
533	Combining Decision Rules from Classification Tree Models and Expert Assessment to Estimate Occupational Exposure to Diesel Exhaust for a Case-Control Study. <i>Annals of Occupational Hygiene</i> , 2016, 60, 467-478.	1.9	10
534	Cancer incidence in the Western Australian mining industry (1996-2013). <i>Cancer Epidemiology</i> , 2017, 49, 8-18.	1.9	10
535	Proximity to agricultural fields as proxy for environmental exposure to pesticides among children: The PIAMA birth cohort. <i>Science of the Total Environment</i> , 2017, 595, 515-520.	8.0	10
536	Characterization of outdoor air pollution from solid fuel combustion in Xuanwei and Fuyuan, a rural region of China. <i>Scientific Reports</i> , 2020, 10, 11335.	3.3	10
537	Increased telomere length and mtDNA copy number induced by multi-walled carbon nanotube exposure in the workplace. <i>Journal of Hazardous Materials</i> , 2020, 394, 122569.	12.4	10
538	Association between estimated whole-brain radiofrequency electromagnetic fields dose and cognitive function in preadolescents and adolescents. <i>International Journal of Hygiene and Environmental Health</i> , 2021, 231, 113659.	4.3	10
539	Red Blood Cell Fatty Acids and Risk of Colorectal Cancer in The European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, 30, 874-885.	2.5	10
540	Spatial and Spatiotemporal Variability of Regional Background Ultrafine Particle Concentrations in the Netherlands. <i>Environmental Science & Technology</i> , 2021, 55, 1067-1075.	10.0	10

#	ARTICLE	IF	CITATIONS
541	Improving Exposure Assessment Methodologies for Epidemiological Studies on Pesticides: Study Protocol. <i>JMIR Research Protocols</i> , 2020, 9, e16448.	1.0	10
542	Occupational Exposure to Polycyclic Aromatic Hydrocarbons and Lung Cancer Risk: Results from a Pooled Analysis of Caseâ€“Control Studies (SYNERGY). <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2022, 31, 1433-1441.	2.5	10
543	Changes in lymphocyte subsets in workers exposed to 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD). <i>Occupational and Environmental Medicine</i> , 2012, 69, 781-786.	2.8	9
544	Using Hierarchical Cluster Models to Systematically Identify Groups of Jobs With Similar Occupational Questionnaire Response Patterns to Assist Rule-Based Expert Exposure Assessment in Population-Based Studies. <i>Annals of Occupational Hygiene</i> , 2015, 59, 455-66.	1.9	9
545	Dynamics of the Risk of Smoking-Induced Lung Cancer. <i>Epidemiology</i> , 2014, 25, 28-34.	2.7	9
546	Lung Cancer Risk Among Cooks When Accounting for Tobacco Smoking. <i>Journal of Occupational and Environmental Medicine</i> , 2015, 57, 202-209.	1.7	9
547	Retrospective benzene exposure assessment for a multi-center case-cohort study of benzene-exposed workers in China. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2016, 26, 334-340.	3.9	9
548	A New Approach Combining Analytical Methods for Workplace Exposure Assessment of Inhalable Multi-Walled Carbon Nanotubes. <i>Annals of Work Exposures and Health</i> , 2017, 61, 759-772.	1.4	9
549	Cohort profile: LIFEWORK, a prospective cohort study on occupational and environmental risk factors and health in the Netherlands. <i>BMJ Open</i> , 2018, 8, e018504.	1.9	9
550	Occupational exposure to gases/fumes and mineral dust affect DNA methylation levels of genes regulating expression. <i>Human Molecular Genetics</i> , 2019, 28, 2477-2485.	2.9	9
551	Alterations in immune and renal biomarkers among workers occupationally exposed to low levels of trichloroethylene below current regulatory standards. <i>Occupational and Environmental Medicine</i> , 2019, 76, 376-381.	2.8	9
552	Immune marker changes and risk of multiple myeloma: a nested case-control study using repeated pre-diagnostic blood samples. <i>Haematologica</i> , 2019, 104, 2456-2464.	3.5	9
553	Adherence to the mediterranean diet and lymphoma risk in the european prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2019, 145, 122-131.	5.1	9
554	Consumption of nuts and seeds and pancreatic ductal adenocarcinoma risk in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2020, 146, 76-84.	5.1	9
555	Ultra-processed food consumption patterns among older adults in the Netherlands and the role of the food environment. <i>European Journal of Nutrition</i> , 2021, 60, 2567-2580.	3.9	9
556	Association between anthropometry and lifestyle factors and risk of Bâ€“cell lymphoma: An exosomeâ€“wide analysis. <i>International Journal of Cancer</i> , 2021, 148, 2115-2128.	5.1	9
557	Elevated urinary mutagenicity among those exposed to bituminous coal combustion emissions or diesel engine exhaust. <i>Environmental and Molecular Mutagenesis</i> , 2021, 62, 458-470.	2.2	9
558	Exposure to radiofrequency electromagnetic fields: Comparison of exposimeters with a novel body-worn distributed meter. <i>Environment International</i> , 2021, 156, 106711.	10.0	9

#	ARTICLE	IF	CITATIONS
559	Ultrafine particles, particle components and lung function at age 16 years: The PIAMA birth cohort study. <i>Environment International</i> , 2021, 157, 106792.	10.0	9
560	Occupational asbestos exposure and risk of oral cavity and pharyngeal cancer in the prospective Netherlands Cohort Study. <i>Scandinavian Journal of Work, Environment and Health</i> , 2014, 40, 420-427.	3.4	9
561	NTP-CERHR Expert Panel Report on the reproductive and developmental toxicity of styrene. <i>Birth Defects Research Part B: Developmental and Reproductive Toxicology</i> , 2006, 77, 110-193.	1.4	8
562	A graphical tool to evaluate temporal coverage of occupational history by exposure measurements. <i>Occupational and Environmental Medicine</i> , 2010, 67, 636-638.	2.8	8
563	Strengthening the Reporting of Observational studies in Epidemiology (STROBE-ME): An extension of the STROBE statement. <i>Preventive Medicine</i> , 2011, 53, 377-387.	3.4	8
564	The Impact of Saturable Metabolism on Exposure-Response Relations in 2 Studies of Benzene-induced Leukemia. <i>American Journal of Epidemiology</i> , 2011, 174, 621-629.	3.4	8
565	Intra- and Interindividual Variability in Lymphocyte Chromosomal Aberrations: Implications for Cancer Risk Assessment. <i>American Journal of Epidemiology</i> , 2011, 174, 490-493.	3.4	8
566	Long-term effects on humoral immunity among workers exposed to 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD). <i>Occupational and Environmental Medicine</i> , 2011, 68, 419-424.	2.8	8
567	A review of the role of lymphoma markers and occupational and environmental exposures. <i>Veterinary Quarterly</i> , 2012, 32, 61-73.	6.7	8
568	Lung Cancer Risk Among Hairdressers: A Pooled Analysis of Case-Control Studies Conducted Between 1985 and 2010. <i>American Journal of Epidemiology</i> , 2013, 178, 1355-1365.	3.4	8
569	Evaluating Exposure-Response Associations for Non-Hodgkin Lymphoma with Varying Methods of Assigning Cumulative Benzene Exposure in the Shanghai Women's Health Study. <i>Annals of Work Exposures and Health</i> , 2017, 61, 56-66.	1.4	8
570	A Multi-Band Body-Worn Distributed Exposure Meter for Personal Radio-Frequency Dosimetry in Diffuse Indoor Environments. <i>IEEE Sensors Journal</i> , 2019, 19, 6927-6937.	4.7	8
571	Inflammatory potential of diet and risk of lymphoma in the European Prospective Investigation into Cancer and Nutrition. <i>European Journal of Nutrition</i> , 2020, 59, 813-823.	3.9	8
572	A Quantitative Meta-Analysis of the Relation between Occupational Benzene Exposure and Biomarkers of Cytogenetic Damage. <i>Environmental Health Perspectives</i> , 2020, 128, 87004.	6.0	8
573	Psychosocial factors and cancer incidence (PSYCCA): Protocol for individual participant data meta-analyses. <i>Brain and Behavior</i> , 2021, 11, e2340.	2.2	8
574	Long-Term Exposure to Ultrafine Particles and Particulate Matter Constituents and the Risk of Amyotrophic Lateral Sclerosis. <i>Environmental Health Perspectives</i> , 2021, 129, 97702.	6.0	8
575	Application of Biomarkers in Cancer Epidemiology. , 2006, , 70-88.		8
576	Occupation and adult-onset asthma among chinese women in a population-based cohort. <i>American Journal of Industrial Medicine</i> , 2007, 50, 265-273.	2.1	7

#	ARTICLE	IF	CITATIONS
577	Predictors of 2,4-dichlorophenoxyacetic acid exposure among herbicide applicators. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2010, 20, 160-168.	3.9	7
578	Plasma Cytokine Concentrations in Workers Exposed to 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD). <i>Frontiers in Oncology</i> , 2012, 2, 37.	2.8	7
579	Circulating Soluble CD27 and CD30 in Workers Exposed to 2,3,7,8-Tetrachlorodibenzo-p-dioxin (TCDD). <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2013, 22, 2420-2424.	2.5	7
580	Historical Occupational Trichloroethylene Air Concentrations Based on Inspection Measurements From Shanghai, China. <i>Annals of Occupational Hygiene</i> , 2014, 59, 62-78.	1.9	7
581	Prediagnostic circulating concentrations of plasma insulin-like growth factor-1 and risk of lymphoma in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2017, 140, 1111-1118.	5.1	7
582	General and abdominal adiposity and the risk of Parkinson's disease: A prospective cohort study. <i>Parkinsonism and Related Disorders</i> , 2019, 62, 98-104.	2.2	7
583	International Inventory of Occupational Exposure Information: OMEGA-NET. <i>Annals of Work Exposures and Health</i> , 2020, 64, 465-467.	1.4	7
584	Associations between modeled residential outdoor and measured personal exposure to ultrafine particles in four European study areas. <i>Atmospheric Environment</i> , 2020, 226, 117353.	4.1	7
585	Residential traffic exposure and lymphohematopoietic malignancies among children in the city of São Paulo, Brazil: An ecological study. <i>Cancer Epidemiology</i> , 2021, 70, 101859.	1.9	7
586	Airborne Occupational Exposures and Lung Function in the Lifelines Cohort Study. <i>Annals of the American Thoracic Society</i> , 2021, 18, 60-67.	3.2	7
587	Occupational exposures to solvents and metals are associated with fixed airflow obstruction. <i>Scandinavian Journal of Work, Environment and Health</i> , 2017, 43, 595-603.	3.4	7
588	Blue-collar work is a risk factor for developing IgG4-related disease of the biliary tract and pancreas. <i>JHEP Reports</i> , 2021, 3, 100385.	4.9	7
589	Occupational Exposure Assessment Tools in Europe: A Comprehensive Inventory Overview. <i>Annals of Work Exposures and Health</i> , 2022, 66, 671-686.	1.4	7
590	Dietary Intake of Advanced Glycation End Products (AGEs) and Mortality among Individuals with Colorectal Cancer. <i>Nutrients</i> , 2021, 13, 4435.	4.1	7
591	Quantile regression to examine the association of air pollution with subclinical atherosclerosis in an adolescent population. <i>Environment International</i> , 2022, 164, 107285.	10.0	7
592	Evaluation of two self-administered questionnaires to ascertain dermatitis among metal workers and its relation with exposure to metal working fluids. <i>Contact Dermatitis</i> , 2007, 57, 14-20.	1.4	6
593	Level of education and the risk of lymphoma in the European prospective investigation into cancer and nutrition. <i>Journal of Cancer Research and Clinical Oncology</i> , 2010, 136, 71-77.	2.5	6
594	The Impact of Selection Bias Due to Increasing Response Rates among Population Controls in Occupational Case-Control Studies. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2012, 185, 106-107.	5.6	6

#	ARTICLE	IF	CITATIONS
595	Expert assessment of historical crop specific pesticide use in the Netherlands. <i>Occupational and Environmental Medicine</i> , 2014, 71, 717-722.	2.8	6
596	Occupational exposure to extremely low-frequency magnetic fields and electrical shocks and acute myeloid leukemia in four Nordic countries. <i>Cancer Causes and Control</i> , 2015, 26, 1079-1085.	1.8	6
597	Socioeconomic Effect of Education on Pancreatic Cancer Risk in Western Europe: An Update on the EPIC Cohorts Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2019, 28, 1089-1092.	2.5	6
598	Nonparticipation Selection Bias in the MOBI-Kids Study. <i>Epidemiology</i> , 2019, 30, 145-153.	2.7	6
599	Reproductive Factors, Exogenous Hormone Use, and Risk of B-Cell Non-Hodgkin Lymphoma in a Cohort of Women From the European Prospective Investigation Into Cancer and Nutrition. <i>American Journal of Epidemiology</i> , 2019, 188, 274-281.	3.4	6
600	Exposure to Medical Radiation during Fetal Life, Childhood and Adolescence and Risk of Brain Tumor in Young Age: Results from The MOBI-Kids Case-Control Study. <i>Neuroepidemiology</i> , 2020, 54, 343-355.	2.3	6
601	Parkinson's disease case ascertainment in prospective cohort studies through combining multiple health information resources. <i>PLoS ONE</i> , 2020, 15, e0234845.	2.5	6
602	Genetically Determined Height and Risk of Non-hodgkin Lymphoma. <i>Frontiers in Oncology</i> , 2019, 9, 1539.	2.8	6
603	Elevated Alu retroelement copy number among workers exposed to diesel engine exhaust. <i>Occupational and Environmental Medicine</i> , 2021, 78, 823-828.	2.8	6
604	Use of qualitative and quantitative fluorescence techniques to assess dermal exposure. <i>Annals of Occupational Hygiene</i> , 2000, 44, 519-22.	1.9	6
605	Impact of occupational pesticide exposure assessment method on risk estimates for prostate cancer, non-Hodgkin's lymphoma and Parkinson's disease: results of three meta-analyses. <i>Occupational and Environmental Medicine</i> , 2022, 79, 566-574.	2.8	6
606	Identification of dermal exposure pathways in the rubber manufacturing industry. <i>Annals of Occupational Hygiene</i> , 2000, 44, 533-541.	1.9	5
607	A study on immunological responses to exposures encountered in corn farming. <i>Journal of Biochemical and Molecular Toxicology</i> , 2005, 19, 172-172.	3.0	5
608	Re: "The hidden impact of a healthy-worker effect on the results of the Diesel Exhaust in Miners Study" • <i>European Journal of Epidemiology</i> , 2016, 31, 805-806.	5.7	5
609	Electromagnetic hypersensitivity (EHS) in occupational and primary health care: A nation-wide survey among general practitioners, occupational physicians and hygienists in the Netherlands. <i>International Journal of Hygiene and Environmental Health</i> , 2017, 220, 395-400.	4.3	5
610	Plasma sCD36 as non-circadian marker of chronic circadian disturbance in shift workers. <i>PLoS ONE</i> , 2019, 14, e0223522.	2.5	5
611	The effect of antenna polarization and body morphology on the measurement uncertainty of a wearable multi-band distributed exposure meter. <i>Annales Des Telecommunications/Annals of Telecommunications</i> , 2019, 74, 67-77.	2.5	5
612	Airborne occupational exposures and the risk of developing respiratory symptoms and airway obstruction in the Lifelines Cohort Study. <i>Thorax</i> , 2021, 76, 790-797.	5.6	5

#	ARTICLE	IF	CITATIONS
613	Identification and spatial mapping of tracers of PM10 emission sources using a high spatial resolution distributed network in an urban setting. <i>Atmospheric Research</i> , 2021, 262, 105771.	4.1	5
614	Latex Allergy Risk among the General Population due to Traffic-Related Airborne Dust?. <i>Epidemiology</i> , 2000, 11, 92.	2.7	5
615	Estimated all-day and evening whole-brain radiofrequency electromagnetic fields doses, and sleep in preadolescents. <i>Environmental Research</i> , 2021, 204, 112291.	7.5	5
616	Lifetime occupational exposures and chronic obstructive pulmonary disease risk in the UK Biobank cohort. <i>Thorax</i> , 2022, , thoraxjnl-2020-216523.	5.6	5
617	OBOMod - Integrated modelling framework for residents' exposure to pesticides. <i>Science of the Total Environment</i> , 2022, , 153798.	8.0	5
618	Benzene exposure and risk of benzene poisoning in Chinese workers. <i>Occupational and Environmental Medicine</i> , 2022, 79, 610-617.	2.8	5
619	Residential proximity to livestock animals and mortality from respiratory diseases in The Netherlands: A prospective census-based cohort study. <i>Environment International</i> , 2022, 161, 107140.	10.0	5
620	Pleural mesothelioma risk by industry and occupation: results from the Multicentre Italian Study on the Etiology of Mesothelioma (MISEM). <i>Environmental Health</i> , 2022, 21, .	4.0	5
621	Occupation and Chronic Bronchitis Among Chinese Women. <i>Journal of Occupational and Environmental Medicine</i> , 2008, 50, 64-71.	1.7	4
622	Cohort study of workers employed in an Italian tire manufacturing plant, 1962â€“2004. <i>Cancer Causes and Control</i> , 2012, 23, 2023-2029.	1.8	4
623	Meta-Analysis of Lung Cancer Risk from Exposure to Diesel Exhaust: Vermeulen et al. <i>Respond. Environmental Health Perspectives</i> , 2014, 122, A230-1.	6.0	4
624	<i>NOS1</i>: A Susceptibility Gene for Reduced Level of FEV₁ in the Setting of Pesticide Exposure. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2014, 190, 1188-1190.	5.6	4
625	0220â€¦Identification of short-term, long-term and lifelong DNA methylation markers of exposure to tobacco smoke: evidence from EPIC and NOWAC studies. <i>Occupational and Environmental Medicine</i> , 2014, 71, A29.3-A30.	2.8	4
626	Expected number of asbestos-related lung cancers in the Netherlands in the next two decades: a comparison of methods. <i>Occupational and Environmental Medicine</i> , 2016, 73, 342-349.	2.8	4
627	Longitudinal associations between risk appraisal of base stations for mobile phones, radio or television and non-specific symptoms. <i>Journal of Psychosomatic Research</i> , 2018, 112, 81-89.	2.6	4
628	Household coal combustion, indoor air pollutants, and circulating immunologic/inflammatory markers in rural China. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , 2019, 82, 411-421.	2.3	4
629	The impact of alternative historical extrapolations of diesel exhaust exposure and radon in the Diesel Exhaust in Miners Study (DEMS). <i>International Journal of Epidemiology</i> , 2020, 49, 459-466.	1.9	4
630	Mediating effect of soluble B-cell activation immune markers on the association between anthropometric and lifestyle factors and lymphoma development. <i>Scientific Reports</i> , 2020, 10, 13814.	3.3	4

#	ARTICLE	IF	CITATIONS
631	A multi-omics approach to investigate the inflammatory response to life course socioeconomic position. <i>Epigenomics</i> , 2020, 12, 1287-1302.	2.1	4
632	Healthy lifestyle and the risk of lymphoma in the European Prospective Investigation into Cancer and Nutrition study. <i>International Journal of Cancer</i> , 2020, 147, 1649-1656.	5.1	4
633	Genetic Polymorphisms Involved in Mitochondrial Metabolism and Pancreatic Cancer Risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, 30, 2342-2345.	2.5	4
634	Maternal occupational exposure and congenital heart defects in offspring. <i>Scandinavian Journal of Work, Environment and Health</i> , 2020, 46, 599-608.	3.4	4
635	Residential proximity to crops and agricultural pesticide use and cause-specific mortality: A prospective census-based cohort study in the Netherlands. <i>Science of the Total Environment</i> , 2022, 817, 152932.	8.0	4
636	How serious are we about protecting workers health? The case of diesel engine exhaust. <i>Occupational and Environmental Medicine</i> , 2022, 79, 540-542.	2.8	4
637	Proteomic analysis of serum in workers exposed to diesel engine exhaust. <i>Environmental and Molecular Mutagenesis</i> , 2022, 63, 18-28.	2.2	4
638	Malignant lymphoma and occupational exposure to extremely low frequency magnetic fields and electrical shocks: a nested case-control study in a cohort of four Nordic countries. <i>Occupational and Environmental Medicine</i> , 2022, 79, 631-636.	2.8	4
639	Diesel Motor Exhaust and Lung Cancer: Additional Perspectives. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2011, 184, 619-620.	5.6	3
640	When Are Risk Analyses on Job Titles Informative?. <i>Annals of Occupational Hygiene</i> , 2016, 60, 913-915.	1.9	3
641	Exploring the nature of prediagnostic blood transcriptome markers of chronic lymphocytic leukemia by assessing their overlap with the transcriptome at the clinical stage. <i>BMC Genomics</i> , 2017, 18, 239.	2.8	3
642	Formaldehyde, Hematotoxicity, and Chromosomal Changesâ€”Response. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2018, 27, 120-121.	2.5	3
643	Error in air pollution exposure model determinants and bias in health estimates. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2019, 29, 258-266.	3.9	3
644	Occupational exposures and genetic susceptibility to occupational exposures are related to sickness absence in the Lifelines cohort study. <i>Scientific Reports</i> , 2020, 10, 12963.	3.3	3
645	Are Circulating Immune Cells a Determinant of Pancreatic Cancer Risk? A Prospective Study Using Epigenetic Cell Count Measures. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, 30, 2179-2187.	2.5	3
646	Scrutinizing Privacy in Multi-Omics Research: How to Provide Ethical Grounding for the Identification of Privacy-Relevant Data Properties. <i>American Journal of Bioethics</i> , 2021, 21, 73-75.	0.9	3
647	Weekly patterns in smoking habits and influence on urinary cotinine and mutagenicity levels: confounding effect of nonsmoking policies in the workplace. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2000, 9, 1205-9.	2.5	3
648	Automated Network Assembly of Mechanistic Literature for Informed Evidence Identification to Support Cancer Risk Assessment. <i>Environmental Health Perspectives</i> , 2022, 130, 37002.	6.0	3

#	ARTICLE	IF	CITATIONS
649	Estimation of the Exposure-Response Relation between Benzene and Acute Myeloid Leukemia by Combining Epidemiologic, Human Biomarker, and Animal Data. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2022, 31, 751-757.	2.5	3
650	Occupational trichloroethylene exposure and antinuclear antibodies: a cross-sectional study in China. <i>Occupational and Environmental Medicine</i> , 2022, 79, 717-720.	2.8	3
651	Exposure to Pesticides Predicts Prodromal Feature of Parkinson's Disease: Public Health Implications. <i>Movement Disorders</i> , 2022, 37, 883-885.	3.9	3
652	Epigenetic mechanisms of lung carcinogenesis involve differentially methylated CpG sites beyond those associated with smoking. <i>European Journal of Epidemiology</i> , 2022, 37, 629-640.	5.7	3
653	Non-Hodgkin lymphoma and occupational exposures: multiple exposures != multiple papers. <i>Occupational and Environmental Medicine</i> , 2006, 64, 4-5.	2.8	2
654	Occupational Benzene Exposure and Lymphoma Risks: Vlaanderen et al. <i>Respond. Environmental Health Perspectives</i> , 2011, 119, .	6.0	2
655	Determinants of Exposure to Dust and Dust Constituents in the Norwegian Silicon Carbide Industry. <i>Annals of Occupational Hygiene</i> , 2012, 57, 417-31.	1.9	2
656	0195-...Carbon nanotube exposure assessment for a study on early biological effects; the CANTES study. <i>Occupational and Environmental Medicine</i> , 2014, 71, A25.1-A25.	2.8	2
657	Novel exposure units for at-home personalized testing of electromagnetic sensibility. <i>Bioelectromagnetics</i> , 2016, 37, 62-68.	1.6	2
658	Response to: "Does job predict exposure to magnetic fields?" by Sorahan and Swanson. <i>Occupational and Environmental Medicine</i> , 2017, 74, 925.2-926.	2.8	2
659	PI "26...An integrated modelling framework to estimate residents exposure to pesticides from boom sprayer applications. , 2018, , .		2
660	Self-reported psychological distress and self-perceived health in residents living near pesticide-treated agricultural land: a cross-sectional study in The Netherlands. <i>Occupational and Environmental Medicine</i> , 2022, 79, 127-133.	2.8	2
661	Ambient ultrafine particles and asthma onset until age 20: The PIAMA birth cohort. <i>Environmental Research</i> , 2022, 214, 113770.	7.5	2
662	Authors' Response to: Comment upon the article: Impact of occupational carcinogens on lung cancer risk in a general population. <i>International Journal of Epidemiology</i> , 2013, 42, 1895-1896.	1.9	1
663	Comparing JEMs in population-based studies: what if expert assessment and measurements are not available? Authors' response. <i>Occupational and Environmental Medicine</i> , 2013, 70, 519.1-519.	2.8	1
664	Authors' response to: Qualitative job-exposure matrix--a tool for the quantification of population-attributable fractions for occupational lung carcinogens?. <i>International Journal of Epidemiology</i> , 2013, 42, 357-358.	1.9	1
665	Reply. <i>Annals of Occupational Hygiene</i> , 2013, 57, 675-7.	1.9	1
666	Comments on "Exposure assessment of mobile phone base station radiation in an outdoor environment using sequential surrogate modeling" by Aerts et al.. <i>Bioelectromagnetics</i> , 2013, 34, 568-569.	1.6	1

#	ARTICLE	IF	CITATIONS
667	0344â€¦Ischaemic heart disease mortality, diesel exhaust, and respirable particulate matter exposure in the diesel exhaust in miners study (dems). , 2017, , .		1
668	Response to letter to the editor of Carcinogenesis by Pira et al., 2017. Carcinogenesis, 2017, 38, 1253-1255.	2.8	1
669	Relative Differences in Concentration Levels during Sawing and Drilling of Car Bumpers Containing MWCNT and Organic Pigment. Annals of Work Exposures and Health, 2019, 63, 148-157.	1.4	1
670	Application of two job indices for general occupational demands in a pooled analysis of caseâ€“control studies on lung cancer. Scandinavian Journal of Work, Environment and Health, 2021, 47, 475-481.	3.4	1
671	Household air pollution from, and fuel efficiency of, different coal types following local cooking practices in Xuanwei, China. Environmental Pollution, 2021, 290, 117949.	7.5	1
672	The Diesel Exhaust in Miners Study: V. Evaluation of the Exposure Assessment Methods. Annals of Occupational Hygiene, 0, , .	1.9	1
673	Impress: Improving Exposure Assessment Methodologies for Epidemiological Studies on Pesticides. Outlooks on Pest Management, 2019, 30, 18-19.	0.2	1
674	Occupational cancer. , 2010, , 1081-1121.		1
675	Abstract 3432: Outdoor air pollution and household coal combustion in a rural high lung cancer incidence area of China. Cancer Research, 2016, 76, 3432-3432.	0.9	1
676	OUP accepted manuscript. International Journal of Epidemiology, 2022, , .	1.9	1
677	Correspondence Letter. Annals of Occupational Hygiene, 2001, 45, 499-500.	1.9	0
678	P2-246 The Nightingale Study: a prospective cohort study on shift work and breast cancer among nurses in the Netherlands. Journal of Epidemiology and Community Health, 2011, 65, A289-A289.	3.7	0
679	Combining job exposure matrices and exposure measurements to assess occupational exposure to benzene, lead fume, and lead dust in a population-based cohort in Shanghai, China. Occupational and Environmental Medicine, 2011, 68, A26-A26.	2.8	0
680	A Retrospective Assessment of Occupational Exposure to Elemental Carbon in the U.S. Trucking Industry. Environmental Health Perspectives, 2012, 120, a302-a302.	6.0	0
681	Reply to â€“on the association of cell phone exposure with childhood behaviourâ€™ by Sudanet al.. Journal of Epidemiology and Community Health, 2013, 67, 980-980.	3.7	0
682	Determinants of the t(14;18) translocation and their role in t(14;18)-positive follicular lymphoma. Cancer Causes and Control, 2015, 26, 1845-1855.	1.8	0
683	O18-5â€¦Occupational exposure to diesel exhaust and alterations in immune/inflammatory markers. , 2016, , .		0
684	O08-2â€¦Occupational exposure to benzene and alterations in immune/inflammatory markers. , 2016, , .		0

#	ARTICLE	IF	CITATIONS
685	O25-4â€¦Parental occupational exposure and risk of childhood central nervous system tumours: a pooled analysis of caseâ€œcontrol studies from germany, france, and the uk. , 2016, , .		0
686	Assessment of Determinants of Emission Potentially Affecting the Concentration of Airborne Nano-Objects and Their Agglomerates and Aggregates. Annals of Occupational Hygiene, 2017, 61, 98-109.	1.9	0
687	On the approach for calculating occupational exposure limits for diesel motor exhaust: authorsâ€™ response. Occupational and Environmental Medicine, 2017, 74, 927-927.	2.8	0
688	THE AUTHORS REPLY. American Journal of Epidemiology, 2017, 186, 1218-1218.	3.4	0
689	The Establishment of the Household Air Pollution Consortium (HAPCO). Atmosphere, 2019, 10, 422.	2.3	0
690	O8A.3â€¦Mining exposures and lung cancer in contemporary western australian miners. Occupational and Environmental Medicine, 2019, 76, A70.2-A70.	2.8	0
691	Genome-wide homozygosity and risk of four non-Hodgkin lymphoma subtypes. , 2021, 5, 200-217.		0
692	The impact of occupational exposure to dioxins and dioxin-like compounds on the blood metabolome. ISEE Conference Abstracts, 2021, 2021, .	0.0	0
693	Intraindividual Long-term Immune Marker Stability in Plasma Samples Collected in Median 9.4 Years Apart in 304 Adult Cancer-free Individuals. Cancer Epidemiology Biomarkers and Prevention, 2021, 30, 2052-2058.	2.5	0
694	Network on the Coordination and Harmonisation of European Occupational Cohorts (OMEGA-NET). ISEE Conference Abstracts, 2021, 2021, .	0.0	0
695	Blood Levels of Organochlorines Before, During and After Chemotherapy Among Non-Hodgkin Lymphoma (NHL) Patients. Epidemiology, 2009, 20, S235.	2.7	0
696	Abstract 3428: Domestic livestock exposure and lung cancer risk among non-smoking women in Xuanwei, China. , 2016, , .		0
697	Statistical Models to Explore the Exposome: From OMICs Profiling to â€œMechanomeâ€™ Characterization. , 2019, , 279-314.		0