

Kristiina Whl

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9135939/kristiina-wahala-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

90
papers

4,078
citations

32
h-index

63
g-index

94
ext. papers

4,322
ext. citations

4.1
avg. IF

4.77
L-index

#	Paper	IF	Citations
90	Stability and Photoisomerization of Stilbenes Isolated from the Bark of Norway Spruce Roots. <i>Molecules</i> , 2021 , 26,	4.8	4
89	Bioactive Properties of the Aqueous Extracts of Endophytic Fungi Associated with Scots Pine (<i>Pinus sylvestris</i>) Roots. <i>Planta Medica</i> , 2020 , 86, 1009-1024	3.1	2
88	Evaluation of Organo [F]Fluorosilicon Tetrazine as a Prosthetic Group for the Synthesis of PET Radiotracers. <i>Molecules</i> , 2020 , 25,	4.8	5
87	Novel Sulfonanilide Inhibitors of SHIP2 Enhance Glucose Uptake into Cultured Myotubes. <i>ACS Omega</i> , 2020 , 5, 1430-1438	3.9	1
86	Molecular interactions between sex hormone-binding globulin and nonsteroidal ligands that enhance androgen activity. <i>Journal of Biological Chemistry</i> , 2020 , 295, 1202-1211	5.4	2
85	Molecular interactions between sex hormone-binding globulin and nonsteroidal ligands that enhance androgen activity. <i>Journal of Biological Chemistry</i> , 2020 , 295, 1202-1211	5.4	2
84	Metabolic Profiling of Water-Soluble Compounds from the Extracts of Dark Septate Endophytic Fungi (DSE) Isolated from Scots Pine (<i>P. L.</i>) Seedlings Using UPLC-Orbitrap-MS. <i>Molecules</i> , 2019 , 24,	4.8	7
83	Metformin increases glucose uptake and acts renoprotectively by reducing SHIP2 activity. <i>FASEB Journal</i> , 2019 , 33, 2858-2869	0.9	34
82	On the Mechanism of the Reactivity of 1,3-Dialkylimidazolium Salts under Basic to Acidic Conditions: A Combined Kinetic and Computational Study. <i>Angewandte Chemie</i> , 2018 , 130, 11787-11791	3.6	4
81	On the Mechanism of the Reactivity of 1,3-Dialkylimidazolium Salts under Basic to Acidic Conditions: A Combined Kinetic and Computational Study. <i>Angewandte Chemie - International Edition</i> , 2018 , 57, 11613-11617	16.4	10
80	Consumption of chokeberry (<i>Aronia mitschurinii</i>) products modestly lowered blood pressure and reduced low-grade inflammation in patients with mildly elevated blood pressure. <i>Nutrition Research</i> , 2016 , 36, 1222-1230	4	42
79	Electrophilic Aromatic Deuteration of Lignans: Mostly Reliable but Occasionally Aberrant Selectivities. <i>Journal of Agricultural and Food Chemistry</i> , 2015 , 63, 7595-605	5.7	
78	Synthesis and applications of secondary amine derivatives of (+)-dehydroabietylamine in chiral molecular recognition. <i>Organic and Biomolecular Chemistry</i> , 2015 , 13, 10548-55	3.9	12
77	Synthesis of Tertiary and Quaternary Amine Derivatives from Wood Resin as Chiral NMR Solvating Agents. <i>Molecules</i> , 2015 , 20, 20873-86	4.8	4
76	Capricious selectivity in electrophilic deuteration of methylenedioxy substituted aromatic compounds. <i>Journal of Organic Chemistry</i> , 2014 , 79, 10636-40	4.2	8
75	The orientation and dynamics of estradiol and estradiol oleate in lipid membranes and HDL disc models. <i>Biophysical Journal</i> , 2014 , 107, 114-25	2.9	11
74	Rapid chemical characterisation of stilbenes in the root bark of Norway spruce by off-line HPLC/DAD-NMR. <i>Phytochemical Analysis</i> , 2014 , 25, 529-36	3.4	22

73	Root neck of Norway spruce as a source of bioactive lignans and stilbenes. <i>Holzforschung</i> , 2014 , 68, 1-7	2	23
72	Variation of stilbene glucosides in bark extracts obtained from roots and stumps of Norway spruce (<i>Picea abies</i> [L.] Karst.). <i>Trees - Structure and Function</i> , 2013 , 27, 131-139	2.6	25
71	Synthesis of 3,4-dibenzyltetrahydrofuran lignans (9,9-sepoxydibenzofuran lignans). <i>Molecules</i> , 2013 , 18, 13124-38	4.8	5
70	CHAPTER 7: The Structure of Isoflavones by 1D and 2D Homonuclear and Heteronuclear NMR Spectroscopy. <i>Food and Nutritional Components in Focus</i> , 2012 , 94-114		
69	Transcriptional activity of estrogen-related receptor α (ERR α) is stimulated by the phytoestrogen equol. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2011 , 123, 46-57	5.1	29
68	Rapid synthesis of long chain fatty acid esters of steroids in ionic liquids with microwave irradiation: expedient one-pot procedure for estradiol monoesters. <i>Steroids</i> , 2010 , 75, 740-4	2.8	10
67	Red Clover Derived Isoflavones: Metabolism and Physiological Effects in Cattle and Sheep and their Concentration in Milk Produced for Human Consumption 2010 , 238-254		
66	Equol in milk of dairy cows is derived from forage legumes such as red clover. <i>British Journal of Nutrition</i> , 2009 , 102, 1552-6	3.6	42
65	Pharmacophore modelling of 17 β -HSD1 enzyme based on active inhibitors and enzyme structure. <i>Molecular and Cellular Endocrinology</i> , 2009 , 301, 225-8	4.4	5
64	The binding of lignans, flavonoids and coumestrol to CYP450 aromatase: a molecular modelling study. <i>Molecular and Cellular Endocrinology</i> , 2009 , 301, 235-44	4.4	33
63	Synthesis and biological evaluation of 17 β -hydroxysteroid dehydrogenase type 1 (17 β -HSD1) inhibitors based on a thieno[2,3-d]pyrimidin-4(3H)-one core. <i>Journal of Medicinal Chemistry</i> , 2009 , 52, 6660-71	8.3	34
62	Synthesis of deuterated 5-n-alkylresorcinols. <i>Journal of Labelled Compounds and Radiopharmaceuticals</i> , 2008 , 51, 12-18	1.9	2
61	Synthesis of new deuterium-labelled lignanolactones. <i>Journal of Labelled Compounds and Radiopharmaceuticals</i> , 2008 , 51, 407-412	1.9	5
60	A 3D QSAR model of 17 β -HSD1 inhibitors based on a thieno[2,3-d]pyrimidin-4(3H)-one core applying molecular dynamics simulations and ligand-protein docking. <i>ChemMedChem</i> , 2008 , 3, 461-72	3.7	32
59	High levels of equol in organic skimmed Finnish cow milk. <i>Molecular Nutrition and Food Research</i> , 2007 , 51, 782-6	5.9	60
58	Deuteration of dietary antioxidants: ferulic acid derivatives and α -tocopherol. <i>Journal of Labelled Compounds and Radiopharmaceuticals</i> , 2007 , 50, 475-476	1.9	2
57	Synthesis of stable deuterium labelled lignan derivatives and studies of H/D exchange at the aromatic sites. <i>Journal of Labelled Compounds and Radiopharmaceuticals</i> , 2007 , 50, 521-522	1.9	4
56	Expedient deuterolabeling of polyphenols in ionic liquids-DCl/D ₂ O under microwave irradiation. <i>Journal of Organic Chemistry</i> , 2007 , 72, 5817-9	4.2	18

55	A three-dimensional model of CYP19 aromatase for structure-based drug design. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2007 , 105, 63-70	5.1	31
54	Aromatic Chlorination with Thionyl Chloride. Applications in the Synthesis of Chlorinated Isoflavones. <i>Phosphorus, Sulfur and Silicon and the Related Elements</i> , 2007 , 182, 2761-2767	1	9
53	Synthesis of deuterated isoflavone disulfates. <i>Journal of Labelled Compounds and Radiopharmaceuticals</i> , 2006 , 49, 973-978	1.9	5
52	Asymmetric synthesis, stereochemistry and rearrangement reactions of naturally occurring 7Hydroxylignano-9,9Slactones. <i>Organic and Biomolecular Chemistry</i> , 2006 , 4, 331-41	3.9	15
51	In vitro antioxidant activity and antigenotoxicity of 5-n-alkylresorcinols. <i>Journal of Agricultural and Food Chemistry</i> , 2006 , 54, 1646-50	5.7	66
50	Active site analysis of 17beta-hydroxysteroid dehydrogenase type 1 enzyme complexes with SPROUT. <i>Molecular and Cellular Endocrinology</i> , 2006 , 248, 208-13	4.4	11
49	Microwave-assisted synthesis of deuterium labeled estrogen fatty acid esters. <i>Steroids</i> , 2006 , 71, 54-60	2.8	16
48	Multiple hydride reduction pathways in isoflavonoids. <i>Beilstein Journal of Organic Chemistry</i> , 2006 , 2, 16	2.5	12
47	Prevalence of daidzein-metabolizing phenotypes differs between Caucasian and Korean American women and girls. <i>Journal of Nutrition</i> , 2006 , 136, 1347-51	4.1	103
46	New potential mammalian lignan metabolites of environmental phytoestrogens. <i>Environmental Chemistry Letters</i> , 2006 , 4, 1-9	13.3	6
45	High serum S-equol content in red clover fed ewes: the classical endocrine disruptor is a single enantiomer. <i>Environmental Chemistry Letters</i> , 2006 , 3, 154-159	13.3	11
44	Synthesis of [2H8]-enterolactone and [2H10]-enterodiol. <i>Journal of Labelled Compounds and Radiopharmaceuticals</i> , 2004 , 47, 25-30	1.9	10
43	Studies of the in vitro intestinal metabolism of isoflavones aid in the identification of their urinary metabolites. <i>Journal of Agricultural and Food Chemistry</i> , 2004 , 52, 2640-6	5.7	25
42	Synthesis of phytoestrogenic isoflavonoid disulfates. <i>Steroids</i> , 2004 , 69, 613-6	2.8	22
41	An isotope dilution gas chromatographic-mass spectrometric method for the simultaneous assay of estrogens and phytoestrogens in urine. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2004 , 92, 399-411	5.1	36
40	Bioavailability of phyto-oestrogens. <i>British Journal of Nutrition</i> , 2003 , 89 Suppl 1, S45-58	3.6	297
39	Analysis of phyto-oestrogens in biological matrices. <i>British Journal of Nutrition</i> , 2003 , 89 Suppl 1, S5-18	3.6	23
38	Phyto-oestrogen levels in foods: the design and construction of the VENUS database. <i>British Journal of Nutrition</i> , 2003 , 89 Suppl 1, S19-23	3.6	38

37	Processing of rapeseed oil: effects on sinapic acid derivative content and oxidative stability. <i>European Food Research and Technology</i> , 2003 , 217, 110-114	3.4	145
36	Experimental and DFT 1H NMR study of conformational equilibria in trans-4S7-dihydroxyisoflavan-4-ol and trans-isoflavan-4-ol. <i>Journal of Organic Chemistry</i> , 2003 , 68, 6864-9	4.2	18
35	Metabolism of the soy isoflavones daidzein, genistein and glycitein in human subjects. Identification of new metabolites having an intact isoflavonoid skeleton. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2003 , 87, 285-99	5.1	124
34	Time-resolved fluoroimmunoassay for equol in plasma and urine. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2003 , 84, 577-88	5.1	49
33	Oxidative stability and minor constituents of virgin olive oil and cold-pressed rapeseed oil. <i>European Food Research and Technology</i> , 2002 , 214, 294-298	3.4	112
32	Expedient microwave deuteration of estrone in CF ₃ COOD. <i>Tetrahedron Letters</i> , 2002 , 43, 3411-3412	2	7
31	Gas chromatographic-mass spectrometric method for the determination of alkylresorcinols in human plasma. <i>Analytical Biochemistry</i> , 2002 , 308, 307-13	3.1	69
30	Metabolism of isoflavones in human subjects. <i>Phytochemistry Reviews</i> , 2002 , 1, 175-182	7.7	39
29	In vitro metabolism of plant lignans: new precursors of mammalian lignans enterolactone and enterodiol. <i>Journal of Agricultural and Food Chemistry</i> , 2001 , 49, 3178-86	5.7	396
28	Regioselectivity of methylation of O-demethylangolensin [1-(2,4-dihydroxyphenyl)-2-(4-hydroxyphenyl)propan-1-one]. An expedient synthesis of angolensin. <i>Journal of the Chemical Society, Perkin Transactions 1</i> , 2001 , 642-644		0
27	Synthesis of D6-daidzein. <i>Journal of Labelled Compounds and Radiopharmaceuticals</i> , 2000 , 43, 849-854	1.9	7
26	Synthesis of D4-6 ⁷ -hydroxy-O-demethylangolensin, a deuterium labelled metabolite of genistein. <i>Journal of Labelled Compounds and Radiopharmaceuticals</i> , 2000 , 43, 1145-1147	1.9	3
25	Synthesis of Antioxidant Isoflavone Fatty Acid Esters 1. <i>Tetrahedron</i> , 2000 , 56, 7805-7810	2.4	24
24	Synthesis of Deuterium Labeled Polyhydroxy Flavones and 3-Flavonols. <i>Tetrahedron</i> , 2000 , 56, 913-916	2.4	28
23	Time-resolved fluoroimmunoassay of plasma daidzein and genistein. <i>Steroids</i> , 2000 , 65, 339-48	2.8	92
22	Synthesis of C-C-bridged bis-isoflavones. <i>Journal of Organic Chemistry</i> , 2000 , 65, 2305-8	4.2	18
21	Synthesis of deuterated plant lignans for gas chromatography-mass spectrometry analysis. <i>Journal of Medicinal Food</i> , 1999 , 2, 103-5	2.8	6
20	Synthesis of isoflavonoid deuterium labeled polyphenolic phytoestrogens. <i>Tetrahedron</i> , 1999 , 55, 3445-3454	3.4	36

19	Regioselective Mono-O-Carboxymethylation of Polyhydroxyisoflavones. <i>Molecules Online</i> , 1999 , 3, 20-24		13
18	Synthesis of the Deuterium Labeled Isoflavone-O-glucoside 8,3?,5?-D3-Daidzin. <i>Molecules Online</i> , 1998 , 2, 137-139		2
17	Isolavonoids and Lignans in Legumes: Nutritional and Health Aspects in Humans 11The method development and synthesis of the standards and deuterium-labelled compounds was supported by National Institutes of Health Grants No. 1 R01 CA56289-01 and No. 2 R01 CA56289-04, and analytical work by the EU research contract FAIR-CT95-0894.. <i>Journal of Nutritional Biochemistry</i> , 1998 , 9, 1-10	6.3	299
16	Radioimmunoassay of free genistein in human serum. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 1998 , 64, 261-8	5.1	58
15	The phase transfer catalysed synthesis of isoflavone-O-glucosides. <i>Journal of the Chemical Society Perkin Transactions 1</i> , 1998 , 2481-2484		43
14	Synthesis of novel mammalian metabolites of the isoflavonoid phytoestrogens daidzein and genistein. <i>Experimental Biology and Medicine</i> , 1998 , 217, 293-9	3.7	30
13	The Synthesis, Structure, and Anticancer Activity of cis- and trans-4[7]-Dihydroxyisoflavan-4-ols. <i>Journal of Organic Chemistry</i> , 1997 , 62, 7690-7693	4.2	28
12	A novel radioimmunoassay for daidzein. <i>Steroids</i> , 1997 , 62, 315-20	2.8	58
11	Synthesis of D4-genistein, a stable deuterio labeled isoflavone, by a perdeuteration selective dedeuteration approach. <i>Tetrahedron Letters</i> , 1997 , 38, 7287-7290	2	36
10	Phytoestrogen content and estrogenic effect of legume fodder. <i>Experimental Biology and Medicine</i> , 1995 , 208, 13-7	3.7	69
9	Synthesis and labeling of isoflavone phytoestrogens, including daidzein and genistein. <i>Experimental Biology and Medicine</i> , 1995 , 208, 27-32	3.7	27
8	Lignan and isoflavonoid conjugates in human urine. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 1995 , 52, 97-103	5.1	176
7	Synthesis of [2H]5-epitestosterone. <i>Journal of Labelled Compounds and Radiopharmaceuticals</i> , 1995 , 36, 493-496	1.9	11
6	Inhibition of human aromatase by mammalian lignans and isoflavonoid phytoestrogens. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 1993 , 44, 147-53	5.1	428
5	Expedient synthesis of polyhydroxyisoflavones. <i>Journal of the Chemical Society Perkin Transactions 1</i> , 1991 , 3005-3008		89
4	Isotope dilution gas chromatographic-mass spectrometric method for the determination of lignans and isoflavonoids in human urine, including identification of genistein. <i>Clinica Chimica Acta</i> , 1991 , 199, 263-78	6.2	177
3	Identification of lignans and phytoestrogens in urine of chimpanzees. <i>Clinica Chimica Acta</i> , 1986 , 158, 147-54	6.2	100
2	Synthesis of the [2H]-labelled urinary lignans, enterolactone and enterodiol, and the phytoestrogen daidzein and its metabolites equol and O-demethyl-angolensin. <i>Journal of the Chemical Society Perkin Transactions 1</i> , 1986 , 95-98		25

- 1 Phytoestrogens in Drug Discovery for Controlling Steroid Biosynthesis 293-316