

Katherine Gordon-Smith

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9136067/katherine-gordon-smith-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

83
papers

9,332
citations

37
h-index

93
g-index

93
ext. papers

11,725
ext. citations

10.4
avg, IF

5.9
L-index

#	Paper	IF	Citations
83	The dynamic interplay between sleep and mood: an intensive longitudinal study of individuals with bipolar disorder.. <i>Psychological Medicine</i> , 2022 , 1-10	6.9	0
82	Post-partum psychosis and its association with bipolar disorder in the UK: a case-control study using polygenic risk scores. <i>Lancet Psychiatry</i> , 2021 , 8, 1045-1052	23.3	0
81	The influence of borderline personality traits on clinical outcomes in bipolar disorder. <i>Bipolar Disorders</i> , 2021 , 23, 368-375	3.8	5
80	Migraine associated with early onset postpartum depression in women with major depressive disorder. <i>Archives of Women's Mental Health</i> , 2021 , 24, 949-955	5	1
79	Genome-wide association study of more than 40,000 bipolar disorder cases provides new insights into the underlying biology. <i>Nature Genetics</i> , 2021 , 53, 817-829	36.3	83
78	Have I argued with my family this week?": What questions do those with lived experience choose to monitor their bipolar disorder?. <i>Journal of Affective Disorders</i> , 2021 , 281, 918-925	6.6	1
77	Phenomenology, Epidemiology and Aetiology of Postpartum Psychosis: A Review. <i>Brain Sciences</i> , 2021 , 11,	3.4	6
76	Characterisation of age and polarity at onset in bipolar disorder.. <i>British Journal of Psychiatry</i> , 2021 , 219, 659-669	5.4	2
75	Mood episodes in pregnancy and risk of postpartum recurrence in bipolar disorder: The Bipolar Disorder Research Network Pregnancy Study. <i>Journal of Affective Disorders</i> , 2021 , 294, 714-722	6.6	0
74	Patterns and clinical correlates of lifetime alcohol consumption in women and men with bipolar disorder: Findings from the UK Bipolar Disorder Research Network. <i>Bipolar Disorders</i> , 2020 , 22, 731-738	3.8	6
73	The Genetics of the Mood Disorder Spectrum: Genome-wide Association Analyses of More Than 185,000 Cases and 439,000 Controls. <i>Biological Psychiatry</i> , 2020 , 88, 169-184	7.9	57
72	Symptom profile of postpartum and non-postpartum manic episodes in bipolar I disorder: a within-subjects study. <i>Psychiatry Research</i> , 2020 , 284, 112748	9.9	2
71	Adverse childhood experiences and postpartum depression in bipolar disorder. <i>Journal of Affective Disorders</i> , 2020 , 263, 661-666	6.6	5
70	Comparison of Genetic Liability for Sleep Traits Among Individuals With Bipolar Disorder I or II and Control Participants. <i>JAMA Psychiatry</i> , 2020 , 77, 303-310	14.5	19
69	International Consortium on the Genetics of Electroconvulsive Therapy and Severe Depressive Disorders (Gen-ECT-ic). <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2020 , 270, 921-932	5.1	8
68	Explaining why childhood abuse is a risk factor for poorer clinical course in bipolar disorder: a path analysis of 923 people with bipolar I disorder. <i>Psychological Medicine</i> , 2020 , 50, 2346-2354	6.9	4
67	Large-scale roll out of electronic longitudinal mood-monitoring for research in affective disorders: Report from the UK bipolar disorder research network. <i>Journal of Affective Disorders</i> , 2019 , 246, 789-793	6.6	7

66	Agitated depression in bipolar disorder. <i>Bipolar Disorders</i> , 2019 , 21, 547-555	3.8	9
65	Genome-wide association study identifies 30 loci associated with bipolar disorder. <i>Nature Genetics</i> , 2019 , 51, 793-803	36.3	662
64	Postpartum psychosis in bipolar disorder: no evidence of association with personality traits, cognitive style or affective temperaments. <i>BMC Psychiatry</i> , 2019 , 19, 395	4.2	8
63	Genomic Relationships, Novel Loci, and Pleiotropic Mechanisms across Eight Psychiatric Disorders. <i>Cell</i> , 2019 , 179, 1469-1482.e11	56.2	402
62	Contribution of Rare Copy Number Variants to Bipolar Disorder Risk Is Limited to Schizoaffective Cases. <i>Biological Psychiatry</i> , 2019 , 86, 110-119	7.9	20
61	A data-driven investigation of relationships between bipolar psychotic symptoms and schizophrenia genome-wide significant genetic loci. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2018 , 177, 468-475	3.5	8
60	Mania triggered by sleep loss and risk of postpartum psychosis in women with bipolar disorder. <i>Journal of Affective Disorders</i> , 2018 , 225, 624-629	6.6	27
59	Genomic Dissection of Bipolar Disorder and Schizophrenia, Including 28 Subphenotypes. <i>Cell</i> , 2018 , 173, 1705-1715.e16	56.2	360
58	Association Between Schizophrenia-Related Polygenic Liability and the Occurrence and Level of Mood-Incongruent Psychotic Symptoms in Bipolar Disorder. <i>JAMA Psychiatry</i> , 2018 , 75, 28-35	14.5	66
57	Genotype-phenotype correlations in Darier disease: A focus on the neuropsychiatric phenotype. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2018 , 177, 717-726	3.5	12
56	Stratification of the risk of bipolar disorder recurrences in pregnancy and postpartum. <i>British Journal of Psychiatry</i> , 2018 , 213, 542-547	5.4	28
55	Evidence for genetic heterogeneity between clinical subtypes of bipolar disorder. <i>Translational Psychiatry</i> , 2017 , 7, e993	8.6	110
54	Genome-wide association study of borderline personality disorder reveals genetic overlap with bipolar disorder, major depression and schizophrenia. <i>Translational Psychiatry</i> , 2017 , 7, e1155	8.6	100
53	Genome-wide significant locus for Research Diagnostic Criteria Schizoaffective Disorder Bipolar type. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2017 , 174, 767-771	3.5	
52	Changes to the Diagnostic Criteria for Bipolar Disorder in DSM-5 Make Little Difference to Lifetime Diagnosis: Findings From the U.K. Bipolar Disorder Research Network (BDRN) Study. <i>American Journal of Psychiatry</i> , 2017 , 174, 803	11.9	6
51	A visual timeline tool for tracking mood and medication perinatally in affective disorders. <i>Archives of Women's Mental Health</i> , 2017 , 20, 709-710	5	
50	Sleep loss as a trigger of mood episodes in bipolar disorder: individual differences based on diagnostic subtype and gender. <i>British Journal of Psychiatry</i> , 2017 , 211, 169-174	5.4	56
49	Genetic Overlap Between Attention-Deficit/Hyperactivity Disorder and Bipolar Disorder: Evidence From Genome-wide Association Study Meta-analysis. <i>Biological Psychiatry</i> , 2017 , 82, 634-641	7.9	66

48	Autistic and schizotypal traits and global functioning in bipolar I disorder. <i>Journal of Affective Disorders</i> , 2017 , 207, 268-275	6.6	13
47	Adverse childhood life events and postpartum psychosis in bipolar disorder. <i>Journal of Affective Disorders</i> , 2016 , 205, 69-72	6.6	13
46	Copy number variation in bipolar disorder. <i>Molecular Psychiatry</i> , 2016 , 21, 89-93	15.1	113
45	Affective instability, childhood trauma and major affective disorders. <i>Journal of Affective Disorders</i> , 2016 , 190, 764-771	6.6	34
44	Genome-wide association study identifies SESTD1 as a novel risk gene for lithium-responsive bipolar disorder. <i>Molecular Psychiatry</i> , 2016 , 21, 1290-7	15.1	45
43	Affective temperaments and concomitant alcohol use disorders in bipolar disorder. <i>Journal of Affective Disorders</i> , 2015 , 186, 226-31	6.6	16
42	Rapid cycling as a feature of bipolar disorder and comorbid migraine. <i>Journal of Affective Disorders</i> , 2015 , 175, 320-4	6.6	18
41	Bipolar disorder, miscarriage, and termination. <i>Bipolar Disorders</i> , 2015 , 17, 102-5	3.8	9
40	Gambling problems in bipolar disorder in the UK: prevalence and distribution. <i>British Journal of Psychiatry</i> , 2015 , 207, 328-33	5.4	23
39	Smoking and postpartum psychosis. <i>Bipolar Disorders</i> , 2015 , 17, 572-3	3.8	4
38	Adverse childhood events and psychosis in bipolar affective disorder. <i>British Journal of Psychiatry</i> , 2015 , 206, 191-7	5.4	45
37	Joint analysis of psychiatric disorders increases accuracy of risk prediction for schizophrenia, bipolar disorder, and major depressive disorder. <i>American Journal of Human Genetics</i> , 2015 , 96, 283-94	11	161
36	Identification of pathways for bipolar disorder: a meta-analysis. <i>JAMA Psychiatry</i> , 2014 , 71, 657-64	14.5	172
35	Comorbid medical illness in bipolar disorder. <i>British Journal of Psychiatry</i> , 2014 , 205, 465-72	5.4	80
34	Improving the psychometric utility of the hypomania checklist (HCL-32): a Rasch analysis approach. <i>Journal of Affective Disorders</i> , 2014 , 152-154, 448-53	6.6	14
33	Mood disorders and parity - a clue to the aetiology of the postpartum trigger. <i>Journal of Affective Disorders</i> , 2014 , 152-154, 334-9	6.6	48
32	H07 The Familiarity Of Psychiatric Symptoms In Huntington's Disease. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2014 , 85, A54-A54	5.5	
31	H09 The Depression Phenotype In Huntington's Disease. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2014 , 85, A54-A55	5.5	

30	Genetic relationship between five psychiatric disorders estimated from genome-wide SNPs. <i>Nature Genetics</i> , 2013 , 45, 984-94	36.3	1628
29	Association at SYNE1 in both bipolar disorder and recurrent major depression. <i>Molecular Psychiatry</i> , 2013 , 18, 614-7	15.1	71
28	Replication of bipolar disorder susceptibility alleles and identification of two novel genome-wide significant associations in a new bipolar disorder case-control sample. <i>Molecular Psychiatry</i> , 2013 , 18, 1302-7	15.1	110
27	Genome-wide significant associations in schizophrenia to ITIH3/4, CACNA1C and SDCCAG8, and extensive replication of associations reported by the Schizophrenia PGC. <i>Molecular Psychiatry</i> , 2013 , 18, 708-12	15.1	184
26	Perinatal episodes across the mood disorder spectrum. <i>JAMA Psychiatry</i> , 2013 , 70, 168-75	14.5	161
25	Novel ATP2A2 mutations in a large sample of individuals with Darier disease. <i>Journal of Dermatology</i> , 2013 , 40, 259-66	1.6	18
24	Meta-analysis of genome-wide association data of bipolar disorder and major depressive disorder. <i>Molecular Psychiatry</i> , 2011 , 16, 2-4	15.1	130
23	DISC1 exon 11 rare variants found more commonly in schizoaffective spectrum cases than controls. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2011 , 156B, 490-2	3.5	18
22	Large-scale genome-wide association analysis of bipolar disorder identifies a new susceptibility locus near ODZ4. <i>Nature Genetics</i> , 2011 , 43, 977-83	36.3	1094
21	The neuropsychiatric phenotype in Darier disease. <i>British Journal of Dermatology</i> , 2010 , 163, 515-22	4	47
20	Strong genetic evidence for a selective influence of GABAA receptors on a component of the bipolar disorder phenotype. <i>Molecular Psychiatry</i> , 2010 , 15, 146-53	15.1	94
19	The bipolar disorder risk allele at CACNA1C also confers risk of recurrent major depression and of schizophrenia. <i>Molecular Psychiatry</i> , 2010 , 15, 1016-22	15.1	389
18	Genome-wide association study of CNVs in 16,000 cases of eight common diseases and 3,000 shared controls. <i>Nature</i> , 2010 , 464, 713-20	50.4	639
17	Affective temperaments across the bipolar-unipolar spectrum: examination of the TEMPS-A in 927 patients and controls. <i>Journal of Affective Disorders</i> , 2010 , 123, 42-51	6.6	33
16	Reducing the Hypomania Checklist (HCL-32) to a 16-item version. <i>Journal of Affective Disorders</i> , 2010 , 124, 351-6	6.6	32
15	Variation at the GABAA receptor gene, Rho 1 (GABRR1) associated with susceptibility to bipolar schizoaffective disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2010 , 153B, 1347-9	3.5	14
14	Genetic utility of broadly defined bipolar schizoaffective disorder as a diagnostic concept. <i>British Journal of Psychiatry</i> , 2009 , 195, 23-9	5.4	76
13	Identifying hypomanic features in major depressive disorder using the hypomania checklist (HCL-32). <i>Journal of Affective Disorders</i> , 2009 , 114, 68-73	6.6	46

12	Age-at-onset in bipolar-I disorder: mixture analysis of 1369 cases identifies three distinct clinical sub-groups. <i>Journal of Affective Disorders</i> , 2009 , 116, 23-9	6.6	65
11	Polarity at illness onset in bipolar I disorder and clinical course of illness. <i>Bipolar Disorders</i> , 2009 , 11, 82-88	3.8	42
10	Clinical characteristics of unipolar disorder and bipolar disorder according to the lifetime presence of recurrent panic attacks. <i>Bipolar Disorders</i> , 2009 , 11, 307-15	3.8	4
9	Collaborative genome-wide association analysis supports a role for ANK3 and CACNA1C in bipolar disorder. <i>Nature Genetics</i> , 2008 , 40, 1056-8	36.3	949
8	Clinical differences between bipolar and unipolar depression. <i>British Journal of Psychiatry</i> , 2008 , 192, 388-9	5.4	89
7	Bipolar disorder and polymorphisms in the dysbindin gene (DTNBP1). <i>Biological Psychiatry</i> , 2005 , 57, 696-701	7.9	110
6	Operation of the schizophrenia susceptibility gene, neuregulin 1, across traditional diagnostic boundaries to increase risk for bipolar disorder. <i>Archives of General Psychiatry</i> , 2005 , 62, 642-8		209
5	Cognitive style in bipolar disorder. <i>British Journal of Psychiatry</i> , 2005 , 187, 431-7	5.4	65
4	Triplet repeats and bipolar disorder. <i>Current Psychiatry Reports</i> , 2002 , 4, 134-40	9.1	4
3	Genome-wide association study identifies 30 Loci Associated with Bipolar Disorder		28
2	Genome-wide association study of over 40,000 bipolar disorder cases provides new insights into the underlying biology		11
1	Characterization of Age and Polarity at Onset in Bipolar Disorder		1