Shigekazu Ukawa

List of Publications by Citations

Source: https://exaly.com/author-pdf/9136556/shigekazu-ukawa-publications-by-citations.pdf

Version: 2024-04-17

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

68 18 13 533 h-index g-index citations papers 686 74 3.4 3.59 avg, IF L-index ext. papers ext. citations

#	Paper	IF	Citations
68	Characteristics and prognosis of Japanese colorectal cancer patients: The BioBank Japan Project. <i>Journal of Epidemiology</i> , 2017 , 27, S36-S42	3.4	27
67	Long working hours and psychological distress among school teachers in Japan. <i>Journal of Occupational Health</i> , 2015 , 57, 20-7	2.3	26
66	The Japanese food score and risk of all-cause, CVD and cancer mortality: the Japan Collaborative Cohort Study. <i>British Journal of Nutrition</i> , 2018 , 120, 464-471	3.6	26
65	The relationship between atopic dermatitis and indoor environmental factors: a cross-sectional study among Japanese elementary school children. <i>International Archives of Occupational and Environmental Health</i> , 2013 , 86, 777-87	3.2	25
64	Watching Television and Risk of Mortality From Pulmonary Embolism Among Japanese Men and Women: The JACC Study (Japan Collaborative Cohort). <i>Circulation</i> , 2016 , 134, 355-7	16.7	24
63	Demographic and lifestyle factors and survival among patients with esophageal and gastric cancer: The Biobank Japan Project. <i>Journal of Epidemiology</i> , 2017 , 27, S29-S35	3.4	22
62	Dietary patterns and breast cancer risk in a prospective Japanese study. <i>Breast Cancer</i> , 2017 , 24, 152-16	5 9.4	20
61	Serum adiponectin and insulin secretion: A direct or inverse association?. <i>Journal of Diabetes Investigation</i> , 2018 , 9, 1106-1109	3.9	20
60	Characteristics and prognosis of Japanese female breast cancer patients: The BioBank Japan project. <i>Journal of Epidemiology</i> , 2017 , 27, S58-S64	3.4	19
59	Health Benefits of Daily Walking on Mortality Among Younger-Elderly Men With or Without Major Critical Diseases in the New Integrated Suburban Seniority Investigation Project: A Prospective Cohort Study. <i>Journal of Epidemiology</i> , 2015 , 25, 609-16	3.4	19
58	The association between social participation and cognitive function in community-dwelling older populations: Japan Gerontological Evaluation Study at Taisetsu community Hokkaido. <i>International Journal of Geriatric Psychiatry</i> , 2017 , 32, 1131-1140	3.9	17
57	Association of gait speed with mortality among the Japanese elderly in the New Integrated Suburban Seniority Investigation Project: a prospective cohort study. <i>Age and Ageing</i> , 2015 , 44, 153-7	3	16
56	Passive smoking and chronic obstructive pulmonary disease mortality: findings from the Japan collaborative cohort study. <i>International Journal of Public Health</i> , 2017 , 62, 489-494	4	14
55	Fasting but not casual blood glucose is associated with pancreatic cancer mortality in Japanese: EPOCH-JAPAN. <i>Cancer Causes and Control</i> , 2017 , 28, 625-633	2.8	13
54	Characteristics of patients with liver cancer in the BioBank Japan project. <i>Journal of Epidemiology</i> , 2017 , 27, S43-S48	3.4	12
53	Characteristics and prognosis of Japanese male and female lung cancer patients: The BioBank Japan Project. <i>Journal of Epidemiology</i> , 2017 , 27, S49-S57	3.4	12
52	Associations of daily walking and television viewing time with liver cancer mortality: findings from the Japan Collaborative Cohort Study. <i>Cancer Causes and Control</i> , 2014 , 25, 787-93	2.8	12

(2015-2013)

51	Prospective cohort study on television viewing time and incidence of lung cancer: findings from the Japan Collaborative Cohort Study. <i>Cancer Causes and Control</i> , 2013 , 24, 1547-53	2.8	12
50	Long working hours and sleep problems among public junior high school teachers in Japan. <i>Journal of Occupational Health</i> , 2015 , 57, 457-64	2.3	12
49	A randomized controlled trial of a Functioning Improvement Tool home-visit program and its effect on cognitive function in older persons. <i>International Journal of Geriatric Psychiatry</i> , 2012 , 27, 557-64	3.9	12
48	Association Between Average Daily Television Viewing Time and Chronic Obstructive Pulmonary Disease-Related Mortality: Findings From the Japan Collaborative Cohort Study. <i>Journal of Epidemiology</i> , 2015 , 25, 431-6	3.4	11
47	Multilevel, cross-sectional study on social capital with psychogeriatric health among older Japanese people dwelling in rural areas. <i>Australasian Journal on Ageing</i> , 2014 , 33, E13-9	1.5	11
46	Leisure-time physical activity and risk of disability incidence: A 12-year prospective cohort study among young elderly of the same age at baseline. <i>Journal of Epidemiology</i> , 2017 , 27, 538-545	3.4	9
45	Serum 25-hydroxyvitamin D levels and poor sleep quality in a Japanese population: the DOSANCO Health Study. <i>Sleep Medicine</i> , 2019 , 57, 135-140	4.6	9
44	Association between average daily television viewing time and the incidence of ovarian cancer: findings from the Japan Collaborative Cohort Study. <i>Cancer Causes and Control</i> , 2018 , 29, 213-219	2.8	8
43	Association of mechanical ventilation and flue use in heaters with asthma symptoms in Japanese schoolchildren: a cross-sectional study in Sapporo, Japan. <i>Journal of Epidemiology</i> , 2014 , 24, 230-8	3.4	8
42	Clinical and histopathological characteristics of patients with prostate cancer in the BioBank Japan project. <i>Journal of Epidemiology</i> , 2017 , 27, S65-S70	3.4	7
41	Lifestyle and psychosocial factors and a decline in competence in daily living among Japanese early elderly people: from an age-specified community-based cohort study (NISSIN project). <i>Environmental Health and Preventive Medicine</i> , 2019 , 24, 28	4.2	7
40	Dietary patterns and abnormal glucose tolerance among Japanese: findings from the National Health and Nutrition Survey, 2012. <i>Public Health Nutrition</i> , 2019 , 22, 2460-2468	3.3	7
39	Dietary patterns among Japanese adults: findings from the National Health and Nutrition Survey, 2012. <i>Asia Pacific Journal of Clinical Nutrition</i> , 2018 , 27, 1120-1130	1	7
38	Diabetes Mellitus is Associated With Low Secretion Rates of Immunoglobulin A in Saliva. <i>Journal of Epidemiology</i> , 2015 , 25, 470-4	3.4	6
37	Associations of Daily Walking Time With Pneumonia Mortality Among Elderly Individuals With or Without a Medical History of Myocardial Infarction or Stroke: Findings From the Japan Collaborative Cohort Study. <i>Journal of Epidemiology</i> , 2019 , 29, 233-237	3.4	6
36	The associations of dietary patterns with all-cause mortality and other lifestyle factors in the elderly: An age-specific prospective cohort study. <i>Clinical Nutrition</i> , 2019 , 38, 288-296	5.9	6
35	Randomised controlled pilot study in Japan comparing a home visit program using a Functioning Improvement Tool with a home visit with conversation alone. <i>Australasian Journal on Ageing</i> , 2012 , 31, 187-9	1.5	5
34	Body Mass Index Is Associated with Hypertension in Japanese Young Elderly Individuals: Findings of the New Integrated Suburban Seniority Investigation. <i>Internal Medicine</i> , 2015 , 54, 3121-5	1.1	5

33	Social participation patterns and the incidence of functional disability: The Japan Gerontological Evaluation Study. <i>Geriatrics and Gerontology International</i> , 2020 , 20, 765-772	2.9	5
32	Association between falls and depressive symptoms or visual impairment among Japanese young-old adults. <i>Geriatrics and Gerontology International</i> , 2016 , 16, 384-91	2.9	5
31	Television viewing time, walking time, and risk of type 2 diabetes in Japanese men and women: The Japan Collaborative Cohort Study. <i>Preventive Medicine</i> , 2019 , 118, 220-225	4.3	5
30	Lower human defensin 5 in elderly people compared to middle-aged is associated with differences in the intestinal microbiota composition: the DOSANCO Health Study. <i>GeroScience</i> , 2021 , 1	8.9	4
29	Proinsulin is sensitive to reflect glucose intolerance. <i>Journal of Diabetes Investigation</i> , 2020 , 11, 75-79	3.9	4
28	Influence of different methods for measuring HbA1c on health checkups in a rural town in Hokkaido, Japan. <i>Diabetology International</i> , 2016 , 7, 391-397	2.3	3
27	Pooled Analysis of the Associations between Body Mass Index, Total Cholesterol, and Liver Cancer-related Mortality in Japan. <i>Asian Pacific Journal of Cancer Prevention</i> , 2018 , 19, 2089-2095	1.7	3
26	Television Viewing Time and the Risk of Colorectal Cancer Mortality among Japanese Population: The JACC Study. <i>Cancer Research and Treatment</i> , 2021 , 53, 497-505	5.2	3
25	Association of Adiponectin With Cancer and All-Cause Mortality in a Japanese Community-Dwelling Elderly Cohort: A Case-Cohort Study. <i>Journal of Epidemiology</i> , 2018 , 28, 367-372	3.4	3
24	Comparison of a new wrist-worn accelerometer with a commonly used triaxial accelerometer under free-living conditions. <i>BMC Research Notes</i> , 2018 , 11, 746	2.3	3
23	The effect of a Functioning Improvement Tool home visit program on instrumental activities of daily living and depressive status in older people. <i>International Journal of Geriatric Psychiatry</i> , 2012 , 27, 1206-8	3.9	2
22	Are Japanese Women Less Physically Active Than Men? Findings From the DOSANCO Health Study. Journal of Epidemiology, 2021 , 31, 530-536	3.4	2
21	Serum 25-hydroxyvitamin D Levels and Diabetes in a Japanese Population: The DOSANCO Health Study. <i>Journal of Epidemiology</i> , 2021 ,	3.4	2
20	Association between Protein Intake and Skeletal Muscle Mass among Community-Dwelling Older Japanese: Results from the DOSANCO Health Study: A Cross-Sectional Study. <i>Nutrients</i> , 2021 , 13,	6.7	2
19	Daily sleep duration and the risk of incident disability among younger elderly Japanese adults in the New Integrated Suburban Seniority Investigation Project: A prospective study using competing event analysis. <i>Geriatrics and Gerontology International</i> , 2019 , 19, 945-949	2.9	1
18	A randomized controlled trial of a long-term functioning improvement tool home visit program for frail older Japanese people. <i>International Journal of Geriatric Psychiatry</i> , 2015 , 30, 887-8	3.9	1
17	Intake of Common Alcoholic and Non-Alcoholic Beverages and Breast Cancer Risk among Japanese Women: Findings from the Japan Collaborative Cohort Study. <i>Asian Pacific Journal of Cancer Prevention</i> , 2020 , 21, 1701-1707	1.7	1
16	Multivariate Analysis for Molecular Species of Cholesteryl Ester in the Human Serum. <i>Analytical Sciences</i> , 2020 , 36, 373-378	1.7	1

LIST OF PUBLICATIONS

15	Dietary Patterns and Risk of Esophageal Cancer Mortality: The Japan Collaborative Cohort Study. <i>Nutrition and Cancer</i> , 2016 , 68, 1001-9	2.8	1
14	Association between accelerometer-measured physical activity and falls among community-dwelling older people living in cold, snowy areas. <i>European Geriatric Medicine</i> , 2021 , 12, 91-	98	1
13	Fecal short-chain fatty acids and obesity in a community-based Japanese population: The DOSANCO Health Study. <i>Obesity Research and Clinical Practice</i> , 2021 , 15, 345-350	5.4	1
12	Association of accelerometer-measured physical activity with kidney function in a Japanese population: the DOSANCO Health Study <i>BMC Nephrology</i> , 2022 , 23, 7	2.7	О
11	Association of gait with global cognitive function and cognitive domains detected by MoCA-J among community-dwelling older adults: a cross-sectional study. <i>BMC Geriatrics</i> , 2021 , 21, 523	4.1	О
10	Correlation between serum proinsulin levels and fatty liver: The Dynamics of Lifestyle and Neighborhood Community on Health Study. <i>Journal of Diabetes Investigation</i> , 2020 , 11, 964-970	3.9	O
9	Prediction of 11-year incidence of psychophysically dependent status or death among community-dwelling younger elderlies: from an age-specified community-based cohort study (the NISSIN project). <i>Environmental Health and Preventive Medicine</i> , 2021 , 26, 45	4.2	О
8	Inverse correlation between serum high-molecular-weight adiponectin and proinsulin level in a Japanese population: The Dynamics of Lifestyle and Neighborhood Community on Health Study. <i>Journal of Diabetes Investigation</i> , 2021 , 12, 63-66	3.9	O
7	Comparison of dimension reduction methods on fatty acids food source study. <i>Scientific Reports</i> , 2021 , 11, 18748	4.9	О
6	1497-P: Proinsulin as a Potential Marker of Early Pancreatic Beta-Cell Dysfunction. <i>Diabetes</i> , 2019 , 68, 1497-P	0.9	
5	Depressive Tendency and the Risk of Death from Pneumonia: The JACC Study. <i>Internal Medicine</i> , 2020 , 59, 3123-3130	1.1	
4	Household income and the risk of incident hypertension in employees at multiple workplaces in Japan: J-HOPE. <i>Hypertension Research</i> , 2020 , 43, 1445-1453	4.7	
3	HPLC with spectrophotometric or mass spectrometric detection for quantifying very-long chain fatty acids in human plasma and its association with cardiac risk factors. <i>Annals of Clinical Biochemistry</i> , 2021 , 58, 400-410	2.2	
2	Association between frequency of snacking and all-cause mortality among community-dwelling young-old adults: An age-specific prospective cohort study. <i>Geriatrics and Gerontology International</i> , 2021 , 21, 697-704	2.9	
1	The number of leisure-time activities and risk of functional disability among Japanese older population: the JAGES cohort <i>Preventive Medicine Reports</i> , 2022 , 26, 101741	2.6	