
Shafik Khoury

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/91371/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Forced Diuresis with Matched Isotonic Intravenous Hydration Prevents Renal Contrast Media Accumulation. Journal of Clinical Medicine, 2022, 11, 885.	2.4	2
2	Cardiac arrest as first presentation of arrhythmogenic left ventricular cardiomyopathy due to Filamin C mutation: a case report. European Heart Journal - Case Reports, 2021, 5, ytab422.	0.6	2
3	Outcomes of early and reversible renal impairment in patients with ST segment elevation myocardial infarction undergoing percutaneous coronary intervention. European Heart Journal: Acute Cardiovascular Care, 2020, 9, 684-689.	1.0	8
4	Incidence, characteristics and outcomes in very young patients with ST segment elevation myocardial infarction. Coronary Artery Disease, 2020, 31, 103-108.	0.7	7
5	Quinidine-responsive out-of-hospital polymorphic ventricular tachycardia in patients with coronary heart disease. Europace, 2020, 22, 265-273.	1.7	15
6	Association of body mass index and diastolic function in metabolically healthy obese with preserved ejection fraction. International Journal of Cardiology, 2019, 277, 147-152.	1.7	30
7	Grapefruit juice prolongs the QT interval of healthy volunteers and patients with long QT syndrome. Heart Rhythm, 2019, 16, 1141-1148.	0.7	18
8	Acute renal impairment in older adults treated with percutaneous coronary intervention for ST-segment elevation myocardial infarction. Coronary Artery Disease, 2019, 30, 564-568.	0.7	8
9	Relationship between climate and hemodynamics according to echocardiography. Journal of Applied Physiology, 2019, 126, 322-329.	2.5	4
10	Prolonged Hyperglycemia and Renal Failure after Primary Percutaneous Coronary Intervention. CardioRenal Medicine, 2019, 9, 92-99.	1.9	4
11	Association of pre-admission statin therapy and the inflammatory response in ST elevation myocardial infarction patients. Biomarkers, 2019, 24, 17-22.	1.9	1
12	Trends and predictors of prehospital delay in patients undergoing primary coronary intervention. Coronary Artery Disease, 2018, 29, 373-377.	0.7	7
13	Relation of subclinical serum creatinine elevation to adverse in-hospital outcomes among myocardial infarction patients. European Heart Journal: Acute Cardiovascular Care, 2018, 7, 732-738.	1.0	8
14	Acute kidney injury based on the KDIGO criteria among ST elevation myocardial infarction patients treated by primary percutaneous intervention. Journal of Nephrology, 2018, 31, 423-428.	2.0	26
15	Family history of coronary artery disease and adverse clinical outcomes in patients suffering from acute ST-segment elevation myocardial infarction. Coronary Artery Disease, 2018, 29, 657-662.	0.7	5
16	A practical approach to infarction of the spleen as a rare manifestation of multiple common diseases. Annals of Medicine, 2018, 50, 494-500.	3.8	28
17	Association between central venous pressure as assessed by echocardiography, left ventricular function and acute cardio-renal syndrome in patients with ST segment elevation myocardial infarction. Clinical Research in Cardiology, 2018, 107, 937-944.	3.3	14
18	Prognostic implications of fluid balance in ST elevation myocardial infarction complicated by cardiogenic shock. European Heart Journal: Acute Cardiovascular Care, 2017, 6, 462-467.	1.0	11

Shafik Khoury

#	Article	IF	CITATIONS
19	Prognostic Implications of Chronic Kidney Disease on Patients Presenting with ST-Segment Elevation Myocardial Infarction with versus without Stent Thrombosis. CardioRenal Medicine, 2017, 7, 150-157.	1.9	6
20	Incidence and outcomes of early left ventricular thrombus following ST-elevation myocardial infarction treated with primary percutaneous coronary intervention. Clinical Research in Cardiology, 2017, 106, 695-701.	3.3	32
21	Relation of positive fluid balance to the severity of renal impairment and recovery among ST elevation myocardial infarction complicated by cardiogenic shock. Journal of Critical Care, 2017, 40, 184-188.	2.2	4
22	Prognostic Implications of Mid-Range Left Ventricular Ejection Fraction on Patients Presenting With ST-Segment Elevation Myocardial Infarction. American Journal of Cardiology, 2017, 120, 186-190.	1.6	22
23	A novel predictor of adverse outcomes after ST-elevation myocardial infarction. Coronary Artery Disease, 2017, 28, 541-542.	0.7	1
24	Discriminating Circulatory Problems FromÂDeconditioning. Chest, 2017, 151, 431-440.	0.8	15
25	Mechanisms of Effort Intolerance in Patients With Heart Failure and Borderline Ejection Fraction. American Journal of Cardiology, 2017, 119, 416-422.	1.6	10
26	Serial Echocardiographic Assessment of Left Ventricular Filling Pressure and Remodeling among ST-Segment Elevation Myocardial Infarction Patients Treated by Primary Percutaneous Intervention. Journal of the American Society of Echocardiography, 2016, 29, 745-749.	2.8	6
27	Relevance of the thyroid hormones–αvβ3 pathway in primary myeloma bone marrow cells and to bortezomib action. Leukemia and Lymphoma, 2015, 56, 1107-1114.	1.3	26
28	Delayed diagnosis of subacute angle closure glaucoma in patients presenting with headaches. Acta Neurologica Belgica, 2014, 114, 269-272.	1.1	10
29	Progressive multifocal leukoencephalopathy in an HIV-negative patient following treatment with rituximab. Israel Medical Association Journal, 2013, 15, 321-2.	0.1	4
30	Drug Allergy in Hospitalized Patients: The Contribution of Allergy Consultation and a Structured Questionnaire. International Archives of Allergy and Immunology, 2012, 158, 307-312.	2.1	4
31	Erratum to "Predictive value of white blood cell subtypes for long-term outcome following myocardial infarctions―[Atherosclerosis 196 (2008) 405–412]. Atherosclerosis, 2012, 221, 605.	0.8	0
32	Thyroid Hormone Is a MAPK-Dependent Growth Factor for Human Myeloma Cells Acting via αvβ3 Integrin. Molecular Cancer Research, 2011, 9, 1385-1394.	3.4	50
33	Thyroid Hormones Antagonize and Tetrac, a Deaminated T4 Analog, Sensitizes Bortezomib Action in Multiple Myeloma Cells. Blood, 2011, 118, 2867-2867.	1.4	0