

Robert S Seville

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9137133/publications.pdf>

Version: 2024-02-01

44
papers

377
citations

933447

10
h-index

839539

18
g-index

44
all docs

44
docs citations

44
times ranked

233
citing authors

#	ARTICLE	IF	CITATIONS
1	A revision of the taxonomy and nomenclature of the <i>Eimeria</i> spp. (Apicomplexa: Eimeriidae) from rodents in the Tribe Marmotini (Sciuridae). <i>Systematic Parasitology</i> , 1998, 39, 113-135.	1.1	132
2	NONGASTROINTESTINAL HELMINTHS IN MARTEN (<i>MARTES AMERICANA</i>) FROM ONTARIO, CANADA. <i>Journal of Wildlife Diseases</i> , 1995, 31, 529-533.	0.8	25
3	Coccidian Assemblages in the Wyoming Ground Squirrel, <i>Spermophilus elegans elegans</i> . <i>Journal of Parasitology</i> , 1992, 78, 323.	0.7	21
4	Digenean Trematode Infections of Native Freshwater Snails and Invasive <i>Potamopyrgus antipodarum</i> in the Grand Teton National Park/John D. Rockefeller Memorial Parkway Area. <i>Journal of Parasitology</i> , 2009, 95, 224-227.	0.7	21
5	Effects of increased nitrogen deposition on soil nematodes in alpine tundra soils. <i>Pedobiologia</i> , 2000, 44, 591-608.	1.2	19
6	A New Species of <i>Eimeria</i> (Apicomplexa: Eimeriidae) from the Northern Myotis, <i>Myotis septentrionalis</i> (Chiroptera: Vespertilionidae), in Oklahoma. <i>Journal of Parasitology</i> , 2012, 98, 1003-1005.	0.7	15
7	Eimerian Guilds (Apicomplexa: Eimeriidae) in Richardson's (<i>Spermophilus richardsonii</i>) and Wyoming (<i>Spermophilus elegans</i>) Ground Squirrels. <i>Journal of Parasitology</i> , 1993, 79, 973.	0.7	12
8	<i>Eimeria</i> spp. (Apicomplexa: Eimeriidae) from Black- and White-Tailed Prairie Dogs (<i>Cynomys ludovicianus</i>) Tj ETQq0 0.0 rgBT /Overlock 11	0.7	11
9	Species of <i>Eimeria</i> (Apicomplexa: Eimeriidae) From Tree Squirrels (<i>Sciurus niger</i>) (Rodentia: Sciuridae) and Analysis of the ITS1, ITS2, and 5.8S rDNA. <i>Journal of Parasitology</i> , 2009, 95, 191-197.	0.7	11
10	A New Species of <i>Eimeria</i> (Apicomplexa: Eimeriidae) from the Eastern Pipistrelle, <i>Perimyotis subflavus</i> (Chiroptera: Vespertilionidae), in Arkansas. <i>Journal of Parasitology</i> , 2011, 97, 896-898.	0.7	11
11	Stable Parasite Guilds: <i>Coccidia</i> in Spermophiline Rodents. <i>Oikos</i> , 1996, 75, 365.	2.7	9
12	Comparison of the ITS1 and ITS2 rDNA in <i>Eimeria callospermophili</i> (Apicomplexa: Eimeriidae) from Sciurid Rodents. <i>Journal of Parasitology</i> , 2011, 97, 305-310.	0.7	9
13	A new species of <i>Eimeria</i> (Apicomplexa: Eimeriidae) from tri-colored bats, <i>Perimyotis subflavus</i> (Chiroptera: Vespertilionidae), from the Ouachitas of Arkansas. <i>Acta Parasitologica</i> , 2014, 59, 690-3.	1.1	8
14	EIMERIA SPECIES (APICOMPLEXA: EIMERIIDAE) FROM ARCTIC GROUND SQUIRRELS (<i>SPERMOPHILUS PARRYII</i>) AND RED SQUIRRELS (<i>TAMIASCIURUS HUDSONICUS</i>) IN ALASKA AND IN SIBERIA, RUSSIA. <i>Journal of Parasitology</i> , 2005, 91, 857-862.	0.7	7
15	Helminth (Cestoda, Nematoda) and coccidian (Apicomplexa: Eimeriidae) parasites of the eastern small-footed myotis, <i>Myotis leibii</i> (Chiroptera: Vespertilionidae) from Arkansas, with a description of a new species of <i>Eimeria</i> . <i>Acta Parasitologica</i> , 2017, 62, 377-381.	1.1	7
16	Effects of Eimerian (Apicomplexa: Eimeriidae) Infections on Nutrient Assimilation in the Wyoming Ground Squirrel. <i>Journal of Parasitology</i> , 1992, 78, 881.	0.7	6
17	EIMERIASPP. (APICOMPLEXA: EIMERIIDAE) FROM THE EASTERN CHIPMUNK (<i>TAMIAS STRIATUS</i>) IN PENNSYLVANIA WITH A DESCRIPTION OF ONE NEW SPECIES. <i>Journal of Parasitology</i> , 2001, 87, 165-168.	0.7	6
18	A New Species of <i>Caryospora</i> (Apicomplexa: Eimeriidae) from the Flathead Snake, <i>Tantilla gracilis</i> (Ophidia: Colubridae), In Southeastern Oklahoma. <i>Journal of Parasitology</i> , 2012, 98, 640-642.	0.7	5

#	ARTICLE	IF	CITATIONS
19	A New Caryosporan and Eimerian (Apicomplexa: Eimeriidae) from Green Anoles, <i>Anolis carolinensis</i> (Sauria: Dactyloidae), from Arkansas and Louisiana, with a Summary of the Coccidia of Dactyloidae. <i>Journal of Parasitology</i> , 2014, 100, 480-484.	0.7	5
20	A New Host for <i>Caryospora lampropeltis</i> (Apicomplexa: Eimeriidae) from the Eastern Hognose Snake, <i>Heterodon platirhinos</i> (Ophidia: Colubroidea: Dipsadinae), from Arkansas, U.S.A., with a Summary of Hosts of this Coccidian. <i>Comparative Parasitology</i> , 2015, 82, 151-154.	0.4	5
21	SPECIES OF EIMERIA (APICOMPLEXA: EIMERIIDAE) FROM BATS (CHIROPTERA: VESPERTILIONIDAE) IN CENTRAL WYOMING. <i>Journal of Parasitology</i> , 2004, 90, 348-351.	0.7	4
22	DESCRIPTIONS OF SIX NEW SPECIES OF CARYOSPOORA (APICOMPLEXA: EIMERIIDAE) FROM GUATEMALAN SNAKES (SERPENTES: COLUBRIDAE AND VIPERIDAE). <i>Journal of Parasitology</i> , 2005, 91, 1452-1458.	0.7	4
23	Two new species of <i>Eimeria</i> Schneider, 1875 (Apicomplexa: Eimeriidae) from emerald tree skinks, <i>Lamprolepis smaragdina</i> (Lesson) (Sauria: Scincidae) from Papua New Guinea and the Philippines. <i>Systematic Parasitology</i> , 2013, 86, 165-171.	1.1	4
24	A new eimerian (Apicomplexa: Eimeriidae) from southern short-tailed shrews, <i>Blarina carolinensis</i> (Bachman) (Soricimorpha: Soricidae: Soricinae) from southeastern Oklahoma, USA. <i>Systematic Parasitology</i> , 2017, 94, 711-716.	1.1	4
25	<i>Eimeria</i> spp. (Apicomplexa: Eimeriidae) from the Eastern Chipmunk (<i>Tamias striatus</i>) in Pennsylvania with a Description of One New Species. <i>Journal of Parasitology</i> , 2001, 87, 165.	0.7	3
26	Infection in the Classroom: Parasites as Models to Teach Biology. <i>American Biology Teacher</i> , 2004, 66, 43-49.	0.2	2
27	Two new species of coccidia (Apicomplexa: Eimeriidae) from ground skinks, <i>Scincella lateralis</i> (Sauria: Tj ETQq1 1 0.784314 rgBT /Overlock 10 T	1.1	2
28	A new species of <i>Isospora</i> (Apicomplexa: Eimeriidae) from eastern coachwhip, <i>Coluber flagellum flagellum</i> (Reptilia: Ophidia) from Oklahoma. <i>Acta Parasitologica</i> , 2015, 60, 466-70.	1.1	2
29	Synonymy of <i>Eimeria larimerensis</i> with <i>Eimeria lateralis</i> . <i>Journal of Parasitology</i> , 1993, 79, 970.	0.7	1
30	Two new species of coccidia (Apicomplexa: Eimeriidae) from leaf-tailed geckos, <i>Uroplatus</i> spp. (Sauria: Tj ETQq0 0 0 rgBT /Overlock 10 T	1.1	1
31	A new coccidian (Apicomplexa: Eimeriidae), from midland brown snake, <i>Storeria dekayi wrightorum</i> Trapido (Ophidia: Colubridae) from Arkansas, USA. <i>Systematic Parasitology</i> , 2016, 93, 77-82.	1.1	1
32	A new species of <i>Eimeria</i> Schneider, 1885 (Apicomplexa: Eimeriidae) from the eastern gray squirrel, <i>Sciurus carolinensis</i> (Rodentia: Sciuridae: Sciurinae: Sciurini) from Oklahoma, USA. <i>Systematic Parasitology</i> , 2019, 96, 417-421.	1.1	1
33	A New <i>Isospora</i> (Apicomplexa: Eimeriidae) from the Summer Tanager, <i>Piranga rubra</i> (Aves: Tj ETQq1 1 0.784314 rgBT /Overlock 10 T	0.7	1
34	The influence of fire interval on community structure in the Greater Yellowstone Ecosystem. <i>Annual Report</i> , 0, 40, 43-49.	0.0	1
35	Competitive release during fire succession influences ecological turnover in a small mammal community. <i>Ecology</i> , 2022, 103, e3733.	3.2	1
36	A new species of coccidia (Apicomplexa: Eimeriidae) from Cordillera striped shrew-rat, <i>Chrotomys whiteheadi</i> (Rodentia: Muridae), from the Philippines. <i>Acta Parasitologica</i> , 2014, 59, 686-9.	1.1	0

#	ARTICLE	IF	CITATIONS
37	A New Species of <i>Eimeria</i> (Apicomplexa: Eimeriidae) from the Green Frog, <i>Lithobates clamitans</i> (Anura: Ranidae), from Arkansas, U.S.A. <i>Comparative Parasitology</i> , 2014, 81, 175-178.	0.4	0
38	A new species of <i>Eimeria</i> Schneider, 1875 (Apicomplexa: Eimeriidae) from the brown anole <i>Anolis sagrei</i> Duméril & Bibron (Sauria: Dactyloidae) in Florida, USA. <i>Systematic Parasitology</i> , 2015, 91, 185-189.	1.1	0
39	A new eimerian (Apicomplexa: Eimeriidae), from ornate box turtle, <i>Terrapene ornata</i> (Agassiz) (Testudines: Emydidae) from northwest Arkansas, USA. <i>Systematic Parasitology</i> , 2017, 94, 293-298.	1.1	0
40	A New Species of <i>Eimeria</i> (Apicomplexa: Eimeriidae) from the Olive-Backed Pocket Mouse, <i>Perognathus fasciatus</i> (Rodentia: Heteromyidae: Perognathinae), from Wyoming. <i>Journal of Parasitology</i> , 2021, 107, 575-581.	0.7	0
41	A new species of <i>Isospora</i> (Apicomplexa: Eimeriidae) from Carolina chickadee (Passeriformes: Paridae), from Oklahoma, USA. <i>Systematic Parasitology</i> , 2021, 98, 589-594.	1.1	0
42	Coccidian Parasites of Flying Squirrels, <i>Glaucomys</i> Spp. (Rodentia: Sciuridae), from Alaska and Arkansas, with a Description of a New Species of <i>Eimeria</i> (Apicomplexa: Eimeriidae). <i>Journal of Parasitology</i> , 2020, 106, 406.	0.7	0
43	A New Isosporan (Apicomplexa: Eimeriidae) from Wood Thrush, <i>Hylocichla mustelina</i> (Aves: Tj ETQq1 1 0.784314 rrgBT /Overlock 10 Tj	0.7	0
44	(Apicomplexa: Eimeriidae) from Five-Lined Skinks, (Sauria: Scincidae): Additional Records from Arkansas and First Report from Oklahoma. <i>Proceedings of the Oklahoma Academy of Science</i> , 2014, 94, 73-75.	0.0	0