

John Myburgh

List of Publications by Citations

Source: <https://exaly.com/author-pdf/9138665/john-myburgh-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

98
papers

13,726
citations

35
h-index

110
g-index

110
ext. papers

16,884
ext. citations

13.3
avg, IF

5.73
L-index

#	Paper	IF	Citations
98	Surviving Sepsis Campaign: International Guidelines for Management of Sepsis and Septic Shock: 2016. <i>Intensive Care Medicine</i> , 2017 , 43, 304-377	14.5	3178
97	A comparison of albumin and saline for fluid resuscitation in the intensive care unit. <i>New England Journal of Medicine</i> , 2004 , 350, 2247-56	59.2	2053
96	Surviving Sepsis Campaign: International Guidelines for Management of Sepsis and Septic Shock: 2016. <i>Critical Care Medicine</i> , 2017 , 45, 486-552	1.4	1683
95	Intensity of continuous renal-replacement therapy in critically ill patients. <i>New England Journal of Medicine</i> , 2009 , 361, 1627-38	59.2	996
94	An observational study fluid balance and patient outcomes in the Randomized Evaluation of Normal vs. Augmented Level of Replacement Therapy trial. <i>Critical Care Medicine</i> , 2012 , 40, 1753-60	1.4	698
93	Saline or albumin for fluid resuscitation in patients with traumatic brain injury. <i>New England Journal of Medicine</i> , 2007 , 357, 874-84	59.2	593
92	Adjunctive Glucocorticoid Therapy in Patients with Septic Shock. <i>New England Journal of Medicine</i> , 2018 , 378, 797-808	59.2	433
91	Effect of a Buffered Crystalloid Solution vs Saline on Acute Kidney Injury Among Patients in the Intensive Care Unit: The SPLIT Randomized Clinical Trial. <i>JAMA - Journal of the American Medical Association</i> , 2015 , 314, 1701-10	27.4	423
90	Adult-population incidence of severe sepsis in Australian and New Zealand intensive care units. <i>Intensive Care Medicine</i> , 2004 , 30, 589-96	14.5	296
89	Resuscitation fluid use in critically ill adults: an international cross-sectional study in 391 intensive care units. <i>Critical Care</i> , 2010 , 14, R185	10.8	257
88	Impact of albumin compared to saline on organ function and mortality of patients with severe sepsis. <i>Intensive Care Medicine</i> , 2011 , 37, 86-96	14.5	251
87	Continuous infusion of beta-lactam antibiotics in severe sepsis: a multicenter double-blind, randomized controlled trial. <i>Clinical Infectious Diseases</i> , 2013 , 56, 236-44	11.6	250
86	Continuous versus Intermittent β -lactam Infusion in Severe Sepsis. A Meta-analysis of Individual Patient Data from Randomized Trials. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2016 , 194, 681-91	10.2	192
85	A Multicenter Randomized Trial of Continuous versus Intermittent β -lactam Infusion in Severe Sepsis. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2015 , 192, 1298-305	10.2	147
84	Effect of baseline serum albumin concentration on outcome of resuscitation with albumin or saline in patients in intensive care units: analysis of data from the saline versus albumin fluid evaluation (SAFE) study. <i>BMJ, The</i> , 2006 , 333, 1044	5.9	126
83	Early peak temperature and mortality in critically ill patients with or without infection. <i>Intensive Care Medicine</i> , 2012 , 38, 437	14.5	117
82	Fluid resuscitation with 6 % hydroxyethyl starch (130/0.4 and 130/0.42) in acutely ill patients: systematic review of effects on mortality and treatment with renal replacement therapy. <i>Intensive Care Medicine</i> , 2013 , 39, 558-68	14.5	115

81	Acetaminophen for Fever in Critically Ill Patients with Suspected Infection. <i>New England Journal of Medicine</i> , 2015 , 373, 2215-24	59.2	112
80	Albumin resuscitation for traumatic brain injury: is intracranial hypertension the cause of increased mortality?. <i>Journal of Neurotrauma</i> , 2013 , 30, 512-8	5.4	105
79	Low-dose corticosteroids for adult patients with septic shock: a systematic review with meta-analysis and trial sequential analysis. <i>Intensive Care Medicine</i> , 2018 , 44, 1003-1016	14.5	95
78	Long-term survival and dialysis dependency following acute kidney injury in intensive care: extended follow-up of a randomized controlled trial. <i>PLoS Medicine</i> , 2014 , 11, e1001601	11.6	88
77	Intensive versus conventional glucose control in critically ill patients with traumatic brain injury: long-term follow-up of a subgroup of patients from the NICE-SUGAR study. <i>Intensive Care Medicine</i> , 2015 , 41, 1037-47	14.5	81
76	Sepsis: frontiers in diagnosis, resuscitation and antibiotic therapy. <i>Intensive Care Medicine</i> , 2016 , 42, 1958-1969	14.5	81
75	Fluid resuscitation with 6% hydroxyethyl starch (130/0.4) in acutely ill patients: an updated systematic review and meta-analysis. <i>Anesthesia and Analgesia</i> , 2012 , 114, 159-69	3.9	76
74	Significant perturbation of vitamin D-parathyroid-calcium axis and adverse clinical outcomes in critically ill patients. <i>Intensive Care Medicine</i> , 2013 , 39, 267-74	14.5	71
73	Early temperature and mortality in critically ill patients with acute neurological diseases: trauma and stroke differ from infection. <i>Intensive Care Medicine</i> , 2015 , 41, 823-32	14.5	69
72	Triage decisions for ICU admission: Report from the Task Force of the World Federation of Societies of Intensive and Critical Care Medicine. <i>Journal of Critical Care</i> , 2016 , 36, 301-305	4	69
71	End-of-life care in the intensive care unit: Report from the Task Force of World Federation of Societies of Intensive and Critical Care Medicine. <i>Journal of Critical Care</i> , 2016 , 34, 125-30	4	66
70	Intravenous fluid therapy in critically ill adults. <i>Nature Reviews Nephrology</i> , 2018 , 14, 541-557	14.9	63
69	Intensities of renal replacement therapy in acute kidney injury: a systematic review and meta-analysis. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2010 , 5, 956-63	6.9	60
68	Patterns of intravenous fluid resuscitation use in adult intensive care patients between 2007 and 2014: An international cross-sectional study. <i>PLoS ONE</i> , 2017 , 12, e0176292	3.7	59
67	Association between augmented renal clearance and clinical outcomes in patients receiving beta-lactam antibiotic therapy by continuous or intermittent infusion: a nested cohort study of the BLING-II randomised, placebo-controlled, clinical trial. <i>International Journal of Antimicrobial Agents</i> , 2017 , 49, 624-630	14.3	56
66	The cost-effectiveness of physician staffed Helicopter Emergency Medical Service (HEMS) transport to a major trauma centre in NSW, Australia. <i>Injury</i> , 2012 , 43, 1843-9	2.5	46
65	The intensive care medicine research agenda on septic shock. <i>Intensive Care Medicine</i> , 2017 , 43, 1294-1305	14.5	44
64	A Randomized Study of a Single Dose of Intramuscular Cholecalciferol in Critically Ill Adults. <i>Critical Care Medicine</i> , 2015 , 43, 2313-20	1.4	35

63	Hydroxyethyl starch solutions and patient harm. <i>Lancet, The</i> , 2018 , 391, 736	40	34
62	Calorie intake and patient outcomes in severe acute kidney injury: findings from The Randomized Evaluation of Normal vs. Augmented Level of Replacement Therapy (RENAL) study trial. <i>Critical Care</i> , 2014 , 18, R45	10.8	31
61	The variation of acute treatment costs of trauma in high-income countries. <i>BMC Health Services Research</i> , 2012 , 12, 267	2.9	30
60	Causes of death after fluid bolus resuscitation: new insights from FEAST. <i>BMC Medicine</i> , 2013 , 11, 67	11.4	28
59	Early acid-base and blood pressure effects of continuous renal replacement therapy intensity in patients with metabolic acidosis. <i>Intensive Care Medicine</i> , 2013 , 39, 429-36	14.5	26
58	An investigation into the cost, coverage and activities of Helicopter Emergency Medical Services in the state of New South Wales, Australia. <i>Injury</i> , 2011 , 42, 1088-94	2.5	24
57	Health-related quality of life in survivors of acute kidney injury: The Prolonged Outcomes Study of the Randomized Evaluation of Normal versus Augmented Level Replacement Therapy study outcomes. <i>Nephrology</i> , 2015 , 20, 492-8	2.2	23
56	Acute costs and predictors of higher treatment costs of trauma in New South Wales, Australia. <i>Injury</i> , 2014 , 45, 279-84	2.5	20
55	Renal replacement therapy intensity for acute kidney injury and recovery to dialysis independence: a systematic review and individual patient data meta-analysis. <i>Nephrology Dialysis Transplantation</i> , 2018 , 33, 1017-1024	4.3	19
54	A multicentre evaluation of two intensive care unit triage protocols for use in an influenza pandemic. <i>Medical Journal of Australia</i> , 2012 , 197, 178-81	4	19
53	Design and challenges of the Randomized Evaluation of Normal versus Augmented Level Replacement Therapy (RENAL) Trial: high-dose versus standard-dose hemofiltration in acute renal failure. <i>Blood Purification</i> , 2008 , 26, 407-16	3.1	19
52	Long-Term Outcomes of the ADRENAL Trial. <i>New England Journal of Medicine</i> , 2018 , 378, 1744-1745	59.2	18
51	Daily protein intake and patient outcomes in severe acute kidney injury: findings of the randomized evaluation of normal versus augmented level of replacement therapy (RENAL) trial. <i>Blood Purification</i> , 2014 , 37, 325-34	3.1	18
50	Balanced Multielectrolyte Solution versus Saline in Critically Ill Adults.. <i>New England Journal of Medicine</i> , 2022 ,	59.2	18
49	Hydroxyethyl starch versus saline for resuscitation of patients in intensive care: long-term outcomes and cost-effectiveness analysis of a cohort from CHEST. <i>Lancet Respiratory Medicine</i> , 2016 , 4, 818-825	35.1	18
48	Health-related outcomes of critically ill patients with and without sepsis. <i>Intensive Care Medicine</i> , 2018 , 44, 1249-1257	14.5	18
47	Hydroxyethyl starch: putting patient safety first. <i>Intensive Care Medicine</i> , 2014 , 40, 256-9	14.5	17
46	The Effect of Paracetamol on Core Body Temperature in Acute Traumatic Brain Injury: A Randomised, Controlled Clinical Trial. <i>PLoS ONE</i> , 2015 , 10, e0144740	3.7	16

45	The ADRENAL study protocol: adjunctive corticosteroid treatment in critically ill patients with septic shock. <i>Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine</i> , 2013 , 15, 83-8	2.8	15
44	Primary scene responses by Helicopter Emergency Medical Services in New South Wales Australia 2008-2009. <i>BMC Health Services Research</i> , 2012 , 12, 402	2.9	13
43	Screening and study enrolment in the Randomized Evaluation of Normal vs. Augmented Level (RENAL) Replacement Therapy Trial. <i>Blood Purification</i> , 2009 , 27, 199-205	3.1	13
42	Should βactam antibiotics be administered by continuous infusion in critically ill patients? A survey of Australia and New Zealand intensive care unit doctors and pharmacists. <i>International Journal of Antimicrobial Agents</i> , 2016 , 47, 436-8	14.3	13
41	Current research priorities in perioperative intensive care medicine. <i>Intensive Care Medicine</i> , 2017 , 43, 1173-1186	14.5	12
40	Higher versus Lower Continuous Renal Replacement Therapy Intensity in Critically ill Patients with Liver Dysfunction. <i>Blood Purification</i> , 2018 , 45, 36-43	3.1	11
39	Sex and mortality in septic severe acute kidney injury. <i>Journal of Critical Care</i> , 2019 , 49, 70-76	4	8
38	Ten Short-lived Beliefs in intensive care medicine. <i>Intensive Care Medicine</i> , 2015 , 41, 1703-6	14.5	7
37	Epidemiology of RBC Transfusions in Patients With Severe Acute Kidney Injury: Analysis From the Randomized Evaluation of Normal Versus Augmented Level Study. <i>Critical Care Medicine</i> , 2016 , 44, 892-900	14	7
36	Injury in China: a systematic review of injury surveillance studies conducted in Chinese hospital emergency departments. <i>BMC Emergency Medicine</i> , 2011 , 11, 18	2.4	7
35	Thromboprophylaxis for intensive care patients in Australia and New Zealand: a brief survey report. <i>Journal of Critical Care</i> , 2005 , 20, 354-6	4	7
34	Health-related quality of life in survivors of septic shock: 6-month follow-up from the ADRENAL trial. <i>Intensive Care Medicine</i> , 2020 , 46, 1696-1706	14.5	7
33	Norepinephrine: more of a neurohormone than a vasopressor. <i>Critical Care</i> , 2010 , 14, 196	10.8	6
32	The status of trauma registry systems in Chinese hospitals. <i>Injury Prevention</i> , 2011 , 17, 419-21	3.2	6
31	Balanced Crystalloids versus Saline in Critically Ill Adults [A Systematic Review with Meta-Analysis 2022 , 1,		6
30	Hydrocortisone Compared with Placebo in Patients with Septic Shock Satisfying the Sepsis-3 Diagnostic Criteria and APROCCHSS Study Inclusion Criteria: A Post Hoc Analysis of the ADRENAL Trial. <i>Anesthesiology</i> , 2019 , 131, 1292-1300	4.3	6
29	Does asymmetry in patient recruitment in large critical care trials follow the Pareto principle?. <i>Trials</i> , 2020 , 21, 378	2.8	5
28	Comparison of echocardiographic and invasive measures of volaemia and cardiac performance in critically ill patients. <i>Scientific Reports</i> , 2020 , 10, 4863	4.9	5

27	Publication of Secondary Analyses from Randomized Trials in Critical Care. <i>New England Journal of Medicine</i> , 2016 , 375, 2105-2106	59.2	5
26	New insights into fluid resuscitation. <i>Intensive Care Medicine</i> , 2013 , 39, 998-1001	14.5	5
25	Mortality in patients with hypovolemic shock treated with colloids or crystalloids. <i>JAMA - Journal of the American Medical Association</i> , 2014 , 311, 1067-8	27.4	5
24	An evaluation of the quality and impact of the global research response to the COVID-19 pandemic. <i>Medical Journal of Australia</i> , 2020 , 213, 380-380.e1	4	5
23	Plasma Cortisol, Aldosterone, and Ascorbic Acid Concentrations in Patients with Septic Shock Do Not Predict Treatment Effect of Hydrocortisone on Mortality. A Nested Cohort Study. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2020 , 202, 700-707	10.2	4
22	Albumin supplementation and organ function. <i>Critical Care Medicine</i> , 2007 , 35, 987-8	1.4	4
21	White paper: statement on conflicts of interest. <i>Intensive Care Medicine</i> , 2018 , 44, 1657-1668	14.5	4
20	Red blood cell transfusion in critically ill patients with traumatic brain injury: an international survey of physicians' attitudes. <i>Canadian Journal of Anaesthesia</i> , 2019 , 66, 1038-1048	3	3
19	Advances in fluid resuscitation in critically ill patients: implications for clinical practice. <i>Current Opinion in Critical Care</i> , 2013 , 19, 279-81	3.5	3
18	An international comparison of the cost of fluid resuscitation therapies. <i>Australian Critical Care</i> , 2021 , 34, 23-32	2.9	3
17	Population pharmacokinetics of intravenous paracetamol in critically ill patients with traumatic brain injury. <i>Journal of Critical Care</i> , 2018 , 47, 15-20	4	3
16	Patient-centered outcomes and trials of hydroxyethyl starch. <i>Critical Care</i> , 2013 , 17, 452	10.8	2
15	What conclusions should be drawn between critical care physician management and patient mortality in the intensive care unit?. <i>Annals of Internal Medicine</i> , 2008 , 149, 770-1; author reply 772	8	2
14	The relationship between adrenocortical candidate gene expression and clinical response to hydrocortisone in patients with septic shock. <i>Intensive Care Medicine</i> , 2021 , 47, 974-983	14.5	2
13	Glucocorticoids with or without Fludrocortisone in Septic Shock. <i>New England Journal of Medicine</i> , 2018 , 379, 895	59.2	2
12	Should hydroxyethyl starch be banned? - Authors' Reply. <i>Lancet, The</i> , 2018 , 392, 119	40	1
11	Open Letter to the Executive Director of the European Medicines Agency concerning the licensing of hydroxyethyl starch solutions for fluid resuscitation. <i>Acta Anaesthesiologica Scandinavica</i> , 2014 , 58, 365-70	1.9	1
10	Estimate of the number of patients eligible for treatment with drotrecogin alfa (activated) based on differing international indications: post-hoc analysis of an inception cohort study in Australia and New Zealand. <i>Anaesthesia and Intensive Care</i> , 2006 , 34, 184-90	1.1	1

9	Septic Shock: A Genomewide Association Study and Polygenic Risk Score Analysis. <i>Twin Research and Human Genetics</i> , 2020 , 23, 204-213	2.2	1
8	An evaluation of factors that may influence clinicians' decisions not to enroll eligible patients into randomized trials in critical care. <i>PLoS ONE</i> , 2021 , 16, e0255361	3.7	1
7	Foresight over hindsight: Mandatory publication of clinical research protocols prior to conduct. <i>Acta Anaesthesiologica Scandinavica</i> , 2019 , 63, 267-269	1.9	1
6	Balanced crystalloids compared to normal saline for fluid therapy in critically ill adult patients: Systematic review and meta-analysis protocol		1
5	A multicentre audit of temperature patterns after traumatic brain injury. <i>Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine</i> , 2015 , 17, 129-34	2.8	1
4	Effects of low-dose hydrocortisone and hydrocortisone plus fludrocortisone in adults with septic shock: a protocol for a systematic review and meta-analysis of individual participant data. <i>BMJ Open</i> , 2020 , 10, e040931	3	0
3	Adverse effects of bolus fluid resuscitation-short-term benefit but long-term harm. <i>Lancet Respiratory Medicine</i> , 2019 , 7, 555-556	35.1	
2	Reply to Soman et al. <i>Clinical Infectious Diseases</i> , 2013 , 57, 323-4	11.6	
1	ACP Journal Club. Review: hydroxyethyl starch increases mortality and acute kidney injury in critically ill patients. <i>Annals of Internal Medicine</i> , 2013 , 158, JC4	8	