

# Carlos F Ibáñez

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9139323/publications.pdf>

Version: 2024-02-01

72  
papers

6,309  
citations

101543

36  
h-index

79698

73  
g-index

109  
all docs

109  
docs citations

109  
times ranked

5918  
citing authors

#	ARTICLE	IF	CITATIONS
1	Regulation of metabolic homeostasis by the TGF $\beta$ <sup>2</sup> superfamily receptor ALK7. FEBS Journal, 2022, 289, 5776-5797.	4.7	10
2	Introducing <i>Oxford Open Neuroscience</i> , 2022, 1, .		0
3	Convergent dopamine and ALK4 signaling to PCBP1 controls FosB alternative splicing and cocaine behavioral sensitization. EMBO Journal, 2022, 41, .	7.8	5
4	Age-related changes in hippocampal-dependent synaptic plasticity and memory mediated by p75 neurotrophin receptor. Aging Cell, 2021, 20, e13305.	6.7	31
5	Sustained anti-obesity effects of life style change and anti-inflammatory interventions after conditional inactivation of the activin receptor ALK7. FASEB Journal, 2021, 35, e21759.	0.5	5
6	Structural basis of NF- $\kappa$ B signaling by the p75 neurotrophin receptor interaction with adaptor protein TRADD through their respective death domains. Journal of Biological Chemistry, 2021, 297, 100916.	3.4	6
7	Inactive variants of death receptor p75 <sup>NTR</sup> reduce Alzheimer's neuropathology by interfering with APP internalization. EMBO Journal, 2021, 40, e104450.	7.8	11
8	Adult medial habenula neurons require GDNF receptor GFR $\alpha$ 1 for synaptic stability and function. PLoS Biology, 2021, 19, e3001350.	5.6	2
9	ALK4 coordinates extracellular and intrinsic signals to regulate development of cortical somatostatin interneurons. Journal of Cell Biology, 2020, 219, .	5.2	6
10	CD137 negatively affects $\alpha$ -browning of white adipose tissue during cold exposure. Journal of Biological Chemistry, 2020, 295, 2034-2042.	3.4	13
11	RET-independent signaling by GDNF ligands and GFR $\alpha$ receptors. Cell and Tissue Research, 2020, 382, 71-82.	2.9	23
12	Control of brown adipose tissue adaptation to nutrient stress by the activin receptor ALK7. ELife, 2020, 9, .	6.0	10
13	MAG induces apoptosis in cerebellar granule neurons through p75NTR demarcating granule layer/white matter boundary. Cell Death and Disease, 2019, 10, 732.	6.3	14
14	Abnormal TDP $\alpha$ 3 function impairs activity-dependent BDNF secretion, synaptic plasticity, and cognitive behavior through altered Sortilin splicing. EMBO Journal, 2019, 38, .	7.8	28
15	The p75 Neurotrophin Receptor Is an Essential Mediator of Impairments in Hippocampal-Dependent Associative Plasticity and Memory Induced by Sleep Deprivation. Journal of Neuroscience, 2019, 39, 5452-5465.	3.6	44
16	Death domain of p75 neurotrophin receptor: a structural perspective on an intracellular signalling hub. Biological Reviews, 2019, 94, 1282-1293.	10.4	20
17	Comment on Bu et al. Insulin Regulates Lipolysis and Fat Mass by Upregulating Growth/Differentiation Factor 3 in Adipose Tissue Macrophages. Diabetes 2018;67:1761-1772. Diabetes, 2018, 67, e1-e1.	0.6	2
18	A Small Molecule Targeting the Transmembrane Domain of Death Receptor p75NTR Induces Melanoma Cell Death and Reduces Tumor Growth. Cell Chemical Biology, 2018, 25, 1485-1494.e5.	5.2	20

#	ARTICLE	IF	CITATIONS
19	RIP2 Gates TRAF6 Interaction with Death Receptor p75NTR to Regulate Cerebellar Granule Neuron Survival. <i>Cell Reports</i> , 2018, 24, 1013-1024.	6.4	32
20	Cell-autonomous role of GFR $\alpha$ 1 in the development of olfactory bulb GABAergic interneurons. <i>Biology Open</i> , 2018, 7, .	1.2	5
21	Biology of GDNF and its receptors – Relevance for disorders of the central nervous system. <i>Neurobiology of Disease</i> , 2017, 97, 80-89.	4.4	175
22	GFR $\alpha$ 1 Regulates Purkinje Cell Migration by Counteracting NCAM Function. <i>Cell Reports</i> , 2017, 18, 367-379.	6.4	30
23	Compromised Survival of Cerebellar Molecular Layer Interneurons Lacking GDNF Receptors GFR $\alpha$ 1 or RET Impairs Normal Cerebellar Motor Learning. <i>Cell Reports</i> , 2017, 19, 1977-1986.	6.4	32
24	Death Domain Signaling by Disulfide-Linked Dimers of the p75 Neurotrophin Receptor Mediates Neuronal Death in the CNS. <i>Journal of Neuroscience</i> , 2016, 36, 5587-5595.	3.6	30
25	Thalamo-cortical axons regulate the radial dispersion of neocortical GABAergic interneurons. <i>ELife</i> , 2016, 5, .	6.0	25
26	Structural basis of death domain signaling in the p75 neurotrophin receptor. <i>ELife</i> , 2015, 4, e11692.	6.0	69
27	Neuron-type-specific signaling by the p75NTR death receptor regulated by differential proteolytic cleavage. <i>Journal of Cell Science</i> , 2015, 128, 1507-17.	2.0	42
28	Topographical transcriptome mapping of the mouse medial ganglionic eminence by spatially resolved RNA-seq. <i>Genome Biology</i> , 2014, 15, 486.	8.8	29
29	Topographical transcriptome mapping of the mouse medial ganglionic eminence by spatially-resolved RNA-seq. <i>Genome Biology</i> , 2014, 15, 486.	9.6	3
30	Adipocyte ALK7 links nutrient overload to catecholamine resistance in obesity. <i>ELife</i> , 2014, 3, e03245.	6.0	65
31	Structure and Physiology of the RET Receptor Tyrosine Kinase. <i>Cold Spring Harbor Perspectives in Biology</i> , 2013, 5, a009134-a009134.	5.5	128
32	Critical Role of GFR $\alpha$ 1 in the Development and Function of the Main Olfactory System. <i>Journal of Neuroscience</i> , 2012, 32, 17306-17320.	3.6	49
33	Genetic Dissection of Neurotrophin Signaling through the p75 Neurotrophin Receptor. <i>Cell Reports</i> , 2012, 2, 1563-1570.	6.4	56
34	p75 neurotrophin receptor signaling in nervous system injury and degeneration: paradox and opportunity. <i>Trends in Neurosciences</i> , 2012, 35, 431-440.	8.6	206
35	Neuroendocrine control of female reproductive function by the activin receptor ALK7. <i>FASEB Journal</i> , 2012, 26, 4966-4976.	0.5	28
36	MET signaling in GABAergic neuronal precursors of the medial ganglionic eminence restricts GDNF activity in cells that express GFR $\alpha$ 1 and a new transmembrane receptor partner. <i>Journal of Cell Science</i> , 2011, 124, 2797-2805.	2.0	14

#	ARTICLE	IF	CITATIONS
37	Beyond the cell surface: New mechanisms of receptor function. <i>Biochemical and Biophysical Research Communications</i> , 2010, 396, 24-27.	2.1	34
38	Regionalized Loss of Parvalbumin Interneurons in the Cerebral Cortex of Mice with Deficits in GFR $\beta$ 1 Signaling. <i>Journal of Neuroscience</i> , 2009, 29, 10695-10705.	3.6	57
39	Activation of the p75 Neurotrophin Receptor through Conformational Rearrangement of Disulphide-Linked Receptor Dimers. <i>Neuron</i> , 2009, 62, 72-83.	8.1	134
40	Catecholaminergic neuron survival: getting hooked on GDNF. <i>Nature Neuroscience</i> , 2008, 11, 735-736.	14.8	16
41	Growth/differentiation factor 3 signals through ALK7 and regulates accumulation of adipose tissue and diet-induced obesity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 7252-7256.	7.1	116
42	Activin B receptor ALK7 is a negative regulator of pancreatic $\beta$ -cell function. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 7246-7251.	7.1	87
43	Insights into GFR $\beta$ 1 Regulation of Neural Cell Adhesion Molecule (NCAM) Function from Structure-Function Analysis of the NCAM/GFR $\beta$ 1 Receptor Complex. <i>Journal of Biological Chemistry</i> , 2008, 283, 13792-13798.	3.4	18
44	Disruption of the GDNF Binding Site in NCAM Dissociates Ligand Binding and Homophilic Cell Adhesion. <i>Journal of Biological Chemistry</i> , 2007, 282, 12734-12740.	3.4	28
45	Hierarchical Control of Sensory Neuron Development by Neurotrophic Factors. <i>Neuron</i> , 2007, 54, 673-675.	8.1	22
46	GDNF and GFR $\beta$ 1 promote formation of neuronal synapses by ligand-induced cell adhesion. <i>Nature Neuroscience</i> , 2007, 10, 293-300.	14.8	145
47	Message in a bottle: long-range retrograde signaling in the nervous system. <i>Trends in Cell Biology</i> , 2007, 17, 519-528.	7.9	113
48	GDNF is a chemoattractant factor for neuronal precursor cells in the rostral migratory stream. <i>Molecular and Cellular Neurosciences</i> , 2006, 31, 505-514.	2.2	130
49	Synergistic interaction between Gdf1 and Nodal during anterior axis development. <i>Developmental Biology</i> , 2006, 293, 370-381.	2.0	82
50	GDNF and GFR $\beta$ 1 Promote Differentiation and Tangential Migration of Cortical GABAergic Neurons. <i>Neuron</i> , 2005, 45, 701-713.	8.1	169
51	ALK7, a Receptor for Nodal, Is Dispensable for Embryogenesis and Left-Right Patterning in the Mouse. <i>Molecular and Cellular Biology</i> , 2004, 24, 9383-9389.	2.3	47
52	Lipid Rafts as Organizing Platforms for Cell Chemotaxis and Axon Guidance. <i>Neuron</i> , 2004, 42, 3-5.	8.1	12
53	The Neural Cell Adhesion Molecule NCAM Is an Alternative Signaling Receptor for GDNF Family Ligands. <i>Cell</i> , 2003, 113, 867-879.	28.9	530
54	Target-Derived GFR $\beta$ 1 as an Attractive Guidance Signal for Developing Sensory and Sympathetic Axons via Activation of Cdk5. <i>Neuron</i> , 2002, 36, 387-401.	8.1	107

#	ARTICLE	IF	CITATIONS
55	Jekyll&Hyde neurotrophins: the story of proNGF. Trends in Neurosciences, 2002, 25, 284-286.	8.6	115
56	Lipid rafts and the control of neurotrophic factor signaling in the nervous system: variations on a theme. Current Opinion in Neurobiology, 2002, 12, 542-549.	4.2	106
57	Released GFR $\alpha$ 1 Potentiates Downstream Signaling, Neuronal Survival, and Differentiation via a Novel Mechanism of Recruitment of c-Ret to Lipid Rafts. Neuron, 2001, 29, 171-184.	8.1	248
58	Structure-activity relationship of the p55 TNF receptor death domain and its lymphoproliferation mutants. FEBS Journal, 2001, 268, 1382-1391.	0.2	5
59	The Orphan Receptor Serine/Threonine Kinase ALK7 Signals Arrest of Proliferation and Morphological Differentiation in a Neuronal Cell Line. Journal of Biological Chemistry, 2001, 276, 5140-5146.	3.4	49
60	The orphan receptor ALK7 and the Activin receptor ALK4 mediate signaling by Nodal proteins during vertebrate development. Genes and Development, 2001, 15, 2010-2022.	5.9	273
61	Ret-dependent and -independent Mechanisms of Glial Cell Line-derived Neurotrophic Factor Signaling in Neuronal Cells. Journal of Biological Chemistry, 1999, 274, 20885-20894.	3.4	276
62	Novel, testis-specific mRNA transcripts encoding N-terminally truncated choline acetyltransferase. Molecular Reproduction and Development, 1999, 53, 274-281.	2.0	2
63	An ethanol-inducible MDR ethanol dehydrogenase/acetaldehyde reductase in Escherichia coli . Structural and enzymatic relationships to the eukaryotic protein forms. FEBS Journal, 1999, 263, 305-311.	0.2	45
64	Neurotrophin $\alpha$ 7: a novel member of the neurotrophin family from the zebrafish. FEBS Letters, 1998, 424, 285-290.	2.8	105
65	Multiple GPI-Anchored Receptors Control GDNF-Dependent and Independent Activation of the c-Ret Receptor Tyrosine Kinase. Molecular and Cellular Neurosciences, 1998, 11, 47-63.	2.2	172
66	On the role of the low-affinity neurotrophin receptor p75LNTR in nerve growth factor induction of differentiation and AP 1 binding activity in PC12 cells. Journal of Molecular Neuroscience, 1997, 8, 29-44.	2.3	9
67	Complementary and Overlapping Expression of Glial Cell Line-Derived Neurotrophic Factor (GDNF), c-ret Proto-Oncogene, and GDNF Receptor $\alpha$ 1 Indicates Multiple Mechanisms of Trophic Actions in the Adult Rat CNS. Journal of Neuroscience, 1997, 17, 3554-3567.	3.6	443
68	Neurotrophin-4: The odd one out in the neurotrophin family. Neurochemical Research, 1996, 21, 787-793.	3.3	67
69	Functional receptor for GDNF encoded by the c-ret proto-oncogene. Nature, 1996, 381, 785-789.	27.8	785
70	A Novel Type I Receptor Serine-Threonine Kinase Predominantly Expressed in the Adult Central Nervous System. Journal of Biological Chemistry, 1996, 271, 30603-30609.	3.4	68
71	GDNF prevents degeneration and promotes the phenotype of brain noradrenergic neurons in vivo. Neuron, 1995, 15, 1465-1473.	8.1	337
72	Structure&function relationships in the neurotrophin family. Journal of Neurobiology, 1994, 25, 1349-1361.	3.6	78