
## Michela Muscolini

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9139515/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Trichostatin A up-regulates p73 and induces Bax-dependent apoptosis in cisplatin-resistant ovarian cancer cells. Molecular Cancer Therapeutics, 2008, 7, 1410-1419.	4.1	53
2	The multifaceted role of PIP2 in leukocyte biology. Cellular and Molecular Life Sciences, 2015, 72, 4461-4474.	5.4	40
3	Mechanisms of Zika Virus Infection and Neuropathogenesis. DNA and Cell Biology, 2016, 35, 367-372.	1.9	40
4	RelA/NF-κB recruitment on the bax gene promoter antagonizes p73-dependent apoptosis in costimulated T cells. Cell Death and Differentiation, 2008, 15, 354-363.	11.2	39
5	CD28 ligation in the absence of TCR stimulation up-regulates IL-17A and pro-inflammatory cytokines in relapsing-remitting multiple sclerosis T lymphocytes. Immunology Letters, 2014, 158, 134-142.	2.5	36
6	Pyrvinium Pamoate Induces Death of Triple-Negative Breast Cancer Stem–Like Cells and Reduces Metastases through Effects on Lipid Anabolism. Cancer Research, 2020, 80, 4087-4102.	0.9	36
7	Phosphatidylinositol 4–Phosphate 5–Kinase α and Vav1 Mutual Cooperation in CD28-Mediated Actin Remodeling and Signaling Functions. Journal of Immunology, 2015, 194, 1323-1333.	0.8	33
8	Phosphatidylinositol 4-Phosphate 5-Kinase $\hat{l}^2$ Controls Recruitment of Lipid Rafts into the Immunological Synapse. Journal of Immunology, 2016, 196, 1955-1963.	0.8	29
9	A non-conserved amino acid variant regulates differential signalling between human and mouse CD28. Nature Communications, 2018, 9, 1080.	12.8	27
10	Phosphatidylinositol 4-Phosphate 5-Kinase α Activation Critically Contributes to CD28-Dependent Signaling Responses. Journal of Immunology, 2013, 190, 5279-5286.	0.8	26
11	A novel association between filamin A and NF-l̂ºB inducing kinase couples CD28 to inhibitor of NF-l̂ºB kinase l̂± and NF-l̂ºB activation. Immunology Letters, 2011, 136, 203-212.	2.5	25
12	An optimized retinoic acid-inducible gene I agonist M8 induces immunogenic cell death markers in human cancer cells and dendritic cell activation. Cancer Immunology, Immunotherapy, 2019, 68, 1479-1492.	4.2	22
13	The Cancer-associated K351N Mutation Affects the Ubiquitination and the Translocation to Mitochondria of p53 Protein. Journal of Biological Chemistry, 2011, 286, 39693-39702.	3.4	21
14	SIRT1 Modulates the Sensitivity of Prostate Cancer Cells to Vesicular Stomatitis Virus Oncolysis. Journal of Virology, 2019, 93, .	3.4	18
15	Characterization of a new cancer-associated mutant of p53 with a missense mutation (K351N) in the tetramerization domain. Cell Cycle, 2009, 8, 3396-3405.	2.6	16
16	Activation of Latent HIV-1 T Cell Reservoirs with a Combination of Innate Immune and Epigenetic Regulators. Journal of Virology, 2019, 93, .	3.4	16
17	CD28 ligation in the absence of TCR promotes RelA/NFâ€ÎºB recruitment and transâ€activation of the HIVâ€1 LTR. European Journal of Immunology, 2008, 38, 1446-1451.	2.9	14
18	p53 death signal is mainly mediated by Nuc1(EndoG) in the yeast <i>Saccharomyces cerevisiae</i> . FEMS Yeast Research, 2013, 13, 682-688.	2.3	9

#	Article	IF	CITATIONS
19	Oncolytic Immunotherapy: Can't Start a Fire Without a Spark. Cytokine and Growth Factor Reviews, 2020, 56, 94-101.	7.2	9