

# Masayoshi Watanabe

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9140536/publications.pdf>

Version: 2024-02-01

499  
papers

38,704  
citations

2423

97  
h-index

3563

181  
g-index

513  
all docs

513  
docs citations

513  
times ranked

21143  
citing authors

#	ARTICLE	IF	CITATIONS
1	Liquid Metal-ionic Liquid Composite Gels for Soft, Mixed Electronic-ionic Conductors. <i>Macromolecular Chemistry and Physics</i> , 2022, 223, 2100319.	1.1	2
2	Local Lithium-Ion Transport of a Ternary Sulfolane-Lithium Bis(trifluoromethanesulfonyl)amide-Carbonate Electrolyte: Experimental and First-Principles Molecular Dynamics Analysis toward Quasi-Solid-State Lithium-Ion Battery. <i>Journal of the Electrochemical Society</i> , 2022, 169, 020534.	1.3	3
3	Effects of polyimide sequence and monomer structures on CO <sub>2</sub> permeation and mechanical properties of sulfonated polyimide/ionic liquid composite membranes. <i>Polymer</i> , 2022, 241, 124533.	1.8	7
4	Importance of Mass Transport in High Energy Density Lithium-Sulfur Batteries Under Lean Electrolyte Conditions. <i>Batteries and Supercaps</i> , 2022, 5, .	2.4	6
5	Electrochemical Pretreatment of Solid-Electrolyte Interphase Formation for Enhanced Li <sub>4</sub> Ti <sub>5</sub> O <sub>12</sub> Anode Performance in a Molten Li-Ca Binary Salt Hydrate Electrolyte. <i>ChemElectroChem</i> , 2022, 9, .	1.7	3
6	Li-Ion Transport and Solvation of a Li Salt of Weakly Coordinating Polyanions in Ethylene Carbonate/Dimethyl Carbonate Mixtures. <i>ACS Applied Materials &amp; Interfaces</i> , 2022, 14, 18324-18334.	4.0	8
7	Li <sup>+</sup> transference number and dynamic ion correlations in glyme-Li salt solvate ionic liquids diluted with molecular solvents. <i>Physical Chemistry Chemical Physics</i> , 2022, 24, 14269-14276.	1.3	10
8	Eutectic Electrolytes Composed of Li(N(SO <sub>2</sub> F) <sub>2</sub> ) <sub>2</sub> and Sulfones for Li-Ion Batteries. <i>Journal of Physical Chemistry C</i> , 2022, 126, 10024-10034.	1.5	18
9	Comparison of Sulfur Cathode Reactions between a Concentrated Liquid Electrolyte System and a Solid-State Electrolyte System by Soft X-Ray Absorption Spectroscopy. <i>ACS Applied Energy Materials</i> , 2021, 4, 186-193.	2.5	10
10	Recent Advances in Self-healing Ion Gels. <i>Nippon Gomu Kyokaishi</i> , 2021, 94, 39-45.	0.0	0
11	Solvate electrolytes for Li and Na batteries: structures, transport properties, and electrochemistry. <i>Physical Chemistry Chemical Physics</i> , 2021, 23, 21419-21436.	1.3	32
12	Molecularly Tunable Polyanions for Single-Ion Conductors and Poly(solvate ionic liquids). <i>Chemistry of Materials</i> , 2021, 33, 524-534.	3.2	53
13	Anion effects on Li ion transference number and dynamic ion correlations in glyme-Li salt equimolar mixtures. <i>Physical Chemistry Chemical Physics</i> , 2021, 23, 2622-2629.	1.3	30
14	Understanding the Reductive Decomposition of Highly Concentrated Li Salt/Sulfolane Electrolytes during Li Deposition and Dissolution. <i>ACS Applied Energy Materials</i> , 2021, 4, 1851-1859.	2.5	24
15	Direct Observation of Photo-Induced Reversible Sol-Gel Transition in Block Copolymer Self-Assembly Containing an Azobenzene Ionic Liquid. <i>Macromolecular Rapid Communications</i> , 2021, 42, e2100091.	2.0	4
16	Investigations of Ionic Transport Mechanism of Polyether-Based Polymer Electrolytes for All-Solid-State Batteries. <i>ECS Meeting Abstracts</i> , 2021, MA2021-01, 435-435.	0.0	0
17	Synthesis, mechanical properties, and ionic conductivity of rotaxane cross-linked polymers. <i>Polymer</i> , 2021, 227, 123844.	1.8	0
18	Structural Effects of Solvents on Li-Ion-Hopping Conduction in Highly Concentrated LiBF <sub>4</sub> /Sulfone Solutions. <i>Journal of Physical Chemistry B</i> , 2021, 125, 6600-6608.	1.2	28

#	ARTICLE	IF	CITATIONS
19	Transport Properties of Flexible Composite Electrolytes Composed of $\text{Li}_{1.5}\text{Al}_{0.5}\text{Ti}_{1.5}(\text{PO}_4)_3$ and a Poly(vinylidene fluoride-co-hexafluoropropylene) Gel Containing a Highly Concentrated $\text{Li}[\text{N}(\text{SO}_2\text{CF}_3)_2]/\text{Sulfolane}$ Electrolyte. ACS Omega, 2021, 6, 16187-16193.	1.6	7
20	Experimental Methods for Assembly of Dendrite-free Lithium-Sulfur Batteries. Chemistry Letters, 2021, 50, 1217-1219.	0.7	2
21	Analysis of Ionic Transport and Electrode Interfacial Reaction, and NMR One-Dimensional Imaging of Ether-Based Polymer Electrolytes. Journal of the Electrochemical Society, 2021, 168, 060501.	1.3	3
22	Rate Performance of $\text{LiCoO}_2$ ; Half-cells Using Highly Concentrated Lithium Bis(fluorosulfonyl)amide Electrolytes and Their Relevance to Transport Properties. Electrochemistry, 2021, 89, 389-394.	0.6	8
23	Local Structure of $\text{Li}^+$ in Superconcentrated Aqueous LiTFSO Solutions. Journal of Physical Chemistry B, 2021, 125, 7477-7484.	1.2	9
24	Design of Polymer Network and $\text{Li}^+$ Solvation Enables Thermally and Oxidatively Stable, Mechanically Reliable, and Highly Conductive Polymer Gel Electrolyte for Lithium Batteries. Journal of the Electrochemical Society, 2021, 168, 090538.	1.3	6
25	Advances in Organic Ionic Materials Based on Ionic Liquids and Polymers. Bulletin of the Chemical Society of Japan, 2021, 94, 2739-2769.	2.0	10
26	Effects of Lithium Salt Concentration in Ionic Liquid Electrolytes on Battery Performance of $\text{LiNi}_{0.5}\text{Mn}_{0.3}\text{Co}_{0.2}\text{O}_2/\text{Graphite}$ Cells. Electrochemistry, 2021, 89, 455-460.	0.6	3
27	Highly Concentrated $\text{NaN}(\text{SO}_2\text{F})_2/3\text{-Methylsulfolane}$ Electrolyte Solution Showing High Na-Ion Transference Number under Anion-Blocking Conditions. Electrochemistry, 2021, 89, 590-596.	0.6	3
28	Electrochemical Properties of Poly(vinylidene fluoride-co-hexafluoropropylene) Gel Electrolytes with High-Concentration Li Salt/Sulfolane for Lithium Batteries. Electrochemistry, 2021, 89, 567-572.	0.6	5
29	$\text{Li}^+$ S Battery Using $\text{Li}_2\text{S}$ Cathode. , 2021, , 403-414.		0
30	Thermodynamic aspect of sulfur, polysulfide anion and lithium polysulfide: plausible reaction path during discharge of lithium-sulfur battery. Physical Chemistry Chemical Physics, 2021, 23, 6832-6840.	1.3	11
31	Towards practical cells: combined use of titanium black as a cathode additive and sparingly solvating electrolyte for high-energy-density lithium-sulfur batteries. Sustainable Energy and Fuels, 2021, 5, 1821-1831.	2.5	15
32	Effects of Li ion-solvent interaction on ionic transport and electrochemical properties in highly concentrated cyclic carbonate electrolytes. Journal of Non-Crystalline Solids: X, 2021, 11-12, 100071.	0.5	5
33	In Situ Impedance Spectra Analysis of Lithium-Sulfur Battery Using Sulfolane-Based Super-Concentrated Electrolyte Solution. ECS Meeting Abstracts, 2021, MA2021-02, 31-31.	0.0	1
34	Rheological and Ionic Transport Properties of Nanocomposite Electrolytes Based on Protic Ionic Liquids and Silica Nanoparticles. Langmuir, 2020, 36, 148-158.	1.6	10
35	Graphite-Lithium Sulfide Battery with a Single-Phase Sparingly Solvating Electrolyte. ACS Energy Letters, 2020, 5, 1-7.	8.8	41
36	Microphase-separated structures of ion gels consisting of ABA-type block copolymers and an ionic liquid: A key to escape from the trade-off between mechanical and transport properties. Polymer, 2020, 206, 122849.	1.8	14

#	ARTICLE	IF	CITATIONS
37	Reversible Ion-Conducting Switch by Azobenzene Molecule with Light-Controlled Sol-Gel Transitions of the PNIPAm Ion Gel. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 42202-42209.	4.0	32
38	Azobenzene-Based Ionic Liquid Switches Phase Separation of Poly( <i>N</i> -isopropylacrylamide) Aqueous Solutions as a Molecular Trigger, Leading to UV Shutdown of Ionic Transport. <i>ACS Macro Letters</i> , 2020, 9, 825-829.	2.3	14
39	Azobenzene Molecular Trigger Controlling Phase Transitions of PNIPAm in Ionic Liquids and Light-Controlled Adhesiveness. <i>Macromolecules</i> , 2020, 53, 4901-4907.	2.2	21
40	Role of Viscosity in Deviations from the Nernst-Einstein Relation. <i>Journal of Physical Chemistry B</i> , 2020, 124, 4774-4780.	1.2	22
41	Molten Li Salt Solvate-Silica Nanoparticle Composite Electrolytes with Tailored Rheological Properties. <i>Electrochemistry</i> , 2020, 88, 174-177.	0.6	1
42	Effects of fluoroethylene carbonate addition to Li-glyme solvate ionic liquids on their ionic transport properties and Si composite electrode performance. <i>Electrochimica Acta</i> , 2020, 353, 136559.	2.6	6
43	Recent progress in self-healable ion gels. <i>Science and Technology of Advanced Materials</i> , 2020, 21, 388-401.	2.8	24
44	Highly concentrated LiN(SO <sub>2</sub> CF <sub>3</sub> ) <sub>2</sub> /dinitrile electrolytes: Liquid structures, transport properties, and electrochemistry. <i>Journal of Chemical Physics</i> , 2020, 152, 104502.	1.2	20
45	Effects of Polysulfide Solubility and Li Ion Transport on Performance of S Batteries Using Sparingly Solvating Electrolytes. <i>Journal of the Electrochemical Society</i> , 2020, 167, 070531.	1.3	52
46	Effects of Anion on Liquid Structures of Ionic Liquids at Graphene Electrode Interface Analyzed by Molecular Dynamics Simulations. <i>Batteries and Supercaps</i> , 2020, 3, 658-667.	2.4	4
47	Solvent effects on Li ion transference number and dynamic ion correlations in glyme- and sulfolane-based molten Li salt solvates. <i>Physical Chemistry Chemical Physics</i> , 2020, 22, 15214-15221.	1.3	53
48	Structures and Electrochemistry of $\gamma$ -Butyrolactone Solvates of Na Salts. <i>Journal of Physical Chemistry C</i> , 2020, 124, 15800-15811.	1.5	17
49	Liquid-State Optoelectronics Using Liquid Metal. <i>Advanced Electronic Materials</i> , 2020, 6, 1901135.	2.6	14
50	High Transference Number of Na Ion in Liquid-State Sulfolane Solvates of Sodium Bis(fluorosulfonyl)amide. <i>Journal of Physical Chemistry C</i> , 2020, 124, 4459-4469.	1.5	23
51	High performance electric double layer transistors using solvate ionic liquids. <i>Japanese Journal of Applied Physics</i> , 2020, 59, 030901.	0.8	2
52	Effect of network homogeneity on mechanical, thermal and electrochemical properties of solid polymer electrolytes prepared by homogeneous 4-arm poly(ethylene glycols). <i>Soft Matter</i> , 2020, 16, 4290-4298.	1.2	14
53	Speciation Analysis and Thermodynamic Criteria of Solvated Ionic Liquids: Ionic Liquids or Superconcentrated Solutions?. <i>Journal of Physical Chemistry Letters</i> , 2020, 11, 4517-4523.	2.1	16
54	Factors Affecting Li <sup>+</sup> Transport Properties of Molten Li Salt Solvate Electrolytes. <i>ECS Meeting Abstracts</i> , 2020, MA2020-02, 2948-2948.	0.0	1

#	ARTICLE	IF	CITATIONS
55	High Transference Number of Li Ion in Highly Concentrated Lithium Bis(trifluoromethanesulfonyl)Amide/Dinitrile Liquid Electrolytes. ECS Meeting Abstracts, 2020, MA2020-01, 372-372.	0.0	0
56	High Transference Number of Na Ion in Highly Concentrated Sodium Bis(fluorosulfonyl)Amide/ $\beta$ -Butyrolactone Electrolytes for Sodium Batteries. ECS Meeting Abstracts, 2020, MA2020-01, 238-238.	0.0	0
57	<i>Operando</i> soft X-ray absorption spectroscopic study on microporous carbon-supported sulfur cathodes. RSC Advances, 2020, 10, 39875-39880.	1.7	8
58	Preparation of Li-S Polymer Battery Utilizing High Compatibility of Carbonaceous Materials with Highly Concentrated Electrolytes. ECS Meeting Abstracts, 2020, MA2020-02, 3528-3528.	0.0	0
59	Lithium Polysulfide Sparingly Solvating Electrolyte for Practical High Energy Density Lithium Sulfur Battery. ECS Meeting Abstracts, 2020, MA2020-02, 280-280.	0.0	0
60	Composite Electrolyte Composed of Li <sub>1.5</sub> Al <sub>0.5</sub> Ti <sub>1.5</sub> (PO <sub>4</sub> ) <sub>3</sub> and PVDF-Based Gel Electrolyte Containing Highly Concentrated Electrolytes. ECS Meeting Abstracts, 2020, MA2020-02, 940-940.	0.0	0
61	Li-Ion Transport in Three-Layer Electrolyte of Ionic Liquid/Solid-State Electrolyte (SSE)/Ionic Liquid. ECS Meeting Abstracts, 2020, MA2020-02, 3444-3444.	0.0	0
62	(Invited) Solvate Ionic Liquids and Their Polymer Electrolytes: Possible Beyond LIB Electrolytes. ECS Meeting Abstracts, 2020, MA2020-02, 797-797.	0.0	0
63	Composite Electrolytes Based on Sulfide-Based Solid Electrolytes and Highly Concentrated Electrolytes. ECS Meeting Abstracts, 2020, MA2020-02, 3526-3526.	0.0	0
64	High Transference Number of Na Ion in Highly Concentrated Na(SO <sub>2</sub> F) <sub>2</sub> / $\beta$ -Butyrolactone Electrolytes for Sodium Batteries. ECS Meeting Abstracts, 2020, MA2020-02, 824-824.	0.0	0
65	Effect of Ionic Structure on Transport Properties of Weakly-Coordinating Polyanions Dissolved in Non-Aqueous Solvents. ECS Meeting Abstracts, 2020, MA2020-02, 3674-3674.	0.0	0
66	Ionic Transport Properties in Sulfone-Based Solid Polymer Electrolytes. ECS Meeting Abstracts, 2020, MA2020-02, 3527-3527.	0.0	0
67	Thermally, Electrochemically, and Mechanically Tough Polymer Electrolytes Containing a Solvate Ionic Liquid for Lithium Secondary Battery. ECS Meeting Abstracts, 2020, MA2020-02, 665-665.	0.0	0
68	Investigation of Li-Ion Sulfur Battery Using Highly Composed S8 Positive Electrode and Li-Doped C6 Negative Electrode. ECS Meeting Abstracts, 2020, MA2020-02, 285-285.	0.0	0
69	Self-Assembly of Block Copolymers in an Ionic Liquid and Properties of Resulting Ion Gels. ECS Meeting Abstracts, 2020, MA2020-02, 2966-2966.	0.0	0
70	High Transference Number of Li Ion in Highly Concentrated Lithium Bis(trifluoromethanesulfonyl)Amide/Dinitrile Liquid Electrolytes for Lithium Sulfur Batteries. ECS Meeting Abstracts, 2020, MA2020-02, 3443-3443.	0.0	0
71	Effects of Polysulfide Solubility and Li Ion Transport on Li-S Batteries Using Sparingly Solvating Electrolytes. ECS Meeting Abstracts, 2020, MA2020-02, 366-366.	0.0	0
72	(A04 Best Poster Award Winner) Effects of Anion Species on Li Ion Transport and Electrochemical Properties in Highly Concentrated Electrolytes. ECS Meeting Abstracts, 2020, MA2020-02, 822-822.	0.0	0

#	ARTICLE	IF	CITATIONS
73	(Invited) Soft Materials Containing Ionic Liquid As Solvent. ECS Meeting Abstracts, 2020, MA2020-02, 2963-2963.	0.0	0
74	Strategy and Issue for Li-S Batteries with High Energy Density. ECS Meeting Abstracts, 2020, MA2020-02, 3529-3529.	0.0	0
75	Ionic Liquid/Sulfonated Polyimide Composite Membranes: Effect of Polyimide Sequence on CO <sub>2</sub> Transport Properties. ECS Meeting Abstracts, 2020, MA2020-02, 2902-2902.	0.0	0
76	Performance of Lithium Sulfur Batteries Consisting of Li <sub>2</sub> S/Carbon Composite Cathode. ECS Meeting Abstracts, 2020, MA2020-02, 3530-3530.	0.0	0
77	Preparation of Electron/Ion-Mixed Conducting Gel Using Liquid Metal and Ionic Liquid. ECS Meeting Abstracts, 2020, MA2020-02, 2967-2967.	0.0	0
78	Design of Sparingly Solvating Electrolytes for Li-S Batteries. ECS Meeting Abstracts, 2020, MA2020-02, 453-453.	0.0	0
79	Thermodynamic Effect of Anion Activity on Electrochemical Reactions Involving Li <sup>+</sup> Ions in Room-Temperature Ionic Liquids. ChemElectroChem, 2019, 6, 4444-4449.	1.7	12
80	Physicochemical compatibility of highly-concentrated solvate ionic liquids and a low-viscosity solvent. RSC Advances, 2019, 9, 24922-24927.	1.7	6
81	Effect of ionic liquid structure on viscoelastic behavior of hydrogen-bonded micellar ion gels. Polymer, 2019, 178, 121694.	1.8	15
82	Glyme-Li salt equimolar molten solvates with iodide/triiodide redox anions. RSC Advances, 2019, 9, 22668-22675.	1.7	5
83	Role of Cation Structure in CO <sub>2</sub> Separation by Ionic Liquid/Sulfonated Polyimide Composite Membrane. Membranes, 2019, 9, 81.	1.4	11
84	Transport and Mechanical Properties of ABA-type Triblock Copolymer Ion Gels Correlated with Their Microstructures. Macromolecules, 2019, 52, 8430-8439.	2.2	20
85	Excellent dispersibility of single-walled carbon nanotubes in highly concentrated electrolytes and application to gel electrode for Li-S batteries. Electrochemistry Communications, 2019, 109, 106598.	2.3	12
86	Key factor governing the physicochemical properties and extent of proton transfer in protic ionic liquids: $\text{[P}^+\text{K}^-]_n$ or chemical structure?. Physical Chemistry Chemical Physics, 2019, 21, 418-426.	1.3	42
87	Sulfolane-Based Highly Concentrated Electrolytes of Lithium Bis(trifluoromethanesulfonyl)amide: Ionic Transport, Li-Ion Coordination, and Li-S Battery Performance. Journal of Physical Chemistry C, 2019, 123, 14229-14238.	1.5	138
88	Effects of Sulfur Loading, Cathode Porosity, and Electrolyte Amount on Li-S Battery Performance with Solvate Ionic Liquid Electrolyte. Electrochemistry, 2019, 87, 254-259.	0.6	11
89	Solvation Structure of Poly(benzyl methacrylate) in a Solvate Ionic Liquid: Preferential Solvation of Li-Glyme Complex Cation. Journal of Physical Chemistry B, 2019, 123, 4098-4107.	1.2	2
90	Application of Protic Ionic Liquids to CO <sub>2</sub> Separation in a Sulfonated Polyimide-Derived Ion Gel Membrane. ACS Applied Polymer Materials, 2019, 1, 1579-1589.	2.0	25

#	ARTICLE	IF	CITATIONS
91	Effect of Electrolyte Composition on Performance and Stability of Lithium-Sulfur Batteries. <i>Energy Technology</i> , 2019, 7, 1900197.	1.8	12
92	Li-ion hopping conduction in highly concentrated lithium bis(fluorosulfonyl)amide/dinitrile liquid electrolytes. <i>Physical Chemistry Chemical Physics</i> , 2019, 21, 9759-9768.	1.3	77
93	Cluster-Micelle Transition of a Thermo- and Photoresponsive ABC Triblock Copolymer in an Ionic Liquid. <i>Australian Journal of Chemistry</i> , 2019, 72, 155.	0.5	0
94	Ionic transport in highly concentrated lithium bis(fluorosulfonyl)amide electrolytes with keto ester solvents: structural implications for ion hopping conduction in liquid electrolytes. <i>Physical Chemistry Chemical Physics</i> , 2019, 21, 5097-5105.	1.3	35
95	Dynamic Chelate Effect on the Li <sup>+</sup> -Ion Conduction in Solvate Ionic Liquids. <i>Journal of Physical Chemistry C</i> , 2019, 123, 30228-30233.	1.5	10
96	Polymer electrolytes based on a homogeneous poly(ethylene glycol) network and their application to polymer actuators. <i>Electrochimica Acta</i> , 2019, 298, 866-873.	2.6	16
97	Viscoelastic change of block copolymer ion gels in a photo-switchable azobenzene ionic liquid triggered by light. <i>Chemical Communications</i> , 2019, 55, 1710-1713.	2.2	26
98	Solvate Ionic Liquids for Li, Na, K, and Mg Batteries. <i>Chemical Record</i> , 2019, 19, 708-722.	2.9	42
99	Liquid Structures and Transport Properties of Lithium Bis(fluorosulfonyl)amide/Glyme Solvate Ionic Liquids for Lithium Batteries. <i>Australian Journal of Chemistry</i> , 2019, 72, 70.	0.5	21
100	Ion Gels for Ionic Polymer Actuators. , 2019, , 217-232.		0
101	Protic ionic liquids with primary alkylamine-derived cations: the dominance of hydrogen bonding on observed physicochemical properties. <i>RSC Advances</i> , 2018, 8, 9790-9794.	1.7	23
102	Magnesium bis(trifluoromethanesulfonyl)amide complexes with triglyme and asymmetric homologues: phase behavior, coordination structures and melting point reduction. <i>Physical Chemistry Chemical Physics</i> , 2018, 20, 7998-8007.	1.3	19
103	Molecular dynamics study of thermodynamic stability and dynamics of [Li(glyme)] <sup>+</sup> complex in lithium-glyme solvate ionic liquids. <i>Journal of Chemical Physics</i> , 2018, 148, 193809.	1.2	31
104	Photocurable ABA triblock copolymer-based ion gels utilizing photodimerization of coumarin. <i>RSC Advances</i> , 2018, 8, 3418-3422.	1.7	19
105	Electrolyte Composition in Li/O <sub>2</sub> Batteries with LiI Redox Mediators: Solvation Effects on Redox Potentials and Implications for Redox Shuttling. <i>Journal of Physical Chemistry C</i> , 2018, 122, 1522-1534.	1.5	51
106	Advanced Materials Based on Polymers and Ionic Liquids. <i>Chemical Record</i> , 2018, 18, 391-409.	2.9	51
107	Structure and dynamics of ionic liquids: general discussion. <i>Faraday Discussions</i> , 2018, 206, 291-337.	1.6	8
108	Polymer Electrolytes Containing Solvate Ionic Liquids: A New Approach To Achieve High Ionic Conductivity, Thermal Stability, and a Wide Potential Window. <i>Chemistry of Materials</i> , 2018, 30, 252-261.	3.2	60



#	ARTICLE	IF	CITATIONS
109	Simple combination of a protic salt and an iron halide: precursor for a Fe, N and S co-doped catalyst for the oxygen reduction reaction in alkaline and acidic media. <i>Journal of Materials Chemistry A</i> , 2018, 6, 1138-1149.	5.2	33
110	Controlled Sol-Gel Transitions of a Thermoresponsive Polymer in a Photoswitchable Azobenzene Ionic Liquid as a Molecular Trigger. <i>Angewandte Chemie - International Edition</i> , 2018, 57, 227-230.	7.2	60
111	Controlled Sol-Gel Transitions of a Thermoresponsive Polymer in a Photoswitchable Azobenzene Ionic Liquid as a Molecular Trigger. <i>Angewandte Chemie</i> , 2018, 130, 233-236.	1.6	12
112	Photohealable ion gels based on the reversible dimerisation of anthracene. <i>Chemical Communications</i> , 2018, 54, 13371-13374.	2.2	24
113	Direct Evidence for Li Ion Hopping Conduction in Highly Concentrated Sulfolane-Based Liquid Electrolytes. <i>Journal of Physical Chemistry B</i> , 2018, 122, 10736-10745.	1.2	165
114	Solid polymer electrolytes based on polystyrene-polyether block copolymers having branched ether structure. <i>Polymers for Advanced Technologies</i> , 2018, 30, 736.	1.6	4
115	From Ionic Liquids to Solvate Ionic Liquids: Challenges and Opportunities for Next Generation Battery Electrolytes. <i>Bulletin of the Chemical Society of Japan</i> , 2018, 91, 1660-1682.	2.0	85
116	Sulfonated Polyimide/Ionic Liquid Composite Membranes for CO <sub>2</sub> Separation: Transport Properties in Relation to Their Nanostructures. <i>Macromolecules</i> , 2018, 51, 7112-7120.	2.2	40
117	Photo/thermoresponsive ABC triblock copolymer-based ion gels: photoinduced structural transitions. <i>Soft Matter</i> , 2018, 14, 9088-9095.	1.2	18
118	Neutron scattering studies on short- and long-range layer structures and related dynamics in imidazolium-based ionic liquids. <i>Journal of Chemical Physics</i> , 2018, 149, 054502.	1.2	20
119	Self-Healing Micellar Ion Gels Based on Multiple Hydrogen Bonding. <i>Advanced Materials</i> , 2018, 30, e1802792.	11.1	208
120	Tuning NaO <sub>2</sub> Cube Sizes by Controlling Na <sup>+</sup> and Solvent Activity in Na <sup>+</sup> O <sub>2</sub> Batteries. <i>Journal of Physical Chemistry C</i> , 2018, 122, 18316-18328.	1.5	29
121	Glyme-Sodium Bis(fluorosulfonyl)amide Complex Electrolytes for Sodium Ion Batteries. <i>Journal of Physical Chemistry C</i> , 2018, 122, 16589-16599.	1.5	34
122	Ionic polymer actuators using poly(ionic liquid) electrolytes. <i>European Polymer Journal</i> , 2018, 106, 266-272.	2.6	38
123	Block copolymer self-assembly in ionic liquids. <i>Physical Chemistry Chemical Physics</i> , 2018, 20, 25123-25139.	1.3	34
124	Enhanced Electrochemical Stability of Molten Li Salt Hydrate Electrolytes by the Addition of Divalent Cations. <i>Journal of Physical Chemistry C</i> , 2018, 122, 20167-20175.	1.5	23
125	Ionic Liquids and Ion-conductive Polymer Membranes. <i>Membrane</i> , 2018, 43, 93.	0.0	0
126	Boundary layer friction of solvate ionic liquids as a function of potential. <i>Faraday Discussions</i> , 2017, 199, 311-322.	1.6	30



#	ARTICLE	IF	CITATIONS
127	Application of Ionic Liquids to Energy Storage and Conversion Materials and Devices. <i>Chemical Reviews</i> , 2017, 117, 7190-7239.	23.0	1,214
128	Stability of Glyme Solvate Ionic Liquid as an Electrolyte for Rechargeable Li <sup>+</sup> O <sub>2</sub> Batteries. <i>ACS Applied Materials &amp; Interfaces</i> , 2017, 9, 6014-6021.	4.0	52
129	Effect of Anion in Glyme-based Electrolyte for Li-O <sub>2</sub> Batteries: Stability/Solubility of Discharge Intermediate. <i>Chemistry Letters</i> , 2017, 46, 573-576.	0.7	14
130	Oxygen Reduction Reaction in Highly Concentrated Electrolyte Solutions of Lithium Bis(trifluoromethanesulfonyl)amide/Dimethyl Sulfoxide. <i>Journal of Physical Chemistry C</i> , 2017, 121, 9162-9172.	1.5	70
131	Microscopic Structure of Solvated Poly(benzyl methacrylate) in an Imidazolium-Based Ionic Liquid: High-Energy X-ray Total Scattering and All-Atom MD Simulation Study. <i>Macromolecules</i> , 2017, 50, 4780-4786.	2.2	27
132	Sulfonated polyimide/ionic liquid composite membranes for carbon dioxide separation. <i>Polymer Journal</i> , 2017, 49, 671-676.	1.3	28
133	Tetra-PEG Network Containing Ionic Liquid Synthesized via Michael Addition Reaction and Its Application to Polymer Actuator. <i>Macromolecules</i> , 2017, 50, 2906-2915.	2.2	51
134	A Polymer Electrolyte Containing Solvate Ionic Liquid with Increased Mechanical Strength Formed by Self-assembly of ABA-type Ionomer Triblock Copolymer. <i>Electrochimica Acta</i> , 2017, 235, 287-294.	2.6	25
135	Exceptionally High Electric Double Layer Capacitances of Oligomeric Ionic Liquids. <i>Journal of the American Chemical Society</i> , 2017, 139, 16072-16075.	6.6	42
136	Three-Dimensionally Hierarchical Ni/Ni <sub>3</sub> S <sub>2</sub> /S Cathode for Lithium-Sulfur Battery. <i>ACS Applied Materials &amp; Interfaces</i> , 2017, 9, 38477-38485.	4.0	60
137	Physicochemical Characterization of a Photoinduced Sol-Gel Transition of an Azobenzene-Containing ABA Triblock Copolymer/Ionic Liquid System. <i>Macromolecules</i> , 2017, 50, 6788-6795.	2.2	15
138	Thermosensitive Phase Separation Behavior of Poly(benzyl methacrylate)/Solvate Ionic Liquid Solutions. <i>Langmuir</i> , 2017, 33, 14105-14114.	1.6	17
139	Effect of the cation on the stability of cation-glyme complexes and their interactions with the [TFSA] <sup>-</sup> anion. <i>Physical Chemistry Chemical Physics</i> , 2017, 19, 18262-18272.	1.3	49
140	Micellization/Demicellization Self-Assembly Change of ABA Triblock Copolymers Induced by a Photoswitchable Ionic Liquid with a Small Molecular Trigger. <i>Macromolecules</i> , 2017, 50, 5377-5384.	2.2	14
141	Effect of Variation in Anion Type and Glyme Length on the Nanostructure of the Solvate Ionic Liquid/Graphite Interface as a Function of Potential. <i>Journal of Physical Chemistry C</i> , 2017, 121, 15728-15734.	1.5	14
142	Suppression of Water Absorption by Molecular Design of Ionic Liquid Electrolyte for Li-Air Battery. <i>Advanced Energy Materials</i> , 2017, 7, 1601753.	10.2	27
143	A Design Approach to Lithium-Ion Battery Electrolyte Based on Diluted Solvate Ionic Liquids. <i>Journal of the Electrochemical Society</i> , 2017, 164, A6088-A6094.	1.3	45
144	Electrochemical Deposition and Dissolution of Lithium on a Carbon Fiber Composite Electrode in a Solvate Ionic Liquid. <i>Electrochemistry</i> , 2017, 85, 667-670.	0.6	7

#	ARTICLE	IF	CITATIONS
145	Long-cycle-life Lithium-sulfur Batteries with Lithium Solvate Ionic Liquids. <i>Electrochemistry</i> , 2017, 85, 680-682.	0.6	33
146	Amphoteric water as acid and base for protic ionic liquids and their electrochemical activity when used as fuel cell electrolytes. <i>Faraday Discussions</i> , 2017, 206, 353-364.	1.6	16
147	Local Structure in Tetraglyme Solvate Ionic Liquid Revealed by Neutron Total Scattering Experiments with the <sup>6/7</sup> Li Isotopic Substitution Technique. <i>Journal of Physical Chemistry Letters</i> , 2016, 7, 2832-2837.	2.1	44
148	Self-Assembly of Polyether Diblock Copolymers in Water and Ionic Liquids. <i>Macromolecular Rapid Communications</i> , 2016, 37, 1207-1211.	2.0	11
149	Design and Materialization of Ionic Liquids Based on an Understanding of Their Fundamental Properties. <i>Electrochemistry</i> , 2016, 84, 642-653.	0.6	21
150	Optimization of Pore Structure of Cathodic Carbon Supports for Solvate Ionic Liquid Electrolytes Based Lithium-Sulfur Batteries. <i>ACS Applied Materials &amp; Interfaces</i> , 2016, 8, 27803-27813.	4.0	24
151	Dissociation and Diffusion of Glyme-Sodium Bis(trifluoromethanesulfonyl)amide Complexes in Hydrofluoroether-Based Electrolytes for Sodium Batteries. <i>Journal of Physical Chemistry C</i> , 2016, 120, 23339-23350.	1.5	30
152	Photo-Dimerization Induced Dynamic Viscoelastic Changes in ABA Triblock Copolymer-Based Hydrogels for 3D Cell Culture. <i>Chemistry of Materials</i> , 2016, 28, 6401-6408.	3.2	51
153	From Macromolecular to Small-Molecular Triggers: Facile Method toward Photoinduced LCST Phase Behavior of Thermoresponsive Polymers in Mixed Ionic Liquids Containing an Azobenzene Moiety. <i>Macromolecular Rapid Communications</i> , 2016, 37, 1960-1965.	2.0	20
154	Ionic liquids and their solid-state analogues as materials for energy generation and storage. <i>Nature Reviews Materials</i> , 2016, 1, .	23.3	511
155	Pressure Response of a Thermoresponsive Polymer in an Ionic Liquid. <i>Macromolecules</i> , 2016, 49, 8249-8253.	2.2	5
156	Si/Li <sub>2</sub> S Battery with Solvate Ionic Liquid Electrolyte. <i>Electrochemistry</i> , 2016, 84, 887-890.	0.6	27
157	SANS study on the solvated structure and molecular interactions of a thermo-responsive polymer in a room temperature ionic liquid. <i>Physical Chemistry Chemical Physics</i> , 2016, 18, 17881-17889.	1.3	15
158	Promising Cell Configuration for Next-Generation Energy Storage: Li <sub>2</sub> S/Graphite Battery Enabled by a Solvate Ionic Liquid Electrolyte. <i>ACS Applied Materials &amp; Interfaces</i> , 2016, 8, 16053-16062.	4.0	67
159	Beyond solvents and electrolytes: Ionic liquids-based advanced functional materials. <i>Progress in Materials Science</i> , 2016, 77, 80-124.	16.0	129
160	Thermal and Electrochemical Stability of Tetraglyme-Magnesium Bis(trifluoromethanesulfonyl)amide Complex: Electric Field Effect of Divalent Cation on Solvate Stability. <i>Journal of Physical Chemistry C</i> , 2016, 120, 1353-1365.	1.5	88
161	Effects of non-equimolar lithium salt glyme solvate ionic liquid on the control of interfacial degradation in lithium secondary batteries. <i>RSC Advances</i> , 2016, 6, 33043-33047.	1.7	18
162	Local Structure in Hydrofluoroether Diluted Li-Glyme Solvate Ionic Liquid. <i>Journal of Physical Chemistry B</i> , 2016, 120, 3378-3387.	1.2	81

#	ARTICLE	IF	CITATIONS
163	Bulk nanostructure of the prototypical "good"™ and "poor"™ solvate ionic liquids [Li(G4)][TFSI] and [Li(G4)][NO <sub>3</sub> ]. Physical Chemistry Chemical Physics, 2016, 18, 17224-17236.	1.3	49
164	Effects of compatibility of polymer binders with solvate ionic liquid electrolytes on discharge and charge reactions of lithium-sulfur batteries. Journal of Power Sources, 2016, 307, 746-752.	4.0	52
165	Hierarchical Sol-Gel Transition Induced by Thermosensitive Self-Assembly of an ABC Triblock Polymer in an Ionic Liquid. Macromolecules, 2016, 49, 1414-1423.	2.2	45
166	Li <sup>+</sup> Solvation and Ionic Transport in Lithium Solvate Ionic Liquids Diluted by Molecular Solvents. Journal of Physical Chemistry C, 2016, 120, 15792-15802.	1.5	114
167	Thermosensitive soft glassy colloidal arrays of block-copolymer-grafted silica nanoparticles in an ionic liquid. Polymer Journal, 2016, 48, 289-294.	1.3	6
168	Ionic Conductivity and Viscosity of Solvate Ionic Liquids Composed of Glymes and Excess Lithium Bis(Trifluoromethylsulfonyl)Amide. Electrochemistry, 2015, 83, 824-827.	0.6	20
169	Deposition and Dissolution of Lithium through Lithium Phosphorus Oxynitride Thin Film in Lithium Bis(trifluoromethylsulfonyl)amide-Glyme Solvate Ionic Liquid. Electrochemistry, 2015, 83, 846-848.	0.6	4
170	Lithium-tin Alloy/Sulfur Battery with a Solvate Ionic Liquid Electrolyte. Electrochemistry, 2015, 83, 914-917.	0.6	17
171	Li <sup>+</sup> solvation in glyme-Li salt solvate ionic liquids. Physical Chemistry Chemical Physics, 2015, 17, 8248-8257.	1.3	222
172	Micelle Structure of Novel Diblock Polyethers in Water and Two Protic Ionic Liquids (EAN and PAN). Macromolecules, 2015, 48, 1843-1851.	2.2	25
173	Porous ionic liquids: synthesis and application. Chemical Science, 2015, 6, 3684-3691.	3.7	143
174	Hydrogen-bonding supramolecular protic salt as an "all-in-one" precursor for nitrogen-doped mesoporous carbons for CO <sub>2</sub> adsorption. Nano Energy, 2015, 13, 376-386.	8.2	64
175	Solvent Activity in Electrolyte Solutions Controls Electrochemical Reactions in Li-Ion and Li-Sulfur Batteries. Journal of Physical Chemistry C, 2015, 119, 3957-3970.	1.5	135
176	Effect of Ionic Size on Solvate Stability of Glyme-Based Solvate Ionic Liquids. Journal of Physical Chemistry B, 2015, 119, 1523-1534.	1.2	92
177	Photoreversible Gelation of a Triblock Copolymer in an Ionic Liquid. Angewandte Chemie, 2015, 127, 3061-3065.	1.6	12
178	Photoreversible Gelation of a Triblock Copolymer in an Ionic Liquid. Angewandte Chemie - International Edition, 2015, 54, 3018-3022.	7.2	68
179	Pentaglyme-K salt binary mixtures: phase behavior, solvate structures, and physicochemical properties. Physical Chemistry Chemical Physics, 2015, 17, 2838-2849.	1.3	27
180	Li <sup>+</sup> Ion Transport in Polymer Electrolytes Based on a Glyme-Li Salt Solvate Ionic Liquid. Electrochimica Acta, 2015, 175, 5-12.	2.6	70

#	ARTICLE	IF	CITATIONS
181	Temperature and light-induced self-assembly changes of a tetra-arm diblock copolymer in an ionic liquid. <i>Polymer Journal</i> , 2015, 47, 739-746.	1.3	8
182	Structural and aggregate analyses of (Li salt + glyme) mixtures: the complex nature of solvate ionic liquids. <i>Physical Chemistry Chemical Physics</i> , 2015, 17, 22321-22335.	1.3	78
183	One-pot pyrolysis of lithium sulfate and graphene nanoplatelet aggregates: in situ formed Li <sub>2</sub> S/graphene composite for lithium-sulfur batteries. <i>Nanoscale</i> , 2015, 7, 14385-14392.	2.8	73
184	Adsorption of Polyether Block Copolymers at Silica-Water and Silica-Ethylammonium Nitrate Interfaces. <i>Langmuir</i> , 2015, 31, 7025-7031.	1.6	4
185	One-step, template-free synthesis of highly porous nitrogen/sulfur-codoped carbons from a single protic salt and their application to CO <sub>2</sub> capture. <i>Journal of Materials Chemistry A</i> , 2015, 3, 17849-17857.	5.2	36
186	Recent Advances in Electrolytes for Lithium-Sulfur Batteries. <i>Advanced Energy Materials</i> , 2015, 5, 1500117.	10.2	508
187	Protic-Salt-Derived Nitrogen/Sulfur-Codoped Mesoporous Carbon for the Oxygen Reduction Reaction and Supercapacitors. <i>ChemSusChem</i> , 2015, 8, 1608-1617.	3.6	74
188	Photo-healable ion gel with improved mechanical properties using a tetra-arm diblock copolymer containing azobenzene groups. <i>Polymer</i> , 2015, 78, 42-50.	1.8	28
189	Nitrogen-Doped Inverse Opal Carbons Derived from an Ionic Liquid Precursor for the Oxygen Reduction Reaction. <i>ChemElectroChem</i> , 2015, 2, 1080-1085.	1.7	33
190	Thermally Reversible Ion Gels with Photohealing Properties Based on Triblock Copolymer Self-Assembly. <i>Macromolecules</i> , 2015, 48, 5928-5933.	2.2	65
191	Upper Limit of Nitrogen Content in Carbon Materials. <i>Angewandte Chemie - International Edition</i> , 2015, 54, 1302-1306.	7.2	168
192	Structures of [Li(glyme)] <sup>+</sup> complexes and their interactions with anions in equimolar mixtures of glymes and Li[TFSA]: analysis by molecular dynamics simulations. <i>Physical Chemistry Chemical Physics</i> , 2015, 17, 126-129.	1.3	87
193	Carbon materialization of ionic liquids: from solvents to materials. <i>Materials Horizons</i> , 2015, 2, 168-197.	6.4	165
194	Nanostructure of [Li(G4)] TFSI and [Li(G4)] NO <sub>3</sub> solvate ionic liquids at HOPG and Au(111) electrode interfaces as a function of potential. <i>Physical Chemistry Chemical Physics</i> , 2015, 17, 325-333.	1.3	61
195	$1\frac{1}{4}\text{Zn}^{2+}\text{Cl}^{-3}\text{PF}_6^{-}\text{Li}^{+}\text{CE}_6\text{PF}_6^{2+}\text{PF}_6^{-}\text{PF}_6^{-}$ . <i>Electrochemistry</i> , 2014, 82, 1079-1084.		3
196	Binary Protic Ionic Liquid Mixtures as a Proton Conductor: High Fuel Cell Reaction Activity and Facile Proton Transport. <i>Journal of Physical Chemistry C</i> , 2014, 118, 27631-27639.	1.5	73
197	New Ionic Lubricants for Magnetic Thin-Film Media. <i>IEEE Transactions on Magnetics</i> , 2014, 50, 1-4.	1.2	6
198	Proton-conductivity-enhancing Ionic Liquid Consisting of Guanidine and Excess Trifluoromethanesulfonic Acid. <i>Chemistry Letters</i> , 2014, 43, 649-651.	0.7	7

#	ARTICLE	IF	CITATIONS
199	Polymer and Ionic Liquid Electrolytes for Advanced Lithium Batteries. <i>Nanostructure Science and Technology</i> , 2014, , 51-61.	0.1	1
200	Energy applications of ionic liquids. <i>Energy and Environmental Science</i> , 2014, 7, 232-250.	15.6	1,455
201	Criteria for solvate ionic liquids. <i>Physical Chemistry Chemical Physics</i> , 2014, 16, 8761.	1.3	240
202	Physicochemical properties of pentaglymeâ€“sodium bis(trifluoromethanesulfonyl)amide solvate ionic liquid. <i>Physical Chemistry Chemical Physics</i> , 2014, 16, 11737-11746.	1.3	60
203	Chelate Effects in Glyme/Lithium Bis(trifluoromethanesulfonyl)amide Solvate Ionic Liquids, Part 2: Importance of Solvate-Structure Stability for Electrolytes of Lithium Batteries. <i>Journal of Physical Chemistry C</i> , 2014, 118, 17362-17373.	1.5	137
204	Gelation of Solvate Ionic Liquid by Self-Assembly of Block Copolymer and Characterization as Polymer Electrolyte. <i>Macromolecules</i> , 2014, 47, 6009-6016.	2.2	78
205	Mechanism of Li Ion Desolvation at the Interface of Graphite Electrode and Glymeâ€“Li Salt Solvate Ionic Liquids. <i>Journal of Physical Chemistry C</i> , 2014, 118, 20246-20256.	1.5	155
206	Solubility of Poly(methyl methacrylate) in Ionic Liquids in Relation to Solvent Parameters. <i>Langmuir</i> , 2014, 30, 3228-3235.	1.6	47
207	Direct Synthesis of Nitrogen-Doped Carbon Materials from Protic Ionic Liquids and Protic Salts: Structural and Physicochemical Correlations between Precursor and Carbon. <i>Chemistry of Materials</i> , 2014, 26, 2915-2926.	3.2	156
208	Chelate Effects in Glyme/Lithium Bis(trifluoromethanesulfonyl)amide Solvate Ionic Liquids. I. Stability of Solvate Cations and Correlation with Electrolyte Properties. <i>Journal of Physical Chemistry B</i> , 2014, 118, 5144-5153.	1.2	194
209	Protic Ionic Liquids and Salts as Versatile Carbon Precursors. <i>Journal of the American Chemical Society</i> , 2014, 136, 1690-1693.	6.6	216
210	Tuning of Solâ€“Gel Transition Temperatures for Thermoreversible Ion Gels. <i>Chemistry Letters</i> , 2014, 43, 204-206.	0.7	23
211	Ion Gels for Ionic Polymer Actuators. , 2014, , 141-156.		3
212	Heterogeneous Slow Dynamics of Imidazolium-Based Ionic Liquids Studied by Neutron Spin Echo. <i>Journal of Physical Chemistry B</i> , 2013, 117, 2773-2781.	1.2	122
213	Comparative Study on Physicochemical Properties of Protic Ionic Liquids Based on Allylammonium and Propylammonium Cations. <i>Journal of Chemical &amp; Engineering Data</i> , 2013, 58, 2724-2732.	1.0	50
214	Phase Diagrams and Solvate Structures of Binary Mixtures of Glymes and Na Salts. <i>Journal of Physical Chemistry B</i> , 2013, 117, 15072-15085.	1.2	63
215	Proton transport in acid containing choline dihydrogen phosphate membranes for fuel cell. <i>Electrochimica Acta</i> , 2013, 111, 41-48.	2.6	7
216	Ionic Liquid Electrolytes for Lithiumâ€“Sulfur Batteries. <i>Journal of Physical Chemistry C</i> , 2013, 117, 20531-20541.	1.5	259

#	ARTICLE	IF	CITATIONS
217	Anionic Effects on Solvate Ionic Liquid Electrolytes in Rechargeable Lithium-Sulfur Batteries. <i>Journal of Physical Chemistry C</i> , 2013, 117, 20509-20516.	1.5	166
218	Alternating copolymer based on sulfonamide-substituted phenylmaleimide and vinyl monomers as polymer electrolyte membrane. <i>Journal of Polymer Science Part A</i> , 2013, 51, 2233-2242.	2.5	8
219	Interactions in ion pairs of protic ionic liquids: Comparison with aprotic ionic liquids. <i>Journal of Chemical Physics</i> , 2013, 139, 174504.	1.2	63
220	Electrochemical properties of protic ionic liquids: correlation between open circuit potential for H <sub>2</sub> /O <sub>2</sub> cells under non-humidified conditions and pK <sub>a</sub> . <i>RSC Advances</i> , 2013, 3, 4141.	1.7	45
221	Charge/discharge performances of glyme-lithium salt equimolar complex electrolyte for lithium secondary batteries. <i>Journal of Power Sources</i> , 2013, 243, 323-327.	4.0	21
222	EQCM Measurement of Deposition and Dissolution of Lithium in Glyme-Li Salt Molten Complex. <i>Journal of the Electrochemical Society</i> , 2013, 160, A1529-A1533.	1.3	38
223	Printable Polymer Actuators from Ionic Liquid, Soluble Polyimide, and Ubiquitous Carbon Materials. <i>ACS Applied Materials &amp; Interfaces</i> , 2013, 5, 6307-6315.	4.0	63
224	Solvent Effect of Room Temperature Ionic Liquids on Electrochemical Reactions in Lithium-Sulfur Batteries. <i>Journal of Physical Chemistry C</i> , 2013, 117, 4431-4440.	1.5	182
225	Thermoreversible Nanogel Shuttle between Ionic Liquid and Aqueous Phases. <i>Langmuir</i> , 2013, 29, 13661-13665.	1.6	23
226	Unusual Li <sup>+</sup> Ion Solvation Structure in Bis(fluorosulfonyl)amide Based Ionic Liquid. <i>Journal of Physical Chemistry C</i> , 2013, 117, 19314-19324.	1.5	133
227	Solvate Ionic Liquid Electrolyte for Li-S Batteries. <i>Journal of the Electrochemical Society</i> , 2013, 160, A1304-A1310.	1.3	421
228	Structural Study on the UCST-Type Phase Separation of Poly( <i>N</i> -isopropylacrylamide) in Ionic Liquid. <i>Macromolecules</i> , 2013, 46, 1101-1106.	2.2	31
229	Novel Ionic Lubricants for Magnetic Thin Film Media. <i>IEEE Transactions on Magnetics</i> , 2013, 49, 3756-3759.	1.2	11
230	Protic ionic liquids: Fuel cell applications. <i>MRS Bulletin</i> , 2013, 38, 560-566.	1.7	170
231	Solvate Ionic Liquid, [Li(triglyme)1][NTf <sub>2</sub> ], as Electrolyte for Rechargeable Li-Air Battery: Discharge Depth and Reversibility. <i>Chemistry Letters</i> , 2013, 42, 1053-1055.	0.7	29
232	Intermolecular Interactions in Li-glyme and Li-glyme-TFSA Complexes: Relationship with Physicochemical Properties of [Li(glyme)][TFSA] Ionic Liquids. <i>ChemPhysChem</i> , 2013, 14, 1993-2001.	1.0	79
233	Effects of Carbon Electrode Materials on Performance of Ionic Polymer Actuators Having Electric Double-Layer Capacitor Structure. <i>Electrochemistry</i> , 2013, 81, 849-852.	0.6	15
234	Specific Solvation of Benzyl Methacrylate in 1-Ethyl-3-methylimidazolium Bis(trifluoromethanesulfonyl)amide Ionic Liquid. <i>Analytical Sciences</i> , 2013, 29, 311-314.	0.8	27



#	ARTICLE	IF	CITATIONS
235	Recent Developments in Electrochemical Devices Using Ionic Liquid Electrolytes. Journal of the Vacuum Society of Japan, 2013, 56, 67-71.	0.3	2
236	Room-Temperature Ionic Liquid Electrolytes for Alkali Metal-Sulfur Batteries. Hyomen Kagaku, 2013, 34, 309-314.	0.0	1
237	Colloidal Stability in Ionic Liquids and Relevant Soft Materials. Materials Research Society Symposia Proceedings, 2012, 1473, 7.	0.1	4
238	Correlation between Battery Performance and Lithium Ion Diffusion in Glyme-Lithium Bis(trifluoromethanesulfonyl)amide Equimolar Complexes. Journal of the Electrochemical Society, 2012, 159, A1005-A1012.	1.3	77
239	4π/4 Žā, 3āf ā, āf %ōā†æ•Łā'a'ā1/2“ā•ā—āĵ ā@ā, ā, āf 3æŕ?ā1/2“. Electrochemistry, 2012, 80, 596-601.	0.6	1
240	Protic Ionic Liquids Based on a Super-Strong Base: Correlation between Physicochemical Properties and pKa. Materials Research Society Symposia Proceedings, 2012, 1473, 1.	0.1	3
241	Solvate Ionic Liquids and Their Application to Lithium Batteries: Glyme-Lithium Bis(fluorosulfonyl)amide Equimolar Complexes. Materials Research Society Symposia Proceedings, 2012, 1473, 20.	0.1	2
242	Polymers in Ionic Liquids: Dawn of Neoteric Solvents and Innovative Materials. Bulletin of the Chemical Society of Japan, 2012, 85, 33-50.	2.0	146
243	Belousov-Zhabotinsky Reaction in Protic Ionic Liquids. Angewandte Chemie - International Edition, 2012, 51, 11991-11994.	7.2	35
244	Unlocking of interlocked heteropolymer gel by light: photoinduced volume phase transition in an ionic liquid from a metastable state to an equilibrium phase. Chemical Communications, 2012, 48, 5133.	2.2	19
245	Heat Capacities and Glass Transitions of Ion Gels. Journal of Physical Chemistry B, 2012, 116, 10935-10940.	1.2	16
246	Protic Ionic Liquids Based on Decahydroisoquinoline: Lost Superfragility and Ionicity-Fragility Correlation. Journal of Physical Chemistry B, 2012, 116, 63-70.	1.2	37
247	Structural Analysis of High Performance Ion-Gel Comprising Tetra-PEG Network. Macromolecules, 2012, 45, 3902-3909.	2.2	42
248	Structural Heterogeneity and Unique Distorted Hydrogen Bonding in Primary Ammonium Nitrate Ionic Liquids Studied by High-Energy X-ray Diffraction Experiments and MD Simulations. Journal of Physical Chemistry B, 2012, 116, 2801-2813.	1.2	116
249	Driving Mechanisms of Ionic Polymer Actuators Having Electric Double Layer Capacitor Structures. Journal of Physical Chemistry B, 2012, 116, 5080-5089.	1.2	79
250	Light-Controlled Reversible Micellization of a Diblock Copolymer in an Ionic Liquid. Macromolecules, 2012, 45, 7566-7573.	2.2	71
251	Thermoreversible high-temperature gelation of an ionic liquid with poly(benzyl methacrylate-b-methyl) Tj ETQq1 1 0,784314 rgBT /Overl	1.2	58
252	Microscopic insights into ion gel dynamics using neutron spectroscopy. Soft Matter, 2012, 8, 7888.	1.2	24



#	ARTICLE	IF	CITATIONS
253	High-performance ion gel with tetra-PEG network. <i>Soft Matter</i> , 2012, 8, 1756-1759.	1.2	129
254	Glymeâ€“Lithium Salt Equimolar Molten Mixtures: Concentrated Solutions or Solvate Ionic Liquids?. <i>Journal of Physical Chemistry B</i> , 2012, 116, 11323-11331.	1.2	348
255	Polymer Actuators Using Ion-Gel Electrolytes Prepared by Self-Assembly of ABA-Triblock Copolymers. <i>Macromolecules</i> , 2012, 45, 401-409.	2.2	159
256	Effects of Polymer Structure on Properties of Sulfonated Polyimide/Protic Ionic Liquid Composite Membranes for Nonhumidified Fuel Cell Applications. <i>ACS Applied Materials &amp; Interfaces</i> , 2012, 4, 1783-1790.	4.0	94
257	Physicochemical properties determined by $\hat{I}^{\circ}$ pKa for protic ionic liquids based on an organic super-strong base with various Brønsted acids. <i>Physical Chemistry Chemical Physics</i> , 2012, 14, 5178.	1.3	201
258	From Colloidal Stability in Ionic Liquids to Advanced Soft Materials Using Unique Media. <i>Langmuir</i> , 2011, 27, 9105-9115.	1.6	136
259	UCST Phase Transition of Azobenzene-Containing Random Copolymer in an Ionic Liquid. <i>Macromolecules</i> , 2011, 44, 6908-6914.	2.2	76
260	Liquid Structure of and $\text{Li}^{+}$ Ion Solvation in Bis(trifluoromethanesulfonyl)amide Based Ionic Liquids Composed of 1-Ethyl-3-methylimidazolium and <i>N</i> -Methyl- <i>N</i> -propylpyrrolidinium Cations. <i>Journal of Physical Chemistry B</i> , 2011, 115, 12179-12191.	1.2	102
261	Reversibility of electrochemical reactions of sulfur supported on inverse opal carbon in glymeâ€“Li salt molten complex electrolytes. <i>Chemical Communications</i> , 2011, 47, 8157.	2.2	205
262	Oxidative-Stability Enhancement and Charge Transport Mechanism in Glymeâ€“Lithium Salt Equimolar Complexes. <i>Journal of the American Chemical Society</i> , 2011, 133, 13121-13129.	6.6	663
263	Change from Glyme Solutions to Quasi-ionic Liquids for Binary Mixtures Consisting of Lithium Bis(trifluoromethanesulfonyl)amide and Glymes. <i>Journal of Physical Chemistry C</i> , 2011, 115, 18384-18394.	1.5	174
264	Physicochemical and Electrochemical Properties of Glyme-LiN(SO <sub>2</sub> F) <sub>2</sub> Complex for Safe Lithium-ion Secondary Battery Electrolyte. <i>Journal of the Electrochemical Society</i> , 2011, 158, A769.	1.3	61
265	Hydrogen bonds in protic ionic liquids and their correlation with physicochemical properties. <i>Chemical Communications</i> , 2011, 47, 12676.	2.2	103
266	Electric Double-Layer Capacitance of Inverse Opal Carbon Prepared Through Carbonization of Poly(Furfuryl Alcohol) in Contact with Polymer Gel Electrolyte Containing Ionic Liquid. <i>Polymers for Advanced Technologies</i> , 2011, 22, 1254-1260.	1.6	29
267	A Mesothermal Fuel Cell using Diethylmethylammonium Trifluoromethanesulfonate Absorbed Membrane with H <sub>3</sub> PO <sub>4</sub> Addition and Various Amount of Electrolyte Loading in Catalyst Layer. <i>Electrochemistry</i> , 2011, 79, 377-380.	0.6	5
268	Structural effects of polyethers and ionic liquids in their binary mixtures on lower critical solution temperature liquid-liquid phase separation. <i>Polymer Journal</i> , 2011, 43, 242-248.	1.3	79
269	Limiting current density in bis(trifluoromethylsulfonyl)amide-based ionic liquid for lithium batteries. <i>Journal of Power Sources</i> , 2011, 196, 2264-2268.	4.0	50
270	Favorable combination of positive and negative electrode materials with glymeâ€“Li salt complex electrolytes in lithium ion batteries. <i>Journal of Power Sources</i> , 2011, 196, 3874-3880.	4.0	30

#	ARTICLE	IF	CITATIONS
271	Structural aspects of the LCST phase behavior of poly(benzyl methacrylate) in room-temperature ionic liquid. <i>Polymer</i> , 2011, 52, 1589-1595.	1.8	58
272	LiMnPO <sub>4</sub> Nanoparticles Prepared through the Reaction between Li <sub>3</sub> PO <sub>4</sub> and Molten Aqua-complex of MnSO <sub>4</sub> . <i>Journal of the Electrochemical Society</i> , 2011, 158, A1275.	1.3	26
273	Applications of Ionic Liquids as Electrolyte for Energy Devices. <i>Journal of Ion Exchange</i> , 2011, 22, 58-64.	0.1	1
274	Limiting Current Density in Ionic Liquid Electrolyte for Lithium Batteries. <i>Electrochemistry</i> , 2010, 78, 349-352.	0.6	14
275	Physicochemical Properties of Glyme-Li Salt Complexes as a New Family of Room-temperature Ionic Liquids. <i>Chemistry Letters</i> , 2010, 39, 753-755.	0.7	260
276	Performance of Nonhumidified Intermediate-temperature Fuel Cells Based on Protic Ionic Liquids Prepared from Oxo and Amide Acids. <i>Chemistry Letters</i> , 2010, 39, 678-679.	0.7	12
277	Silica Colloidal Suspensions in Ionic Liquids: Colloidal Stability and Fabrication of Ion Gels on the basis of Colloidal Self-Assembly. <i>ACS Symposium Series</i> , 2010, , 199-210.	0.5	1
278	Electrolyte properties of 1-alkyl-2,3,5-trimethylpyrazolium cation-based room-temperature ionic liquids for lithium secondary batteries. <i>Journal of Power Sources</i> , 2010, 195, 6207-6211.	4.0	37
279	New glyme-cyclic imide lithium salt complexes as thermally stable electrolytes for lithium batteries. <i>Journal of Power Sources</i> , 2010, 195, 6095-6100.	4.0	144
280	Fabrication of protic ionic liquid/sulfonated polyimide composite membranes for non-humidified fuel cells. <i>Journal of Power Sources</i> , 2010, 195, 5909-5914.	4.0	149
281	Resonance shear measurement of nanoconfined ionic liquids. <i>Physical Chemistry Chemical Physics</i> , 2010, 12, 4066.	1.3	186
282	Nonhumidified Intermediate Temperature Fuel Cells Using Protic Ionic Liquids. <i>Journal of the American Chemical Society</i> , 2010, 132, 9764-9773.	6.6	426
283	Thermosensitive, Soft Glassy and Structural Colored Colloidal Array in Ionic Liquid: Colloidal Glass to Gel Transition. <i>Langmuir</i> , 2010, 26, 18031-18038.	1.6	52
284	Soft Glassy Colloidal Arrays in an Ionic Liquid: Colloidal Glass Transition, Ionic Transport, and Structural Color in Relation to Microstructure. <i>Journal of Physical Chemistry B</i> , 2010, 114, 13095-13103.	1.2	67
285	Solid-state dye-sensitized solar cells using polymerized ionic liquid electrolyte with platinum-free counter electrode. <i>Physical Chemistry Chemical Physics</i> , 2010, 12, 1916.	1.3	63
286	Ionicity in ionic liquids: correlation with ionic structure and physicochemical properties. <i>Physical Chemistry Chemical Physics</i> , 2010, 12, 1649.	1.3	477
287	Development of a Polymer Actuator Utilizing Ion-Gel as Electrolyte. , 2010, , 315-328.		1
288	Development of a soft actuator using a photocurable ionic gel. <i>Journal of Micromechanics and Microengineering</i> , 2009, 19, 035005.	1.5	30

#	ARTICLE	IF	CITATIONS
289	Thermodynamic study on phase transitions of poly(benzyl methacrylate) in ionic liquid solvents. <i>Pure and Applied Chemistry</i> , 2009, 81, 1829-1841.	0.9	56
290	Role of the thermoresponsive segment in determining the redox properties of phenothiazine-labeled poly(ethoxyethyl glycidyl ether)-block-poly(ethylene oxide). <i>Journal of Electroanalytical Chemistry</i> , 2009, 632, 59-63.	1.9	1
291	Thermosensitive Self-Assembly of Diblock Copolymers with Lower Critical Micellization Temperatures in an Ionic Liquid. <i>Macromolecules</i> , 2009, 42, 6239-6244.	2.2	47
292	Lower Critical Solution Temperature Phase Behavior of Linear Polymers in Imidazolium-Based Ionic Liquids: Effects of Structural Modifications. <i>Langmuir</i> , 2009, 25, 3820-3824.	1.6	72
293	Thermal Response of Poly(ethoxyethyl glycidyl ether) Grafted on Gold Surfaces Probed on the Basis of Temperature-Dependent Water Wettability. <i>Langmuir</i> , 2009, 25, 2837-2841.	1.6	18
294	Colloidal Interaction in Ionic Liquids: Effects of Ionic Structures and Surface Chemistry on Rheology of Silica Colloidal Dispersions. <i>Langmuir</i> , 2009, 25, 825-831.	1.6	122
295	Molecular Dynamics Simulations of Ionic Liquids: Cation and Anion Dependence of Self-Diffusion Coefficients of Ions. <i>Journal of Physical Chemistry B</i> , 2009, 113, 10641-10649.	1.2	236
296	Doubly Thermosensitive Self-Assembly of Diblock Copolymers in Ionic Liquids. <i>Macromolecules</i> , 2009, 42, 1315-1320.	2.2	88
297	Photoisomerization-Induced Tunable LCST Phase Separation of Azobenzene-Containing Polymers in an Ionic Liquid. <i>Langmuir</i> , 2009, 25, 8845-8848.	1.6	55
298	Electrochromism based on structural colour changes in a polyelectrolyte gel. <i>Journal of Materials Chemistry</i> , 2009, 19, 4778.	6.7	57
299	Novel styrene/N-phenylmaleimide alternating copolymers with pendant sulfonimide acid groups for polymer electrolyte fuel cell applications. <i>Journal of Materials Chemistry</i> , 2009, 19, 514-521.	6.7	20
300	A soft glassy colloidal array in ionic liquid, which exhibits homogeneous, non-brilliant and angle-independent structural colours. <i>Chemical Communications</i> , 2009, , 3603.	2.2	100
301	Hydrophobic Protic Ionic Liquid for Nonhumidified Intermediate-temperature Fuel Cells. <i>Chemistry Letters</i> , 2009, 38, 692-693.	0.7	35
302	Kinetic Salt Effects on an Ionic Reaction in Ionic Liquid/Methanol Mixtures – Viscosity and Coulombic Screening Effects. <i>Chemistry Letters</i> , 2009, 38, 236-237.	0.7	11
303	Anionic polymerization of methyl methacrylate in an ionic liquid. <i>Polymers for Advanced Technologies</i> , 2008, 19, 1441-1444.	1.6	37
304	Colloidal Stability of Bare and Polymer-Grafted Silica Nanoparticles in Ionic Liquids. <i>Langmuir</i> , 2008, 24, 5253-5259.	1.6	167
305	Quaternary Ammonium Room-Temperature Ionic Liquid/Lithium Salt Binary Electrolytes: Electrochemical Study. <i>Journal of the Electrochemical Society</i> , 2008, 155, A421.	1.3	96
306	Macromolecules in Ionic Liquids: Progress, Challenges, and Opportunities. <i>Macromolecules</i> , 2008, 41, 3739-3749.	2.2	576

#	ARTICLE	IF	CITATIONS
307	Nanocomposite Ion Gels Based on Silica Nanoparticles and an Ionic Liquid: Ionic Transport, Viscoelastic Properties, and Microstructure. <i>Journal of Physical Chemistry B</i> , 2008, 112, 9013-9019.	1.2	200
308	LCST-type liquid-liquid phase separation behaviour of poly(ethylene oxide) derivatives in an ionic liquid. <i>Chemical Communications</i> , 2008, , 4939.	2.2	109
309	Inverse Opal Carbons Derived from a Polymer Precursor as Electrode Materials for Electric Double-Layer Capacitors. <i>Journal of the Electrochemical Society</i> , 2008, 155, K42.	1.3	49
310	Development of microactuators using photopatternable ionic gel. , 2008, , .		0
311	Effects of Alkyl Chain in Imidazolium-Type Room-Temperature Ionic Liquids as Lithium Secondary Battery Electrolytes. <i>Electrochemical and Solid-State Letters</i> , 2007, 10, A237.	2.2	54
312	Difference in Lower Critical Solution Temperature Behavior between Random Copolymers and a Homopolymer Having Solvatoophilic and Solvophobic Structures in an Ionic Liquid. <i>Journal of Physical Chemistry B</i> , 2007, 111, 4750-4754.	1.2	69
313	Dye-Sensitized TiO <sub>2</sub> Solar Cells Using Imidazolium-Type Ionic Liquid Crystal Systems as Effective Electrolytes. <i>Journal of Physical Chemistry B</i> , 2007, 111, 4763-4769.	1.2	211
314	Imidazolium-Based Room-Temperature Ionic Liquid for Lithium Secondary Batteries. <i>Journal of the Electrochemical Society</i> , 2007, 154, A173.	1.3	195
315	Proton-Conducting Properties of a Brønsted Acid-Base Ionic Liquid and Ionic Melts Consisting of Bis(trifluoromethanesulfonyl)imide and Benzimidazole for Fuel Cell Electrolytes. <i>Journal of Physical Chemistry C</i> , 2007, 111, 1541-1548.	1.5	154
316	Reaction between Diiodide Anion Radicals in Ionic Liquids. <i>Journal of Physical Chemistry B</i> , 2007, 111, 4807-4811.	1.2	47
317	Preparation and Solution Behavior of a Thermoresponsive Diblock Copolymer of Poly(ethyl glycidyl) Tj ETQq1 1 0.784314 rgBT /Overlo	1.6	32
318	Lower Critical Solution Temperature Behavior of Linear Polymers in Ionic Liquids and the Corresponding Volume Phase Transition of Polymer Gels. <i>Langmuir</i> , 2007, 23, 988-990.	1.6	157
319	Acceleration of Redox Diffusion and Charge-Transfer Rates in an Ionic Liquid with Nanoparticle Addition. <i>Electrochemical and Solid-State Letters</i> , 2007, 10, F23.	2.2	69
320	Brønsted acid-base ionic liquids for fuel cell electrolytes. <i>Chemical Communications</i> , 2007, , 2539-2541.	2.2	313
321	A Thermally Adjustable Multicolor Photochromic Hydrogel. <i>Angewandte Chemie - International Edition</i> , 2007, 46, 1688-1692.	7.2	266
322	An Electrochromic and Thermochromic Hydrogel as a Full-Color Indicator. <i>Advanced Materials</i> , 2007, 19, 2807-2812.	11.1	169
323	Effect of core-shell micelle formation on the redox properties of phenothiazine-labeled poly(ethyl) Tj ETQq1 1 0.784314 rgBT /Overlo	2.5	6
324	Amphiphilic ruthenium dye as an ideal sensitizer in conversion of light to electricity using ionic liquid crystal electrolyte. <i>Electrochemistry Communications</i> , 2007, 9, 1134-1138.	2.3	53

#	ARTICLE	IF	CITATIONS
325	Highly reversible lithium metal secondary battery using a room temperature ionic liquid/lithium salt mixture and a surface-coated cathode active material. <i>Chemical Communications</i> , 2006, , 544-545.	2.2	133
326	Physicochemical Properties and Structures of Room-Temperature Ionic Liquids. 3. Variation of Cationic Structures. <i>Journal of Physical Chemistry B</i> , 2006, 110, 2833-2839.	1.2	593
327	Lithium Secondary Batteries Using Modified-Imidazolium Room-Temperature Ionic Liquid. <i>Journal of Physical Chemistry B</i> , 2006, 110, 10228-10230.	1.2	333
328	Preparations and Optical Properties of Ordered Arrays of Submicron Gel Particles: A Interconnected State and Trapped State. <i>Langmuir</i> , 2006, 22, 4403-4407.	1.6	69
329	Preparation, Characterization, and Transport Properties of Li <sup>+</sup> -Conducting Ionic Liquids. <i>ECS Meeting Abstracts</i> , 2006, , .	0.0	0
330	Design of Polymer Electrolytes to Realize High Lithium-Ionic Conductivity with Fast Interfacial Charge Transfer. <i>Kobunshi Ronbunshu</i> , 2006, 63, 1-10.	0.2	3
331	Specific Charge Transport in Ionic Liquids and Ion Gels and the Importance in Material Science. <i>Kobunshi Ronbunshu</i> , 2006, 63, 31-40.	0.2	7
332	Upper Critical Solution Temperature Behavior of Poly(N-isopropylacrylamide) in an Ionic Liquid and Preparation of Thermo-sensitive Nonvolatile Gels. <i>Chemistry Letters</i> , 2006, 35, 964-965.	0.7	141
333	Immobilization of Horseradish Peroxidase on Binary Self-assembled Monolayers with Carboxyl- and Hydroxyl-terminal Groups: Dependence of the Amount of Immobilized Enzymes and Their Electrocatalytic Activity on the Monolayer Composition. <i>Electrochemistry</i> , 2006, 74, 186-188.	0.6	2
334	Effect of the modification of phenothiazine-labeled poly(ethylene oxide) on the solubility and enzymatic electrocatalytic reaction of glucose oxidase in water/1-butyl-3-methylimidazolium tetrafluoroborate mixtures. <i>Electrochemistry Communications</i> , 2006, 8, 45-50.	2.3	8
335	How Ionic Are Room-Temperature Ionic Liquids? An Indicator of the Physicochemical Properties. <i>Journal of Physical Chemistry B</i> , 2006, 110, 19593-19600.	1.2	1,106
336	Brønsted acid-base and polybase complexes as electrolytes for fuel cells under non-humidifying conditions. <i>Electrochimica Acta</i> , 2005, 50, 4015-4021.	2.6	75
337	Ion transport properties of lithium ionic liquids and their ion gels. <i>Electrochimica Acta</i> , 2005, 50, 3872-3877.	2.6	117
338	Diffusion in Ionic Liquids and Correlation with Ionic Transport Behavior. , 2005, , 55-74.		9
339	Room-Temperature Ionic Liquid-Organic Solvent Mixtures: Conductivity and Ionic Association. <i>Electrochemistry</i> , 2005, 73, 620-622.	0.6	51
340	Ion Gels Prepared by In Situ Radical Polymerization of Vinyl Monomers in Room Temperature Ionic Liquids as Novel Highly Conductive Polymer Electrolytes. <i>ACS Symposium Series</i> , 2005, , 119-132.	0.5	3
341	Physicochemical Properties and Structures of Room Temperature Ionic Liquids. 2. Variation of Alkyl Chain Length in Imidazolium Cation. <i>Journal of Physical Chemistry B</i> , 2005, 109, 6103-6110.	1.2	1,552
342	Reversibility of Lithium Secondary Batteries Using a Room-Temperature Ionic Liquid Mixture and Lithium Metal. <i>Electrochemical and Solid-State Letters</i> , 2005, 8, A577.	2.2	129

#	ARTICLE	IF	CITATIONS
343	Electric Double-Layer Capacitors Using "Bucky Gels" Consisting of an Ionic Liquid and Carbon Nanotubes. <i>Journal of the Electrochemical Society</i> , 2005, 152, A1913.	1.3	83
344	Distinct Difference in Ionic Transport Behavior in Polymer Electrolytes Depending on the Matrix Polymers and Incorporated Salts. <i>Journal of Physical Chemistry B</i> , 2005, 109, 3886-3892.	1.2	154
345	Electron Transfer Reactions of Glucose Oxidase at Au(111) Electrodes Modified with Phenothiazine Derivatives. <i>Analytical Chemistry</i> , 2005, 77, 4142-4147.	3.2	7
346	Brønsted Acid-Base Ionic Liquids as Fuel Cell Electrolytes under Nonhumidifying Conditions. <i>ACS Symposium Series</i> , 2005, , 199-215.	0.5	3
347	Anomaly of charge transport of an iodide/tri-iodide redox couple in an ionic liquid and its importance in dye-sensitized solar cells. <i>Chemical Communications</i> , 2005, , 2107.	2.2	148
348	Ionic liquid crystal as a hole transport layer of dye-sensitized solar cells. <i>Chemical Communications</i> , 2005, , 740.	2.2	199
349	Ion Gels Prepared by in Situ Radical Polymerization of Vinyl Monomers in an Ionic Liquid and Their Characterization as Polymer Electrolytes. <i>Journal of the American Chemical Society</i> , 2005, 127, 4976-4983.	6.6	874
350	Magnitude and Directionality of Interaction in Ion Pairs of Ionic Liquids: Relationship with Ionic Conductivity. <i>Journal of Physical Chemistry B</i> , 2005, 109, 16474-16481.	1.2	468
351	Synthesis, Characterization, and Copolymerization of a Series of Novel Acid Monomers Based on Sulfonimides for Proton Conducting Membranes. <i>Macromolecules</i> , 2004, 37, 5572-5577.	2.2	20
352	Physicochemical Properties and Structures of Room Temperature Ionic Liquids. 1. Variation of Anionic Species. <i>Journal of Physical Chemistry B</i> , 2004, 108, 16593-16600.	1.2	1,234
353	Proton exchange membranes based on sulfonimide for fuel cell applications. <i>Electrochimica Acta</i> , 2004, 50, 633-638.	2.6	27
354	Preparation and transport properties of novel lithium ionic liquids. <i>Electrochimica Acta</i> , 2004, 50, 305-309.	2.6	114
355	High performance dye-sensitized solar cells using ionic liquids as their electrolytes. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2004, 164, 87-92.	2.0	295
356	Application of an ionic liquid-based electrolyte to a mm sized dye-sensitized solar cell. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2004, 164, 129-135.	2.0	57
357	IR spectroscopy and quantum mechanical calculations of lithium ion transport conditions in a single ion conducting polymer electrolyte. <i>Polymer</i> , 2004, 45, 9057-9065.	1.8	16
358	Effect of binder polymer structures used in composite cathodes on interfacial charge transfer processes in lithium polymer batteries. <i>Electrochimica Acta</i> , 2004, 50, 379-383.	2.6	30
359	Surface activity and redox behavior of a non-ionic surfactant containing a phenothiazine group. <i>Colloids and Surfaces B: Biointerfaces</i> , 2004, 38, 167-173.	2.5	12
360	Temperature-Induced Reversible Change in the Redox Response in Phenothiazine-Labeled Poly(ethoxyethyl glycidyl ether) and Its Application to the Thermal Control of the Catalytic Reaction of Glucose Oxidase. <i>Langmuir</i> , 2004, 20, 8786-8791.	1.6	11



#	ARTICLE	IF	CITATIONS
361	Design of Polymer Electrolytes Based on a Lithium Salt of a Weakly Coordinating Anion to Realize High Ionic Conductivity with Fast Charge-Transfer Reaction. <i>Journal of Physical Chemistry B</i> , 2004, 108, 11995-12002.	1.2	43
362	Effects of Novel Boric Acid Esters on Ion Transport Properties of Lithium Salts in Nonaqueous Electrolyte Solutions and Polymer Electrolytes. <i>Journal of Physical Chemistry B</i> , 2004, 108, 19518-19526.	1.2	29
363	Effect of a Modification Site on the Electron-Transfer Reaction of Glucose Oxidase Hybrids Modified with Phenothiazine via a Poly(ethylene oxide) Spacer. <i>Langmuir</i> , 2004, 20, 9177-9183.	1.6	4
364	Borated Acid-Base Ionic Liquids as Proton-Conducting Nonaqueous Electrolytes. <i>Journal of Physical Chemistry B</i> , 2003, 107, 4024-4033.	1.2	652
365	Template Synthesis and Optical Properties of Chameleonic Poly(N-isopropylacrylamide) Gels Using Closest-Packed Self-Assembled Colloidal Silica Crystals. <i>Advanced Materials</i> , 2003, 15, 199-201.	11.1	160
366	Simple and Precise Preparation of a Porous Gel for a Colorimetric Glucose Sensor by a Templating Technique. <i>Angewandte Chemie - International Edition</i> , 2003, 42, 4197-4200.	7.2	237
367	Characterization and ionic transport properties of nano-composite electrolytes containing a lithium salt of a superweak aluminate anion. <i>Electrochimica Acta</i> , 2003, 48, 2085-2091.	2.6	34
368	Synthesis of a Lewis-acidic boric acid ester monomer and effect of its addition to electrolyte solutions and polymer gel electrolytes on their ion transport properties. <i>Electrochimica Acta</i> , 2003, 48, 2105-2112.	2.6	32
369	Inter/Intramolecular Interaction and Chiral Recognition of Water-Soluble Copolymers and Their Hydrogels Containing an Optically Active Group. <i>Langmuir</i> , 2003, 19, 8542-8549.	1.6	10
370	Tuning Structural Color Changes of Porous Thermosensitive Gels through Quantitative Adjustment of the Cross-Linker in Pre-gel Solutions. <i>Langmuir</i> , 2003, 19, 9104-9106.	1.6	132
371	Synthesis and Properties of Ion-Conducting Poly(anthrylacetylene) Derivatives. <i>Macromolecules</i> , 2003, 36, 4786-4789.	2.2	7
372	Comparison of Catalytic Electrochemistry of Glucose Oxidase between Covalently Modified and Freely Diffusing Phenothiazine-Labeled Poly(ethylene oxide) Mediator Systems. <i>Journal of Physical Chemistry B</i> , 2003, 107, 8834-8839.	1.2	13
373	Electrical Communication between Glucose Oxidase and Electrodes Mediated by Phenothiazine-Labeled Poly(ethylene oxide) Bonded to Lysine Residues on the Enzyme Surface. <i>Analytical Chemistry</i> , 2003, 75, 910-917.	3.2	25
374	Template Synthesis of Poly(N-isopropylacrylamide) Minigels Using Interconnecting Macroporous Polystyrene. <i>Langmuir</i> , 2003, 19, 525-528.	1.6	21
375	Controlled Multistructural Color of a Gel Membrane. <i>Langmuir</i> , 2003, 19, 9554-9557.	1.6	43
376	Borated acid-base ionic liquids and their use as new materials for anhydrous proton conductors. <i>Chemical Communications</i> , 2003, , 938.	2.2	386
377	Simple and precision design of porous gel as a visible indicator for ionic species and concentration. <i>Chemical Communications</i> , 2003, , 2126.	2.2	118
378	Self-Sustaining Peristaltic Motion on the Surface of a Porous Gel. <i>Journal of the American Chemical Society</i> , 2003, 125, 13320-13321.	6.6	85



#	ARTICLE	IF	CITATIONS
379	Equilibrium potentials and charge transport of an I <sup>+</sup> /I <sup>3+</sup> redox couple in an ionic liquid. <i>Chemical Communications</i> , 2003, , 330-331.	2.2	176
380	A Novel Brønsted Acid-Base System as Anhydrous Proton Conductors for Fuel Cell Electrolytes. <i>Chemistry Letters</i> , 2003, 32, 836-837.	0.7	53
381	Novel Thermosensitive Polyethers Prepared by Anionic Ring-Opening Polymerization of Glycidyl Ether Derivatives. <i>Chemistry Letters</i> , 2002, 31, 1128-1129.	0.7	53
382	Electron Transfer Reaction of Glucose Oxidase Hybrids Modified with Phenothiazine via Poly(ethylene Terephthalate) Overlayer. <i>Journal of Electroanalytical Chemistry</i> , 2002, 54, 107-110.	0.7	4
383	Polymer Gels that Memorize Structures of Mesoscopically Sized Templates. Dynamic and Optical Nature of Periodic Ordered Mesoporous Chemical Gels. <i>Langmuir</i> , 2002, 18, 5977-5980.	1.6	117
384	Synthesis, Characterization, and Ion-Conductive Behavior in an Organic Solvent and in a Polyether of a Novel Lithium Salt of a Perfluorinated Polyimide Anion. <i>Macromolecules</i> , 2002, 35, 1403-1411.	2.2	42
385	Polymer electrolytes derived from dendritic polyether macromonomers. <i>Solid State Ionics</i> , 2002, 148, 399-404.	1.3	40
386	Electrochromic Properties of Poly(2,2,5-trimethyl-6-vinylbenzofuran) Derivatives. <i>Electrochemistry</i> , 2002, 70, 140-144.	0.6	20
387	Fast electron transfer between glucose oxidase and electrodes via phenothiazine mediators with poly(ethylene oxide) spacers attached to the enzyme surface. <i>Electrochemistry Communications</i> , 2001, 3, 649-653.	2.3	21
388	Amperometric Biosensor for Polyphenol Based on Horseradish Peroxidase Immobilized on Gold Electrodes. <i>Electroanalysis</i> , 2001, 13, 408-412.	1.5	65
389	Anionic effect on ion transport properties in network polyether electrolytes. <i>Electrochimica Acta</i> , 2001, 46, 1487-1491.	2.6	80
390	Effects of addition of a boric acid ester monomer to electrolyte solutions and gel electrolytes on their ionic transport properties. <i>Electrochimica Acta</i> , 2001, 46, 1609-1614.	2.6	34
391	Pulsed-Gradient Spin Echo 1H and 19F NMR Ionic Diffusion Coefficient, Viscosity, and Ionic Conductivity of Non-Chloroaluminate Room-Temperature Ionic Liquids. <i>Journal of Physical Chemistry B</i> , 2001, 105, 4603-4610.	1.2	963
392	XPS study of lithium surface after contact with lithium-salt doped polymer electrolytes. <i>Electrochimica Acta</i> , 2001, 46, 1595-1603.	2.6	164
393	Polypyrrole/Polymer Electrolyte Composites Prepared by In Situ Electropolymerization of Pyrrole as Cathode/Electrolyte Material for Facile Electron Transfer at the Solid Interface. <i>Journal of the Electrochemical Society</i> , 2001, 148, D43.	1.3	25
394	Electrochemical Study on Swelling Change of Poly(N-isopropyl acrylamide) Gels in Response to Additives by Using Gel-modified Microdisk Electrodes and a Redox Probe. <i>Electrochemistry</i> , 2001, 69, 1002-1007.	0.6	2
395	Amperometric Detection of Polyphenols Using Peroxidase-Immobilized Gold Electrodes. <i>Chemistry Letters</i> , 2000, 29, 1020-1021.	0.7	3
396	Highly conductive polymer electrolytes prepared by in situ polymerization of vinyl monomers in room temperature molten salts. <i>Electrochimica Acta</i> , 2000, 45, 1265-1270.	2.6	420

#	ARTICLE	IF	CITATIONS
397	Electrochemical properties of polymer gel electrolytes based on poly(vinylidene fluoride) copolymer and homopolymer. <i>Electrochimica Acta</i> , 2000, 45, 1347-1360.	2.6	148
398	Single ion conduction in polyether electrolytes alloyed with lithium salt of a perfluorinated polyimide. <i>Electrochimica Acta</i> , 2000, 45, 1187-1192.	2.6	100
399	Effect of pH and the extent of micellization on the redox behavior of non-ionic surfactants containing an anthraquinone group. <i>Journal of Electroanalytical Chemistry</i> , 2000, 481, 192-199.	1.9	25
400	Study of the Correlation of the Cyclic Voltammetric Responses of a Nonionic Surfactant Containing an Anthraquinone Group with the Dissolved States. <i>Langmuir</i> , 2000, 16, 3509-3516.	1.6	21
401	Chemical and Electrochemical Characterization of Polymer Gel Electrolytes Based on a Poly(alkylene) Tj ETQq1 1 0.784314 rgBT /Over 2000, 147, 2517.	1.3	38
402	Preparation, Mechanical Properties, and Electrochemical Characterization of Polymer Gel Electrolytes Prepared from Poly(alkylene oxide) Macromonomers. <i>Journal of the Electrochemical Society</i> , 1999, 146, 1626-1632.	1.3	55
403	Surface activity and redox behavior of nonionic surfactants containing an anthraquinone group as the redox-active site. <i>Colloid and Polymer Science</i> , 1999, 277, 1125-1133.	1.0	17
404	High Ionic Conductivity of Polyether-Based Network Polymer Electrolytes with Hyperbranched Side Chains. <i>Macromolecules</i> , 1999, 32, 1541-1548.	2.2	224
405	Electron Transfer Reaction from Glucose Oxidase to an Electrode via Redox Copolymers. <i>Polymer Journal</i> , 1999, 31, 1149-1154.	1.3	12
406	Preparation of Polypyrrole/Polymer Electrolyte Composites with Concentration Gradient of Polypyrrole as Cathode/Electrolyte Material for Lithium Secondary Battery. <i>Electrochemistry</i> , 1999, 67, 1159-1161.	0.6	2
407	High ionic conductivity of new polymer electrolytes based on high molecular weight polyether comb polymers. <i>Electrochimica Acta</i> , 1998, 43, 1177-1184.	2.6	187
408	Characterization of poly(vinylferrocene-co-2-hydroxyethyl methacrylate) for use as electron mediator in enzymatic glucose sensor. <i>Reactive and Functional Polymers</i> , 1998, 37, 263-269.	2.0	58
409	Molecular Specific Swelling Change of Hydrogels in Accordance with the Concentration of Guest Molecules. <i>Journal of the American Chemical Society</i> , 1998, 120, 5577-5578.	6.6	107
410	Network Polymer Electrolytes with Free Chain Ends as Internal Plasticizer. <i>Journal of the Electrochemical Society</i> , 1998, 145, 1521-1527.	1.3	84
411	Surface and Interface-New Functions of Biorelated Polymers I. Design of Enzymatic Glucose Sensor by Using Biocompatible Polymeric Mediator.. <i>Kobunshi Ronbunshu</i> , 1998, 55, 200-206.	0.2	2
412	Branched Effect in Ion-conducting Polymers. <i>Kobunshi</i> , 1998, 47, 829-829.	0.0	0
413	Photochromic, Electrochemical, and Photoelectrochemical Properties of Novel Azopyridinium Derivatives. <i>Bulletin of the Chemical Society of Japan</i> , 1997, 70, 737-744.	2.0	27
414	Molecular Relaxations of a Branched Poly(oxyethylene) Network Polymer. <i>Polymer Journal</i> , 1997, 29, 429-433.	1.3	3

#	ARTICLE	IF	CITATIONS
415	Cyclic voltammetric study of redox-active surfactant by hydrogel-modified electrode. <i>Polymer Gels and Networks</i> , 1997, 5, 369-383.	0.6	1
416	Effect of supporting electrolyte concentration on the electrochemical reaction of redox-active surfactant micelles in aqueous solutions. <i>Journal of Electroanalytical Chemistry</i> , 1997, 438, 153-158.	1.9	10
417	Electrochemical Studies of a Redox-Active Surfactant. Correlation between Electrochemical Responses and Dissolved States. <i>Langmuir</i> , 1996, 12, 487-493.	1.6	29
418	Molecular design of ion and ion/electron mixed conducting polymers. <i>Macromolecular Symposia</i> , 1996, 105, 229-233.	0.4	1
419	Conductivity study on ionic liquid/polymer complexes. <i>Solid State Ionics</i> , 1996, 86-88, 353-356.	1.3	42
420	Transport and electrochemical characterization of plasticized poly(vinyl chloride) solid electrolytes. <i>Solid State Ionics</i> , 1996, 86-88, 385-393.	1.3	87
421	Drug Releasing Mechanism from Redox Active Micelles. , 1996, , 371-372.		0
422	Supramolecules I. Interaction between Redox-Active Non-Ionic Surfactant Micelle and Poly(acrylic) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	0.2	6
423	Ionic conductivity of polymer electrolytes containing room temperature molten salts based on pyridinium halide and aluminium chloride. <i>Electrochimica Acta</i> , 1995, 40, 2285-2288.	2.6	84
424	Structural effect of redox active sites on electron hopping rate in mixed conducting copolymers. <i>Polymers for Advanced Technologies</i> , 1995, 6, 190-196.	1.6	4
425	Effects of network structures and incorporated salt species on electrochemical properties of polyether-based polymer electrolytes. <i>Solid State Ionics</i> , 1995, 79, 306-312.	1.3	139
426	Electrochemical control of drug release from redox-active micelles. <i>Journal of Controlled Release</i> , 1995, 33, 79-87.	4.8	51
427	The Effect of Polymer Structures on the Ionic Association of LiClO <sub>4</sub> in Polyether-Based Network Polymer Electrolytes Studied by FT-Raman Scattering Spectroscopy. <i>Journal of the Electrochemical Society</i> , 1995, 142, L205-L207.	1.3	6
428	Redox Activity of Vinylferrocene Copolymers by Electron Hopping Reaction in the Absence of Fluid Solvents. <i>The Journal of Physical Chemistry</i> , 1995, 99, 12294-12300.	2.9	28
429	Super ion conducting polymers for solid polymer electrolytes. <i>Synthetic Metals</i> , 1995, 69, 521-524.	2.1	9
430	Electron transfer reaction between fixed redox sites in ion/electron mixed conducting polymers. <i>Synthetic Metals</i> , 1995, 69, 557-558.	2.1	5
431	Preparation of Novel Redox Copolymers : Poly [ferrocenylmethyl methacrylate-co-methoxy-oligo (ethylene oxide) methacrylate], and Their Use as Polymeric Mediators in Amperometric Glucose Sensors. <i>Electrochemistry</i> , 1995, 63, 1088-1094.	0.3	7
432	In-Situ Polycondensation for Synthesis of Composites of Elastomeric Polymers and Poly( <sup>13</sup> -methyl) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	1.3	4

#	ARTICLE	IF	CITATIONS
433	Electrochemical and Photochromic Properties of Azopyridinium Methylsulfates. <i>Chemistry Letters</i> , 1994, 23, 1785-1788.	0.7	7
434	Editorial—ion-conductive polymers. <i>Polymers for Advanced Technologies</i> , 1993, 4, 51-51.	1.6	0
435	Synthesis of polymer electrolytes based on poly[2-(2-methoxyethoxy)ethyl glycidyl ether] and their high ionic conductivity. <i>Polymers for Advanced Technologies</i> , 1993, 4, 85-91.	1.6	30
436	Ionic conductivity and side chain relaxation in polyglutamates having oligo(ethylene oxide) chains. <i>Polymers for Advanced Technologies</i> , 1993, 4, 179-187.	1.6	14
437	Gel-type solid polymer electrolytes for rechargeable film batteries. <i>Polymers for Advanced Technologies</i> , 1993, 4, 205-208.	1.6	11
438	In-situ direct polycondensation in polymer matrices. II. In-situ direct polycondensation in styrene—butadiene block copolymers. <i>Journal of Polymer Science Part A</i> , 1993, 31, 597-602.	2.5	12
439	High ionic conductivity of new polymer electrolytes consisting of polypyridinium, pyridinium and aluminium chloride. <i>Journal of the Chemical Society Chemical Communications</i> , 1993, , 929.	2.0	76
440	Electrochemical Study of Swelling Change of Poly(N-isopropyl acrylamide) Gels Using Gel-Modified Ultramicroelectrodes. <i>Journal of Intelligent Material Systems and Structures</i> , 1993, 4, 216-222.	1.4	4
441	Experimental aspects of solid-state voltammetry. <i>Analytical Chemistry</i> , 1992, 64, 1132-1140.	3.2	55
442	Effects of Composition and Sequence Distribution on Ionic Conductivity in Poly(ethylene Terephthalate) / Overlock 10 Tf 50 387 Td Kagaku Kaishi / Chemical Society of Japan - Chemistry and Industrial Chemistry Journal, 1992, 1992, 74-82.	0.1	1
443	High Ionic Conductivity of Polymer Complexes Formed by Polypyridinium, Pyridinium, and Aluminium Chloride. <i>Materials Research Society Symposia Proceedings</i> , 1992, 293, 135.	0.1	2
444	In situ polycondensation for synthesis of composites of elastomeric matrixes and wholly aromatic polyamides. <i>Chemistry of Materials</i> , 1992, 4, 1123-1128.	3.2	13
445	Ionic motions in network polymers containing lithium perchlorate. <i>Polymer</i> , 1992, 33, 4699-4704.	1.8	21
446	Ion/electron mixed conductors based on polymer electrolytes. <i>Electrochimica Acta</i> , 1992, 37, 1521-1523.	2.6	14
447	A new polymer electrolyte based on polyglycidylether. <i>Electrochimica Acta</i> , 1992, 37, 1725-1727.	2.6	46
448	Synthesis of Ultra-thin Films of Poly(vinylenebenzothiazole) at Air/Water Interface. <i>Chemistry Letters</i> , 1990, 19, 779-782.	0.7	4
449	Voltammetric measurement of ultraslow diffusion rates in polymeric media with microdisk electrodes. <i>Analytical Chemistry</i> , 1990, 62, 747-752.	3.2	56
450	Synthesis of ultra-thin films of aromatic polymers at air/water interface. <i>Journal of Polymer Science Part A</i> , 1990, 28, 3221-3230.	2.5	6

#	ARTICLE	IF	CITATIONS
451	Solid-state voltammetry and self-diffusion dynamics of a linear monotagged redox polymer: .omega.-ferrocenecarboxamido-.alpha.-methoxypoly(ethylene oxide). Journal of the American Chemical Society, 1990, 112, 3730-3736.	6.6	33
452	The Electrochemistry Group Medal Lecture. Electron self-exchange dynamics between redox sites in polymers. Faraday Discussions of the Chemical Society, 1989, 88, 1.	2.2	67
453	Synthesis of Semi-Rigid Polyesteramides Having Piperazine Ring as a Mesogenic Unit. Polymer Journal, 1989, 21, 951-954.	1.3	0
454	New Lithium Salt Ionic Conductor Using Poly(vinyl alcohol) Matrix. Chemistry Letters, 1989, 18, 1913-1916.	0.7	9
455	Ionic conductivity of polymer electrolytes and future applications. British Polymer Journal, 1988, 20, 181-192.	0.7	128
456	A polymer complex as a new type of electron beam resist for dry development. Polymer Engineering and Science, 1988, 28, 912-915.	1.5	0
457	Langmuir-Blodgett films of acetalized poly(vinyl alcohol)s. Thin Solid Films, 1988, 161, 305-313.	0.8	25
458	Regulation of supermolecular structure of amphiphilic polymers by means of the Langmuir-Blodgett technique. Macromolecules, 1988, 21, 2997-3003.	2.2	36
459	Direct Copolycondensation for the Synthesis of Copolyamides or Copolyesters. Polymer Journal, 1988, 20, 529-537.	1.3	8
460	Polypyrrole/Polymer Electrolyte Bilayer Composites Prepared by Electrochemical Polymerization of Pyrrole Using Ion-Conducting Polymers as a Solid Electrolyte. Chemistry Letters, 1987, 16, 1239-1242.	0.7	8
461	Stepwise deposition of oriented monolayer-polymer films by the Langmuir-Blodgett technique. Macromolecules, 1987, 20, 452-454.	2.2	18
462	Protonic conduction in poly(ethylenimine) hydrates. Macromolecules, 1987, 20, 968-973.	2.2	18
463	Direct Polycondensation Reaction Using Polymeric Triphenylphosphine as an Initiator. Polymer Journal, 1987, 19, 1351-1357.	1.3	2
464	Carrier transport and generation processes in polymer electrolytes based on poly(ethylene oxide) networks. Macromolecules, 1987, 20, 569-573.	2.2	89
465	Preparation and polarizing microscopic study of poly(alkyl acrylate-g-polybenzamide)s. Journal of Polymer Science Part A, 1987, 25, 727-730.	2.5	7
466	Structure-conductivity relationshp in polymer electrolytes formed by network polymers from poly[dimethylsiloxane-g- poly(ethylene oxide)] and litegum perchlorate. Journal of Power Sources, 1987, 20, 327-332.	4.0	69
467	Ionic Conductivity of Network Polymers from Poly(ethylene oxide) Containing Lithium Perchlorate. Polymer Journal, 1986, 18, 809-817.	1.3	89
468	Investigation of ion transport in network polymers from poly(propylene oxide) using azobenzene probes. Macromolecules, 1986, 19, 1921-1925.	2.2	15

#	ARTICLE	IF	CITATIONS
469	Effects of polymer structure and incorporated salt species on ionic conductivity of polymer complexes formed by aliphatic polyester and alkali metal thiocyanate. <i>Macromolecules</i> , 1986, 19, 188-192.	2.2	48
470	Correlation between ionic conductivity and the dynamic mechanical property of polymer complexes formed by a segmented polyether poly(urethane urea) and lithium perchlorate. <i>Macromolecules</i> , 1986, 19, 815-819.	2.2	47
471	Correlation between ionic conductivity and segmental motion of polymer complexes consisting of crosslinked poly(propylene oxide) and lithium perchlorate.. <i>Nippon Kagaku Kaishi / Chemical Society of Japan - Chemistry and Industrial Chemistry Journal</i> , 1986, 1986, 428-434.	0.1	4
472	Syntheses of polyurea by direct polycondensation of diamines with alkali metal carbonates. <i>Journal of Polymer Science, Part C: Polymer Letters</i> , 1986, 24, 65-67.	0.7	7
473	Synthesis of polyurea by direct polycondensation of 4-aminophenyl ether with lithium carbonate. <i>Journal of Polymer Science Part A</i> , 1986, 24, 1915-1921.	2.5	6
474	Effect of polycondensation methods on molecular weight distribution of nylon 610. <i>Journal of Polymer Science: Polymer Chemistry Edition</i> , 1985, 23, 3081-3093.	0.8	7
475	Ionic Conductivity and Mobility of Poly(propylene oxide) Networks Dissolving Alkali Metal Thiocyanates. <i>Polymer Journal</i> , 1985, 17, 549-555.	1.3	42
476	Morphology and ionic conductivity of polymer complexes formed by segmented polyether poly(urethane urea) and lithium perchlorate. <i>Macromolecules</i> , 1985, 18, 1945-1950.	2.2	93
477	Ionic conductivity and mobility in network polymers from poly(propylene oxide) containing lithium perchlorate. <i>Journal of Applied Physics</i> , 1985, 57, 123-128.	1.1	271
478	Evaluation of ionic mobility and transference number in a polymeric solid electrolyte by isothermal transient ionic current method. <i>Journal of Applied Physics</i> , 1985, 58, 736-740.	1.1	79
479	High ionic conductivity in poly(dimethyl siloxane-co-ethylene oxide) dissolving lithium perchlorate. <i>Journal of Polymer Science, Polymer Letters Edition</i> , 1984, 22, 659-663.	0.4	140
480	Syntheses and electrical conductivity of polyamides containing tetrathiafulvalene moieties in the main chain. <i>Journal of Polymer Science: Polymer Chemistry Edition</i> , 1984, 22, 1299-1307.	0.8	4
481	Ionic conductivity of polymer complexes formed by poly(ethylene succinate) and lithium perchlorate. <i>Macromolecules</i> , 1984, 17, 2902-2908.	2.2	94
482	Ionic conductivity of polymer complexes formed by poly( $\beta$ -propiolactone) and lithium perchlorate. <i>Macromolecules</i> , 1984, 17, 2908-2912.	2.2	82
483	Temperature Dependence of Ionic Conductivity of Crosslinked Poly(propylene oxide) Films Dissolving Lithium Salts and Their Interfacial Charge Transfer Resistance in Contact with Lithium Electrodes. <i>Polymer Journal</i> , 1984, 16, 711-716.	1.3	48
484	Anisotropic electrical conductivity of drawn elastomeric ionene $\epsilon$ -TCNQ salts. <i>Journal of Polymer Science: Polymer Chemistry Edition</i> , 1983, 21, 2397-2404.	0.8	4
485	Thermoswitching property in TCNQ salts of ionenes containing poly(ethylene oxide) segments. <i>Journal of Polymer Science: Polymer Chemistry Edition</i> , 1983, 21, 3145-3153.	0.8	6
486	Ionic conductivity of hybrid films composed of polyacrylonitrile, ethylene carbonate, and LiClO <sub>4</sub> . <i>Journal of Polymer Science, Polymer Physics Edition</i> , 1983, 21, 939-948.	1.0	134

#	ARTICLE	IF	CITATIONS
487	Effect of poly(propylene oxide) segment size on structure-property relationships in elastomeric ionene. <i>Polymer</i> , 1983, 24, 491-497.	1.8	7
488	Effect of Molecular Weight of Polymeric Solvent on Ion Conductive Behavior in Poly(propylene) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 70	1.3	67
489	<i>Polymer Journal</i> , 1983, 15, 175-177.	1.3	44
490	Ionic Conductivity of Polymeric Solid Electrolytes Based on Poly(propylene oxide) or Poly(tetramethylene oxide). <i>Polymer Journal</i> , 1982, 14, 877-886.	1.3	40
491	Preparation of Elastomeric Ionene Polymers Containing 4,4'-Bipyridinium or 1,2-Bis(4-pyridinium)ethylene Ring and the Conductivity of Their TCNQ Salts. <i>Polymer Journal</i> , 1982, 14, 189-195.	1.3	20
492	Electrical conductivity of the poly (N-hexamethylene triethylenediammonium dibromide)-CuBr solid electrolyte. <i>Electrochimica Acta</i> , 1982, 27, 1153-1155.	2.6	2
493	Ionic conductivity of hybrid films based on polyacrylonitrile and their battery application. <i>Journal of Applied Polymer Science</i> , 1982, 27, 4191-4198.	1.3	53
494	Microstructure and electric properties of elastomeric ionene-TCNQ salts. <i>Journal of Polymer Science: Polymer Chemistry Edition</i> , 1982, 20, 2669-2680.	0.8	16
495	Preparation of polycations by polymerizing biscations and the conductivity of their TCNQ salts. <i>Die Makromolekulare Chemie</i> , 1981, 182, 2659-2669.	1.1	5
496	High lithium ionic conductivity of polymeric solid electrolytes. <i>Die Makromolekulare Chemie Rapid Communications</i> , 1981, 2, 741-744.	1.1	117
497	Electrically conductive TCNQ salt of elastometric polycation. <i>Journal of Polymer Science, Polymer Letters Edition</i> , 1981, 19, 331-334.	0.4	6
498	Electrochemical Pretreatment of Solid Electrolyte Interphase Formation for Enhanced Li <sub>4</sub> Ti <sub>5</sub> O <sub>12</sub> Anode Performance in a Molten Li-Ca Binary Salt Hydrate Electrolyte. <i>ChemElectroChem</i> , 0, , .	1.7	0
499	LiNi <sub>0.5</sub> Mn <sub>1.5</sub> O <sub>4</sub> -Hybridized Gel Polymer Cathode and Gel Polymer Electrolyte Containing a Sulfolane-Based Highly Concentrated Electrolyte for the Fabrication of a 5 V Class of Flexible Lithium Batteries. <i>ACS Omega</i> , 0, , .	1.6	3