Valdemar I. Esteves

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/9140824/valdemar-i-esteves-publications-by-year.pdf

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

152
papers

4,205
citations

4,876
ext. papers

4,876
ext. citations

37
h-index

57
g-index

5.91
L-index

#	Paper	IF	Citations
152	Responses of Ruditapes philippinarum to contamination by pharmaceutical drugs under ocean acidification scenario <i>Science of the Total Environment</i> , 2022 , 153591	10.2	1
151	Metabolic and oxidative status alterations induced in Ruditapes philippinarum exposed chronically to estrogen 17\text{\text{\text{E}}}thinylestradiol under a warming scenario <i>Aquatic Toxicology</i> , 2022 , 244, 106078	5.1	1
150	Salinity-dependent impacts on the effects of antiepileptic and antihistaminic drugs in Ruditapes philippinarum. <i>Science of the Total Environment</i> , 2022 , 806, 150369	10.2	0
149	Overview of relevant economic and environmental aspects of waste-based activated carbons aimed at adsorptive water treatments. <i>Journal of Cleaner Production</i> , 2022 , 344, 130984	10.3	2
148	Multivariable optimization of activated carbon production from microwave pyrolysis of brewery wastes - Application in the removal of antibiotics from water <i>Journal of Hazardous Materials</i> , 2022 , 431, 128556	12.8	1
147	Sulfadiazine photodegradation using a novel magnetic and reusable carbon based photocatalyst: Photocatalytic efficiency and toxic impacts to marine bivalves <i>Journal of Environmental Management</i> , 2022 , 313, 115030	7.9	0
146	Effects of Carbamazepine in Bivalves: A Review. <i>Reviews of Environmental Contamination and Toxicology</i> , 2021 , 254, 163-181	3.5	
145	Photodegradation of Aquaculture Antibiotics Using Carbon Dots-TiO Nanocomposites <i>Toxics</i> , 2021 , 9,	4.7	1
144	Impact of UASB reactors operation mode on the removal of estrone and 17\(\text{\text{\text{E}}}\)thinylestradiol from wastewaters. Science of the Total Environment, 2021 , 764, 144291	10.2	3
143	How temperature can alter the combined effects of carbon nanotubes and caffeine in the clam Ruditapes decussatus?. <i>Environmental Research</i> , 2021 , 195, 110755	7.9	4
142	Effects of temperature on caffeine and carbon nanotubes co-exposure in Ruditapes philippinarum. <i>Chemosphere</i> , 2021 , 271, 129775	8.4	7
141	In situ functionalization of a cellulosic-based activated carbon with magnetic iron oxides for the removal of carbamazepine from wastewater. <i>Environmental Science and Pollution Research</i> , 2021 , 28, 18314-18327	5.1	12
140	Optimizing microwave-assisted production of waste-based activated carbons for the removal of antibiotics from water. <i>Science of the Total Environment</i> , 2021 , 752, 141662	10.2	11
139	Effects of thiol functionalization of a waste-derived activated carbon on the adsorption of sulfamethoxazole from water: Kinetic, equilibrium and thermodynamic studies. <i>Journal of Molecular Liquids</i> , 2021 , 323, 115003	6	8
138	Towards a model for aerosol removal by rain scavenging: The role of physical-chemical characteristics of raindrops. <i>Water Research</i> , 2021 , 190, 116758	12.5	4
137	Can ocean warming alter sub-lethal effects of antiepileptic and antihistaminic pharmaceuticals in marine bivalves?. <i>Aquatic Toxicology</i> , 2021 , 230, 105673	5.1	15
136	Removal of methylene blue from aqueous solutions using a solid residue of the apple juice industry: Full factorial design, equilibrium, thermodynamics and kinetics aspects. <i>Journal of Molecular Structure</i> , 2021 , 1224, 129296	3.4	23

Impacts of climate change-abiotic factors on the effects caused by pharmaceutical residues to marine organisms **2021**, 591-624

134	Green Separation Techniques for Omics Platforms Liquid Chromatography and Capillary Electrophoresis 2021 , 627-644		
133	Characterization and use of a lignin sample extracted from Eucalyptus grandis sawdust for the removal of methylene blue dye. <i>International Journal of Biological Macromolecules</i> , 2021 , 170, 375-389	7.9	14
132	Occurrence of the antiepileptic carbamazepine in water and bivalves from marine environments: A review. <i>Environmental Toxicology and Pharmacology</i> , 2021 , 86, 103661	5.8	10
131	Biochar-TiO magnetic nanocomposites for photocatalytic solar-driven removal of antibiotics from aquaculture effluents. <i>Journal of Environmental Management</i> , 2021 , 294, 112937	7.9	10
130	Sustainable and recoverable waste-based magnetic nanocomposites used for the removal of pharmaceuticals from wastewater. <i>Chemical Engineering Journal</i> , 2021 , 426, 129974	14.7	4
129	Solidified floating organic drop microextraction (SFODME) for the simultaneous analysis of three non-steroidal anti-inflammatory drugs in aqueous samples by HPLC. <i>Analytical and Bioanalytical Chemistry</i> , 2021 , 413, 1851-1859	4.4	3
128	Producing Magnetic Nanocomposites from Paper Sludge for the Adsorptive Removal of Pharmaceuticals from Water-A Fractional Factorial Design. <i>Nanomaterials</i> , 2021 , 11,	5.4	6
127	ELISA as an effective tool to determine spatial and seasonal occurrence of emerging contaminants in the aquatic environment. <i>Analytical Methods</i> , 2020 , 12, 2517-2526	3.2	3
126	Photodegradation of sulfadiazine in different aquatic environments - Evaluation of influencing factors. <i>Environmental Research</i> , 2020 , 188, 109730	7.9	9
125	Chemical composition of rainwater under two events of aerosol transport: A Saharan dust outbreak and wildfires. <i>Science of the Total Environment</i> , 2020 , 734, 139202	10.2	4
124	Core-Shell Molecularly Imprinted Polymers on Magnetic Yeast for the Removal of Sulfamethoxazole from Water. <i>Polymers</i> , 2020 , 12,	4.5	9
123	Biochar in soil mitigates dimethoate hazard to soil pore water exposed biota. <i>Journal of Hazardous Materials</i> , 2020 , 400, 123304	12.8	7
122	Recent advances on the development and application of magnetic activated carbon and char for the removal of pharmaceutical compounds from waters: A review. <i>Science of the Total Environment</i> , 2020 , 718, 137272	10.2	52
121	Monitoring pharmaceuticals in the aquatic environment using enzyme-linked immunosorbent assay (ELISA)-a practical overview. <i>Analytical and Bioanalytical Chemistry</i> , 2020 , 412, 3983-4008	4.4	12
120	TiO2EGO nanocomposite as an efficient catalyst to photodegrade formalin in aquaculture Rawaters, under solar light. Environmental Science: Water Research and Technology, 2020, 6, 1018-1027	4.2	14
119	Determination of Three Estrogens in Environmental Water Samples Using Dispersive Liquid-Liquid Microextraction by High-Performance Liquid Chromatography and Fluorescence Detector. <i>Water, Air, and Soil Pollution</i> , 2020 , 231, 1	2.6	6
118	Effect of the surface functionalization of a waste-derived activated carbon on pharmaceuticalsR adsorption from water. <i>Journal of Molecular Liquids</i> , 2020 , 299, 112098	6	20

117	Oxolinic acid in aquaculture waters: Can natural attenuation through photodegradation decrease its concentration?. <i>Science of the Total Environment</i> , 2020 , 749, 141661	10.2	4
116	Sulfamethoxazole exposure to simulated solar radiation under continuous flow mode: Degradation and antibacterial activity. <i>Chemosphere</i> , 2020 , 238, 124613	8.4	4
115	Determination of estrone and 17\textraction thin the straction and high-performance liquid chromatography with fluorescence detection. <i>Journal of Separation Science</i> , 2019 , 42, 1585-1592	3.4	7
114	Fixed-bed performance of a waste-derived granular activated carbon for the removal of micropollutants from municipal wastewater. <i>Science of the Total Environment</i> , 2019 , 683, 699-708	10.2	17
113	Adsorption of pharmaceuticals from biologically treated municipal wastewater using paper mill sludge-based activated carbon. <i>Environmental Science and Pollution Research</i> , 2019 , 26, 13173-13184	5.1	22
112	Isolation, characterization and valorization of lignin from Pinus elliottii sawdust as a low-cost biosorbent for zinc removal. <i>Cellulose</i> , 2019 , 26, 4895-4908	5.5	11
111	Photodegradation of sulfamethoxazole in environmental samples: The role of pH, organic matter and salinity. <i>Science of the Total Environment</i> , 2019 , 648, 1403-1410	10.2	39
110	Oxytetracycline in intensive aquaculture: water quality during and after its administration, environmental fate, toxicity and bacterial resistance. <i>Reviews in Aquaculture</i> , 2019 , 11, 1176-1194	8.9	27
109	Obtaining granular activated carbon from paper mill sludge - A challenge for application in the removal of pharmaceuticals from wastewater. <i>Science of the Total Environment</i> , 2019 , 653, 393-400	10.2	29
108	Purification of pulp mill condensates by an adsorptive process on activated carbon. <i>Holzforschung</i> , 2019 , 73, 589-597	2	3
107	Solar photodegradation of oxytetracycline in brackish aquaculture water: New insights about effects of Ca2+ and Mg2+. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2019 , 372, 218-225	4.7	10
106	Removal of pharmaceuticals from municipal wastewater by adsorption onto pyrolyzed pulp mill sludge. <i>Arabian Journal of Chemistry</i> , 2019 , 12, 3611-3620	5.9	37
105	Production of highly efficient activated carbons from industrial wastes for the removal of pharmaceuticals from water-A full factorial design. <i>Journal of Hazardous Materials</i> , 2019 , 370, 212-218	12.8	35
104	Effects of single and combined exposure of pharmaceutical drugs (carbamazepine and cetirizine) and a metal (cadmium) on the biochemical responses of R. philippinarum. <i>Aquatic Toxicology</i> , 2018 , 198, 10-19	5.1	26
103	Effects of carbamazepine and cetirizine under an ocean acidification scenario on the biochemical and transcriptome responses of the clam Ruditapes philippinarum. <i>Environmental Pollution</i> , 2018 , 235, 857-868	9.3	30
102	Paper pulp-based adsorbents for the removal of pharmaceuticals from wastewater: A novel approach towards diversification. <i>Science of the Total Environment</i> , 2018 , 631-632, 1018-1028	10.2	22
101	Use of formalin in intensive aquaculture: properties, application and effects on fish and water quality. <i>Reviews in Aquaculture</i> , 2018 , 10, 281-295	8.9	42
100	Simultaneous extraction and concentration of water pollution tracers using ionic-liquid-based systems. <i>Journal of Chromatography A</i> , 2018 , 1559, 69-77	4.5	18

(2016-2018)

99	Antimicrobial Photodynamic Activity of Cationic Nanoparticles Decorated with Glycosylated Photosensitizers for Water Disinfection. <i>ChemPhotoChem</i> , 2018 , 2, 596-605	3.3	4
98	Waste-based alternative adsorbents for the remediation of pharmaceutical contaminated waters: Has a step forward already been taken?. <i>Bioresource Technology</i> , 2018 , 250, 888-901	11	53
97	Interrelationships between major components of PM10 and sub-micron particles: Influence of Atlantic air masses. <i>Atmospheric Research</i> , 2018 , 212, 64-76	5.4	1
96	Biodegradation of 17Eestradiol by bacteria isolated from deep sea sediments in aerobic and anaerobic media. <i>Journal of Hazardous Materials</i> , 2017 , 323, 359-366	12.8	33
95	Comparison of the toxicological impacts of carbamazepine and a mixture of its photodegradation products in Scrobicularia plana. <i>Journal of Hazardous Materials</i> , 2017 , 323, 220-232	12.8	27
94	Fixed-bed adsorption of Tricaine Methanesulfonate onto pyrolysed paper mill sludge. <i>Aquacultural Engineering</i> , 2017 , 77, 53-60	3	13
93	Single and multi-component adsorption of psychiatric pharmaceuticals onto alternative and commercial carbons. <i>Journal of Environmental Management</i> , 2017 , 192, 15-24	7.9	36
92	Salicylic acid determination in estuarine and riverine waters using hollow fiber liquid-phase microextraction and capillary zone electrophoresis. <i>Environmental Science and Pollution Research</i> , 2017 , 24, 15748-15755	5.1	10
91	Ecotoxicity of the antihistaminic drug cetirizine to Ruditapes philippinarum clams. <i>Science of the Total Environment</i> , 2017 , 601-602, 793-801	10.2	19
90	Toxic effects of the antihistamine cetirizine in mussel Mytilus galloprovincialis. <i>Water Research</i> , 2017 , 114, 316-326	12.5	43
89	Nanomagnet-photosensitizer hybrid materials for the degradation of 17 th estradiol in batch and flow modes. <i>Dyes and Pigments</i> , 2017 , 142, 535-543	4.6	13
88	Physiological and biochemical alterations induced in the mussel Mytilus galloprovincialis after short and long-term exposure to carbamazepine. <i>Water Research</i> , 2017 , 117, 102-114	12.5	63
87	Toxicity associated to uptake and depuration of carbamazepine in the clam Scrobicularia plana under a chronic exposure. <i>Science of the Total Environment</i> , 2017 , 580, 1129-1145	10.2	19
86	Live reef fish displaying physiological evidence of cyanide poisoning are still traded in the EU marine aquarium industry. <i>Scientific Reports</i> , 2017 , 7, 6566	4.9	7
85	Photochemical transformation of zearalenone in aqueous solutions under simulated solar irradiation: Kinetics and influence of water constituents. <i>Chemosphere</i> , 2017 , 169, 146-154	8.4	11
84	Removal of tricaine methanesulfonate from aquaculture wastewater by adsorption onto pyrolysed paper mill sludge. <i>Chemosphere</i> , 2017 , 168, 139-146	8.4	14
83	Antibacterial activity of oxytetracycline photoproducts in marine aquaculture water. <i>Environmental Pollution</i> , 2017 , 220, 644-649	9.3	18
82	Long-term exposure of polychaetes to caffeine: Biochemical alterations induced in Diopatra neapolitana and Arenicola marina. <i>Environmental Pollution</i> , 2016 , 214, 456-463	9.3	23

81	Comparative valorisation of agricultural and industrial biowastes by combustion and pyrolysis. <i>Bioresource Technology</i> , 2016 , 218, 918-25	11	34
80	Caffeine impacts in the clam Ruditapes philippinarum: Alterations on energy reserves, metabolic activity and oxidative stress biomarkers. <i>Chemosphere</i> , 2016 , 160, 95-103	8.4	59
79	Photodegradation behaviour of estriol: An insight on natural aquatic organic matter influence. <i>Chemosphere</i> , 2016 , 159, 545-551	8.4	19
78	Hediste diversicolor as bioindicator of pharmaceutical pollution: Results from single and combined exposure to carbamazepine and caffeine. <i>Comparative Biochemistry and Physiology Part - C: Toxicology and Pharmacology</i> , 2016 , 188, 30-8	3.2	18
77	Use of sunlight to degrade oxytetracycline in marine aquaculture waters. <i>Environmental Pollution</i> , 2016 , 213, 932-939	9.3	30
76	A one-year record of carbonaceous components and major ions in aerosols from an urban kerbside location in Oporto, Portugal. <i>Science of the Total Environment</i> , 2016 , 562, 822-833	10.2	29
75	Long-term exposure to caffeine and carbamazepine: Impacts on the regenerative capacity of the polychaete Diopatra neapolitana. <i>Chemosphere</i> , 2016 , 146, 565-73	8.4	43
74	The impacts of pharmaceutical drugs under ocean acidification: New data on single and combined long-term effects of carbamazepine on Scrobicularia plana. <i>Science of the Total Environment</i> , 2016 , 541, 977-985	10.2	68
73	Effect of natural aquatic humic substances on the photodegradation of estrone. <i>Chemosphere</i> , 2016 , 145, 249-55	8.4	22
72	Toward the Standardization of Biochar Analysis: The COST Action TD1107 Interlaboratory Comparison. <i>Journal of Agricultural and Food Chemistry</i> , 2016 , 64, 513-27	5.7	71
71	Effects of doxorubicin administration on bone strength and quality in sedentary and physically active Wistar rats. <i>Osteoporosis International</i> , 2016 , 27, 3465-3475	5.3	9
70	Photosensitized Degradation of 17 Estradiol and 17 Ethinylestradiol: Role of Humic Substances Fractions. <i>Journal of Environmental Quality</i> , 2016 , 45, 693-700	3.4	20
69	Structural considerations on the selectivity of an immunoassay for sulfamethoxazole. <i>Talanta</i> , 2016 , 158, 198-207	6.2	16
68	Photodegradation of organic pollutants in water by immobilized porphyrins and phthalocyanines. <i>Journal of Porphyrins and Phthalocyanines</i> , 2016 , 20, 150-166	1.8	46
67	Comparative adsorption evaluation of biochars from paper mill sludge with commercial activated carbon for the removal of fish anaesthetics from water in Recirculating Aquaculture Systems. <i>Aquacultural Engineering</i> , 2016 , 74, 76-83	3	17
66	One-step extraction and concentration of estrogens for an adequate monitoring of wastewater using ionic-liquid-based aqueous biphasic systems. <i>Green Chemistry</i> , 2015 , 17, 2570-2579	10	40
65	Chronic toxicity of the antiepileptic carbamazepine on the clam Ruditapes philippinarum. <i>Comparative Biochemistry and Physiology Part - C: Toxicology and Pharmacology</i> , 2015 , 172-173, 26-35	3.2	52
64	Soil properties, phosphorus fractions and sorption after wildfire in north-central Portugal. <i>Geoderma Regional</i> , 2015 , 5, 86-95	2.7	5

(2013-2015)

How life history influences the responses of the clam Scrobicularia plana to the combined impacts of carbamazepine and pH decrease. <i>Environmental Pollution</i> , 2015 , 202, 205-14	9.3	42
Removal of fluoxetine from water by adsorbent materials produced from paper mill sludge. <i>Journal of Colloid and Interface Science</i> , 2015 , 448, 32-40	9.3	42
The effects of carbamazepine on macroinvertebrate species: Comparing bivalves and polychaetes biochemical responses. <i>Water Research</i> , 2015 , 85, 137-47	12.5	63
Does light-screening by humic substances completely explain their retardation effect on contaminants photo-degradation?. <i>Journal of Environmental Chemical Engineering</i> , 2015 , 3, 3015-3019	6.8	4
Application of pyrolysed agricultural biowastes as adsorbents for fish anaesthetic (MS-222) removal from water. <i>Journal of Analytical and Applied Pyrolysis</i> , 2015 , 112, 313-324	6	15
Adsorptive removal of pharmaceuticals from water by commercial and waste-based carbons. Journal of Environmental Management, 2015 , 152, 83-90	7.9	97
Introducing the concept of centergram. A new tool to squeeze data from separation techniques-mass spectrometry couplings. <i>Journal of Chromatography A</i> , 2014 , 1330, 89-96	4.5	7
Application of dispersive liquid-liquid microextraction for estrogensRquantification by enzyme-linked immunosorbent assay. <i>Talanta</i> , 2014 , 125, 102-6	6.2	23
Presence of the pharmaceutical drug carbamazepine in coastal systems: effects on bivalves. <i>Aquatic Toxicology</i> , 2014 , 156, 74-87	5.1	117
Evaluation of the anthropogenic input of caffeine in surface waters of the north and center of Portugal by ELISA. <i>Science of the Total Environment</i> , 2014 , 479-480, 227-32	10.2	21
Production of adsorbents by pyrolysis of paper mill sludge and application on the removal of citalopram from water. <i>Bioresource Technology</i> , 2014 , 166, 335-44	11	73
Development and application of a capillary electrophoresis method for the determination of ellagic acid in E. globulus wood and in filtrates from E. globulus kraft pulp. <i>Wood Science and Technology</i> , 2014 , 48, 99-108	2.5	7
Development of an enzyme-linked immunosorbent assay for atrazine monitoring in water samples. <i>Environmental Science and Pollution Research</i> , 2013 , 20, 3157-64	5.1	5
Immobilized humic substances and immobilized aggregates of humic substances as sorbent for solid phase extraction. <i>Journal of Chromatography A</i> , 2013 , 1306, 104-8	4.5	5
BDE-209: kinetic studies and effect of humic substances on photodegradation in water. <i>Environmental Science & Environmental &</i>	10.3	45
Kinetics of the PO4-P adsorption onto soils and sediments from the Mondego estuary (Portugal). <i>Marine Pollution Bulletin</i> , 2013 , 77, 361-6	6.7	8
Development of ELISA methodologies for the direct determination of 17 stradiol and 17 stradiol in complex aqueous matrices. <i>Journal of Environmental Management</i> , 2013 , 124, 121-7	7.9	43
Low cost methodology for estrogens monitoring in water samples using dispersive liquid-liquid microextraction and HPLC with fluorescence detection. <i>Talanta</i> , 2013 , 115, 980-5	6.2	42
	of carbamazepine and pH decrease. <i>Environmental Pollution</i> , 2015, 202, 205-14 Removal of Fluoxetine from water by adsorbent materials produced from paper mill sludge. <i>Journal of Colloid and Interface Science</i> , 2015, 448, 32-40 The effects of carbamazepine on macroinvertebrate species: Comparing bivalves and polychaetes biochemical responses. <i>Water Research</i> , 2015, 85, 137-47 Does light-screening by humic substances completely explain their retardation effect on contaminants photo-degradation? <i>Journal of Environmental Chemical Engineering</i> , 2015, 3, 3015-3019 Application of pyrolysed agricultural biowastes as adsorbents for fish anaesthetic (MS-222) removal from water. <i>Journal of Analytical and Applied Pyrolysis</i> , 2015, 112, 313-324 Adsorptive removal of pharmaceuticals from water by commercial and waste-based carbons. <i>Journal of Environmental Management</i> , 2015, 152, 83-90 Introducing the concept of centergram. A new tool to squeeze data from separation techniques-mass spectrometry couplings. <i>Journal of Chromatography A</i> , 2014, 1330, 89-96 Application of dispersive liquid-liquid microextraction for estrogensRquantification by enzyme-linked immunosorbent assay. <i>Talanta</i> , 2014, 125, 102-6 Presence of the pharmaceutical drug carbamazepine in coastal systems: effects on bivalves. <i>Aquatic Toxicology</i> , 2014, 156, 74-87 Evaluation of the anthropogenic input of caffeine in surface waters of the north and center of Portugal by ELISA. <i>Science of the Total Environment</i> , 2014, 479-480, 227-32 Production of adsorbents by pyrolysis of paper mill sludge and application on the removal of citalogram from water. <i>Bioresource Technology</i> , 2014, 166, 335-44 Development and application of a capillary electrophoresis method for the determination of ellagic acid in E. globulus wood and in filtrates from E. globulus kraft pulp. <i>Wood Science and Technology</i> , 2014, 48, 99-108 Development of an enzyme-linked immunosorbent assay for atrazine monitoring in water samples. <i>Environmental Science Amp</i> , Technology, 2013,	of carbamazepine and pH decrease. Environmental Pollution, 2015, 202, 205-14 Removal of fluoxetine from water by adsorbent materials produced from paper mill sludge. Journal of Coloid and Interface Science, 2015, 448, 32-40 12.5 The effects of carbamazepine on macroinvertebrate species: Comparing bivalves and polychaetes biochemical responses. Water Research, 2015, 85, 137-47 Does light-screening by humic substances completely explain their retardation effect on contaminants photo-degradation? Journal of Environmental Chemical Engineering, 2015, 3, 3015-3019 Application of pyrolysed agricultural biowastes as adsorbents for fish anaesthetic (MS-222) removal from water. Journal of Analytical and Applied Pyrolysis, 2015, 112, 313-324 Adsorptive removal of pharmaceuticals from water by commercial and waste-based carbons. Journal of Environmental Management, 2015, 152, 83-90 Introducing the concept of centergram. A new tool to squeeze data from separation techniques-mass spectrometry couplings. Journal of Chromatography A, 2014, 1330, 89-96 Application of dispersive liquid-liquid microextraction for estrogensRquantification by enzyme-linked immunosorbent assay. Talanta, 2014, 125, 102-6 Presence of the pharmaceutical drug carbamazepine in coastal systems: effects on bivalves. Aquatic Toxicology, 2014, 156, 74-87 Evaluation of the anthropogenic input of caffeine in surface waters of the north and center of Portugal by ELISA. Science of the Total Environment, 2014, 479-480, 227-32 Production of adsorbents by pyrolysis of paper mill sludge and application on the removal of citalogram from water. Bioresource Technology, 2014, 166, 335-44 Development and application of a capillary electrophoresis method for the determination of ellagic acid in E. globulus wood and in filtrates from E. globulus kraft pulp. Wood Science and Technology, 2014, 49-9108 Development of an enzyme-linked immunosorbent assay for atrazine monitoring in water samples. Environmental Science and Pollution Research, 2013, 20, 3157-64 Immo

45	Characterization of Brazilian Peat Samples by Applying a Multimethod Approach. <i>Spectroscopy Letters</i> , 2013 , 46, 201-210	1.1	13
44	Processes for the elimination of estrogenic steroid hormones from water: a review. <i>Environmental Pollution</i> , 2012 , 165, 38-58	9.3	231
43	Sorption behavior of EE2 on soils subjected to different long-term organic amendments. <i>Science of the Total Environment</i> , 2012 , 423, 120-4	10.2	19
42	Dynamically formed admicelle layer to control the amplitude of cathodic electroosmotic flow. <i>Journal of Chromatography A</i> , 2012 , 1256, 271-5	4.5	7
41	Adsorption of the antiepileptic carbamazepine onto agricultural soils. <i>Journal of Environmental Monitoring</i> , 2012 , 14, 1597-603		20
40	Removal of diclofenac sodium from aqueous solution by Isabel grape bagasse. <i>Chemical Engineering Journal</i> , 2012 , 192, 114-121	14.7	157
39	Kinetics of Eucalypt Lignosulfonate Oxidation to Aromatic Aldehydes by Oxygen in Alkaline Medium. <i>Industrial & Engineering Chemistry Research</i> , 2011 , 50, 291-298	3.9	52
38	Direct photodegradation of carbamazepine followed by micellar electrokinetic chromatography and mass spectrometry. <i>Water Research</i> , 2011 , 45, 1095-104	12.5	93
37	Photodegradation of psychiatric pharmaceuticals in aquatic environmentskinetics and photodegradation products. <i>Water Research</i> , 2011 , 45, 6097-106	12.5	94
36	Studying the interaction between triazines and humic substancesa new approach using open tubular capillary electrochromatography. <i>Talanta</i> , 2011 , 84, 424-9	6.2	7
35	Development of an ELISA procedure to study sorption of atrazine onto a sewage sludge-amended luvisol soil. <i>Talanta</i> , 2011 , 85, 1494-9	6.2	16
34	Remoß dos hormßios 17 Estradiol e 17 Etinilestradiol de solu sa aquosas empregando turfa decomposta como material adsorvente. <i>Quimica Nova</i> , 2011 , 34, 1526-1533	1.6	19
33	Adsorption behavior of 17⊞thynylestradiol onto soils followed by fluorescence spectral deconvolution. <i>Chemosphere</i> , 2011 , 84, 1072-8	8.4	22
32	Application of an ELISA to the quantification of carbamazepine in ground, surface and wastewaters and validation with LC-MS/MS. <i>Chemosphere</i> , 2011 , 84, 1708-15	8.4	66
31	Degradation by Solar Radiation of Estrogenic Hormones Monitored by UVII isible Spectroscopy and Capillary Electrophoresis. <i>Water, Air, and Soil Pollution</i> , 2011 , 215, 441-447	2.6	27
30	Bleeding Evaluation of Different SPE Cartridges on Clean-Up of Atrazine From Aqueous Samples Containing Organic Matter. <i>Chromatographia</i> , 2011 , 74, 725-729	2.1	1
29	Noise normalisation in capillary electrophoresis using a diode array detector. <i>Journal of Separation Science</i> , 2011 , 34, 1703-7	3.4	6
28	Sorption-desorption behavior of atrazine on soils subjected to different organic long-term amendments. <i>Journal of Agricultural and Food Chemistry</i> , 2010 , 58, 3101-6	5.7	40

(2007-2010)

27	Influence of different organic amendments on the potential availability of metals from soil: a study on metal fractionation and extraction kinetics by EDTA. <i>Chemosphere</i> , 2010 , 78, 389-96	8.4	40
26	Fluorescence characterization of daily and intertidal changes in estuarine water DOM related to the presence of Sarcocornia perennis (L.) A.J. Scott. <i>Organic Geochemistry</i> , 2010 , 41, 734-741	3.1	2
25	Comparison between MEKC and UV spectral deconvolution to follow sorption experiment in soil. <i>Talanta</i> , 2010 , 81, 1489-93	6.2	9
24	Heavy elements in the phosphorite from Kalaat Khasba mine (North-western Tunisia): potential implications on the environment and human health. <i>Journal of Hazardous Materials</i> , 2010 , 182, 232-45	12.8	32
23	Effect of long term organic amendments on adsorption-desorption of thiram onto a luvisol soil derived from loess. <i>Chemosphere</i> , 2010 , 80, 293-300	8.4	14
22	Elemental and spectral properties of peat and soil samples and their respective humic substances. Journal of Molecular Structure, 2010 , 971, 33-38	3.4	40
21	Quantification of organic acids in beer by nuclear magnetic resonance (NMR)-based methods. <i>Analytica Chimica Acta</i> , 2010 , 674, 166-75	6.6	42
20	Non-native states of cardosin A induced by acetonitrile: Activity modulation via polypeptide chains rearrangements. <i>Journal of Molecular Catalysis B: Enzymatic</i> , 2009 , 61, 274-278		2
19	Robustness of the co-ion transfer ratio in capillary electrophoresis. <i>Journal of Separation Science</i> , 2009 , 32, 3007-12	3.4	1
18	Application of MEKC to the monitoring of atrazine sorption behaviour on soils. <i>Journal of Separation Science</i> , 2009 , 32, 4241-6	3.4	5
17	Unfolding of cardosin A in organic solvents and detection of intermediaries. <i>Journal of Molecular Catalysis B: Enzymatic</i> , 2009 , 57, 115-122		10
16	Analysis of Non-Aromatic Organic Acids in Beer by CE and Direct Detection Mode with Diode Array Detection. <i>Chromatographia</i> , 2009 , 70, 1737-1742	2.1	10
15	Psychiatric pharmaceuticals in the environment. <i>Chemosphere</i> , 2009 , 77, 1257-74	8.4	288
14	Effects of organic and inorganic amendments on soil organic matter properties. <i>Geoderma</i> , 2009 , 150, 38-45	6.7	92
13	Comparative characterization of humic substances from the open ocean, estuarine water and fresh water. <i>Organic Geochemistry</i> , 2009 , 40, 942-950	3.1	53
12	Development and application of a capillary electrophoresis based method for the simultaneous screening of six antibiotics in spiked milk samples. <i>Talanta</i> , 2007 , 71, 731-7	6.2	86
11	Development and application of a capillary electrophoresis based method for the assessment of monosaccharide in soil using acid hydrolysis. <i>Talanta</i> , 2007 , 72, 165-71	6.2	12
10	Optimization of phenolic compounds analysis by capillary electrophoresis. <i>Talanta</i> , 2007 , 72, 1404-9	6.2	32

9	Stable carbon isotope ratios of tandem fractionated humic substances from different water bodies. <i>Organic Geochemistry</i> , 2007 , 38, 957-966	3.1	11	
8	Fluorescence and DOC contents of estuarine pore waters from colonized and non-colonized sediments: effects of sampling preservation. <i>Chemosphere</i> , 2007 , 67, 211-20	8.4	31	
7	Solid-phase extraction and capillary electrophoresis determination of phenols from soil after alkaline CuO oxidation. <i>Chemosphere</i> , 2007 , 69, 561-8	8.4	12	
6	Using capillary electrophoresis for the determination of organic acids in Port wine. <i>Analytica Chimica Acta</i> , 2004 , 513, 163-167	6.6	63	
5	Differences between Humic Substances from Riverine, Estuarine, and Marine Environments Observed by Fluorescence Spectroscopy. <i>Clean - Soil, Air, Water</i> , 2001 , 28, 359-363		14	
4	Thermogravimetric properties of aquatic humic substances. <i>Marine Chemistry</i> , 1999 , 63, 225-233	3.7	26	
3	Humic substancesRproton-binding equilibria: assessment of errors and limitations of potentiometric data. <i>Analytica Chimica Acta</i> , 1999 , 392, 333-341	6.6	24	
2	Study of the effect of pH, salinity and DOC on fluorescence of synthetic mixtures of freshwater and marine salts. <i>Journal of Environmental Monitoring</i> , 1999 , 1, 251-4		13	
1	Variation on the adsorption efficiency of humic substances from estuarine waters using XAD resins. <i>Marine Chemistry</i> , 1995 , 51, 61-66	3.7	25	