
Giulia Martini

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9140866/publications.pdf Version: 2024-02-01



CILILIA ΜΑΡΤΙΝΙ

#	Article	IF	CITATIONS
1	Which treatment after first line therapy in NSCLC patients without genetic alterations in the era of immunotherapy?. Critical Reviews in Oncology/Hematology, 2022, 169, 103538.	4.4	13
2	Immunotherapy for Biliary Tract Cancer in the Era of Precision Medicine: Current Knowledge and Future Perspectives. International Journal of Molecular Sciences, 2022, 23, 820.	4.1	15
3	Multi-Omic Approaches in Colorectal Cancer beyond Genomic Data. Journal of Personalized Medicine, 2022, 12, 128.	2.5	6
4	Encorafenib, cetuximab, and cytotoxic chemotherapy combinations in BRAFV600E CRC murine models Journal of Clinical Oncology, 2022, 40, 145-145.	1.6	0
5	Anti-tumor activity of cetuximab plus avelumab in non-small cell lung cancer patients involves innate immunity activation: findings from the CAVE-Lung trial. Journal of Experimental and Clinical Cancer Research, 2022, 41, 109.	8.6	7
6	Immunotherapy for head and neck cancer: Present and future. Critical Reviews in Oncology/Hematology, 2022, 174, 103679.	4.4	45
7	Cancer cells adapt FAM134B/BiP mediated ER-phagy to survive hypoxic stress. Cell Death and Disease, 2022, 13, 357.	6.3	15
8	Mixed Neuroendocrine Non-Neuroendocrine Neoplasms of the Gastrointestinal Tract: A Case Series. Healthcare (Switzerland), 2022, 10, 708.	2.0	4
9	Gut microbiota correlates with antitumor activity in patients with <scp>mCRC</scp> and <scp>NSCLC</scp> treated with cetuximab plus avelumab. International Journal of Cancer, 2022, 151, 473-480.	5.1	24
10	Clinical management of metastatic colorectal cancer in the era of precision medicine. Ca-A Cancer Journal for Clinicians, 2022, 72, 372-401.	329.8	167
11	Vulnerability to low-dose combination of irinotecan and niraparib in ATM-mutated colorectal cancer. Journal of Experimental and Clinical Cancer Research, 2021, 40, 15.	8.6	13
12	Dual inhibition of TGFÎ ² and AXL as a novel therapy for human colorectal adenocarcinoma with mesenchymal phenotype. Medical Oncology, 2021, 38, 24.	2.5	7
13	Biomarker-Guided Anti-EGFR Rechallenge Therapy in Metastatic Colorectal Cancer. Cancers, 2021, 13, 1941.	3.7	21
14	Final results from the CAVE (cetuximab rechallenge plus avelumab) mCRC phase II trial: Skin toxicity as a predictor of clinical activity Journal of Clinical Oncology, 2021, 39, 3578-3578.	1.6	6
15	Cetuximab Rechallenge Plus Avelumab in Pretreated Patients With <i>RAS</i> Wild-type Metastatic Colorectal Cancer. JAMA Oncology, 2021, 7, 1529.	7.1	80
16	How Immunotherapy Has Changed the Continuum of Care in Hepatocellular Carcinoma. Cancers, 2021, 13, 4719.	3.7	7
17	Retrospective Study of Regorafenib Versus TAS-102 Efficacy and Safety in Chemorefractory Metastatic Colorectal Cancer (mCRC) Patients: A Multi-institution Real Life Clinical Data. Clinical Colorectal Cancer, 2021, 20, 227-235.	2.3	10
18	The Evolving Role of Consensus Molecular Subtypes: a Step Beyond Inpatient Selection for Treatment of Colorectal Cancer. Current Treatment Options in Oncology, 2021, 22, 113.	3.0	9

GIULIA MARTINI

#	Article	IF	CITATIONS
19	Skin Toxicity as Predictor of Survival in Refractory Patients with RAS Wild-Type Metastatic Colorectal Cancer Treated with Cetuximab and Avelumab (CAVE) as Rechallenge Strategy. Cancers, 2021, 13, 5715.	3.7	6
20	AXL is a predictor of poor survival and of resistance to anti-EGFR therapy in RAS wild-type metastatic colorectal cancer. European Journal of Cancer, 2020, 138, 1-10.	2.8	23
21	Feasibility of next-generation sequencing in clinical practice: results of a pilot study in the Department of Precision Medicine at the University of Campania â€~Luigi Vanvitelli'. ESMO Open, 2020, 5, e000675.	4.5	11
22	Resistance to anti-epidermal growth factor receptor in metastatic colorectal cancer: What does still need to be addressed?. Cancer Treatment Reviews, 2020, 86, 102023.	7.7	34
23	Patient and tumor characteristics as determinants of overall survival (OS) in <i>BRAF</i> V600 mutant (mt) metastatic colorectal cancer (mCRC) treated with doublet or triplet targeted therapy Journal of Clinical Oncology, 2020, 38, 4112-4112.	1.6	6
24	The predictive role of plasma mutant allele fraction to antiangiogenic drugs in patients with mCRC: An expanded analysis of surrogate biomarkers of response to first-line treatment with bevacizumab Journal of Clinical Oncology, 2020, 38, 3541-3541.	1.6	0
25	Clinical Practice Use of Liquid Biopsy to Identify RAS/BRAF Mutations in Patients with Metastatic Colorectal Cancer (mCRC): A Single Institution Experience. Cancers, 2019, 11, 1504.	3.7	36
26	Receptor tyrosine kinase-dependent PI3K activation is an escape mechanism to vertical suppression of the EGFR/RAS/MAPK pathway in KRAS-mutated human colorectal cancer cell lines. Journal of Experimental and Clinical Cancer Research, 2019, 38, 41.	8.6	57
27	Immunotherapy of colorectal cancer: Challenges for therapeutic efficacy. Cancer Treatment Reviews, 2019, 76, 22-32.	7.7	224
28	How I treat anal squamous cell carcinoma. ESMO Open, 2019, 4, e000711.	4.5	4
29	Present and future of metastatic colorectal cancer treatment: A review of new candidate targets. World Journal of Gastroenterology, 2017, 23, 4675.	3.3	91
30	Therapeutic value of EGFR inhibition in CRC and NSCLC: 15â€years of clinical evidence. ESMO Open, 2016, 1, e000088.	4.5	85
31	Phase III study of regorafenib versus placebo as maintenance therapy in RAS wild type metastatic colorectal cancer (RAVELLO trial) Journal of Clinical Oncology, 2015, 33, TPS3634-TPS3634.	1.6	2
32	Phase III study of regorafenib versus placebo as maintenance therapy in RAS wild type metastatic colorectal cancer (RAVELLO trial) Journal of Clinical Oncology, 2015, 33, TPS789-TPS789.	1.6	2